

Spurious Emission at Antenna Terminals

2.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.35	-13	47.35	Pass	401
0.15	30	0.01	RMS	0.16	-78.31	-13	65.31	Pass	2986
30	814	0.1	RMS	813	-70.26	-13	57.26	Pass	7841
814	860	0.1	RMS	839.6	15.38	60	44.62	Pass	461
860	1000	0.1	RMS	937.9	-69.79	-13	56.79	Pass	1401
1000	3000	1	RMS	1679	-51.51	-13	38.51	Pass	2001
3000	10000	1	RMS	9696	-45.42	-13	32.42	Pass	7001



3. LTE_Band12


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.15	-77.84	-13	64.84	Pass	2986
30	689	0.1	RMS	688.6	-70.45	-13	57.45	Pass	6591
689	726	0.1	RMS	699.268	16.28	60	43.72	Pass	401
726	1000	0.1	RMS	951.2	-69.72	-13	56.72	Pass	2741
1000	3000	1	RMS	2423	-54.03	-13	41.03	Pass	2001
3000	10000	1	RMS	9704	-45.48	-13	32.48	Pass	7001




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.43	-13	49.43	Pass	401
0.15	30	0.01	RMS	0.15	-77.45	-13	64.45	Pass	2986
30	689	0.1	RMS	688.5	-70.67	-13	57.67	Pass	6591
689	726	0.1	RMS	699.268	15.2	60	44.8	Pass	401
726	1000	0.1	RMS	920.2	-69.59	-13	56.59	Pass	2741
1000	3000	1	RMS	2987	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9705	-45.49	-13	32.49	Pass	7001




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.2	-13	51.2	Pass	401
0.15	30	0.01	RMS	0.15	-78.17	-13	65.17	Pass	2986
30	689	0.1	RMS	512.5	-71.03	-13	58.03	Pass	6591
689	726	0.1	RMS	707.038	15.89	60	44.11	Pass	401
726	1000	0.1	RMS	963.6	-69.74	-13	56.74	Pass	2741
1000	3000	1	RMS	1414	-49.26	-13	36.26	Pass	2001
3000	10000	1	RMS	9703	-45.48	-13	32.48	Pass	7001




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.65	-13	48.65	Pass	401
0.15	30	0.01	RMS	0.15	-77.9	-13	64.9	Pass	2986
30	689	0.1	RMS	672	-70.97	-13	57.97	Pass	6591
689	726	0.1	RMS	707.038	15.67	60	44.33	Pass	401
726	1000	0.1	RMS	984.8	-69.68	-13	56.68	Pass	2741
1000	3000	1	RMS	1414	-49.25	-13	36.25	Pass	2001
3000	10000	1	RMS	9701	-45.51	-13	32.51	Pass	7001




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.65	-13	56.65	Pass	401
0.15	30	0.01	RMS	0.15	-78.13	-13	65.13	Pass	2986
30	689	0.1	RMS	609.4	-70.87	-13	57.87	Pass	6591
689	726	0.1	RMS	714.808	15.63	60	44.37	Pass	401
726	1000	0.1	RMS	928.3	-69.78	-13	56.78	Pass	2741
1000	3000	1	RMS	1429	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	9710	-45.56	-13	32.56	Pass	7001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.01	-13	49.01	Pass	401
0.15	30	0.01	RMS	0.15	-77.47	-13	64.47	Pass	2986
30	689	0.1	RMS	524.3	-71.01	-13	58.01	Pass	6591
689	726	0.1	RMS	714.808	14.91	60	45.09	Pass	401
726	1000	0.1	RMS	995.1	-69.68	-13	56.68	Pass	2741
1000	3000	1	RMS	1429	-49.26	-13	36.26	Pass	2001
3000	10000	1	RMS	9699	-45.56	-13	32.56	Pass	7001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.99	-13	57.99	Pass	401
0.15	30	0.01	RMS	0.15	-76.83	-13	63.83	Pass	2986
30	689	0.1	RMS	688.5	-70.41	-13	57.41	Pass	6591
689	726	0.1	RMS	699.268	15.75	60	44.25	Pass	401
726	1000	0.1	RMS	829.4	-69.63	-13	56.63	Pass	2741
1000	3000	1	RMS	2998	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9704	-45.55	-13	32.55	Pass	7001




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-60.32	-13	47.32	Pass	401
0.15	30	0.01	RMS	0.17	-78.04	-13	65.04	Pass	2986
30	689	0.1	RMS	688.5	-70.78	-13	57.78	Pass	6591
689	726	0.1	RMS	699.268	14.85	60	45.15	Pass	401
726	1000	0.1	RMS	939.4	-69.51	-13	56.51	Pass	2741
1000	3000	1	RMS	2973	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9703	-45.53	-13	32.53	Pass	7001




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.91	-13	50.91	Pass	401
0.15	30	0.01	RMS	0.15	-77.44	-13	64.44	Pass	2986
30	689	0.1	RMS	668.9	-70.87	-13	57.87	Pass	6591
689	726	0.1	RMS	706.205	15.83	60	44.17	Pass	401
726	1000	0.1	RMS	918.9	-69.74	-13	56.74	Pass	2741
1000	3000	1	RMS	1412	-46.3	-13	33.3	Pass	2001
3000	10000	1	RMS	9701	-45.57	-13	32.57	Pass	7001




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.13	-13	47.13	Pass	401
0.15	30	0.01	RMS	0.25	-77.84	-13	64.84	Pass	2986
30	689	0.1	RMS	589	-70.81	-13	57.81	Pass	6591
689	726	0.1	RMS	706.205	15.06	60	44.94	Pass	401
726	1000	0.1	RMS	833.4	-69.73	-13	56.73	Pass	2741
1000	3000	1	RMS	1412	-47.18	-13	34.18	Pass	2001
3000	10000	1	RMS	9701	-45.54	-13	32.54	Pass	7001




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.42	-13	56.42	Pass	401
0.15	30	0.01	RMS	0.52	-77.25	-13	64.25	Pass	2986
30	689	0.1	RMS	619.4	-70.87	-13	57.87	Pass	6591
689	726	0.1	RMS	713.235	16.29	60	43.71	Pass	401
726	1000	0.1	RMS	994.9	-69.64	-13	56.64	Pass	2741
1000	3000	1	RMS	1426	-51.41	-13	38.41	Pass	2001
3000	10000	1	RMS	9711	-45.51	-13	32.51	Pass	7001




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.27	-13	48.27	Pass	401
0.15	30	0.01	RMS	0.15	-77.55	-13	64.55	Pass	2986
30	689	0.1	RMS	614.9	-70.97	-13	57.97	Pass	6591
689	726	0.1	RMS	713.235	15.22	60	44.78	Pass	401
726	1000	0.1	RMS	931.8	-69.73	-13	56.73	Pass	2741
1000	3000	1	RMS	1426	-52.94	-13	39.94	Pass	2001
3000	10000	1	RMS	9700	-45.49	-13	32.49	Pass	7001




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.7	-13	55.7	Pass	401
0.15	30	0.01	RMS	0.15	-77.98	-13	64.98	Pass	2986
30	689	0.1	RMS	688.6	-70.12	-13	57.12	Pass	6591
689	726	0.1	RMS	699.36	15.67	60	44.33	Pass	401
726	1000	0.1	RMS	941.1	-69.77	-13	56.77	Pass	2741
1000	3000	1	RMS	1398	-53.65	-13	40.65	Pass	2001
3000	10000	1	RMS	9704	-45.49	-13	32.49	Pass	7001




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.98	-13	49.98	Pass	401
0.15	30	0.01	RMS	0.17	-77.82	-13	64.82	Pass	2986
30	689	0.1	RMS	688.7	-70.65	-13	57.65	Pass	6591
689	726	0.1	RMS	699.36	14.84	60	45.16	Pass	401
726	1000	0.1	RMS	876.9	-69.74	-13	56.74	Pass	2741
1000	3000	1	RMS	3000	-54.31	-13	41.31	Pass	2001
3000	10000	1	RMS	9699	-45.58	-13	32.58	Pass	7001




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.34	-13	50.34	Pass	401
0.15	30	0.01	RMS	0.15	-77.83	-13	64.83	Pass	2986
30	689	0.1	RMS	610.6	-70.96	-13	57.96	Pass	6591
689	726	0.1	RMS	705.373	15.59	60	44.41	Pass	401
726	1000	0.1	RMS	944.2	-69.58	-13	56.58	Pass	2741
1000	3000	1	RMS	1410	-47.05	-13	34.05	Pass	2001
3000	10000	1	RMS	9700	-45.5	-13	32.5	Pass	7001




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.4	-13	48.4	Pass	401
0.15	30	0.01	RMS	0.52	-77.6	-13	64.6	Pass	2986
30	689	0.1	RMS	607.3	-70.94	-13	57.94	Pass	6591
689	726	0.1	RMS	705.373	14.93	60	45.07	Pass	401
726	1000	0.1	RMS	995.9	-69.58	-13	56.58	Pass	2741
1000	3000	1	RMS	1410	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.11	-13	53.11	Pass	401
0.15	30	0.01	RMS	0.15	-76.91	-13	63.91	Pass	2986
30	689	0.1	RMS	613.2	-70.96	-13	57.96	Pass	6591
689	726	0.1	RMS	711.293	15.47	60	44.53	Pass	401
726	1000	0.1	RMS	955	-69.73	-13	56.73	Pass	2741
1000	3000	1	RMS	2993	-54.29	-13	41.29	Pass	2001
3000	10000	1	RMS	9715	-45.51	-13	32.51	Pass	7001




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.67	-13	49.67	Pass	401
0.15	30	0.01	RMS	0.15	-77.43	-13	64.43	Pass	2986
30	689	0.1	RMS	614.5	-70.98	-13	57.98	Pass	6591
689	726	0.1	RMS	711.385	14.59	60	45.41	Pass	401
726	1000	0.1	RMS	989.2	-69.54	-13	56.54	Pass	2741
1000	3000	1	RMS	3000	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9708	-45.5	-13	32.5	Pass	7001




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.66	-13	57.66	Pass	401
0.15	30	0.01	RMS	0.17	-78.17	-13	65.17	Pass	2986
30	689	0.1	RMS	688.9	-69.93	-13	56.93	Pass	6591
689	726	0.1	RMS	699.545	15.56	60	44.44	Pass	401
726	1000	0.1	RMS	937.6	-69.58	-13	56.58	Pass	2741
1000	3000	1	RMS	1399	-52.72	-13	39.72	Pass	2001
3000	10000	1	RMS	9705	-45.54	-13	32.54	Pass	7001




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.96	-13	47.96	Pass	401
0.15	30	0.01	RMS	0.52	-76.9	-13	63.9	Pass	2986
30	689	0.1	RMS	688.9	-70.57	-13	57.57	Pass	6591
689	726	0.1	RMS	699.638	13.99	60	46.01	Pass	401
726	1000	0.1	RMS	982.9	-69.65	-13	56.65	Pass	2741
1000	3000	1	RMS	2972	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9700	-45.54	-13	32.54	Pass	7001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	0.15	-77.65	-13	64.65	Pass	2986
30	689	0.1	RMS	639.6	-71.03	-13	58.03	Pass	6591
689	726	0.1	RMS	703.06	15.81	60	44.19	Pass	401
726	1000	0.1	RMS	941.3	-69.62	-13	56.62	Pass	2741
1000	3000	1	RMS	1406	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	9700	-45.48	-13	32.48	Pass	7001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.67	-13	49.67	Pass	401
0.15	30	0.01	RMS	0.15	-76.77	-13	63.77	Pass	2986
30	689	0.1	RMS	652.1	-70.93	-13	57.93	Pass	6591
689	726	0.1	RMS	703.06	14.84	60	45.16	Pass	401
726	1000	0.1	RMS	981.4	-69.67	-13	56.67	Pass	2741
1000	3000	1	RMS	1406	-48.54	-13	35.54	Pass	2001
3000	10000	1	RMS	9701	-45.53	-13	32.53	Pass	7001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.54	-13	50.54	Pass	401
0.15	30	0.01	RMS	0.15	-78.27	-13	65.27	Pass	2986
30	689	0.1	RMS	689	-68.64	-13	55.64	Pass	6591
689	726	0.1	RMS	706.575	16.2	60	43.8	Pass	401
726	1000	0.1	RMS	945.9	-69.69	-13	56.69	Pass	2741
1000	3000	1	RMS	1413	-47.48	-13	34.48	Pass	2001
3000	10000	1	RMS	9699	-45.52	-13	32.52	Pass	7001



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.42	-13	48.42	Pass	401
0.15	30	0.01	RMS	0.15	-77.96	-13	64.96	Pass	2986
30	689	0.1	RMS	689	-69.69	-13	56.69	Pass	6591
689	726	0.1	RMS	706.575	15.25	60	44.75	Pass	401
726	1000	0.1	RMS	997.5	-69.67	-13	56.67	Pass	2741
1000	3000	1	RMS	1413	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	9701	-45.57	-13	32.57	Pass	7001



4. LTE_Band13


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.86	-13	63.86	Pass	401
0.15	30	0.01	RMS	0.15	-77.91	-13	64.91	Pass	2986
30	767	0.1	RMS	766.6	-69.94	-13	56.94	Pass	7371
767	797	0.1	RMS	777.35	16.12	60	43.88	Pass	401
797	1000	0.1	RMS	949.7	-69.88	-13	56.88	Pass	2031
1000	3000	1	RMS	1554	-51.46	-13	38.46	Pass	2001
3000	10000	1	RMS	9702	-45.5	-13	32.5	Pass	7001




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.04	-13	50.04	Pass	401
0.15	30	0.01	RMS	0.18	-78	-13	65	Pass	2986
30	767	0.1	RMS	766.6	-70	-13	57	Pass	7371
767	797	0.1	RMS	777.35	15.25	60	44.75	Pass	401
797	1000	0.1	RMS	854.4	-69.82	-13	56.82	Pass	2031
1000	3000	1	RMS	1554	-52.6	-13	39.6	Pass	2001
3000	10000	1	RMS	9696	-45.51	-13	32.51	Pass	7001




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.08	-13	51.08	Pass	401
0.15	30	0.01	RMS	0.17	-77.84	-13	64.84	Pass	2986
30	767	0.1	RMS	741.4	-70.52	-13	57.52	Pass	7371
767	797	0.1	RMS	779.825	16.08	60	43.92	Pass	401
797	1000	0.1	RMS	965.8	-69.82	-13	56.82	Pass	2031
1000	3000	1	RMS	1559	-52.14	-13	39.14	Pass	2001
3000	10000	1	RMS	9697	-45.54	-13	32.54	Pass	7001




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.5	-13	49.5	Pass	401
0.15	30	0.01	RMS	0.15	-77.1	-13	64.1	Pass	2986
30	767	0.1	RMS	751.4	-70.47	-13	57.47	Pass	7371
767	797	0.1	RMS	779.825	15.66	60	44.34	Pass	401
797	1000	0.1	RMS	981.5	-69.77	-13	56.77	Pass	2031
1000	3000	1	RMS	1559	-52.34	-13	39.34	Pass	2001
3000	10000	1	RMS	9699	-45.5	-13	32.5	Pass	7001




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.58	-13	52.58	Pass	401
0.15	30	0.01	RMS	0.15	-77.89	-13	64.89	Pass	2986
30	767	0.1	RMS	755.6	-70.37	-13	57.37	Pass	7371
767	797	0.1	RMS	782.3	15.9	60	44.1	Pass	401
797	1000	0.1	RMS	938.5	-69.77	-13	56.77	Pass	2031
1000	3000	1	RMS	1564	-53.83	-13	40.83	Pass	2001
3000	10000	1	RMS	9702	-45.46	-13	32.46	Pass	7001




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.47	-13	49.47	Pass	401
0.15	30	0.01	RMS	0.15	-77.62	-13	64.62	Pass	2986
30	767	0.1	RMS	746.8	-70.5	-13	57.5	Pass	7371
767	797	0.1	RMS	782.375	15.25	60	44.75	Pass	401
797	1000	0.1	RMS	990.8	-69.84	-13	56.84	Pass	2031
1000	3000	1	RMS	2997	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	9701	-45.5	-13	32.5	Pass	7001




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-76.85	-13	63.85	Pass	401
0.15	30	0.01	RMS	0.16	-78.06	-13	65.06	Pass	2986
30	767	0.1	RMS	766.9	-69.65	-13	56.65	Pass	7371
767	797	0.1	RMS	777.575	16.27	60	43.73	Pass	401
797	1000	0.1	RMS	966.2	-69.74	-13	56.74	Pass	2031
1000	3000	1	RMS	1555	-51.79	-13	38.79	Pass	2001
3000	10000	1	RMS	9706	-45.49	-13	32.49	Pass	7001



4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.47	-13	50.47	Pass	401
0.15	30	0.01	RMS	0.15	-77.68	-13	64.68	Pass	2986
30	767	0.1	RMS	766.9	-70.03	-13	57.03	Pass	7371
767	797	0.1	RMS	777.575	15.34	60	44.66	Pass	401
797	1000	0.1	RMS	951.4	-69.56	-13	56.56	Pass	2031
1000	3000	1	RMS	1555	-52.71	-13	39.71	Pass	2001
3000	10000	1	RMS	9696	-45.5	-13	32.5	Pass	7001



5. LTE_Band17


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.03	-13	51.03	Pass	401
0.15	30	0.01	RMS	0.15	-78.07	-13	65.07	Pass	2986
30	694	0.1	RMS	693.6	-70.4	-13	57.4	Pass	6641
694	726	0.1	RMS	704.32	15.52	60	44.48	Pass	401
726	1000	0.1	RMS	956.6	-69.78	-13	56.78	Pass	2741
1000	3000	1	RMS	1408	-47.37	-13	34.37	Pass	2001
3000	10000	1	RMS	9699	-45.49	-13	32.49	Pass	7001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.16	-13	47.16	Pass	401
0.15	30	0.01	RMS	0.16	-77.36	-13	64.36	Pass	2986
30	694	0.1	RMS	693.5	-70.38	-13	57.38	Pass	6641
694	726	0.1	RMS	704.32	14.61	60	45.39	Pass	401
726	1000	0.1	RMS	940.7	-69.67	-13	56.67	Pass	2741
1000	3000	1	RMS	2417	-48	-13	35	Pass	2001
3000	10000	1	RMS	9703	-45.51	-13	32.51	Pass	7001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.04	-13	50.04	Pass	401
0.15	30	0.01	RMS	0.15	-76.91	-13	63.91	Pass	2986
30	694	0.1	RMS	693.9	-70.81	-13	57.81	Pass	6641
694	726	0.1	RMS	707.84	15.7	60	44.3	Pass	401
726	1000	0.1	RMS	846.2	-69.79	-13	56.79	Pass	2741
1000	3000	1	RMS	1415	-49.42	-13	36.42	Pass	2001
3000	10000	1	RMS	9695	-45.51	-13	32.51	Pass	7001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.32	-13	48.32	Pass	401
0.15	30	0.01	RMS	0.15	-78.16	-13	65.16	Pass	2986
30	694	0.1	RMS	618.5	-70.88	-13	57.88	Pass	6641
694	726	0.1	RMS	707.84	15.55	60	44.45	Pass	401
726	1000	0.1	RMS	851.2	-69.61	-13	56.61	Pass	2741
1000	3000	1	RMS	1415	-49.54	-13	36.54	Pass	2001
3000	10000	1	RMS	9701	-45.56	-13	32.56	Pass	7001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.56	-13	52.56	Pass	401
0.15	30	0.01	RMS	0.15	-78.36	-13	65.36	Pass	2986
30	694	0.1	RMS	681	-70.89	-13	57.89	Pass	6641
694	726	0.1	RMS	711.36	15.31	60	44.69	Pass	401
726	1000	0.1	RMS	899.8	-69.54	-13	56.54	Pass	2741
1000	3000	1	RMS	2998	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	9699	-45.5	-13	32.5	Pass	7001




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.31	-13	49.31	Pass	401
0.15	30	0.01	RMS	0.15	-77.39	-13	64.39	Pass	2986
30	694	0.1	RMS	690.9	-70.85	-13	57.85	Pass	6641
694	726	0.1	RMS	711.36	14.65	60	45.35	Pass	401
726	1000	0.1	RMS	992.8	-69.67	-13	56.67	Pass	2741
1000	3000	1	RMS	2990	-54.29	-13	41.29	Pass	2001
3000	10000	1	RMS	9697	-45.49	-13	32.49	Pass	7001




5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.65	-13	51.65	Pass	401
0.15	30	0.01	RMS	0.15	-76.78	-13	63.78	Pass	2986
30	694	0.1	RMS	693.9	-69.79	-13	56.79	Pass	6641
694	726	0.1	RMS	704.56	15.97	60	44.03	Pass	401
726	1000	0.1	RMS	828.6	-69.74	-13	56.74	Pass	2741
1000	3000	1	RMS	1409	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	9701	-45.46	-13	32.46	Pass	7001




5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.89	-13	46.89	Pass	401
0.15	30	0.01	RMS	0.15	-77.73	-13	64.73	Pass	2986
30	694	0.1	RMS	693.9	-70.01	-13	57.01	Pass	6641
694	726	0.1	RMS	704.56	15.6	60	44.4	Pass	401
726	1000	0.1	RMS	987.1	-69.74	-13	56.74	Pass	2741
1000	3000	1	RMS	1409	-47.56	-13	34.56	Pass	2001
3000	10000	1	RMS	9700	-45.48	-13	32.48	Pass	7001




5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.48	-13	51.48	Pass	401
0.15	30	0.01	RMS	0.16	-77.97	-13	64.97	Pass	2986
30	694	0.1	RMS	687.9	-69.77	-13	56.77	Pass	6641
694	726	0.1	RMS	705.6	15.93	60	44.07	Pass	401
726	1000	0.1	RMS	851.5	-69.45	-13	56.45	Pass	2741
1000	3000	1	RMS	1411	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	9697	-45.45	-13	32.45	Pass	7001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.08	-13	47.08	Pass	401
0.15	30	0.01	RMS	0.15	-76.4	-13	63.4	Pass	2986
30	694	0.1	RMS	694	-69.28	-13	56.28	Pass	6641
694	726	0.1	RMS	705.6	15.53	60	44.47	Pass	401
726	1000	0.1	RMS	998.6	-69.69	-13	56.69	Pass	2741
1000	3000	1	RMS	1411	-47.77	-13	34.77	Pass	2001
3000	10000	1	RMS	9698	-45.46	-13	32.46	Pass	7001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.1	-13	50.1	Pass	401
0.15	30	0.01	RMS	0.16	-78.01	-13	65.01	Pass	2986
30	694	0.1	RMS	689	-69.69	-13	56.69	Pass	6641
694	726	0.1	RMS	706.56	15.74	60	44.26	Pass	401
726	1000	0.1	RMS	932.4	-69.59	-13	56.59	Pass	2741
1000	3000	1	RMS	1413	-47.67	-13	34.67	Pass	2001
3000	10000	1	RMS	9698	-45.48	-13	32.48	Pass	7001



5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.14	-13	47.14	Pass	401
0.15	30	0.01	RMS	0.15	-77.19	-13	64.19	Pass	2986
30	694	0.1	RMS	689	-69.96	-13	56.96	Pass	6641
694	726	0.1	RMS	706.56	14.78	60	45.22	Pass	401
726	1000	0.1	RMS	992.9	-69.56	-13	56.56	Pass	2741
1000	3000	1	RMS	1413	-48.54	-13	35.54	Pass	2001
3000	10000	1	RMS	9709	-45.49	-13	32.49	Pass	7001



6. LTE_Band26(part22)


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.27	-13	52.27	Pass	401
0.15	30	0.01	RMS	0.15	-76.95	-13	63.95	Pass	2986
30	814	0.1	RMS	813.6	-69.29	-13	56.29	Pass	7841
814	860	0.1	RMS	824.3	15.4	60	44.6	Pass	461
860	1000	0.1	RMS	887.8	-69.95	-13	56.95	Pass	1401
1000	3000	1	RMS	1648	-51.78	-13	38.78	Pass	2001
3000	10000	1	RMS	9698	-45.5	-13	32.5	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.67	-13	47.67	Pass	401
0.15	30	0.01	RMS	0.15	-78.21	-13	65.21	Pass	2986
30	814	0.1	RMS	813.6	-69.77	-13	56.77	Pass	7841
814	860	0.1	RMS	824.3	14.54	60	45.46	Pass	461
860	1000	0.1	RMS	934.5	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	1648	-52.81	-13	39.81	Pass	2001
3000	10000	1	RMS	9705	-45.53	-13	32.53	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.35	-13	51.35	Pass	401
0.15	30	0.01	RMS	0.15	-77.81	-13	64.81	Pass	2986
30	814	0.1	RMS	809.5	-70.15	-13	57.15	Pass	7841
814	860	0.1	RMS	836	14.95	60	45.05	Pass	461
860	1000	0.1	RMS	972.2	-69.89	-13	56.89	Pass	1401
1000	3000	1	RMS	1672	-51.17	-13	38.17	Pass	2001
3000	10000	1	RMS	9701	-45.56	-13	32.56	Pass	7001



6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.98	-13	48.98	Pass	401
0.15	30	0.01	RMS	0.15	-77.04	-13	64.04	Pass	2986
30	814	0.1	RMS	810.2	-70.22	-13	57.22	Pass	7841
814	860	0.1	RMS	836.1	14.7	60	45.3	Pass	461
860	1000	0.1	RMS	932.3	-70	-13	57	Pass	1401
1000	3000	1	RMS	1672	-51.28	-13	38.28	Pass	2001
3000	10000	1	RMS	9707	-45.53	-13	32.53	Pass	7001



6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.48	-13	50.48	Pass	401
0.15	30	0.01	RMS	0.15	-78.18	-13	65.18	Pass	2986
30	814	0.1	RMS	810.8	-70.29	-13	57.29	Pass	7841
814	860	0.1	RMS	847.8	15.28	60	44.72	Pass	461
860	1000	0.1	RMS	945.7	-69.98	-13	56.98	Pass	1401
1000	3000	1	RMS	1695	-51.09	-13	38.09	Pass	2001
3000	10000	1	RMS	9702	-45.46	-13	32.46	Pass	7001

