

Spurious Emission at Antenna Terminals


6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.91	-13	47.91	Pass	401
0.15	30	0.01	RMS	0.15	-78.3	-13	65.3	Pass	2986
30	814	0.1	RMS	813.3	-70.34	-13	57.34	Pass	7841
814	860	0.1	RMS	847.9	14.11	60	45.89	Pass	461
860	1000	0.1	RMS	975	-69.95	-13	56.95	Pass	1401
1000	3000	1	RMS	1695	-52.86	-13	39.86	Pass	2001
3000	10000	1	RMS	9699	-45.54	-13	32.54	Pass	7001




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.81	-13	53.81	Pass	401
0.15	30	0.01	RMS	0.15	-78.01	-13	65.01	Pass	2986
30	814	0.1	RMS	813.6	-69.48	-13	56.48	Pass	7841
814	860	0.1	RMS	824.2	15.37	60	44.63	Pass	461
860	1000	0.1	RMS	996.7	-69.94	-13	56.94	Pass	1401
1000	3000	1	RMS	1648	-52.19	-13	39.19	Pass	2001
3000	10000	1	RMS	9702	-45.52	-13	32.52	Pass	7001




6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-59.89	-13	46.89	Pass	401
0.15	30	0.01	RMS	0.15	-78.19	-13	65.19	Pass	2986
30	814	0.1	RMS	813.6	-69.63	-13	56.63	Pass	7841
814	860	0.1	RMS	824.2	14.31	60	45.69	Pass	461
860	1000	0.1	RMS	913	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	1648	-53.35	-13	40.35	Pass	2001
3000	10000	1	RMS	9701	-45.52	-13	32.52	Pass	7001




6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.85	-13	49.85	Pass	401
0.15	30	0.01	RMS	0.16	-77.94	-13	64.94	Pass	2986
30	814	0.1	RMS	810.2	-70.25	-13	57.25	Pass	7841
814	860	0.1	RMS	835.2	15.22	60	44.78	Pass	461
860	1000	0.1	RMS	931.4	-69.89	-13	56.89	Pass	1401
1000	3000	1	RMS	1670	-50.7	-13	37.7	Pass	2001
3000	10000	1	RMS	9701	-45.51	-13	32.51	Pass	7001




6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.79	-13	47.79	Pass	401
0.15	30	0.01	RMS	0.15	-78.21	-13	65.21	Pass	2986
30	814	0.1	RMS	812.8	-70.3	-13	57.3	Pass	7841
814	860	0.1	RMS	835.2	14.62	60	45.38	Pass	461
860	1000	0.1	RMS	869.1	-69.96	-13	56.96	Pass	1401
1000	3000	1	RMS	1670	-51.44	-13	38.44	Pass	2001
3000	10000	1	RMS	9695	-45.52	-13	32.52	Pass	7001




6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.34	-13	51.34	Pass	401
0.15	30	0.01	RMS	0.15	-78.39	-13	65.39	Pass	2986
30	814	0.1	RMS	813.1	-70.27	-13	57.27	Pass	7841
814	860	0.1	RMS	846.2	15.65	60	44.35	Pass	461
860	1000	0.1	RMS	966.7	-69.83	-13	56.83	Pass	1401
1000	3000	1	RMS	1692	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	9699	-45.54	-13	32.54	Pass	7001




6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.05	-13	48.05	Pass	401
0.15	30	0.01	RMS	0.15	-77.82	-13	64.82	Pass	2986
30	814	0.1	RMS	813.5	-70.33	-13	57.33	Pass	7841
814	860	0.1	RMS	846.2	14.39	60	45.61	Pass	461
860	1000	0.1	RMS	939.1	-70.07	-13	57.07	Pass	1401
1000	3000	1	RMS	1692	-51.49	-13	38.49	Pass	2001
3000	10000	1	RMS	9703	-45.51	-13	32.51	Pass	7001




6.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.17	-13	53.17	Pass	401
0.15	30	0.01	RMS	0.15	-77.97	-13	64.97	Pass	2986
30	814	0.1	RMS	813.7	-69.36	-13	56.36	Pass	7841
814	860	0.1	RMS	824.3	15.33	60	44.67	Pass	461
860	1000	0.1	RMS	871.7	-69.83	-13	56.83	Pass	1401
1000	3000	1	RMS	1648	-52.28	-13	39.28	Pass	2001
3000	10000	1	RMS	9700	-45.49	-13	32.49	Pass	7001




6.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.07	-13	47.07	Pass	401
0.15	30	0.01	RMS	0.18	-77.94	-13	64.94	Pass	2986
30	814	0.1	RMS	813.6	-69.53	-13	56.53	Pass	7841
814	860	0.1	RMS	824.3	14.21	60	45.79	Pass	461
860	1000	0.1	RMS	969	-69.83	-13	56.83	Pass	1401
1000	3000	1	RMS	1648	-53.53	-13	40.53	Pass	2001
3000	10000	1	RMS	9700	-45.51	-13	32.51	Pass	7001




6.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.64	-13	49.64	Pass	401
0.15	30	0.01	RMS	0.15	-78.03	-13	65.03	Pass	2986
30	814	0.1	RMS	811.7	-70.19	-13	57.19	Pass	7841
814	860	0.1	RMS	834.3	15.46	60	44.54	Pass	461
860	1000	0.1	RMS	945.1	-69.94	-13	56.94	Pass	1401
1000	3000	1	RMS	1668	-50.55	-13	37.55	Pass	2001
3000	10000	1	RMS	9699	-45.54	-13	32.54	Pass	7001




6.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.82	-13	48.82	Pass	401
0.15	30	0.01	RMS	0.2	-78.09	-13	65.09	Pass	2986
30	814	0.1	RMS	813.9	-70.31	-13	57.31	Pass	7841
814	860	0.1	RMS	834.3	14.96	60	45.04	Pass	461
860	1000	0.1	RMS	966.4	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	1668	-50.95	-13	37.95	Pass	2001
3000	10000	1	RMS	9702	-45.45	-13	32.45	Pass	7001




6.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.39	-13	51.39	Pass	401
0.15	30	0.01	RMS	0.15	-77.93	-13	64.93	Pass	2986
30	814	0.1	RMS	809.8	-70.32	-13	57.32	Pass	7841
814	860	0.1	RMS	844.3	15.48	60	44.52	Pass	461
860	1000	0.1	RMS	909.6	-69.84	-13	56.84	Pass	1401
1000	3000	1	RMS	1688	-51.8	-13	38.8	Pass	2001
3000	10000	1	RMS	9703	-45.46	-13	32.46	Pass	7001




6.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.76	-13	49.76	Pass	401
0.15	30	0.01	RMS	0.18	-77.84	-13	64.84	Pass	2986
30	814	0.1	RMS	769.2	-70.29	-13	57.29	Pass	7841
814	860	0.1	RMS	844.3	14.32	60	45.68	Pass	461
860	1000	0.1	RMS	947	-69.95	-13	56.95	Pass	1401
1000	3000	1	RMS	1688	-52.95	-13	39.95	Pass	2001
3000	10000	1	RMS	9699	-45.45	-13	32.45	Pass	7001




6.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.44	-13	55.44	Pass	401
0.15	30	0.01	RMS	0.15	-78.08	-13	65.08	Pass	2986
30	814	0.1	RMS	807	-55.49	-13	42.49	Pass	7841
814	860	0.1	RMS	824.6	15.84	60	44.16	Pass	461
860	1000	0.1	RMS	991.5	-69.95	-13	56.95	Pass	1401
1000	3000	1	RMS	1649	-52.8	-13	39.8	Pass	2001
3000	10000	1	RMS	9703	-45.48	-13	32.48	Pass	7001




6.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.67	-13	46.67	Pass	401
0.15	30	0.01	RMS	0.15	-78.48	-13	65.48	Pass	2986
30	814	0.1	RMS	807	-57.23	-13	44.23	Pass	7841
814	860	0.1	RMS	824.6	15	60	45	Pass	461
860	1000	0.1	RMS	870.5	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	1649	-53.49	-13	40.49	Pass	2001
3000	10000	1	RMS	9700	-45.48	-13	32.48	Pass	7001




6.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.1	-13	52.1	Pass	401
0.15	30	0.01	RMS	0.15	-77.88	-13	64.88	Pass	2986
30	814	0.1	RMS	814	-68.52	-13	55.52	Pass	7841
814	860	0.1	RMS	832.1	16.02	60	43.98	Pass	461
860	1000	0.1	RMS	935.7	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	1664	-50.59	-13	37.59	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001




6.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.25	-13	47.25	Pass	401
0.15	30	0.01	RMS	0.15	-77.68	-13	64.68	Pass	2986
30	814	0.1	RMS	814	-69.12	-13	56.12	Pass	7841
814	860	0.1	RMS	832.1	15.12	60	44.88	Pass	461
860	1000	0.1	RMS	966.6	-69.93	-13	56.93	Pass	1401
1000	3000	1	RMS	1664	-51.44	-13	38.44	Pass	2001
3000	10000	1	RMS	9700	-45.5	-13	32.5	Pass	7001




6.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.83	-13	48.83	Pass	401
0.15	30	0.01	RMS	0.15	-77.53	-13	64.53	Pass	2986
30	814	0.1	RMS	812.7	-69.92	-13	56.92	Pass	7841
814	860	0.1	RMS	839.6	16.04	60	43.96	Pass	461
860	1000	0.1	RMS	973.2	-69.84	-13	56.84	Pass	1401
1000	3000	1	RMS	1679	-50.92	-13	37.92	Pass	2001
3000	10000	1	RMS	9706	-45.49	-13	32.49	Pass	7001




6.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.4	-13	48.4	Pass	401
0.15	30	0.01	RMS	0.15	-77.77	-13	64.77	Pass	2986
30	814	0.1	RMS	813.3	-70.21	-13	57.21	Pass	7841
814	860	0.1	RMS	839.6	14.95	60	45.05	Pass	461
860	1000	0.1	RMS	975	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	1679	-52.17	-13	39.17	Pass	2001
3000	10000	1	RMS	9702	-45.49	-13	32.49	Pass	7001




6.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.75	-13	63.75	Pass	401
0.15	30	0.01	RMS	0.15	-77.68	-13	64.68	Pass	2986
30	814	0.1	RMS	811.5	-56.33	-13	43.33	Pass	7841
814	860	0.1	RMS	824.8	15.39	60	44.61	Pass	461
860	1000	0.1	RMS	992.4	-69.87	-13	56.87	Pass	1401
1000	3000	1	RMS	1649	-52.32	-13	39.32	Pass	2001
3000	10000	1	RMS	9703	-45.47	-13	32.47	Pass	7001




6.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.14	-13	49.14	Pass	401
0.15	30	0.01	RMS	0.15	-77.54	-13	64.54	Pass	2986
30	814	0.1	RMS	811.5	-58.28	-13	45.28	Pass	7841
814	860	0.1	RMS	824.8	14.44	60	45.56	Pass	461
860	1000	0.1	RMS	969.9	-69.92	-13	56.92	Pass	1401
1000	3000	1	RMS	1649	-53.26	-13	40.26	Pass	2001
3000	10000	1	RMS	9710	-45.54	-13	32.54	Pass	7001




6.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.49	-13	62.49	Pass	401
0.15	30	0.01	RMS	0.15	-77.53	-13	64.53	Pass	2986
30	814	0.1	RMS	809.9	-67.59	-13	54.59	Pass	7841
814	860	0.1	RMS	829.8	15.54	60	44.46	Pass	461
860	1000	0.1	RMS	993.2	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	1659	-50.63	-13	37.63	Pass	2001
3000	10000	1	RMS	9707	-45.54	-13	32.54	Pass	7001




6.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.57	-13	51.57	Pass	401
0.15	30	0.01	RMS	0.15	-77.01	-13	64.01	Pass	2986
30	814	0.1	RMS	809.9	-67.89	-13	54.89	Pass	7841
814	860	0.1	RMS	829.8	14.91	60	45.09	Pass	461
860	1000	0.1	RMS	943.3	-69.98	-13	56.98	Pass	1401
1000	3000	1	RMS	1659	-51.22	-13	38.22	Pass	2001
3000	10000	1	RMS	9697	-45.53	-13	32.53	Pass	7001




6.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-58.33	-13	45.33	Pass	401
0.15	30	0.01	RMS	0.15	-77.76	-13	64.76	Pass	2986
30	814	0.1	RMS	808.2	-55.76	-13	42.76	Pass	7841
814	860	0.1	RMS	834.8	15.16	60	44.84	Pass	461
860	1000	0.1	RMS	912.3	-69.97	-13	56.97	Pass	1401
1000	3000	1	RMS	1669	-50.95	-13	37.95	Pass	2001
3000	10000	1	RMS	9694	-45.5	-13	32.5	Pass	7001



6.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-58.51	-13	45.51	Pass	401
0.15	30	0.01	RMS	0.15	-77.43	-13	64.43	Pass	2986
30	814	0.1	RMS	808.2	-58.6	-13	45.6	Pass	7841
814	860	0.1	RMS	834.8	14	60	46	Pass	461
860	1000	0.1	RMS	940.5	-69.85	-13	56.85	Pass	1401
1000	3000	1	RMS	1669	-52.25	-13	39.25	Pass	2001
3000	10000	1	RMS	9700	-45.52	-13	32.52	Pass	7001



1. LTE_Band26(part90)


1.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-57.97	-13	44.97	Pass	401
0.15	30	0.01	Peak	0.19	-68.81	-13	55.81	Pass	2986
30	809	0.1	Peak	809	-58.85	-13	45.85	Pass	7791
809	829	0.1	Peak	814.3	20.73	60	39.27	Pass	401
829	1000	0.1	Peak	833	-58.93	-13	45.93	Pass	1711
1000	3000	1	Peak	1629	-41.98	-13	28.98	Pass	2001
3000	10000	1	Peak	9221	-33.49	-13	20.49	Pass	7001




1.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-54.91	-13	41.91	Pass	401
0.15	30	0.01	Peak	0.22	-70.11	-13	57.11	Pass	2986
30	809	0.1	Peak	808.7	-58.51	-13	45.51	Pass	7791
809	829	0.1	Peak	814.25	21.19	60	38.81	Pass	401
829	1000	0.1	Peak	844.9	-58.15	-13	45.15	Pass	1711
1000	3000	1	Peak	1629	-42.05	-13	29.05	Pass	2001
3000	10000	1	Peak	7644	-33.72	-13	20.72	Pass	7001




1.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-58.05	-13	45.05	Pass	401
0.15	30	0.01	Peak	0.73	-70.82	-13	57.82	Pass	2986
30	809	0.1	Peak	727.8	-59.32	-13	46.32	Pass	7791
809	829	0.1	Peak	818.5	20.77	60	39.23	Pass	401
829	1000	0.1	Peak	869.3	-58.9	-13	45.9	Pass	1711
1000	3000	1	Peak	1637	-41.96	-13	28.96	Pass	2001
3000	10000	1	Peak	6836	-33.75	-13	20.75	Pass	7001




1.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-55.46	-13	42.46	Pass	401
0.15	30	0.01	Peak	0.18	-70.17	-13	57.17	Pass	2986
30	809	0.1	Peak	784.7	-58.72	-13	45.72	Pass	7791
809	829	0.1	Peak	818.5	21.33	60	38.67	Pass	401
829	1000	0.1	Peak	995.1	-57.89	-13	44.89	Pass	1711
1000	3000	1	Peak	1637	-42.16	-13	29.16	Pass	2001
3000	10000	1	Peak	7497	-33.77	-13	20.77	Pass	7001




**1.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-58.11	-13	45.11	Pass	401
0.15	30	0.01	Peak	0.17	-70.23	-13	57.23	Pass	2986
30	809	0.1	Peak	791.7	-59.32	-13	46.32	Pass	7791
809	829	0.1	Peak	822.9	20.73	60	39.27	Pass	401
829	1000	0.1	Peak	829	-58.49	-13	45.49	Pass	1711
1000	3000	1	Peak	1646	-41.81	-13	28.81	Pass	2001
3000	10000	1	Peak	7267	-33.65	-13	20.65	Pass	7001




**1.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-54.74	-13	41.74	Pass	401
0.15	30	0.01	Peak	0.16	-70.3	-13	57.3	Pass	2986
30	809	0.1	Peak	808.5	-51.5	-13	38.5	Pass	7791
809	829	0.1	Peak	822.85	21.57	60	38.43	Pass	401
829	1000	0.1	Peak	829.9	-44.08	-13	31.08	Pass	1711
1000	3000	1	Peak	1646	-41.5	-13	28.5	Pass	2001
3000	10000	1	Peak	6808	-33.71	-13	20.71	Pass	7001




1.7 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-57.74	-13	44.74	Pass	401
0.15	30	0.01	Peak	0.65	-70.21	-13	57.21	Pass	2986
30	809	0.1	Peak	809	-44.26	-13	31.26	Pass	7791
809	829	0.1	Peak	814.3	20.34	60	39.66	Pass	401
829	1000	0.1	Peak	932.5	-59.22	-13	46.22	Pass	1711
1000	3000	1	Peak	1629	-41.78	-13	28.78	Pass	2001
3000	10000	1	Peak	6702	-33.74	-13	20.74	Pass	7001




1.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-54.24	-13	41.24	Pass	401
0.15	30	0.01	Peak	0.2	-69.69	-13	56.69	Pass	2986
30	809	0.1	Peak	809	-44.71	-13	31.71	Pass	7791
809	829	0.1	Peak	814.2	20.94	60	39.06	Pass	401
829	1000	0.1	Peak	925.7	-59.3	-13	46.3	Pass	1711
1000	3000	1	Peak	1629	-42.12	-13	29.12	Pass	2001
3000	10000	1	Peak	6844	-33.55	-13	20.55	Pass	7001




1.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-57.64	-13	44.64	Pass	401
0.15	30	0.01	Peak	0.15	-69.78	-13	56.78	Pass	2986
30	809	0.1	Peak	292.1	-59.54	-13	46.54	Pass	7791
809	829	0.1	Peak	817.8	20.41	60	39.59	Pass	401
829	1000	0.1	Peak	849.4	-58.49	-13	45.49	Pass	1711
1000	3000	1	Peak	1635	-42.32	-13	29.32	Pass	2001
3000	10000	1	Peak	6709	-33.62	-13	20.62	Pass	7001




1.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-55.89	-13	42.89	Pass	401
0.15	30	0.01	Peak	0.15	-69.57	-13	56.57	Pass	2986
30	809	0.1	Peak	755.9	-59.9	-13	46.9	Pass	7791
809	829	0.1	Peak	817.8	20.85	60	39.15	Pass	401
829	1000	0.1	Peak	985.3	-57.72	-13	44.72	Pass	1711
1000	3000	1	Peak	2993	-42.16	-13	29.16	Pass	2001
3000	10000	1	Peak	6822	-33.8	-13	20.8	Pass	7001




1.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-57.32	-13	44.32	Pass	401
0.15	30	0.01	Peak	0.2	-71.01	-13	58.01	Pass	2986
30	809	0.1	Peak	661.9	-58.64	-13	45.64	Pass	7791
809	829	0.1	Peak	821.3	20.99	60	39.01	Pass	401
829	1000	0.1	Peak	849.5	-59.23	-13	46.23	Pass	1711
1000	3000	1	Peak	2984	-42.49	-13	29.49	Pass	2001
3000	10000	1	Peak	6976	-33.31	-13	20.31	Pass	7001




1.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-55.06	-13	42.06	Pass	401
0.15	30	0.01	Peak	0.15	-70.55	-13	57.55	Pass	2986
30	809	0.1	Peak	436.4	-59.48	-13	46.48	Pass	7791
809	829	0.1	Peak	821.25	20.93	60	39.07	Pass	401
829	1000	0.1	Peak	954.1	-58.45	-13	45.45	Pass	1711
1000	3000	1	Peak	2818	-42.28	-13	29.28	Pass	2001
3000	10000	1	Peak	6972	-33.14	-13	20.14	Pass	7001




1.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-58.16	-13	45.16	Pass	401
0.15	30	0.01	Peak	0.15	-70.55	-13	57.55	Pass	2986
30	809	0.1	Peak	805.8	-50.06	-13	37.06	Pass	7791
809	829	0.1	Peak	814.3	20.65	60	39.35	Pass	401
829	1000	0.1	Peak	995.4	-59.1	-13	46.1	Pass	1711
1000	3000	1	Peak	1629	-41.62	-13	28.62	Pass	2001
3000	10000	1	Peak	7747	-33.53	-13	20.53	Pass	7001




1.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-56.23	-13	43.23	Pass	401
0.15	30	0.01	Peak	0.17	-70.13	-13	57.13	Pass	2986
30	809	0.1	Peak	805.8	-51.11	-13	38.11	Pass	7791
809	829	0.1	Peak	814.3	20.98	60	39.02	Pass	401
829	1000	0.1	Peak	832.9	-58.54	-13	45.54	Pass	1711
1000	3000	1	Peak	1629	-41.41	-13	28.41	Pass	2001
3000	10000	1	Peak	6701	-33.66	-13	20.66	Pass	7001




1.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-57.99	-13	44.99	Pass	401
0.15	30	0.01	Peak	0.15	-69.51	-13	56.51	Pass	2986
30	809	0.1	Peak	808.2	-45.34	-13	32.34	Pass	7791
809	829	0.1	Peak	816.85	20.37	60	39.63	Pass	401
829	1000	0.1	Peak	950.7	-58.85	-13	45.85	Pass	1711
1000	3000	1	Peak	2986	-41.93	-13	28.93	Pass	2001
3000	10000	1	Peak	7291	-33.36	-13	20.36	Pass	7001




1.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-56.11	-13	43.11	Pass	401
0.15	30	0.01	Peak	0.15	-68.73	-13	55.73	Pass	2986
30	809	0.1	Peak	808.2	-43.5	-13	30.5	Pass	7791
809	829	0.1	Peak	816.8	20.69	60	39.31	Pass	401
829	1000	0.1	Peak	849.3	-57.41	-13	44.41	Pass	1711
1000	3000	1	Peak	1634	-42.83	-13	29.83	Pass	2001
3000	10000	1	Peak	7474	-33.72	-13	20.72	Pass	7001




1.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-58.22	-13	45.22	Pass	401
0.15	30	0.01	Peak	0.2	-70.57	-13	57.57	Pass	2986
30	809	0.1	Peak	498.6	-59.53	-13	46.53	Pass	7791
809	829	0.1	Peak	819.3	20.75	60	39.25	Pass	401
829	1000	0.1	Peak	948.4	-58.97	-13	45.97	Pass	1711
1000	3000	1	Peak	1639	-42.86	-13	29.86	Pass	2001
3000	10000	1	Peak	6802	-33.48	-13	20.48	Pass	7001




1.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.95	-13	43.95	Pass	401
0.15	30	0.01	Peak	0.15	-69.14	-13	56.14	Pass	2986
30	809	0.1	Peak	736.1	-59.55	-13	46.55	Pass	7791
809	829	0.1	Peak	819.3	20.57	60	39.43	Pass	401
829	1000	0.1	Peak	834.8	-58.21	-13	45.21	Pass	1711
1000	3000	1	Peak	2984	-42.58	-13	29.58	Pass	2001
3000	10000	1	Peak	6864	-34.15	-13	21.15	Pass	7001




1.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-58.5	-13	45.5	Pass	401
0.15	30	0.01	Peak	0.25	-70.39	-13	57.39	Pass	2986
30	809	0.1	Peak	808.8	-48.57	-13	35.57	Pass	7791
809	829	0.1	Peak	814.6	20.75	60	39.25	Pass	401
829	1000	0.1	Peak	832.2	-37.33	-13	24.33	Pass	1711
1000	3000	1	Peak	1629	-41.79	-13	28.79	Pass	2001
3000	10000	1	Peak	9869	-33.52	-13	20.52	Pass	7001




1.20 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-52.99	-13	39.99	Pass	401
0.15	30	0.01	Peak	0.16	-70.17	-13	57.17	Pass	2986
30	809	0.1	Peak	808.7	-48.45	-13	35.45	Pass	7791
809	829	0.1	Peak	814.65	20.82	60	39.18	Pass	401
829	1000	0.1	Peak	832.4	-36.82	-13	23.82	Pass	1711
1000	3000	1	Peak	2599	-42.35	-13	29.35	Pass	2001
3000	10000	1	Peak	7032	-32.84	-13	19.84	Pass	7001




1.21 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:21, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-58.29	-13	45.29	Pass	401
0.15	30	0.01	Peak	0.57	-70.35	-13	57.35	Pass	2986
30	809	0.1	Peak	808.4	-48.77	-13	35.77	Pass	7791
809	829	0.1	Peak	814.6	20.6	60	39.4	Pass	401
829	1000	0.1	Peak	832.3	-37.11	-13	24.11	Pass	1711
1000	3000	1	Peak	1629	-42.22	-13	29.22	Pass	2001
3000	10000	1	Peak	7643	-33.66	-13	20.66	Pass	7001




1.22 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:22, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-53.71	-13	40.71	Pass	401
0.15	30	0.01	Peak	0.18	-70.89	-13	57.89	Pass	2986
30	809	0.1	Peak	808.2	-48.23	-13	35.23	Pass	7791
809	829	0.1	Peak	814.65	20.88	60	39.12	Pass	401
829	1000	0.1	Peak	832.2	-36.69	-13	23.69	Pass	1711
1000	3000	1	Peak	1629	-42.45	-13	29.45	Pass	2001
3000	10000	1	Peak	9771	-33.61	-13	20.61	Pass	7001




1.23 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:23, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.17	-13	45.17	Pass	401
0.15	30	0.01	Peak	0.15	-69.68	-13	56.68	Pass	2986
30	809	0.1	Peak	808.3	-47	-13	34	Pass	7791
809	829	0.1	Peak	814.6	20.73	60	39.27	Pass	401
829	1000	0.1	Peak	832.3	-37.47	-13	24.47	Pass	1711
1000	3000	1	Peak	1629	-41.74	-13	28.74	Pass	2001
3000	10000	1	Peak	7922	-33.44	-13	20.44	Pass	7001



1.24 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:24, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.08	-13	41.08	Pass	401
0.15	30	0.01	Peak	0.51	-69.89	-13	56.89	Pass	2986
30	809	0.1	Peak	808.2	-48.13	-13	35.13	Pass	7791
809	829	0.1	Peak	814.55	20.99	60	39.01	Pass	401
829	1000	0.1	Peak	832.3	-36.97	-13	23.97	Pass	1711
1000	3000	1	Peak	1629	-42.18	-13	29.18	Pass	2001
3000	10000	1	Peak	6816	-33.35	-13	20.35	Pass	7001



--BLANK BELOW--