

1.1. Test Band = _LTE Band 2 _TM1**1.1.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3987	46.87	-43.47	29.83	-62.03	-13.00	49.03	Horizontal
2	4932	46.92	-41.82	30.96	-59.20	-13.00	46.20	Horizontal
3	6551.25	44.62	-38.92	34.51	-55.05	-13.00	42.05	Horizontal
4	8308.5	43.56	-35.16	36.38	-50.48	-13.00	37.48	Horizontal
5	10852.5	41.43	-33.53	39.92	-47.44	-13.00	34.44	Horizontal
6	13662.75	40.56	-30.95	40.16	-45.49	-13.00	32.49	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3761.25	47.03	-43.59	29.65	-62.17	-13.00	49.17	Vertical
2	4932	46.70	-41.82	30.96	-59.42	-13.00	46.42	Vertical
3	6069.75	45.32	-39.50	33.46	-55.98	-13.00	42.98	Vertical
4	7905.75	42.67	-35.60	36.49	-51.70	-13.00	38.70	Vertical
5	10324.5	41.76	-33.90	39.12	-48.28	-13.00	35.28	Vertical
6	12741.75	40.95	-32.72	38.94	-48.09	-13.00	35.09	Vertical

1.2. Test Band = _LTE Band 2 _TM1**1.2.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4053	46.75	-43.29	29.59	-62.21	-13.00	49.21	Horizontal
2	6039	45.02	-39.74	33.39	-56.59	-13.00	43.59	Horizontal
3	6815.25	44.12	-37.89	35.46	-53.57	-13.00	40.57	Horizontal
4	8778	42.59	-34.76	36.63	-50.80	-13.00	37.80	Horizontal
5	10680	41.42	-33.63	39.46	-48.01	-13.00	35.01	Horizontal
6	12690	40.48	-32.69	38.90	-48.57	-13.00	35.57	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4066.5	46.61	-43.24	29.57	-62.32	-13.00	49.32	Vertical
2	5614.5	45.40	-40.55	32.57	-57.84	-13.00	44.84	Vertical
3	6830.25	44.15	-37.86	35.52	-53.45	-13.00	40.45	Vertical
4	8247.75	42.73	-35.47	36.49	-51.51	-13.00	38.51	Vertical
5	10468.5	41.38	-33.52	38.99	-48.41	-13.00	35.41	Vertical
6	12345	40.83	-33.33	39.47	-48.29	-13.00	35.29	Vertical

1.3. Test Band = _LTE Band 2 _TM1**1.3.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	49.96	-43.67	29.31	-59.66	-13.00	46.66	Horizontal
2	4030.5	46.77	-43.37	29.68	-62.18	-13.00	49.18	Horizontal
3	4777.5	46.71	-42.09	30.67	-59.97	-13.00	46.97	Horizontal
4	6252.75	44.96	-39.45	33.22	-56.53	-13.00	43.53	Horizontal
5	7389	43.82	-36.72	36.66	-51.50	-13.00	38.50	Horizontal
6	9632.25	41.77	-34.27	37.99	-49.77	-13.00	36.77	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4084.5	46.88	-43.18	29.53	-62.03	-13.00	49.03	Vertical
2	5044.5	45.70	-41.55	31.56	-59.55	-13.00	46.55	Vertical
3	6132.75	44.96	-39.34	33.33	-56.31	-13.00	43.31	Vertical
4	7192.5	43.22	-37.05	36.57	-52.52	-13.00	39.52	Vertical
5	8440.5	42.94	-35.02	36.42	-50.92	-13.00	37.92	Vertical
6	10726.5	41.42	-33.55	39.53	-47.86	-13.00	34.86	Vertical

1.4. Test Band = _LTE Band 4 _TM1**1.4.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3921	47.15	-43.47	29.78	-61.80	-13.00	48.80	Horizontal
2	4967.25	46.72	-41.64	31.07	-59.11	-13.00	46.11	Horizontal
3	6101.25	44.55	-39.27	33.40	-56.58	-13.00	43.58	Horizontal
4	7839.75	43.67	-36.05	36.76	-50.88	-13.00	37.88	Horizontal
5	10092.75	41.50	-33.70	38.79	-48.67	-13.00	35.67	Horizontal
6	13637.25	39.86	-30.93	40.14	-46.19	-13.00	33.19	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4332.75	46.65	-42.76	29.76	-61.61	-13.00	48.61	Vertical
2	5295.75	45.52	-41.23	31.87	-59.10	-13.00	46.10	Vertical
3	6578.25	44.80	-38.87	34.67	-54.66	-13.00	41.66	Vertical
4	7697.25	43.08	-35.94	36.79	-51.33	-13.00	38.33	Vertical
5	9687	41.16	-33.91	38.17	-49.84	-13.00	36.84	Vertical
6	11922	40.16	-33.30	39.83	-48.57	-13.00	35.57	Vertical

1.5. Test Band = _LTE Band 4 _TM1**1.5.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3897	46.89	-43.47	29.70	-62.14	-13.00	49.14	Horizontal
2	4939.5	46.55	-41.78	30.98	-59.51	-13.00	46.51	Horizontal
3	5921.25	45.30	-40.09	32.84	-57.21	-13.00	44.21	Horizontal
4	7047	43.34	-37.71	36.16	-53.47	-13.00	40.47	Horizontal
5	8363.25	43.02	-34.99	36.35	-50.88	-13.00	37.88	Horizontal
6	10272	41.42	-33.92	38.99	-48.77	-13.00	35.77	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3840.75	46.92	-43.51	29.72	-62.13	-13.00	49.13	Vertical
2	4408.5	46.38	-42.42	30.10	-61.20	-13.00	48.20	Vertical
3	5605.5	45.26	-40.57	32.59	-57.98	-13.00	44.98	Vertical
4	6841.5	44.25	-37.84	35.57	-53.28	-13.00	40.28	Vertical
5	9396	42.30	-34.56	37.31	-50.21	-13.00	37.21	Vertical
6	12504	41.09	-33.34	39.00	-48.51	-13.00	35.51	Vertical

1.6. Test Band = _LTE Band 4 _TM1**1.6.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4045.5	46.99	-43.32	29.62	-61.97	-13.00	48.97	Horizontal
2	5370.75	45.40	-41.17	32.32	-58.71	-13.00	45.71	Horizontal
3	6638.25	44.15	-38.53	34.88	-54.76	-13.00	41.76	Horizontal
4	7911.75	43.13	-35.61	36.48	-51.26	-13.00	38.26	Horizontal
5	10554.75	41.81	-33.72	39.12	-48.05	-13.00	35.05	Horizontal
6	12217.5	40.71	-33.33	39.53	-48.35	-13.00	35.35	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4189.5	46.75	-43.00	29.56	-61.95	-13.00	48.95	Vertical
2	4923	46.93	-41.86	30.95	-59.24	-13.00	46.24	Vertical
3	6144.75	45.18	-39.36	33.31	-56.13	-13.00	43.13	Vertical
4	7777.5	44.01	-36.24	36.51	-50.98	-13.00	37.98	Vertical
5	9252.75	41.72	-34.15	37.48	-50.21	-13.00	37.21	Vertical
6	10958.25	40.93	-33.28	40.14	-47.47	-13.00	34.47	Vertical

1.7. Test Band = _LTE Band 30 10M _TM1**1.7.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4611	50.32	-42.40	30.12	-57.22	-40.00	17.22	Horizontal
2	5493	46.60	-40.76	32.37	-57.05	-40.00	17.05	Horizontal
3	6751	45.50	-37.99	35.20	-52.55	-40.00	12.55	Horizontal
4	9222.5	45.87	-34.11	37.50	-46.00	-40.00	6.00	Horizontal
5	10428	42.06	-33.50	39.12	-47.58	-40.00	7.58	Horizontal
6	12212.5	41.42	-33.33	39.55	-47.62	-40.00	7.62	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4611	53.46	-42.40	30.12	-54.08	-40.00	14.08	Vertical
2	5903.5	46.35	-40.10	32.81	-56.20	-40.00	16.20	Vertical
3	7191.5	44.27	-37.06	36.57	-51.48	-40.00	11.48	Vertical
4	9222.5	44.95	-34.11	37.50	-46.92	-40.00	6.92	Vertical
5	10450	42.23	-33.51	39.05	-47.49	-40.00	7.49	Vertical
6	11862.5	40.12	-33.12	39.86	-48.40	-40.00	8.40	Vertical

1.8. Test Band = _LTE Band 30 5M _TM1**1.8.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4610.5	49.61	-42.40	30.12	-57.93	-40.00	17.93	Horizontal
2	5452	46.98	-40.93	32.21	-57.00	-40.00	17.00	Horizontal
3	6760	44.72	-37.98	35.24	-53.28	-40.00	13.28	Horizontal
4	7855	43.63	-35.93	36.77	-50.79	-40.00	10.79	Horizontal
5	9221	44.98	-34.11	37.50	-46.89	-40.00	6.89	Horizontal
6	10096	42.32	-33.70	38.80	-47.84	-40.00	7.84	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4610.5	52.20	-42.40	30.12	-55.34	-40.00	15.34	Vertical
2	5695	46.00	-40.32	32.50	-57.08	-40.00	17.08	Vertical
3	7374	44.94	-36.83	36.60	-50.55	-40.00	10.55	Vertical
4	9221	46.40	-34.11	37.50	-45.47	-40.00	5.47	Vertical
5	10489.5	41.97	-33.53	38.93	-47.89	-40.00	7.89	Vertical
6	11786	40.18	-33.11	39.81	-48.38	-40.00	8.38	Vertical

1.9. Test Band = _LTE Band 30 5M _TM1**1.9.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4615.5	50.50	-42.39	30.13	-57.02	-40.00	17.02	Horizontal
2	6067.5	45.78	-39.52	33.47	-55.53	-40.00	15.53	Horizontal
3	7177.5	44.32	-37.14	36.51	-51.57	-40.00	11.57	Horizontal
4	9231	45.39	-34.12	37.50	-46.49	-40.00	6.49	Horizontal
5	11188.5	42.23	-33.64	40.20	-46.47	-40.00	6.47	Horizontal
6	13649.5	41.20	-30.94	40.15	-44.85	-40.00	4.85	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4615.5	52.05	-42.39	30.13	-55.47	-40.00	15.47	Vertical
2	5945	46.36	-40.07	32.89	-56.08	-40.00	16.08	Vertical
3	7393	44.07	-36.70	36.67	-51.22	-40.00	11.22	Vertical
4	9231.5	43.98	-34.12	37.50	-47.90	-40.00	7.90	Vertical
5	10954.5	41.89	-33.30	40.15	-46.52	-40.00	6.52	Vertical
6	13641	40.46	-30.94	40.14	-45.60	-40.00	5.60	Vertical

1.10. Test Band = _LTE Band 30 5M _TM1**1.10.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4620.5	49.62	-42.39	30.14	-57.89	-40.00	17.89	Horizontal
2	6555	45.22	-38.91	34.53	-54.42	-40.00	14.42	Horizontal
3	7388	43.79	-36.73	36.65	-51.55	-40.00	11.55	Horizontal
4	9273	42.44	-34.18	37.32	-49.68	-40.00	9.68	Horizontal
5	11340	42.60	-33.71	40.18	-46.19	-40.00	6.19	Horizontal
6	14085	38.37	-29.61	41.71	-44.79	-40.00	4.79	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4620.5	52.53	-42.39	30.14	-54.98	-40.00	14.98	Vertical
2	6644	45.38	-38.49	34.89	-53.48	-40.00	13.48	Vertical
3	7425.5	44.36	-36.68	36.75	-50.83	-40.00	10.83	Vertical
4	9241.5	44.24	-34.14	37.50	-47.66	-40.00	7.66	Vertical
5	11216.5	42.14	-33.59	40.18	-46.53	-40.00	6.53	Vertical
6	13615.5	40.31	-30.93	40.12	-45.76	-40.00	5.76	Vertical

1.11. Test Band = _LTE Band 5 _TM1**1.11.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1653.7778	81.34	-46.81	25.47	-35.26	-13.00	22.26	Horizontal
2	2480.4444	69.96	-45.57	27.72	-43.15	-13.00	30.15	Horizontal
3	3307.5556	72.30	-44.63	28.52	-39.07	-13.00	26.07	Horizontal
4	4134.2222	54.08	-43.18	29.43	-54.93	-13.00	41.93	Horizontal
5	5788	53.00	-39.90	32.42	-49.74	-13.00	36.74	Horizontal
6	6824.8889	51.72	-37.89	35.50	-45.93	-13.00	32.93	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1653.7778	80.03	-46.81	25.47	-36.57	-13.00	23.57	Vertical
2	2480.8889	65.08	-45.57	27.72	-48.03	-13.00	35.03	Vertical
3	3307.5556	69.18	-44.63	28.52	-42.19	-13.00	29.19	Vertical
4	4961.3333	54.05	-41.77	31.05	-51.93	-13.00	38.93	Vertical
5	6031.1111	51.80	-39.66	33.31	-49.81	-13.00	36.81	Vertical
6	7400.4444	51.14	-36.75	36.70	-44.17	-13.00	31.17	Vertical

1.12. Test Band = _LTE Band 5 _TM1**1.12.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1668.8889	80.49	-46.79	25.35	-36.21	-13.00	23.21	Horizontal
2	2503.1111	66.30	-45.52	27.80	-46.68	-13.00	33.68	Horizontal
3	3337.3333	69.11	-44.56	28.57	-42.14	-13.00	29.14	Horizontal
4	4843.1111	54.03	-42.11	30.63	-52.71	-13.00	39.71	Horizontal
5	6033.7778	52.11	-39.65	33.34	-49.46	-13.00	36.46	Horizontal
6	7430.6667	50.04	-36.77	36.76	-45.23	-13.00	32.23	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1668.8889	75.88	-46.79	25.35	-40.82	-13.00	27.82	Vertical
2	2503.1111	61.60	-45.52	27.80	-51.38	-13.00	38.38	Vertical
3	3337.3333	63.18	-44.56	28.57	-48.07	-13.00	35.07	Vertical
4	5006.2222	53.09	-41.56	31.25	-52.48	-13.00	39.48	Vertical
5	5940.8889	52.33	-40.02	32.88	-50.07	-13.00	37.07	Vertical
6	7705.3333	49.96	-36.30	36.76	-44.84	-13.00	31.84	Vertical

1.13. Test Band = _LTE Band 5 _TM1**1.13.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1683.5556	83.93	-46.77	25.23	-32.87	-13.00	19.87	Horizontal
2	2525.7778	69.43	-45.45	27.80	-43.48	-13.00	30.48	Horizontal
3	3367.5556	66.15	-44.49	28.60	-45.00	-13.00	32.00	Horizontal
4	4209.3333	56.10	-43.12	29.64	-52.64	-13.00	39.64	Horizontal
5	5545.7778	53.39	-40.60	32.22	-50.25	-13.00	37.25	Horizontal
6	7703.5556	49.96	-36.30	36.77	-44.83	-13.00	31.83	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1684	78.52	-46.77	25.23	-38.28	-13.00	25.28	Vertical
2	2525.7778	67.11	-45.45	27.80	-45.80	-13.00	32.80	Vertical
3	3367.5556	64.96	-44.49	28.60	-46.19	-13.00	33.19	Vertical
4	4209.3333	53.87	-43.12	29.64	-54.87	-13.00	41.87	Vertical
5	5051.1111	53.48	-41.64	31.60	-51.82	-13.00	38.82	Vertical
6	6774.2222	50.45	-37.93	35.30	-47.44	-13.00	34.44	Vertical

1.14. Test Band = _LTE Band 7 _TM1**1.14.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4695.5	46.78	-42.30	30.56	-60.22	-25.00	35.22	Horizontal
2	5930	46.09	-40.08	32.86	-56.39	-25.00	31.39	Horizontal
3	6933	44.75	-37.77	35.33	-52.95	-25.00	27.95	Horizontal
4	8422.5	43.52	-34.95	36.46	-50.23	-25.00	25.23	Horizontal
5	10091	41.28	-33.70	38.79	-48.89	-25.00	23.89	Horizontal
6	13646.5	38.35	-30.94	40.15	-47.70	-25.00	22.70	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4956	48.32	-41.69	31.02	-57.61	-25.00	32.61	Vertical
2	6122	45.35	-39.31	33.36	-55.86	-25.00	30.86	Vertical
3	7409.5	43.87	-36.66	36.72	-51.33	-25.00	26.33	Vertical
4	8933	42.65	-34.46	36.83	-50.24	-25.00	25.24	Vertical
5	11192.5	40.66	-33.61	40.20	-48.01	-25.00	23.01	Vertical
6	13646.5	38.68	-30.94	40.15	-47.37	-25.00	22.37	Vertical

1.15. Test Band = _LTE Band 7 _TM1**1.15.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4214	47.97	-42.97	29.66	-60.60	-25.00	35.60	Horizontal
2	5288	46.57	-41.24	31.83	-58.10	-25.00	33.10	Horizontal
3	6839	44.32	-37.85	35.56	-53.23	-25.00	28.23	Horizontal
4	8271	42.42	-35.35	36.46	-51.73	-25.00	26.73	Horizontal
5	10084.5	40.53	-33.70	38.78	-49.65	-25.00	24.65	Horizontal
6	13654	38.77	-30.94	40.15	-47.28	-25.00	22.28	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4289	47.20	-42.94	29.57	-61.43	-25.00	36.43	Vertical
2	5952.5	46.36	-40.07	32.91	-56.06	-25.00	31.06	Vertical
3	7578.5	47.08	-36.92	36.63	-48.47	-25.00	23.47	Vertical
4	9396.5	42.32	-34.56	37.31	-50.19	-25.00	25.19	Vertical
5	11143	40.75	-33.94	40.20	-48.25	-25.00	23.25	Vertical
6	14292.5	37.86	-30.53	41.62	-46.31	-25.00	21.31	Vertical

1.16. Test Band = _LTE Band 7 _TM1**1.16.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3962	47.70	-43.47	29.88	-61.15	-25.00	36.15	Horizontal
2	4972	46.90	-41.61	31.09	-58.88	-25.00	33.88	Horizontal
3	6008	46.08	-39.98	33.08	-56.08	-25.00	31.08	Horizontal
4	7373	44.41	-36.83	36.59	-51.09	-25.00	26.09	Horizontal
5	8964	42.38	-34.38	36.84	-50.42	-25.00	25.42	Horizontal
6	11157.5	41.19	-33.84	40.20	-47.71	-25.00	22.71	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4054	47.43	-43.29	29.59	-61.53	-25.00	36.53	Vertical
2	4982.5	46.96	-41.56	31.13	-58.73	-25.00	33.73	Vertical
3	6059.5	45.50	-39.58	33.48	-55.86	-25.00	30.86	Vertical
4	7653.5	45.49	-36.40	36.61	-49.56	-25.00	24.56	Vertical
5	9623	41.58	-34.33	37.94	-50.07	-25.00	25.07	Vertical
6	11158	40.61	-33.84	40.20	-48.29	-25.00	23.29	Vertical

1.17. Test Band = _LTE Band 12 _TM1**1.17.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399.1111	64.59	-46.79	24.90	-52.56	-13.00	39.56	Horizontal
2	1712	53.40	-46.71	25.08	-63.49	-13.00	50.49	Horizontal
3	2098.6667	62.77	-46.13	26.79	-51.83	-13.00	38.83	Horizontal
4	2798.2222	58.31	-44.88	28.29	-53.54	-13.00	40.54	Horizontal
5	3497.7778	49.29	-44.41	29.09	-61.29	-13.00	48.29	Horizontal
6	4982.6667	46.59	-41.65	31.13	-59.19	-13.00	46.19	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399.1111	61.20	-46.79	24.90	-55.95	-13.00	42.95	Vertical
2	2098.6667	59.45	-46.13	26.79	-55.15	-13.00	42.15	Vertical
3	2798.2222	56.20	-44.88	28.29	-55.65	-13.00	42.65	Vertical
4	3943.5556	47.20	-43.40	29.87	-61.59	-13.00	48.59	Vertical
5	4987.5556	46.46	-41.62	31.15	-59.27	-13.00	46.27	Vertical
6	6649.7778	44.49	-38.47	34.90	-54.34	-13.00	41.34	Vertical

1.18. Test Band = _LTE Band 12 _TM1**1.18.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1406.2222	67.16	-46.80	24.95	-49.95	-13.00	36.95	Horizontal
2	2109.3333	62.56	-46.13	26.74	-52.09	-13.00	39.09	Horizontal
3	2812.4444	62.82	-44.91	28.30	-49.05	-13.00	36.05	Horizontal
4	3515.1111	49.28	-44.42	29.07	-61.33	-13.00	48.33	Horizontal
5	5000	46.52	-41.55	31.20	-59.09	-13.00	46.09	Horizontal
6	6064	45.04	-39.50	33.47	-56.25	-13.00	43.25	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1406.2222	62.20	-46.80	24.95	-54.91	-13.00	41.91	Vertical
2	2108.8889	61.72	-46.13	26.75	-52.92	-13.00	39.92	Vertical
3	2812.4444	58.38	-44.91	28.30	-53.49	-13.00	40.49	Vertical
4	3515.5556	48.80	-44.42	29.07	-61.81	-13.00	48.81	Vertical
5	4218.6667	47.27	-43.03	29.67	-61.35	-13.00	48.35	Vertical
6	6059.5556	44.81	-39.52	33.48	-56.49	-13.00	43.49	Vertical

1.19. Test Band = _LTE Band 12 _TM1**1.19.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.3333	65.50	-46.82	25.01	-51.57	-13.00	38.57	Horizontal
2	2120	62.19	-46.12	26.68	-52.51	-13.00	39.51	Horizontal
3	2826.2222	63.28	-44.94	28.30	-48.62	-13.00	35.62	Horizontal
4	3532.8889	48.51	-44.44	29.03	-62.16	-13.00	49.16	Horizontal
5	4239.5556	52.59	-42.84	29.76	-55.75	-13.00	42.75	Horizontal
6	6065.3333	44.85	-39.49	33.47	-56.43	-13.00	43.43	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.3333	61.74	-46.82	25.01	-55.33	-13.00	42.33	Vertical
2	2120	58.97	-46.12	26.68	-55.73	-13.00	42.73	Vertical
3	2826.2222	58.94	-44.94	28.30	-52.96	-13.00	39.96	Vertical
4	3533.3333	47.48	-44.44	29.03	-63.19	-13.00	50.19	Vertical
5	4239.5556	51.95	-42.84	29.76	-56.39	-13.00	43.39	Vertical
6	4974.6667	47.24	-41.69	31.10	-58.61	-13.00	45.61	Vertical

1.20. Test Band = _LTE Band 14 10M _TM1**1.20.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1577	67.51	-46.92	24.69	-49.98	-40.00	9.98	Horizontal
2	2366	76.68	-45.73	27.54	-36.77	-13.00	23.77	Horizontal
3	3154.5	51.12	-44.56	28.67	-60.03	-13.00	47.03	Horizontal
4	3943	54.63	-43.40	29.87	-54.16	-13.00	41.16	Horizontal
5	4987	46.90	-41.62	31.15	-58.83	-13.00	45.83	Horizontal
6	6064.5	45.81	-39.50	33.47	-55.48	-13.00	42.48	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1577	64.34	-46.92	24.69	-53.15	-40.00	13.15	Vertical
2	2366	72.21	-45.73	27.54	-41.24	-13.00	28.24	Vertical
3	3154.5	50.21	-44.56	28.67	-60.94	-13.00	47.94	Vertical
4	3943	50.47	-43.40	29.87	-58.32	-13.00	45.32	Vertical
5	4994.5	47.35	-41.58	31.18	-58.31	-13.00	45.31	Vertical
6	7452.5	45.41	-36.78	36.81	-49.82	-13.00	36.82	Vertical

1.21. Test Band = _LTE Band 14 5M _TM1**1.21.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1576.5	67.44	-46.92	24.68	-50.06	-40.00	10.06	Horizontal
2	2365	76.81	-45.73	27.54	-36.64	-13.00	23.64	Horizontal
3	3153.5	51.84	-44.57	28.68	-59.31	-13.00	46.31	Horizontal
4	3941.5	53.51	-43.40	29.87	-55.28	-13.00	42.28	Horizontal
5	6085.5	46.20	-39.39	33.43	-55.02	-13.00	42.02	Horizontal
6	7700.5	44.53	-36.29	36.80	-50.22	-13.00	37.22	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1577	64.47	-46.92	24.69	-53.02	-40.00	13.02	Vertical
2	2365	72.91	-45.73	27.54	-40.54	-13.00	27.54	Vertical
3	3153.5	50.88	-44.57	28.68	-60.27	-13.00	47.27	Vertical
4	3941.5	50.62	-43.40	29.87	-58.17	-13.00	45.17	Vertical
5	4730	48.04	-42.28	30.54	-58.96	-13.00	45.96	Vertical
6	6870	45.08	-38.05	35.52	-52.71	-13.00	39.71	Vertical

1.22. Test Band = _LTE Band 14 5M _TM1**1.22.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1582	67.98	-46.91	24.78	-49.41	-40.00	9.41	Horizontal
2	2372.5	76.81	-45.73	27.51	-36.67	-13.00	23.67	Horizontal
3	3163.5	53.85	-44.51	28.62	-57.30	-13.00	44.30	Horizontal
4	3954	55.00	-43.38	29.89	-53.75	-13.00	40.75	Horizontal
5	4745	47.87	-42.24	30.51	-59.12	-13.00	46.12	Horizontal
6	5813	47.11	-39.87	32.45	-55.57	-13.00	42.57	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1581.5	65.92	-46.91	24.77	-51.48	-40.00	11.48	Vertical
2	2372.5	73.87	-45.73	27.51	-39.61	-13.00	26.61	Vertical
3	3163.5	54.58	-44.51	28.62	-56.57	-13.00	43.57	Vertical
4	3954	50.96	-43.38	29.89	-57.79	-13.00	44.79	Vertical
5	4745	47.73	-42.24	30.51	-59.26	-13.00	46.26	Vertical
6	6037.5	46.35	-39.63	33.38	-55.16	-13.00	42.16	Vertical

1.23. Test Band = _LTE Band 14 5M _TM1**1.23.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1586.5	67.19	-46.91	24.86	-50.12	-40.00	10.12	Horizontal
2	2380	76.44	-45.73	27.48	-37.07	-13.00	24.07	Horizontal
3	3173.5	54.17	-44.44	28.56	-56.97	-13.00	43.97	Horizontal
4	3966.5	53.00	-43.35	29.87	-55.74	-13.00	42.74	Horizontal
5	4760	47.95	-42.21	30.56	-58.96	-13.00	45.96	Horizontal
6	6056.5	45.69	-39.54	33.49	-55.62	-13.00	42.62	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1586.5	64.58	-46.91	24.86	-52.73	-40.00	12.73	Vertical
2	2380	72.66	-45.73	27.48	-40.85	-13.00	27.85	Vertical
3	3173.5	57.72	-44.44	28.56	-53.42	-13.00	40.42	Vertical
4	3966.5	50.71	-43.35	29.87	-58.03	-13.00	45.03	Vertical
5	4760	48.23	-42.21	30.56	-58.68	-13.00	45.68	Vertical
6	6051.5	45.88	-39.56	33.50	-55.44	-13.00	42.44	Vertical

1.24. Test Band = _LTE Band 17 _TM1**1.24.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1409.3333	67.72	-46.81	24.97	-49.38	-13.00	36.38	Horizontal
2	2113.7778	63.62	-46.12	26.72	-51.04	-13.00	38.04	Horizontal
3	2818.2222	65.12	-44.92	28.30	-46.76	-13.00	33.76	Horizontal
4	3523.1111	49.24	-44.43	29.05	-61.40	-13.00	48.40	Horizontal
5	4227.5556	51.90	-42.95	29.71	-56.60	-13.00	43.60	Horizontal
6	5420.8889	46.39	-40.95	32.37	-57.45	-13.00	44.45	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1409.3333	63.99	-46.81	24.97	-53.11	-13.00	40.11	Vertical
2	2114.2222	61.60	-46.12	26.71	-53.07	-13.00	40.07	Vertical
3	2818.2222	63.75	-44.92	28.30	-48.13	-13.00	35.13	Vertical
4	3523.1111	48.19	-44.43	29.05	-62.45	-13.00	49.45	Vertical
5	4227.5556	52.57	-42.95	29.71	-55.93	-13.00	42.93	Vertical
6	6046.2222	45.00	-39.59	33.46	-56.39	-13.00	43.39	Vertical

1.25. Test Band = _LTE Band 17 _TM1**1.25.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1411.1111	66.74	-46.81	24.99	-50.34	-13.00	37.34	Horizontal
2	2116.8889	64.46	-46.12	26.70	-50.22	-13.00	37.22	Horizontal
3	2822.2222	65.04	-44.93	28.30	-46.85	-13.00	33.85	Horizontal
4	3528	49.51	-44.43	29.04	-61.14	-13.00	48.14	Horizontal
5	4233.7778	52.36	-42.90	29.74	-56.06	-13.00	43.06	Horizontal
6	5119.5556	46.09	-41.65	31.62	-59.20	-13.00	46.20	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1411.1111	62.26	-46.81	24.99	-54.82	-13.00	41.82	Vertical
2	2116.8889	60.97	-46.12	26.70	-53.71	-13.00	40.71	Vertical
3	2822.6667	60.88	-44.93	28.30	-51.01	-13.00	38.01	Vertical
4	3528	48.56	-44.43	29.04	-62.09	-13.00	49.09	Vertical
5	4233.7778	52.81	-42.90	29.74	-55.61	-13.00	42.61	Vertical
6	5844	45.48	-39.98	32.58	-57.18	-13.00	44.18	Vertical

1.26. Test Band = _LTE Band 17 _TM1**1.26.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.3333	67.02	-46.82	25.01	-50.05	-13.00	37.05	Horizontal
2	2119.5556	63.40	-46.12	26.68	-51.30	-13.00	38.30	Horizontal
3	2826.6667	64.42	-44.94	28.30	-47.48	-13.00	34.48	Horizontal
4	3532.8889	49.11	-44.44	29.03	-61.56	-13.00	48.56	Horizontal
5	4239.5556	55.37	-42.84	29.76	-52.97	-13.00	39.97	Horizontal
6	5912	45.60	-40.12	32.82	-56.96	-13.00	43.96	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413.3333	62.75	-46.82	25.01	-54.32	-13.00	41.32	Vertical
2	2120	59.72	-46.12	26.68	-54.98	-13.00	41.98	Vertical
3	2826.2222	61.26	-44.94	28.30	-50.64	-13.00	37.64	Vertical
4	3532.8889	48.79	-44.44	29.03	-61.88	-13.00	48.88	Vertical
5	4239.5556	52.07	-42.84	29.76	-56.27	-13.00	43.27	Vertical
6	5601.3333	45.32	-40.42	32.60	-57.76	-13.00	44.76	Vertical

1.27. Test Band = _LTE Band 38 _TM1**1.27.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3947.5	47.13	-43.47	29.89	-61.71	-25.00	36.71	Horizontal
2	5142.5	48.79	-41.51	31.76	-56.22	-25.00	31.22	Horizontal
3	6809.5	44.02	-37.90	35.44	-53.70	-25.00	28.70	Horizontal
4	7713	43.90	-35.97	36.70	-50.63	-25.00	25.63	Horizontal
5	10284.5	43.88	-33.97	39.04	-46.31	-25.00	21.31	Horizontal
6	14694.5	35.18	-29.83	41.88	-48.03	-25.00	23.03	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3999.5	47.99	-43.47	29.80	-60.94	-25.00	35.94	Vertical
2	5142	52.66	-41.51	31.75	-52.36	-25.00	27.36	Vertical
3	7181.5	43.99	-37.11	36.53	-51.85	-25.00	26.85	Vertical
4	8413	42.52	-34.92	36.47	-51.19	-25.00	26.19	Vertical
5	10284	47.72	-33.97	39.04	-42.47	-25.00	17.47	Vertical
6	14673	35.21	-29.75	41.79	-48.01	-25.00	23.01	Vertical

1.28. Test Band = _LTE Band 38 _TM1**1.28.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4025	47.76	-43.39	29.70	-61.19	-25.00	36.19	Horizontal
2	5172	49.59	-41.42	31.84	-55.25	-25.00	30.25	Horizontal
3	6865.5	44.11	-37.80	35.54	-53.41	-25.00	28.41	Horizontal
4	8989.5	41.94	-34.32	36.74	-50.90	-25.00	25.90	Horizontal
5	10344.5	41.73	-33.79	39.14	-48.18	-25.00	23.18	Horizontal
6	13614.5	37.09	-30.93	40.11	-48.99	-25.00	23.99	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3849.5	47.38	-43.51	29.70	-61.69	-25.00	36.69	Vertical
2	5172	51.71	-41.42	31.84	-53.13	-25.00	28.13	Vertical
3	6530	44.55	-38.97	34.42	-55.26	-25.00	30.26	Vertical
4	7758.5	44.65	-36.16	36.43	-50.34	-25.00	25.34	Vertical
5	10344	42.38	-33.79	39.14	-47.53	-25.00	22.53	Vertical
6	14295	35.91	-30.53	41.62	-48.26	-25.00	23.26	Vertical

1.29. Test Band = _LTE Band 38 _TM1**1.29.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3906.5	47.16	-43.47	29.73	-61.84	-25.00	36.84	Horizontal
2	5202	51.31	-41.33	31.89	-53.39	-25.00	28.39	Horizontal
3	6580.5	45.23	-38.86	34.68	-54.21	-25.00	29.21	Horizontal
4	8457.5	42.47	-35.08	36.42	-51.45	-25.00	26.45	Horizontal
5	10404	45.11	-33.48	39.19	-44.44	-25.00	19.44	Horizontal
6	14303.5	36.32	-30.52	41.60	-47.86	-25.00	22.86	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3878	47.40	-43.49	29.70	-61.65	-25.00	36.65	Vertical
2	5202	53.83	-41.33	31.89	-50.87	-25.00	25.87	Vertical
3	6853.5	43.59	-37.82	35.59	-53.90	-25.00	28.90	Vertical
4	7803	45.91	-36.32	36.61	-49.06	-25.00	24.06	Vertical
5	10404.5	44.06	-33.48	39.19	-45.49	-25.00	20.49	Vertical
6	13860	36.65	-31.15	40.74	-49.02	-25.00	24.02	Vertical

1.30. Test Band = _LTE Band 41 _TM1**1.30.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5168	50.21	-41.43	31.84	-54.64	-25.00	29.64	Horizontal
2	6047.5	45.62	-39.67	33.48	-55.83	-25.00	30.83	Horizontal
3	7419.5	43.51	-36.67	36.74	-51.68	-25.00	26.68	Horizontal
4	8429	42.47	-34.98	36.44	-51.33	-25.00	26.33	Horizontal
5	10336	43.42	-33.84	39.14	-46.54	-25.00	21.54	Horizontal
6	11493	37.57	-33.69	40.21	-51.17	-25.00	26.17	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4347	46.95	-42.69	29.88	-61.12	-25.00	36.12	Vertical
2	5168	51.33	-41.43	31.84	-53.52	-25.00	28.52	Vertical
3	7752	48.37	-36.13	36.41	-46.61	-25.00	21.61	Vertical
4	10336.5	49.34	-33.84	39.14	-40.62	-25.00	15.62	Vertical
5	11420	38.57	-33.65	40.28	-50.06	-25.00	25.06	Vertical
6	13690	36.17	-30.96	40.19	-49.86	-25.00	24.86	Vertical

1.31. Test Band = _LTE Band 41 _TM1**1.31.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5168	49.07	-41.43	31.84	-55.78	-25.00	30.78	Horizontal
2	6857.5	44.13	-37.81	35.57	-53.37	-25.00	28.37	Horizontal
3	8434.5	42.55	-35.00	36.43	-51.28	-25.00	26.28	Horizontal
4	10336.5	44.10	-33.84	39.14	-45.86	-25.00	20.86	Horizontal
5	12739	37.35	-32.71	38.94	-51.68	-25.00	26.68	Horizontal
6	14607	34.75	-29.51	41.53	-48.49	-25.00	23.49	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5168	52.52	-41.43	31.84	-52.33	-25.00	27.33	Vertical
2	6711.5	44.18	-38.05	35.12	-54.01	-25.00	29.01	Vertical
3	7752	48.97	-36.13	36.41	-46.01	-25.00	21.01	Vertical
4	9070.5	40.87	-34.24	36.71	-51.92	-25.00	26.92	Vertical
5	10336.5	47.33	-33.84	39.14	-42.63	-25.00	17.63	Vertical
6	14303	35.41	-30.52	41.60	-48.77	-25.00	23.77	Vertical

1.32. Test Band = _LTE Band 41 _TM1**1.32.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5168.5	49.31	-41.43	31.84	-55.54	-25.00	30.54	Horizontal
2	6727.5	44.30	-38.03	35.16	-53.83	-25.00	28.83	Horizontal
3	7752.5	44.80	-36.14	36.41	-50.19	-25.00	25.19	Horizontal
4	8932	42.18	-34.46	36.83	-50.71	-25.00	25.71	Horizontal
5	10336.5	43.13	-33.84	39.14	-46.83	-25.00	21.83	Horizontal
6	13655.5	36.56	-30.94	40.16	-49.48	-25.00	24.48	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5168	52.18	-41.43	31.84	-52.67	-25.00	27.67	Vertical
2	6697	44.64	-38.09	35.09	-53.62	-25.00	28.62	Vertical
3	7752.5	43.90	-36.14	36.41	-51.09	-25.00	26.09	Vertical
4	8957	41.29	-34.40	36.87	-51.50	-25.00	26.50	Vertical
5	10336.5	47.66	-33.84	39.14	-42.30	-25.00	17.30	Vertical
6	14298	35.05	-30.52	41.61	-49.12	-25.00	24.12	Vertical

1.33. Test Band = _LTE Band 66 _TM1**1.33.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3803.25	48.52	-43.54	29.79	-60.49	-13.00	47.49	Horizontal
2	5133	48.74	-41.54	31.70	-56.36	-13.00	43.36	Horizontal
3	7191.75	44.61	-37.06	36.57	-51.14	-13.00	38.14	Horizontal
4	9222	43.84	-34.11	37.50	-48.03	-13.00	35.03	Horizontal
5	10960.5	43.86	-33.27	40.14	-44.53	-13.00	31.53	Horizontal
6	14297.25	44.46	-30.52	41.61	-39.71	-13.00	26.71	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5133.75	50.18	-41.54	31.70	-54.92	-13.00	41.92	Vertical
2	6727.5	44.80	-38.03	35.16	-53.33	-13.00	40.33	Vertical
3	8580.75	43.54	-35.13	36.54	-50.31	-13.00	37.31	Vertical
4	10392	43.17	-33.52	39.19	-46.42	-13.00	33.42	Vertical
5	12387.75	44.53	-33.23	39.73	-44.23	-13.00	31.23	Vertical
6	14129.25	43.71	-29.75	41.83	-39.47	-13.00	26.47	Vertical

1.34. Test Band = _LTE Band 66 _TM1**1.34.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4807.5	47.43	-42.03	30.77	-59.09	-13.00	46.09	Horizontal
2	6138	46.23	-39.35	33.32	-55.06	-13.00	42.06	Horizontal
3	7680.75	44.05	-36.11	36.72	-50.60	-13.00	37.60	Horizontal
4	9222.75	43.90	-34.11	37.50	-47.97	-13.00	34.97	Horizontal
5	11349.75	44.43	-33.70	40.20	-44.33	-13.00	31.33	Horizontal
6	14131.5	43.14	-29.79	41.83	-40.08	-13.00	27.08	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4374.75	47.67	-42.54	30.00	-60.13	-13.00	47.13	Vertical
2	5960.25	46.09	-40.06	32.92	-56.31	-13.00	43.31	Vertical
3	7199.25	44.15	-37.01	36.60	-51.52	-13.00	38.52	Vertical
4	8094	44.73	-35.61	36.50	-49.64	-13.00	36.64	Vertical
5	10959.75	43.88	-33.27	40.14	-44.51	-13.00	31.51	Vertical
6	14085	42.93	-29.61	41.71	-40.23	-13.00	27.23	Vertical

1.35. Test Band = _LTE Band 66 _TM1**1.35.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3939.75	47.67	-43.47	29.86	-61.20	-13.00	48.20	Horizontal
2	5636.25	46.80	-40.49	32.53	-56.42	-13.00	43.42	Horizontal
3	7546.5	44.65	-36.86	36.44	-51.03	-13.00	38.03	Horizontal
4	9186	43.95	-34.10	37.39	-48.02	-13.00	35.02	Horizontal
5	11553.75	43.95	-33.42	40.25	-44.48	-13.00	31.48	Horizontal
6	14117.25	43.04	-29.57	41.82	-39.97	-13.00	26.97	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3771	49.02	-43.58	29.68	-60.14	-13.00	47.14	Vertical
2	5283	47.37	-41.25	31.80	-57.34	-13.00	44.34	Vertical
3	7187.25	44.96	-37.08	36.55	-50.83	-13.00	37.83	Vertical
4	9200.25	43.67	-34.08	37.50	-48.17	-13.00	35.17	Vertical
5	10746.75	44.83	-33.53	39.55	-44.41	-13.00	31.41	Vertical
6	14147.25	43.22	-30.03	41.85	-40.22	-13.00	27.22	Vertical

1.36. Test Band = _LTE Band 42 _TM1**1.36.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6902.5	52.13	-38.39	35.40	-46.12	-13.00	33.12	Horizontal
2	8363	43.99	-35.56	36.35	-50.48	-13.00	37.48	Horizontal
3	9219.5	45.05	-34.78	37.50	-47.49	-13.00	34.49	Horizontal
4	10353.5	45.98	-34.62	39.15	-44.75	-13.00	31.75	Horizontal
5	11562.5	45.54	-33.69	40.26	-43.15	-13.00	30.15	Horizontal
6	14112.5	44.08	-31.15	41.81	-40.52	-13.00	27.52	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6902	52.18	-38.39	35.40	-46.07	-13.00	33.07	Vertical
2	8085	44.63	-36.31	36.50	-50.44	-13.00	37.44	Vertical
3	9202	45.00	-34.77	37.50	-47.53	-13.00	34.53	Vertical
4	10353	47.25	-34.62	39.15	-43.48	-13.00	30.48	Vertical
5	11569	45.19	-33.59	40.27	-43.39	-13.00	30.39	Vertical
6	14129	44.30	-31.25	41.83	-40.38	-13.00	27.38	Vertical

1.37. Test Band = _LTE Band 42 _TM1**1.37.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6982	49.38	-38.28	35.49	-48.67	-13.00	35.67	Horizontal
2	8080.5	44.62	-36.32	36.50	-50.46	-13.00	37.46	Horizontal
3	9189	45.00	-34.74	37.41	-47.59	-13.00	34.59	Horizontal
4	10473	47.64	-34.53	38.98	-43.17	-13.00	30.17	Horizontal
5	11593.5	44.75	-33.23	40.29	-43.45	-13.00	30.45	Horizontal
6	14120	44.21	-31.20	41.82	-40.43	-13.00	27.43	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6982	48.05	-38.28	35.49	-50.00	-13.00	37.00	Vertical
2	8104	44.71	-36.29	36.50	-50.34	-13.00	37.34	Vertical
3	9210	45.07	-34.78	37.50	-47.47	-13.00	34.47	Vertical
4	10473	48.98	-34.53	38.98	-41.83	-13.00	28.83	Vertical
5	11566	44.92	-33.63	40.27	-43.70	-13.00	30.70	Vertical
6	14126.5	44.41	-31.23	41.83	-40.25	-13.00	27.25	Vertical

1.38. Test Band = _LTE Band 42 _TM1**1.38.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7062.5	49.62	-38.29	36.13	-47.80	-13.00	34.80	Horizontal
2	7971	44.95	-36.44	36.40	-50.35	-13.00	37.35	Horizontal
3	9184.5	45.42	-34.73	37.38	-47.19	-13.00	34.19	Horizontal
4	10593.5	46.68	-34.39	39.27	-43.70	-13.00	30.70	Horizontal
5	11579	45.50	-33.44	40.28	-42.92	-13.00	29.92	Horizontal
6	14122.5	44.07	-31.21	41.82	-40.58	-13.00	27.58	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7062	49.08	-38.28	36.13	-48.33	-13.00	35.33	Vertical
2	8100.5	44.70	-36.29	36.50	-50.35	-13.00	37.35	Vertical
3	9226	45.19	-34.78	37.50	-47.35	-13.00	34.35	Vertical
4	10593	46.08	-34.39	39.27	-44.30	-13.00	31.30	Vertical
5	11600	44.74	-33.13	40.30	-43.35	-13.00	30.35	Vertical
6	13215.5	45.19	-32.34	39.56	-42.85	-13.00	29.85	Vertical

1.39. Test Band = _LTE Band 43 _TM1**1.39.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7402	49.00	-37.44	36.70	-47.00	-13.00	34.00	Horizontal
2	9190.5	45.03	-34.75	37.42	-47.56	-13.00	34.56	Horizontal
3	10778	45.27	-34.24	39.58	-44.65	-13.00	31.65	Horizontal
4	11847.5	45.23	-33.69	39.85	-43.87	-13.00	30.87	Horizontal
5	14148	44.46	-31.36	41.85	-40.31	-13.00	27.31	Horizontal
6	17151.5	43.16	-28.59	42.31	-38.38	-13.00	25.38	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7402	46.44	-37.44	36.70	-49.56	-13.00	36.56	Vertical
2	8095.5	45.14	-36.30	36.50	-49.92	-13.00	36.92	Vertical
3	9182.5	45.37	-34.73	37.36	-47.26	-13.00	34.26	Vertical
4	11103.5	47.30	-35.03	40.20	-42.79	-13.00	29.79	Vertical
5	14133	44.41	-31.27	41.83	-40.29	-13.00	27.29	Vertical
6	17548	44.05	-26.68	44.70	-33.19	-13.00	20.19	Vertical

1.40. Test Band = _LTE Band 43 _TM1**1.40.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7482	52.24	-37.37	36.86	-43.53	-13.00	30.53	Horizontal
2	9197.5	44.91	-34.76	37.48	-47.63	-13.00	34.63	Horizontal
3	11223	50.82	-34.51	40.18	-38.77	-13.00	25.77	Horizontal
4	12635.5	45.92	-33.73	38.90	-44.17	-13.00	31.17	Horizontal
5	14184	44.87	-31.57	41.88	-40.08	-13.00	27.08	Horizontal
6	17545	43.47	-26.67	44.71	-33.75	-13.00	20.75	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7482.5	53.24	-37.37	36.87	-42.52	-13.00	29.52	Vertical
2	9186	44.90	-34.74	37.39	-47.71	-13.00	34.71	Vertical
3	11223.5	50.93	-34.51	40.18	-38.66	-13.00	25.66	Vertical
4	12613	45.50	-33.89	38.90	-44.75	-13.00	31.75	Vertical
5	14128.5	44.31	-31.25	41.83	-40.37	-13.00	27.37	Vertical
6	17553	43.11	-26.70	44.69	-34.16	-13.00	21.16	Vertical

1.41. Test Band = _LTE Band 43 _TM1**1.41.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7562	47.86	-37.47	36.50	-48.37	-13.00	35.37	Horizontal
2	9211	45.16	-34.78	37.50	-47.38	-13.00	34.38	Horizontal
3	10953	45.39	-34.38	40.15	-44.10	-13.00	31.10	Horizontal
4	13222.5	45.27	-32.37	39.59	-42.77	-13.00	29.77	Horizontal
5	14455	44.67	-31.52	41.60	-40.51	-13.00	27.51	Horizontal
6	17545.5	43.21	-26.67	44.71	-34.01	-13.00	21.01	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7023	46.56	-38.27	35.88	-51.09	-13.00	38.09	Vertical
2	8041.5	44.68	-36.37	36.48	-50.47	-13.00	37.47	Vertical
3	9181.5	45.01	-34.72	37.35	-47.62	-13.00	34.62	Vertical
4	10805	45.53	-34.14	39.63	-44.24	-13.00	31.24	Vertical
5	12620.5	45.46	-33.84	38.90	-44.74	-13.00	31.74	Vertical
6	14153	44.44	-31.39	41.85	-40.36	-13.00	27.36	Vertical

1.42. Test Band = _LTE Band 43 Part 96 _TM1**1.42.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7202.5	52.92	-37.82	36.59	-43.57	-40.00	3.57	Horizontal
2	8094.5	44.68	-36.30	36.50	-50.38	-40.00	10.38	Horizontal
3	9197	44.80	-34.76	37.48	-47.74	-40.00	7.74	Horizontal
4	10803	46.08	-34.13	39.62	-43.69	-40.00	3.69	Horizontal
5	11585	42.74	-33.35	40.29	-45.58	-40.00	5.58	Horizontal
6	13220.5	43.59	-32.36	39.58	-44.45	-40.00	4.45	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7202.5	48.77	-37.82	36.59	-47.72	-40.00	7.72	Vertical
2	8246.5	43.86	-36.10	36.49	-51.01	-40.00	11.01	Vertical
3	9942	43.26	-34.77	38.64	-48.13	-40.00	8.13	Vertical
4	10803.5	46.52	-34.14	39.62	-43.26	-40.00	3.26	Vertical
5	11589	42.78	-33.29	40.29	-45.48	-40.00	5.48	Vertical
6	13221.5	42.95	-32.37	39.59	-45.09	-40.00	5.09	Vertical

1.43. Test Band = _LTE Band 43 Part 96 _TM1**1.43.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7282	51.56	-37.88	36.36	-45.22	-40.00	5.22	Horizontal
2	8428.5	44.10	-35.54	36.44	-50.26	-40.00	10.26	Horizontal
3	9199	44.72	-34.77	37.49	-47.82	-40.00	7.82	Horizontal
4	10923	44.49	-34.51	40.18	-45.10	-40.00	5.10	Horizontal
5	11584.5	42.96	-33.36	40.28	-45.38	-40.00	5.38	Horizontal
6	13222	43.24	-32.37	39.59	-44.80	-40.00	4.80	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7282	48.17	-37.88	36.36	-48.61	-40.00	8.61	Vertical
2	8598.5	44.32	-35.65	36.50	-50.09	-40.00	10.09	Vertical
3	9187	44.88	-34.74	37.40	-47.72	-40.00	7.72	Vertical
4	10809.5	43.40	-34.17	39.66	-46.37	-40.00	6.37	Vertical
5	11589	42.62	-33.29	40.29	-45.64	-40.00	5.64	Vertical
6	13283	43.12	-32.58	39.83	-44.89	-40.00	4.89	Vertical

1.44. Test Band = _LTE Band 43 Part 96 _TM1**1.44.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7362	49.06	-37.61	36.55	-47.26	-40.00	7.26	Horizontal
2	8088	44.98	-36.31	36.50	-50.09	-40.00	10.09	Horizontal
3	9145	45.38	-34.63	37.09	-47.42	-40.00	7.42	Horizontal
4	10759	42.47	-34.35	39.56	-47.58	-40.00	7.58	Horizontal
5	11384.5	42.55	-34.09	40.27	-46.53	-40.00	6.53	Horizontal
6	13218	42.20	-32.35	39.57	-45.84	-40.00	5.84	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7362	46.63	-37.61	36.55	-49.69	-40.00	9.69	Vertical
2	8112	44.81	-36.29	36.50	-50.24	-40.00	10.24	Vertical
3	9223	45.48	-34.78	37.50	-47.06	-40.00	7.06	Vertical
4	10966	43.08	-34.33	40.13	-46.38	-40.00	6.38	Vertical
5	11566	43.22	-33.63	40.27	-45.40	-40.00	5.40	Vertical
6	13213.5	42.82	-32.34	39.55	-45.23	-40.00	5.23	Vertical

1.45. Test Band = _LTE Band 42 Part 96 _TM1**1.45.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7102	47.49	-38.29	35.92	-50.14	-40.00	10.14	Horizontal
2	8104	44.58	-36.29	36.50	-50.47	-40.00	10.47	Horizontal
3	9208.5	44.79	-34.77	37.50	-47.74	-40.00	7.74	Horizontal
4	10955	43.97	-34.37	40.15	-45.51	-40.00	5.51	Horizontal
5	12389.5	42.70	-34.20	39.74	-47.02	-40.00	7.02	Horizontal
6	14204.5	41.57	-31.66	41.89	-43.46	-40.00	3.46	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7102	46.67	-38.29	35.92	-50.96	-40.00	10.96	Vertical
2	8123	44.69	-36.30	36.50	-50.37	-40.00	10.37	Vertical
3	9198	44.94	-34.77	37.48	-47.61	-40.00	7.61	Vertical
4	11588	42.94	-33.31	40.29	-45.34	-40.00	5.34	Vertical
5	13287	42.77	-32.59	39.85	-45.23	-40.00	5.23	Vertical
6	14205	41.22	-31.67	41.89	-43.82	-40.00	3.82	Vertical

1.46. Test Band = _LTE Band 42 Part 96 _TM1**1.46.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7132	46.23	-38.15	36.22	-50.96	-40.00	10.96	Horizontal
2	8121	44.97	-36.30	36.50	-50.09	-40.00	10.09	Horizontal
3	9184.5	44.84	-34.73	37.38	-47.77	-40.00	7.77	Horizontal
4	10731.5	43.75	-34.50	39.53	-46.48	-40.00	6.48	Horizontal
5	11586	43.21	-33.34	40.29	-45.10	-40.00	5.10	Horizontal
6	13647.5	42.63	-31.83	40.15	-44.31	-40.00	4.31	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7132	47.69	-38.15	36.22	-49.50	-40.00	9.50	Vertical
2	8065.5	44.77	-36.33	36.50	-50.32	-40.00	10.32	Vertical
3	9187	45.15	-34.74	37.40	-47.45	-40.00	7.45	Vertical
4	10699.5	43.81	-34.67	39.50	-46.62	-40.00	6.62	Vertical
5	11582.5	42.88	-33.39	40.28	-45.49	-40.00	5.49	Vertical
6	13655	42.60	-31.82	40.16	-44.32	-40.00	4.32	Vertical

1.47. Test Band = _LTE Band 42 Part 96 _TM1**1.47.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7162	48.29	-38.00	36.45	-48.52	-40.00	8.52	Horizontal
2	8080	44.58	-36.32	36.50	-50.50	-40.00	10.50	Horizontal
3	9211	44.79	-34.78	37.50	-47.75	-40.00	7.75	Horizontal
4	10950.5	43.47	-34.39	40.15	-46.03	-40.00	6.03	Horizontal
5	12406.5	43.21	-34.21	39.75	-46.51	-40.00	6.51	Horizontal
6	13658.5	43.20	-31.82	40.16	-43.72	-40.00	3.72	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7162.5	48.82	-38.00	36.45	-47.99	-40.00	7.99	Vertical
2	8034.5	44.82	-36.38	36.47	-50.35	-40.00	10.35	Vertical
3	9155	44.97	-34.66	37.14	-47.81	-40.00	7.81	Vertical
4	10956	43.39	-34.37	40.14	-46.10	-40.00	6.10	Vertical
5	11586.5	43.15	-33.33	40.29	-45.15	-40.00	5.15	Vertical
6	13223.5	43.31	-32.37	39.59	-44.73	-40.00	4.73	Vertical

1.48. Test Band = _LTE Band 48 _TM1**1.48.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7102	48.93	-38.29	35.92	-48.70	-40.00	8.70	Horizontal
2	8043.5	44.96	-36.36	36.49	-50.17	-40.00	10.17	Horizontal
3	9185	44.88	-34.73	37.38	-47.73	-40.00	7.73	Horizontal
4	10708	44.70	-34.63	39.51	-45.68	-40.00	5.68	Horizontal
5	11595.5	42.84	-33.20	40.30	-45.32	-40.00	5.32	Horizontal
6	13552.5	43.81	-32.24	40.01	-43.68	-40.00	3.68	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7102	48.97	-38.29	35.92	-48.66	-40.00	8.66	Vertical
2	8098	45.05	-36.29	36.50	-50.00	-40.00	10.00	Vertical
3	9220	44.70	-34.78	37.50	-47.84	-40.00	7.84	Vertical
4	10950	43.06	-34.40	40.15	-46.45	-40.00	6.45	Vertical
5	11855.5	43.49	-33.75	39.86	-45.66	-40.00	5.66	Vertical
6	13689	43.04	-31.79	40.19	-43.82	-40.00	3.82	Vertical

1.49. Test Band = _LTE Band 48 _TM1**1.49.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7232	51.64	-37.84	36.41	-45.05	-40.00	5.05	Horizontal
2	8738.5	43.66	-35.52	36.75	-50.37	-40.00	10.37	Horizontal
3	9969	42.18	-34.65	38.67	-49.06	-40.00	9.06	Horizontal
4	10848	45.92	-34.36	39.89	-43.81	-40.00	3.81	Horizontal
5	11589	42.06	-33.29	40.29	-46.20	-40.00	6.20	Horizontal
6	13777	42.02	-32.20	40.43	-45.01	-40.00	5.01	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7232	51.77	-37.84	36.41	-44.92	-40.00	4.92	Vertical
2	8398	43.63	-35.40	36.49	-50.54	-40.00	10.54	Vertical
3	9186	43.84	-34.74	37.39	-48.77	-40.00	8.77	Vertical
4	10848.5	46.32	-34.36	39.89	-43.41	-40.00	3.41	Vertical
5	11847.5	42.66	-33.69	39.85	-46.44	-40.00	6.44	Vertical
6	13682.5	41.71	-31.80	40.18	-45.17	-40.00	5.17	Vertical

1.50. Test Band = _LTE Band 48 _TM1**1.50.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7362	50.47	-37.61	36.55	-45.85	-40.00	5.85	Horizontal
2	8761.5	43.74	-35.46	36.73	-50.25	-40.00	10.25	Horizontal
3	9932.5	42.43	-34.81	38.63	-49.01	-40.00	9.01	Horizontal
4	11586	41.95	-33.34	40.29	-46.36	-40.00	6.36	Horizontal
5	12626	42.68	-33.80	38.90	-47.48	-40.00	7.48	Horizontal
6	13657	41.98	-31.82	40.16	-44.94	-40.00	4.94	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7362.5	49.53	-37.61	36.55	-46.79	-40.00	6.79	Vertical
2	8284	43.84	-35.92	36.43	-50.91	-40.00	10.91	Vertical
3	9192	43.82	-34.75	37.44	-48.75	-40.00	8.75	Vertical
4	10950.5	42.21	-34.39	40.15	-47.29	-40.00	7.29	Vertical
5	12622	42.81	-33.83	38.90	-47.38	-40.00	7.38	Vertical
6	13635.5	41.87	-31.84	40.14	-45.09	-40.00	5.09	Vertical

- End of the Appendix -