

1.1. Test Band = _SA Band 2 _TM1**1.1.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3777	49.43	-43.57	29.71	-59.69	-13.00	46.69	Horizontal
2	5421	47.77	-41.05	32.37	-56.17	-13.00	43.17	Horizontal
3	7176.75	45.19	-37.14	36.51	-50.70	-13.00	37.70	Horizontal
4	9181.5	44.82	-34.11	37.35	-47.20	-13.00	34.20	Horizontal
5	10959.75	44.82	-33.27	40.14	-43.57	-13.00	30.57	Horizontal
6	14082.75	43.91	-29.66	41.70	-39.31	-13.00	26.31	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3713.25	49.08	-43.65	29.38	-60.45	-13.00	47.45	Vertical
2	4707.75	48.62	-42.27	30.58	-58.33	-13.00	45.33	Vertical
3	6103.5	46.28	-39.28	33.39	-54.87	-13.00	41.87	Vertical
4	7189.5	45.12	-37.07	36.56	-50.65	-13.00	37.65	Vertical
5	9187.5	45.28	-34.10	37.40	-46.68	-13.00	33.68	Vertical
6	14142.75	43.71	-29.96	41.84	-39.67	-13.00	26.67	Vertical

1.2. Test Band = _SA Band 2 _TM1**1.2.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3845.25	49.14	-43.51	29.71	-59.92	-13.00	46.92	Horizontal
2	5387.25	47.02	-41.15	32.42	-56.97	-13.00	43.97	Horizontal
3	7202.25	45.18	-37.02	36.59	-50.51	-13.00	37.51	Horizontal
4	9183	45.03	-34.10	37.36	-46.97	-13.00	33.97	Horizontal
5	10898.25	44.62	-33.58	40.19	-44.03	-13.00	31.03	Horizontal
6	14151	44.12	-30.09	41.85	-39.38	-13.00	26.38	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3784.5	49.00	-43.56	29.74	-60.08	-13.00	47.08	Vertical
2	5143.5	47.54	-41.51	31.76	-57.47	-13.00	44.47	Vertical
3	7050	45.89	-37.71	36.20	-50.88	-13.00	37.88	Vertical
4	9127.5	44.54	-34.18	37.06	-47.84	-13.00	34.84	Vertical
5	10953	44.92	-33.30	40.15	-43.49	-13.00	30.49	Vertical
6	14088.75	43.70	-29.54	41.73	-39.37	-13.00	26.37	Vertical

1.3. Test Band = _SA Band 2 _TM1**1.3.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3780.75	49.59	-43.57	29.72	-59.52	-13.00	46.52	Horizontal
2	4712.25	48.31	-42.26	30.58	-58.63	-13.00	45.63	Horizontal
3	5671.5	49.59	-40.39	32.50	-53.56	-13.00	40.56	Horizontal
4	7194	45.34	-37.04	36.58	-50.38	-13.00	37.38	Horizontal
5	9186	45.23	-34.10	37.39	-46.74	-13.00	33.74	Horizontal
6	10971.75	44.48	-33.21	40.13	-43.86	-13.00	30.86	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3830.25	49.09	-43.52	29.74	-59.95	-13.00	46.95	Vertical
2	4716	48.30	-42.25	30.57	-58.64	-13.00	45.64	Vertical
3	5671.5	49.41	-40.39	32.50	-53.74	-13.00	40.74	Vertical
4	7199.25	45.27	-37.01	36.60	-50.40	-13.00	37.40	Vertical
5	9183.75	44.75	-34.10	37.37	-47.24	-13.00	34.24	Vertical
6	14080.5	44.18	-29.70	41.68	-39.10	-13.00	26.10	Vertical

1.4. Test Band = _SA Band 5 _TM1**1.4.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.3333	77.70	-46.82	25.49	-38.89	-13.00	25.89	Horizontal
2	2473.7778	71.63	-45.58	27.70	-41.51	-13.00	28.51	Horizontal
3	3298.2222	62.28	-44.64	28.50	-49.12	-13.00	36.12	Horizontal
4	4826.2222	56.68	-42.11	30.70	-49.99	-13.00	36.99	Horizontal
5	6128.8889	53.75	-39.40	33.34	-47.57	-13.00	34.57	Horizontal
6	7336.8889	52.07	-37.16	36.47	-43.88	-13.00	30.88	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.3333	71.48	-46.82	25.49	-45.11	-13.00	32.11	Vertical
2	2473.7778	66.96	-45.58	27.70	-46.18	-13.00	33.18	Vertical
3	3298.6667	59.46	-44.65	28.50	-51.95	-13.00	38.95	Vertical
4	4400.4444	55.53	-42.38	30.10	-52.01	-13.00	39.01	Vertical
5	5421.3333	54.95	-40.95	32.37	-48.89	-13.00	35.89	Vertical
6	6079.1111	55.00	-39.42	33.44	-46.24	-13.00	33.24	Vertical

1.5. Test Band = _SA Band 5 _TM1**1.5.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1654.2222	76.47	-46.81	25.47	-40.13	-13.00	27.13	Horizontal
2	2481.3333	75.90	-45.57	27.73	-37.20	-13.00	24.20	Horizontal
3	3308.4444	60.49	-44.63	28.52	-50.88	-13.00	37.88	Horizontal
4	4703.5556	55.93	-42.34	30.59	-51.08	-13.00	38.08	Horizontal
5	6035.5556	54.37	-39.64	33.36	-47.17	-13.00	34.17	Horizontal
6	7149.3333	53.12	-37.47	36.39	-43.22	-13.00	30.22	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1278.6667	67.28	-47.16	24.56	-50.58	-13.00	37.58	Vertical
2	1654.2222	74.28	-46.81	25.47	-42.32	-13.00	29.32	Vertical
3	2481.3333	68.52	-45.57	27.73	-44.58	-13.00	31.58	Vertical
4	3308.8889	58.02	-44.63	28.52	-53.35	-13.00	40.35	Vertical
5	4080	56.70	-43.19	29.54	-52.21	-13.00	39.21	Vertical
6	5911.5556	54.97	-40.12	32.82	-47.59	-13.00	34.59	Vertical

1.6. Test Band = _SA Band 5 _TM1**1.6.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.1111	76.14	-46.81	25.43	-40.50	-13.00	27.50	Horizontal
2	2488.8889	72.80	-45.55	27.76	-40.25	-13.00	27.25	Horizontal
3	3318.2222	60.14	-44.61	28.54	-51.19	-13.00	38.19	Horizontal
4	3830.6667	57.41	-43.81	29.74	-51.92	-13.00	38.92	Horizontal
5	4812.4444	56.65	-42.11	30.75	-49.97	-13.00	36.97	Horizontal
6	5733.7778	55.64	-40.21	32.50	-47.33	-13.00	34.33	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1456.8889	76.85	-46.92	25.24	-40.09	-13.00	27.09	Vertical
2	1751.5556	59.49	-46.59	25.01	-57.35	-13.00	44.35	Vertical
3	2488.8889	67.81	-45.55	27.76	-45.24	-13.00	32.24	Vertical
4	3318.6667	58.95	-44.61	28.54	-52.38	-13.00	39.38	Vertical
5	4456	55.83	-42.51	30.04	-51.90	-13.00	38.90	Vertical
6	6378.2222	54.56	-39.31	33.79	-46.22	-13.00	33.22	Vertical

1.7. Test Band = _SA Band 7 _TM1**1.7.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4136.5	49.90	-43.08	29.43	-59.01	-25.00	34.01	Horizontal
2	5148.5	47.95	-41.49	31.79	-57.01	-25.00	32.01	Horizontal
3	7191.5	45.76	-37.06	36.57	-49.99	-25.00	24.99	Horizontal
4	9183	45.79	-34.10	37.36	-46.21	-25.00	21.21	Horizontal
5	10976.5	45.41	-33.18	40.12	-42.91	-25.00	17.91	Horizontal
6	14092.5	44.12	-29.46	41.76	-38.84	-25.00	13.84	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4419	49.54	-42.44	30.10	-58.06	-25.00	33.06	Vertical
2	5416.5	48.05	-41.07	32.40	-55.88	-25.00	30.88	Vertical
3	7178	46.45	-37.13	36.51	-49.43	-25.00	24.43	Vertical
4	9224.5	45.23	-34.11	37.50	-46.64	-25.00	21.64	Vertical
5	10959	45.53	-33.27	40.14	-42.86	-25.00	17.86	Vertical
6	14081.5	44.61	-29.68	41.69	-38.64	-25.00	13.64	Vertical

1.8. Test Band = _SA Band 7 _TM1**1.8.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3982	48.85	-43.47	29.84	-60.04	-25.00	35.04	Horizontal
2	5416.5	47.89	-41.07	32.40	-56.04	-25.00	31.04	Horizontal
3	7178	45.98	-37.13	36.51	-49.90	-25.00	24.90	Horizontal
4	9187	45.18	-34.10	37.40	-46.78	-25.00	21.78	Horizontal
5	11545.5	45.49	-33.46	40.25	-42.98	-25.00	17.98	Horizontal
6	14144.5	44.33	-29.99	41.84	-39.08	-25.00	14.08	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3861	49.51	-43.50	29.70	-59.55	-25.00	34.55	Vertical
2	5443	47.94	-40.96	32.24	-56.04	-25.00	31.04	Vertical
3	6359.5	48.21	-39.31	33.86	-52.50	-25.00	27.50	Vertical
4	7576.5	47.37	-36.92	36.61	-48.20	-25.00	23.20	Vertical
5	10372.5	45.07	-33.63	39.17	-44.65	-25.00	19.65	Vertical
6	13023	46.10	-32.41	39.27	-42.30	-25.00	17.30	Vertical

1.9. Test Band = _SA Band 7 _TM1**1.9.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3835	49.80	-43.52	29.73	-59.25	-25.00	34.25	Horizontal
2	5319.5	48.06	-41.21	32.02	-56.39	-25.00	31.39	Horizontal
3	7206.5	45.79	-37.03	36.56	-49.94	-25.00	24.94	Horizontal
4	9258	45.23	-34.16	37.44	-46.75	-25.00	21.75	Horizontal
5	10964	45.29	-33.25	40.14	-43.08	-25.00	18.08	Horizontal
6	14088.5	44.33	-29.54	41.73	-38.74	-25.00	13.74	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4248	49.20	-42.96	29.79	-59.23	-25.00	34.23	Vertical
2	5554	47.55	-40.65	32.23	-56.13	-25.00	31.13	Vertical
3	7222.5	45.86	-37.08	36.47	-50.01	-25.00	25.01	Vertical
4	9197	45.25	-34.08	37.48	-46.61	-25.00	21.61	Vertical
5	10955.5	45.67	-33.29	40.14	-42.74	-25.00	17.74	Vertical
6	14124	44.20	-29.67	41.82	-38.91	-25.00	13.91	Vertical

1.10. Test Band = _SA Band 14 10M _TM1**1.10.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1576.8889	68.92	-46.92	24.68	-48.58	-40.00	8.58	Horizontal
2	2365.3333	72.50	-45.73	27.54	-40.95	-13.00	27.95	Horizontal
3	3026.2222	48.83	-44.75	28.70	-62.48	-13.00	49.48	Horizontal
4	3941.7778	50.18	-43.40	29.87	-58.61	-13.00	45.61	Horizontal
5	5415.5556	47.77	-40.96	32.41	-56.04	-13.00	43.04	Horizontal
6	7144.4444	45.77	-37.49	36.34	-50.64	-13.00	37.64	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1576.8889	65.07	-46.92	24.68	-52.43	-40.00	12.43	Vertical
2	2365.3333	72.54	-45.73	27.54	-40.91	-13.00	27.91	Vertical
3	3153.3333	50.05	-44.57	28.68	-61.10	-13.00	48.10	Vertical
4	4314.6667	48.96	-42.31	29.62	-58.99	-13.00	45.99	Vertical
5	5514.6667	47.19	-40.71	32.34	-56.44	-13.00	43.44	Vertical
6	7054.2222	45.96	-37.67	36.17	-50.80	-13.00	37.80	Vertical

1.11. Test Band = _SA Band 14 5M _TM1**1.11.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1576.4444	65.65	-46.92	24.68	-51.85	-40.00	11.85	Horizontal
2	2364.8889	72.25	-45.73	27.54	-41.20	-13.00	28.20	Horizontal
3	3090.6667	49.16	-44.88	28.88	-62.10	-13.00	49.10	Horizontal
4	3941.7778	49.90	-43.40	29.87	-58.89	-13.00	45.89	Horizontal
5	4830.6667	48.76	-42.11	30.68	-57.93	-13.00	44.93	Horizontal
6	6039.5556	47.10	-39.62	33.40	-54.38	-13.00	41.38	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1576.4444	64.89	-46.92	24.68	-52.61	-40.00	12.61	Vertical
2	2364.8889	71.62	-45.73	27.54	-41.83	-13.00	28.83	Vertical
3	3153.3333	50.06	-44.57	28.68	-61.09	-13.00	48.09	Vertical
4	3941.7778	49.38	-43.40	29.87	-59.41	-13.00	46.41	Vertical
5	5393.7778	47.72	-41.02	32.46	-56.10	-13.00	43.10	Vertical
6	7161.3333	45.98	-37.42	36.45	-50.25	-13.00	37.25	Vertical

1.12. Test Band = _SA Band 14 5M _TM1**1.12.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1581.7778	67.90	-46.91	24.77	-49.50	-40.00	9.50	Horizontal
2	2372.4444	72.02	-45.73	27.51	-41.46	-13.00	28.46	Horizontal
3	3293.3333	48.87	-44.63	28.51	-62.51	-13.00	49.51	Horizontal
4	4692.8889	48.80	-42.35	30.54	-58.27	-13.00	45.27	Horizontal
5	6206.6667	46.98	-39.61	33.46	-54.43	-13.00	41.43	Horizontal
6	7176.8889	46.19	-37.36	36.51	-49.92	-13.00	36.92	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1581.3333	66.07	-46.91	24.76	-51.34	-40.00	11.34	Vertical
2	2372.4444	71.91	-45.73	27.51	-41.57	-13.00	28.57	Vertical
3	3163.1111	49.44	-44.51	28.62	-61.71	-13.00	48.71	Vertical
4	3919.5556	49.53	-43.45	29.78	-59.40	-13.00	46.40	Vertical
5	4744.8889	49.49	-42.24	30.51	-57.50	-13.00	44.50	Vertical
6	7012	45.44	-37.66	35.74	-51.74	-13.00	38.74	Vertical

1.13. Test Band = _SA Band 14 5M _TM1**1.13.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1586.6667	67.66	-46.91	24.86	-49.65	-40.00	9.65	Horizontal
2	2380	71.21	-45.73	27.48	-42.30	-13.00	29.30	Horizontal
3	3172.8889	49.52	-44.45	28.56	-61.63	-13.00	48.63	Horizontal
4	3966.6667	50.40	-43.35	29.87	-58.34	-13.00	45.34	Horizontal
5	5380	47.78	-41.05	32.38	-56.15	-13.00	43.15	Horizontal
6	7204	45.64	-37.28	36.58	-50.32	-13.00	37.32	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1586.6667	65.77	-46.91	24.86	-51.54	-40.00	11.54	Vertical
2	2380	70.34	-45.73	27.48	-43.17	-13.00	30.17	Vertical
3	3172.8889	49.64	-44.45	28.56	-61.51	-13.00	48.51	Vertical
4	3982.6667	49.23	-43.32	29.83	-59.52	-13.00	46.52	Vertical
5	4760	51.62	-42.21	30.56	-55.29	-13.00	42.29	Vertical
6	7186.6667	46.00	-37.32	36.55	-50.03	-13.00	37.03	Vertical

1.14. Test Band = _SA Band 30 10M _TM1**1.14.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3939.5	49.62	-43.47	29.86	-59.25	-40.00	19.25	Horizontal
2	4611	54.59	-42.40	30.12	-52.95	-40.00	12.95	Horizontal
3	5611	47.28	-40.56	32.58	-55.96	-40.00	15.96	Horizontal
4	7201	45.51	-37.01	36.59	-50.17	-40.00	10.17	Horizontal
5	8511.5	44.11	-35.22	36.52	-49.85	-40.00	9.85	Horizontal
6	9675	43.92	-33.99	38.15	-47.18	-40.00	7.18	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4611	56.68	-42.40	30.12	-50.86	-40.00	10.86	Vertical
2	5425	48.14	-41.04	32.35	-55.81	-40.00	15.81	Vertical
3	6229	47.35	-39.46	33.33	-54.04	-40.00	14.04	Vertical
4	6988.5	45.97	-37.83	35.53	-51.59	-40.00	11.59	Vertical
5	8053	45.04	-35.64	36.50	-49.36	-40.00	9.36	Vertical
6	9221.5	47.76	-34.11	37.50	-44.11	-40.00	4.11	Vertical

1.15. Test Band = _SA Band 30 5M _TM1**1.15.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4615.5	49.98	-42.39	30.13	-57.54	-40.00	17.54	Horizontal
2	5497	47.57	-40.74	32.39	-56.04	-40.00	16.04	Horizontal
3	6203.5	47.83	-39.47	33.48	-53.42	-40.00	13.42	Horizontal
4	7196.5	45.90	-37.03	36.59	-49.80	-40.00	9.80	Horizontal
5	8396.5	43.98	-34.88	36.49	-49.67	-40.00	9.67	Horizontal
6	9697	44.05	-33.85	38.19	-46.87	-40.00	6.87	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4616	52.65	-42.39	30.13	-54.87	-40.00	14.87	Vertical
2	5397	48.43	-41.14	32.48	-55.49	-40.00	15.49	Vertical
3	6345.5	47.55	-39.34	33.86	-53.19	-40.00	13.19	Vertical
4	7191	46.13	-37.06	36.56	-49.63	-40.00	9.63	Vertical
5	8623	44.32	-35.05	36.45	-49.54	-40.00	9.54	Vertical
6	9672	43.72	-34.01	38.14	-47.41	-40.00	7.41	Vertical

1.16. Test Band = _SA Band 30 5M _TM1**1.16.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3795	50.13	-43.55	29.78	-58.90	-40.00	18.90	Horizontal
2	4622	49.79	-42.38	30.14	-57.71	-40.00	17.71	Horizontal
3	5614	47.39	-40.55	32.57	-55.85	-40.00	15.85	Horizontal
4	6502.5	46.52	-39.02	34.31	-53.45	-40.00	13.45	Horizontal
5	7993	45.76	-35.67	36.40	-48.77	-40.00	8.77	Horizontal
6	9696	43.91	-33.86	38.19	-47.02	-40.00	7.02	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782	49.12	-43.56	29.73	-59.97	-40.00	19.97	Vertical
2	4622	53.99	-42.38	30.14	-53.51	-40.00	13.51	Vertical
3	5846.5	48.22	-40.21	32.59	-54.66	-40.00	14.66	Vertical
4	7205.5	46.15	-37.03	36.57	-49.57	-40.00	9.57	Vertical
5	8549.5	44.05	-35.17	36.60	-49.78	-40.00	9.78	Vertical
6	9682	44.00	-33.95	38.16	-47.05	-40.00	7.05	Vertical

1.17. Test Band = _SA Band 30 5M _TM1**1.17.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3847.5	49.78	-43.51	29.71	-59.28	-40.00	19.28	Horizontal
2	4664	49.47	-42.33	30.31	-57.81	-40.00	17.81	Horizontal
3	5484	47.63	-40.80	32.34	-56.09	-40.00	16.09	Horizontal
4	6107	46.89	-39.28	33.39	-54.26	-40.00	14.26	Horizontal
5	7175	46.34	-37.15	36.50	-49.57	-40.00	9.57	Horizontal
6	8644	44.43	-35.00	36.41	-49.42	-40.00	9.42	Horizontal

1.18. Test Band = _SA Band 66 _TM1**1.18.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4149.75	49.02	-43.06	29.40	-59.90	-13.00	46.90	Horizontal
2	5430	47.40	-41.02	32.32	-56.56	-13.00	43.56	Horizontal
3	7411.5	44.71	-36.66	36.72	-50.49	-13.00	37.49	Horizontal
4	9219	44.90	-34.11	37.50	-46.97	-13.00	33.97	Horizontal
5	10965	44.62	-33.24	40.14	-43.74	-13.00	30.74	Horizontal
6	14082.75	44.26	-29.66	41.70	-38.96	-13.00	25.96	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4357.5	48.55	-42.63	29.93	-59.41	-13.00	46.41	Vertical
2	6052.5	46.85	-39.64	33.50	-54.55	-13.00	41.55	Vertical
3	7413	44.62	-36.66	36.73	-50.57	-13.00	37.57	Vertical
4	9187.5	44.70	-34.10	37.40	-47.26	-13.00	34.26	Vertical
5	10974.75	44.34	-33.19	40.13	-43.98	-13.00	30.98	Vertical
6	14123.25	43.48	-29.66	41.82	-39.62	-13.00	26.62	Vertical

1.19. Test Band = _SA Band 66 _TM1**1.19.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4683	48.41	-42.31	30.46	-58.70	-13.00	45.70	Horizontal
2	6157.5	46.52	-39.39	33.33	-54.80	-13.00	41.80	Horizontal
3	7425	44.63	-36.68	36.75	-50.56	-13.00	37.56	Horizontal
4	9172.5	44.90	-34.12	37.28	-47.20	-13.00	34.20	Horizontal
5	11338.5	44.90	-33.71	40.18	-43.89	-13.00	30.89	Horizontal
6	14150.25	43.85	-30.07	41.85	-39.63	-13.00	26.63	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4713.75	48.29	-42.25	30.57	-58.65	-13.00	45.65	Vertical
2	6245.25	46.85	-39.46	33.23	-54.64	-13.00	41.64	Vertical
3	7689.75	44.45	-36.02	36.76	-50.07	-13.00	37.07	Vertical
4	9198.75	44.50	-34.08	37.49	-47.35	-13.00	34.35	Vertical
5	10971	44.97	-33.21	40.13	-43.37	-13.00	30.37	Vertical
6	14091	43.23	-29.49	41.75	-39.77	-13.00	26.77	Vertical

1.20. Test Band = _SA Band 66 _TM1**1.20.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3834.75	49.14	-43.52	29.73	-59.91	-13.00	46.91	Horizontal
2	5730.75	46.90	-40.31	32.50	-56.17	-13.00	43.17	Horizontal
3	7200	45.16	-37.01	36.60	-50.51	-13.00	37.51	Horizontal
4	9219.75	45.12	-34.11	37.50	-46.75	-13.00	33.75	Horizontal
5	11339.25	44.81	-33.71	40.18	-43.98	-13.00	30.98	Horizontal
6	14148	43.99	-30.04	41.85	-39.46	-13.00	26.46	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4413	48.17	-42.43	30.10	-59.42	-13.00	46.42	Vertical
2	6220.5	46.64	-39.46	33.38	-54.70	-13.00	41.70	Vertical
3	7611.75	45.61	-36.85	36.75	-49.75	-13.00	36.75	Vertical
4	9213	44.64	-34.10	37.50	-47.22	-13.00	34.22	Vertical
5	10957.5	44.75	-33.28	40.14	-43.65	-13.00	30.65	Vertical
6	14082.75	43.68	-29.66	41.70	-39.54	-13.00	26.54	Vertical

1.21. Test Band = _SA Band 77 _TM1**1.21.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7402	48.97	-37.44	36.70	-47.03	-13.00	34.03	Horizontal
2	9196.5	44.71	-34.76	37.47	-47.84	-13.00	34.84	Horizontal
3	11103	46.61	-35.03	40.20	-43.48	-13.00	30.48	Horizontal
4	12643	45.36	-33.67	38.90	-44.67	-13.00	31.67	Horizontal
5	14113.5	43.84	-31.16	41.81	-40.77	-13.00	27.77	Horizontal
6	17842	42.74	-26.94	46.05	-33.41	-13.00	20.41	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7402	48.26	-37.44	36.70	-47.74	-13.00	34.74	Vertical
2	9189	44.90	-34.74	37.41	-47.69	-13.00	34.69	Vertical
3	11103.5	47.85	-35.03	40.20	-42.24	-13.00	29.24	Vertical
4	13236.5	44.83	-32.42	39.65	-43.20	-13.00	30.20	Vertical
5	14131.5	44.16	-31.26	41.83	-40.53	-13.00	27.53	Vertical
6	17565	42.86	-26.76	44.67	-34.49	-13.00	21.49	Vertical

1.22. Test Band = _SA Band 77 _TM1**1.22.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6976.5	45.65	-38.29	35.46	-52.44	-13.00	39.44	Horizontal
2	9113	44.26	-34.55	37.03	-48.52	-13.00	35.52	Horizontal
3	10966	44.87	-34.33	40.13	-44.59	-13.00	31.59	Horizontal
4	12109.5	45.85	-34.30	39.51	-44.20	-13.00	31.20	Horizontal
5	14106.5	43.75	-31.12	41.81	-40.82	-13.00	27.82	Horizontal
6	17484.5	42.87	-26.72	44.75	-34.36	-13.00	21.36	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7182	45.26	-37.91	36.53	-51.38	-13.00	38.38	Vertical
2	9163	44.65	-34.68	37.20	-48.09	-13.00	35.09	Vertical
3	10747	45.38	-34.41	39.55	-44.74	-13.00	31.74	Vertical
4	12737	45.15	-33.44	38.94	-44.61	-13.00	31.61	Vertical
5	14116.5	43.98	-31.18	41.82	-40.64	-13.00	27.64	Vertical
6	17476.5	42.80	-26.84	44.73	-34.57	-13.00	21.57	Vertical

1.23. Test Band = _SA Band 77 _TM1**1.23.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7189.5	45.38	-37.87	36.56	-51.19	-13.00	38.19	Horizontal
2	7996	44.78	-36.42	36.40	-50.50	-13.00	37.50	Horizontal
3	9194	44.81	-34.76	37.45	-47.76	-13.00	34.76	Horizontal
4	11377	44.96	-34.15	40.25	-44.20	-13.00	31.20	Horizontal
5	14124.5	44.14	-31.22	41.82	-40.52	-13.00	27.52	Horizontal
6	17544.5	42.82	-26.67	44.71	-34.40	-13.00	21.40	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7178	45.13	-37.93	36.51	-51.55	-13.00	38.55	Vertical
2	9194	44.69	-34.76	37.45	-47.88	-13.00	34.88	Vertical
3	10802	45.32	-34.13	39.61	-44.46	-13.00	31.46	Vertical
4	13558.5	44.54	-32.19	40.02	-42.89	-13.00	29.89	Vertical
5	15017	43.77	-30.23	40.63	-41.09	-13.00	28.09	Vertical
6	17544	42.43	-26.66	44.71	-34.78	-13.00	21.78	Vertical

- End of the Appendix -