

1.1. Test Band = _ENDC 2A-N77A _TM1**1.1.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7402	51.69	-37.44	36.70	-44.31	-13.00	31.31	Horizontal
2	8590	44.25	-35.68	36.52	-50.17	-13.00	37.17	Horizontal
3	11103.5	47.50	-35.03	40.20	-42.59	-13.00	29.59	Horizontal
4	12400.5	44.75	-34.21	39.80	-44.92	-13.00	31.92	Horizontal
5	14150.5	44.24	-31.37	41.85	-40.54	-13.00	27.54	Horizontal
6	17558.5	42.70	-26.73	44.68	-34.61	-13.00	21.61	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7402	51.26	-37.44	36.70	-44.74	-13.00	31.74	Vertical
2	9187	44.72	-34.74	37.40	-47.88	-13.00	34.88	Vertical
3	11103	48.15	-35.03	40.20	-41.94	-13.00	28.94	Vertical
4	12682.5	45.25	-33.38	38.90	-44.49	-13.00	31.49	Vertical
5	14117	43.95	-31.18	41.82	-40.67	-13.00	27.67	Vertical
6	17482.5	42.37	-26.75	44.75	-34.89	-13.00	21.89	Vertical

1.2. Test Band = _ENDC 2A-N77A _TM1**1.2.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7513.5	45.07	-37.38	36.77	-50.80	-13.00	37.80	Horizontal
2	9502	45.02	-35.27	37.80	-47.71	-13.00	34.71	Horizontal
3	11354	45.68	-34.31	40.21	-43.68	-13.00	30.68	Horizontal
4	13024	45.36	-33.02	39.27	-43.65	-13.00	30.65	Horizontal
5	14134	44.24	-31.28	41.83	-40.47	-13.00	27.47	Horizontal
6	17766.5	42.49	-26.86	45.50	-34.13	-13.00	21.13	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7171.5	45.03	-37.96	36.49	-51.70	-13.00	38.70	Vertical
2	8578	44.61	-35.71	36.54	-49.82	-13.00	36.82	Vertical
3	10772.5	45.03	-34.27	39.57	-44.93	-13.00	31.93	Vertical
4	12720	45.12	-33.35	38.92	-44.57	-13.00	31.57	Vertical
5	14122.5	43.95	-31.21	41.82	-40.70	-13.00	27.70	Vertical
6	17858.5	42.44	-27.24	46.15	-33.91	-13.00	20.91	Vertical

1.3. Test Band = _ENDC 2A-N77A _TM1**1.3.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7176	45.24	-37.94	36.50	-51.46	-13.00	38.46	Horizontal
2	8543.5	44.58	-35.80	36.59	-49.89	-13.00	36.89	Horizontal
3	10776	44.83	-34.25	39.58	-45.10	-13.00	32.10	Horizontal
4	13680.5	44.76	-31.80	40.18	-42.12	-13.00	29.12	Horizontal
5	15042.5	43.85	-30.12	40.53	-41.00	-13.00	28.00	Horizontal
6	17848.5	42.33	-27.06	46.09	-33.90	-13.00	20.90	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7191	45.46	-37.86	36.56	-51.10	-13.00	38.10	Vertical
2	8582.5	44.58	-35.70	36.54	-49.84	-13.00	36.84	Vertical
3	9478.5	45.20	-35.27	37.67	-47.66	-13.00	34.66	Vertical
4	10773	44.88	-34.27	39.57	-45.08	-13.00	32.08	Vertical
5	14117	44.32	-31.18	41.82	-40.30	-13.00	27.30	Vertical
6	17493	42.01	-26.58	44.78	-35.05	-13.00	22.05	Vertical

1.4. Test Band = _ENDC 66A-N77A_TM1**1.4.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7402	52.97	-37.44	36.70	-43.03	-13.00	30.03	Horizontal
2	9187.5	44.67	-34.74	37.40	-47.93	-13.00	34.93	Horizontal
3	11103	52.97	-35.03	40.20	-37.12	-13.00	24.12	Horizontal
4	12384	44.90	-34.19	39.70	-44.85	-13.00	31.85	Horizontal
5	14116.5	43.54	-31.18	41.82	-41.08	-13.00	28.08	Horizontal
6	17862.5	42.12	-27.32	46.18	-34.28	-13.00	21.28	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7402	54.01	-37.44	36.70	-41.99	-13.00	28.99	Vertical
2	9165	44.59	-34.68	37.22	-48.13	-13.00	35.13	Vertical
3	11103	52.83	-35.03	40.20	-37.26	-13.00	24.26	Vertical
4	12948.5	45.04	-33.32	38.99	-44.55	-13.00	31.55	Vertical
5	14132.5	43.82	-31.27	41.83	-40.88	-13.00	27.88	Vertical
6	17549.5	42.20	-26.69	44.70	-35.05	-13.00	22.05	Vertical

1.5. Test Band = _ENDC 66A-N77A _TM1**1.5.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7023	46.43	-38.27	35.88	-51.22	-13.00	38.22	Horizontal
2	8007.5	44.83	-36.41	36.42	-50.42	-13.00	37.42	Horizontal
3	9211	44.90	-34.78	37.50	-47.64	-13.00	34.64	Horizontal
4	11585.5	44.10	-33.34	40.29	-44.21	-13.00	31.21	Horizontal
5	14201.5	43.81	-31.66	41.90	-41.21	-13.00	28.21	Horizontal
6	17784	41.94	-26.49	45.66	-34.15	-13.00	21.15	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7037	45.69	-38.27	36.04	-51.80	-13.00	38.80	Vertical
2	9199	44.41	-34.77	37.49	-48.13	-13.00	35.13	Vertical
3	10804.5	44.50	-34.14	39.63	-45.27	-13.00	32.27	Vertical
4	12674.5	45.06	-33.44	38.90	-44.74	-13.00	31.74	Vertical
5	14122	43.64	-31.21	41.82	-41.01	-13.00	28.01	Vertical
6	17976.5	42.11	-27.28	47.78	-32.65	-13.00	19.65	Vertical

1.6. Test Band = _ENDC 66A-N77A _TM1**1.6.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7184	45.42	-37.90	36.54	-51.20	-13.00	38.20	Horizontal
2	9186.5	44.75	-34.74	37.39	-47.86	-13.00	34.86	Horizontal
3	10779	45.23	-34.24	39.58	-44.69	-13.00	31.69	Horizontal
4	12253	45.14	-34.16	39.39	-44.89	-13.00	31.89	Horizontal
5	14119.5	43.75	-31.19	41.82	-40.88	-13.00	27.88	Horizontal
6	17890	42.47	-27.83	46.34	-34.28	-13.00	21.28	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7205.5	44.85	-37.82	36.57	-51.66	-13.00	38.66	Vertical
2	8100.5	44.61	-36.29	36.50	-50.44	-13.00	37.44	Vertical
3	9201	44.42	-34.77	37.50	-48.11	-13.00	35.11	Vertical
4	11358	45.55	-34.28	40.22	-43.77	-13.00	30.77	Vertical
5	14126	43.70	-31.23	41.83	-40.96	-13.00	27.96	Vertical
6	17771.5	42.54	-26.75	45.54	-33.93	-13.00	20.93	Vertical

1.7. Test Band = _ENDC 12A-N77A_TM1**1.7.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7402.5	49.98	-37.44	36.71	-46.01	-13.00	33.01	Horizontal
2	9134	44.59	-34.61	37.07	-48.21	-13.00	35.21	Horizontal
3	11103.5	46.56	-35.03	40.20	-43.53	-13.00	30.53	Horizontal
4	12651.5	44.92	-33.61	38.90	-45.05	-13.00	32.05	Horizontal
5	14124.5	43.62	-31.22	41.82	-41.04	-13.00	28.04	Horizontal
6	17849.5	41.77	-27.08	46.10	-34.47	-13.00	21.47	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7402	50.84	-37.44	36.70	-45.16	-13.00	32.16	Vertical
2	9128	44.79	-34.59	37.06	-48.00	-13.00	35.00	Vertical
3	11103	47.47	-35.03	40.20	-42.62	-13.00	29.62	Vertical
4	12730	45.13	-33.41	38.93	-44.61	-13.00	31.61	Vertical
5	14513.5	44.36	-31.25	41.59	-40.56	-13.00	27.56	Vertical
6	17986	42.23	-27.19	47.95	-32.27	-13.00	19.27	Vertical

1.8. Test Band = _ENDC 12A-N77A_TM1**1.8.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7039.5	45.61	-38.28	36.07	-51.86	-13.00	38.86	Horizontal
2	8550	44.15	-35.79	36.60	-50.30	-13.00	37.30	Horizontal
3	10765.5	44.56	-34.31	39.57	-45.44	-13.00	32.44	Horizontal
4	11588	44.69	-33.31	40.29	-43.59	-13.00	30.59	Horizontal
5	14135.5	43.61	-31.29	41.84	-41.10	-13.00	28.10	Horizontal
6	17753	42.55	-27.15	45.38	-34.48	-13.00	21.48	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7031	45.66	-38.27	35.97	-51.90	-13.00	38.90	Vertical
2	9212.5	44.40	-34.78	37.50	-48.14	-13.00	35.14	Vertical
3	10972	44.24	-34.30	40.13	-45.19	-13.00	32.19	Vertical
4	12676	44.68	-33.43	38.90	-45.11	-13.00	32.11	Vertical
5	14116.5	43.58	-31.18	41.82	-41.04	-13.00	28.04	Vertical
6	17872	42.45	-27.50	46.23	-34.08	-13.00	21.08	Vertical

1.9. Test Band = _ENDC 12A-N77A _TM1**1.9.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7169.5	45.31	-37.97	36.48	-51.44	-13.00	38.44	Horizontal
2	8028.5	44.54	-36.38	36.46	-50.64	-13.00	37.64	Horizontal
3	9184	44.25	-34.73	37.37	-48.37	-13.00	35.37	Horizontal
4	11354.5	44.84	-34.31	40.21	-44.52	-13.00	31.52	Horizontal
5	14097.5	43.74	-31.11	41.79	-40.84	-13.00	27.84	Horizontal
6	17905.5	42.39	-27.97	46.50	-34.34	-13.00	21.34	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7021	46.03	-38.27	35.85	-51.65	-13.00	38.65	Vertical
2	8569	43.85	-35.73	36.56	-50.58	-13.00	37.58	Vertical
3	10643.5	44.73	-34.51	39.39	-45.65	-13.00	32.65	Vertical
4	12109.5	45.35	-34.30	39.51	-44.70	-13.00	31.70	Vertical
5	14120	43.59	-31.20	41.82	-41.05	-13.00	28.05	Vertical
6	17761	43.06	-26.98	45.45	-33.73	-13.00	20.73	Vertical

1.10. Test Band = _ENDC 2A-N5A _TM1**1.10.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3308.25	51.99	-44.27	28.52	-59.02	-13.00	46.02	Horizontal
2	4388.25	47.85	-42.46	30.05	-59.82	-13.00	46.82	Horizontal
3	5666.25	46.94	-40.40	32.50	-56.22	-13.00	43.22	Horizontal
4	7548.75	44.91	-36.86	36.41	-50.80	-13.00	37.80	Horizontal
5	10375.5	42.52	-33.62	39.18	-47.18	-13.00	34.18	Horizontal
6	13587	43.71	-31.03	40.07	-42.51	-13.00	29.51	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3759	48.39	-43.59	29.64	-60.82	-13.00	47.82	Vertical
2	4700.25	47.59	-42.29	30.60	-59.36	-13.00	46.36	Vertical
3	6049.5	45.71	-39.66	33.50	-55.71	-13.00	42.71	Vertical
4	7849.5	43.80	-35.97	36.80	-50.63	-13.00	37.63	Vertical
5	9529.5	44.57	-34.71	37.80	-47.60	-13.00	34.60	Vertical
6	11594.25	43.72	-33.21	40.29	-44.46	-13.00	31.46	Vertical

1.11. Test Band = _ENDC 2A-N5A _TM1**1.11.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3748.5	48.45	-43.61	29.59	-60.83	-13.00	47.83	Horizontal
2	5193	47.01	-41.35	31.89	-57.71	-13.00	44.71	Horizontal
3	7216.5	44.08	-37.06	36.50	-51.74	-13.00	38.74	Horizontal
4	9446.25	44.26	-34.68	37.49	-48.19	-13.00	35.19	Horizontal
5	12625.5	44.75	-32.87	38.90	-44.48	-13.00	31.48	Horizontal
6	14606.25	43.48	-29.50	41.53	-39.75	-13.00	26.75	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4026.75	47.83	-43.38	29.69	-61.12	-13.00	48.12	Vertical
2	5222.25	46.89	-41.31	31.77	-57.91	-13.00	44.91	Vertical
3	7024.5	45.55	-37.77	35.89	-51.59	-13.00	38.59	Vertical
4	9180	44.16	-34.11	37.34	-47.87	-13.00	34.87	Vertical
5	12398.25	43.91	-33.20	39.79	-44.76	-13.00	31.76	Vertical
6	14100	42.79	-29.31	41.80	-39.98	-13.00	26.98	Vertical

1.12. Test Band = _ENDC 2A-N5A _TM1**1.12.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3731.25	48.55	-43.63	29.49	-60.85	-13.00	47.85	Horizontal
2	4903.5	47.25	-41.96	30.91	-59.06	-13.00	46.06	Horizontal
3	7191	44.32	-37.06	36.56	-51.44	-13.00	38.44	Horizontal
4	9195	44.09	-34.09	37.46	-47.80	-13.00	34.80	Horizontal
5	12210	44.16	-33.32	39.56	-44.86	-13.00	31.86	Horizontal
6	14606.25	43.00	-29.50	41.53	-40.23	-13.00	27.23	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4109.25	48.09	-43.12	29.48	-60.81	-13.00	47.81	Vertical
2	5368.5	46.99	-41.17	32.31	-57.13	-13.00	44.13	Vertical
3	6582	45.34	-38.86	34.69	-54.09	-13.00	41.09	Vertical
4	7985.25	44.09	-35.67	36.40	-50.44	-13.00	37.44	Vertical
5	10947.75	43.94	-33.33	40.15	-44.50	-13.00	31.50	Vertical
6	14084.25	43.72	-29.63	41.71	-39.46	-13.00	26.46	Vertical

1.13. Test Band = _ENDC 30A-N5A _TM1**1.13.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1654.2222	76.92	-46.81	25.47	-39.68	-13.00	26.68	Horizontal
2	2481.3333	70.92	-45.57	27.73	-42.18	-13.00	29.18	Horizontal
3	3308.4444	61.62	-44.63	28.52	-49.75	-13.00	36.75	Horizontal
4	4310.2222	55.59	-42.31	29.58	-52.40	-13.00	39.40	Horizontal
5	5716.4444	54.98	-40.31	32.50	-48.09	-13.00	35.09	Horizontal
6	7138.6667	52.76	-37.52	36.29	-43.73	-13.00	30.73	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1654.2222	70.63	-46.81	25.47	-45.97	-13.00	32.97	Vertical
2	2481.3333	66.50	-45.57	27.73	-46.60	-13.00	33.60	Vertical
3	3308.4444	58.79	-44.63	28.52	-52.58	-13.00	39.58	Vertical
4	4288.4444	55.78	-42.40	29.57	-52.31	-13.00	39.31	Vertical
5	6076.8889	54.50	-39.44	33.45	-46.75	-13.00	33.75	Vertical
6	7168.8889	52.64	-37.39	36.48	-43.53	-13.00	30.53	Vertical

1.14. Test Band = _ENDC 30A-N5A _TM1**1.14.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1725.3333	55.48	-46.67	25.05	-61.40	-13.00	48.40	Horizontal
2	2139.1111	56.52	-46.11	26.57	-58.28	-13.00	45.28	Horizontal
3	2639.1111	55.54	-45.16	27.90	-56.98	-13.00	43.98	Horizontal
4	4223.5556	55.46	-42.99	29.69	-53.10	-13.00	40.10	Horizontal
5	6062.2222	53.82	-39.51	33.48	-47.47	-13.00	34.47	Horizontal
6	7658.6667	51.88	-36.57	36.63	-43.32	-13.00	30.32	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1746.6667	60.58	-46.61	25.01	-56.28	-13.00	43.28	Vertical
2	2662.2222	55.22	-45.12	27.92	-57.24	-13.00	44.24	Vertical
3	3861.3333	55.93	-43.67	29.70	-53.30	-13.00	40.30	Vertical
4	5114.2222	55.50	-41.67	31.59	-49.84	-13.00	36.84	Vertical
5	6112	53.57	-39.35	33.38	-47.66	-13.00	34.66	Vertical
6	7082.6667	53.08	-37.67	36.00	-43.85	-13.00	30.85	Vertical

1.15. Test Band = _ENDC 30A-N5A _TM1**1.15.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1748	57.15	-46.60	25.00	-59.71	-13.00	46.71	Horizontal
2	2708	56.26	-45.05	28.02	-56.03	-13.00	43.03	Horizontal
3	3536.8889	55.44	-44.44	29.03	-55.23	-13.00	42.23	Horizontal
4	4790.2222	55.70	-42.13	30.74	-50.95	-13.00	37.95	Horizontal
5	6572.4444	52.68	-38.75	34.63	-46.70	-13.00	33.70	Horizontal
6	8424.4444	49.98	-34.99	36.45	-43.82	-13.00	30.82	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1704.4444	55.73	-46.74	25.09	-61.18	-13.00	48.18	Vertical
2	2619.5556	54.93	-45.18	27.90	-57.61	-13.00	44.61	Vertical
3	3745.3333	55.81	-43.87	29.57	-53.75	-13.00	40.75	Vertical
4	4968.4444	54.35	-41.73	31.07	-51.57	-13.00	38.57	Vertical
5	6042.2222	53.37	-39.61	33.42	-48.08	-13.00	35.08	Vertical
6	7996.8889	51.66	-35.90	36.40	-43.10	-13.00	30.10	Vertical

1.16. Test Band = _ENDC 66A-N5A _TM1**1.16.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3308.25	52.80	-44.27	28.52	-58.21	-13.00	45.21	Horizontal
2	4357.5	47.92	-42.63	29.93	-60.04	-13.00	47.04	Horizontal
3	6205.5	45.96	-39.47	33.47	-55.30	-13.00	42.30	Horizontal
4	9566.25	44.75	-34.59	37.80	-47.30	-13.00	34.30	Horizontal
5	14144.25	43.46	-29.98	41.84	-39.94	-13.00	26.94	Horizontal
6	17569.5	41.60	-25.17	44.66	-34.17	-13.00	21.17	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3308.25	52.10	-44.27	28.52	-58.91	-13.00	45.91	Vertical
2	4371	47.96	-42.56	29.98	-59.88	-13.00	46.88	Vertical
3	6378	46.11	-39.27	33.79	-54.63	-13.00	41.63	Vertical
4	8930.25	42.89	-34.46	36.82	-50.01	-13.00	37.01	Vertical
5	11854.5	43.73	-33.10	39.85	-44.78	-13.00	31.78	Vertical
6	14130	43.06	-29.77	41.83	-40.14	-13.00	27.14	Vertical

1.17. Test Band = _ENDC 66A-N5A _TM1**1.17.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4023	47.91	-43.39	29.71	-61.03	-13.00	48.03	Horizontal
2	5725.5	46.87	-40.31	32.50	-56.20	-13.00	43.20	Horizontal
3	7157.25	44.59	-37.25	36.43	-51.49	-13.00	38.49	Horizontal
4	9703.5	43.49	-33.85	38.21	-47.41	-13.00	34.41	Horizontal
5	12627	44.79	-32.86	38.90	-44.43	-13.00	31.43	Horizontal
6	15415.5	41.68	-28.80	39.15	-43.23	-13.00	30.23	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3630.75	48.60	-44.10	29.15	-61.61	-13.00	48.61	Vertical
2	5052.75	46.60	-41.56	31.59	-58.63	-13.00	45.63	Vertical
3	7625.25	44.72	-36.70	36.70	-50.54	-13.00	37.54	Vertical
4	10967.25	43.91	-33.23	40.13	-44.45	-13.00	31.45	Vertical
5	14144.25	42.91	-29.98	41.84	-40.49	-13.00	27.49	Vertical
6	17665.5	42.24	-25.47	44.80	-33.69	-13.00	20.69	Vertical

1.18. Test Band = _ENDC 66A-N5A _TM1**1.18.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3308.25	51.64	-44.27	28.52	-59.37	-13.00	46.37	Horizontal
2	4612.5	47.42	-42.40	30.13	-60.11	-13.00	47.11	Horizontal
3	7084.5	45.01	-37.61	35.99	-51.87	-13.00	38.87	Horizontal
4	9601.5	44.44	-34.47	37.81	-47.48	-13.00	34.48	Horizontal
5	12948	44.20	-32.48	38.99	-44.55	-13.00	31.55	Horizontal
6	17782.5	41.65	-25.96	45.64	-33.93	-13.00	20.93	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3308.25	53.14	-44.27	28.52	-57.87	-13.00	44.87	Vertical
2	4320	48.12	-42.83	29.66	-60.31	-13.00	47.31	Vertical
3	6109.5	45.59	-39.29	33.38	-55.58	-13.00	42.58	Vertical
4	8545.5	43.61	-35.18	36.59	-50.24	-13.00	37.24	Vertical
5	12373.5	44.10	-33.26	39.64	-44.78	-13.00	31.78	Vertical
6	17515.5	40.92	-25.96	44.77	-35.53	-13.00	22.53	Vertical

1.19. Test Band = _ENDC 2A-N66A _TM1**1.19.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3856.5	48.58	-43.50	29.70	-60.48	-13.00	47.48	Horizontal
2	6035.25	45.60	-39.77	33.35	-56.08	-13.00	43.08	Horizontal
3	8421	43.01	-34.95	36.46	-50.74	-13.00	37.74	Horizontal
4	11856	43.59	-33.11	39.86	-44.92	-13.00	31.92	Horizontal
5	14115.75	43.10	-29.55	41.82	-39.89	-13.00	26.89	Horizontal
6	17565.75	41.87	-25.22	44.67	-33.94	-13.00	20.94	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4385.25	47.61	-42.48	30.04	-60.09	-13.00	47.09	Vertical
2	5904	46.39	-40.10	32.81	-56.16	-13.00	43.16	Vertical
3	7944.75	44.07	-35.64	36.41	-50.42	-13.00	37.42	Vertical
4	10706.25	43.99	-33.56	39.51	-45.32	-13.00	32.32	Vertical
5	13606.5	43.89	-30.92	40.11	-42.18	-13.00	29.18	Vertical
6	17287.5	41.87	-26.85	43.20	-37.04	-13.00	24.04	Vertical

1.20. Test Band = _ENDC 2A-N66A _TM1**1.20.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3950.25	47.56	-43.47	29.90	-61.27	-13.00	48.27	Horizontal
2	5597.25	46.08	-40.59	32.58	-57.19	-13.00	44.19	Horizontal
3	7502.25	44.14	-36.76	36.88	-51.00	-13.00	38.00	Horizontal
4	10410.75	42.35	-33.49	39.17	-47.23	-13.00	34.23	Horizontal
5	14098.5	42.75	-29.34	41.79	-40.06	-13.00	27.06	Horizontal
6	17392.5	41.83	-26.92	44.41	-35.94	-13.00	22.94	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3804	48.47	-43.54	29.79	-60.54	-13.00	47.54	Vertical
2	5331.75	46.99	-41.20	32.09	-57.38	-13.00	44.38	Vertical
3	7398	43.91	-36.66	36.69	-51.32	-13.00	38.32	Vertical
4	10467	42.71	-33.52	39.00	-47.07	-13.00	34.07	Vertical
5	14094	43.06	-29.43	41.76	-39.87	-13.00	26.87	Vertical
6	17313	41.59	-26.78	43.46	-36.99	-13.00	23.99	Vertical

1.21. Test Band = _ENDC 2A-N66A _TM1**1.21.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4288.5	48.19	-42.94	29.57	-60.44	-13.00	47.44	Horizontal
2	6056.25	46.12	-39.61	33.49	-55.26	-13.00	42.26	Horizontal
3	9188.25	43.62	-34.10	37.41	-48.33	-13.00	35.33	Horizontal
4	11472	44.24	-33.68	40.23	-44.47	-13.00	31.47	Horizontal
5	14137.5	43.38	-29.88	41.84	-39.92	-13.00	26.92	Horizontal
6	17509.5	41.49	-26.05	44.78	-35.04	-13.00	22.04	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4163.25	48.17	-43.04	29.45	-60.68	-13.00	47.68	Vertical
2	5693.25	46.37	-40.33	32.50	-56.72	-13.00	43.72	Vertical
3	7203.75	44.53	-37.02	36.58	-51.17	-13.00	38.17	Vertical
4	9206.25	43.59	-34.09	37.50	-48.26	-13.00	35.26	Vertical
5	11351.25	44.80	-33.70	40.20	-43.96	-13.00	30.96	Vertical
6	14130	43.13	-29.77	41.83	-40.07	-13.00	27.07	Vertical

1.22. Test Band = _ENDC 12A-N66A _TM1**1.22.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3876.75	48.23	-43.49	29.70	-60.82	-13.00	47.82	Horizontal
2	5661.75	46.53	-40.42	32.50	-56.65	-13.00	43.65	Horizontal
3	7968	44.16	-35.65	36.40	-50.35	-13.00	37.35	Horizontal
4	11325	44.63	-33.73	40.15	-44.21	-13.00	31.21	Horizontal
5	14091.75	42.97	-29.48	41.75	-40.02	-13.00	27.02	Horizontal
6	17390.25	41.46	-26.91	44.38	-36.33	-13.00	23.33	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4322.25	48.05	-42.82	29.68	-60.35	-13.00	47.35	Vertical
2	5834.25	47.04	-40.23	32.54	-55.91	-13.00	42.91	Vertical
3	7613.25	44.31	-36.83	36.75	-51.03	-13.00	38.03	Vertical
4	9507.75	44.85	-34.78	37.80	-47.39	-13.00	34.39	Vertical
5	11342.25	44.84	-33.71	40.18	-43.95	-13.00	30.95	Vertical
6	14138.25	42.97	-29.89	41.84	-40.34	-13.00	27.34	Vertical

1.23. Test Band = _ENDC 12A-N66A _TM1**1.23.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4251.75	47.87	-42.96	29.79	-60.56	-13.00	47.56	Horizontal
2	5907.75	45.90	-40.10	32.82	-56.64	-13.00	43.64	Horizontal
3	7896.75	43.80	-35.62	36.52	-50.56	-13.00	37.56	Horizontal
4	10779.75	44.24	-33.50	39.58	-44.94	-13.00	31.94	Horizontal
5	14131.5	43.32	-29.79	41.83	-39.90	-13.00	26.90	Horizontal
6	17985	41.19	-26.16	47.93	-32.30	-13.00	19.30	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4365.75	47.62	-42.58	29.96	-60.26	-13.00	47.26	Vertical
2	6392.25	46.10	-39.24	33.73	-54.67	-13.00	41.67	Vertical
3	9199.5	43.63	-34.08	37.50	-48.21	-13.00	35.21	Vertical
4	11367.75	44.55	-33.68	40.24	-44.15	-13.00	31.15	Vertical
5	14128.5	43.35	-29.74	41.83	-39.82	-13.00	26.82	Vertical
6	17547.75	41.91	-25.49	44.70	-34.14	-13.00	21.14	Vertical

1.24. Test Band = _ENDC 12A-N66A _TM1**1.24.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3790.5	48.29	-43.55	29.76	-60.76	-13.00	47.76	Horizontal
2	5118	47.00	-41.58	31.61	-58.23	-13.00	45.23	Horizontal
3	6820.5	44.38	-37.88	35.48	-53.28	-13.00	40.28	Horizontal
4	9505.5	44.69	-34.78	37.80	-47.55	-13.00	34.55	Horizontal
5	14084.25	43.36	-29.63	41.71	-39.82	-13.00	26.82	Horizontal
6	17323.5	41.88	-26.80	43.58	-36.60	-13.00	23.60	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4197	48.38	-42.98	29.59	-60.27	-13.00	47.27	Vertical
2	6724.5	44.27	-38.03	35.15	-53.87	-13.00	40.87	Vertical
3	9566.25	44.73	-34.59	37.80	-47.32	-13.00	34.32	Vertical
4	12400.5	44.52	-33.20	39.80	-44.14	-13.00	31.14	Vertical
5	14085	42.88	-29.61	41.71	-40.28	-13.00	27.28	Vertical
6	17564.25	41.41	-25.25	44.67	-34.43	-13.00	21.43	Vertical

1.25. Test Band = _ENDC 30A-N66A _TM1**1.25.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4418.25	47.81	-42.44	30.10	-59.79	-13.00	46.79	Horizontal
2	6072	45.56	-39.49	33.46	-55.73	-13.00	42.73	Horizontal
3	9165	43.84	-34.13	37.22	-48.33	-13.00	35.33	Horizontal
4	11030.25	44.25	-33.41	40.13	-44.29	-13.00	31.29	Horizontal
5	14091	43.37	-29.49	41.75	-39.63	-13.00	26.63	Horizontal
6	17865.75	41.75	-25.87	46.19	-33.19	-13.00	20.19	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4157.25	48.06	-43.04	29.43	-60.81	-13.00	47.81	Vertical
2	5611.5	46.42	-40.56	32.58	-56.82	-13.00	43.82	Vertical
3	7192.5	44.33	-37.05	36.57	-51.41	-13.00	38.41	Vertical
4	10782	44.83	-33.50	39.58	-44.35	-13.00	31.35	Vertical
5	14130	43.70	-29.77	41.83	-39.50	-13.00	26.50	Vertical
6	17380.5	41.85	-26.90	44.27	-36.04	-13.00	23.04	Vertical

1.26. Test Band = _ENDC 30A-N66A _TM1**1.26.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4203	48.30	-42.98	29.61	-60.33	-13.00	47.33	Horizontal
2	5256.75	47.27	-41.27	31.64	-57.62	-13.00	44.62	Horizontal
3	7025.25	45.15	-37.77	35.90	-51.98	-13.00	38.98	Horizontal
4	9182.25	44.16	-34.10	37.36	-47.84	-13.00	34.84	Horizontal
5	11359.5	44.45	-33.69	40.22	-44.28	-13.00	31.28	Horizontal
6	14116.5	43.10	-29.56	41.82	-39.90	-13.00	26.90	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4254.75	48.13	-42.96	29.77	-60.32	-13.00	47.32	Vertical
2	6207.75	46.06	-39.47	33.45	-55.22	-13.00	42.22	Vertical
3	7977	44.47	-35.66	36.40	-50.05	-13.00	37.05	Vertical
4	10961.25	44.58	-33.26	40.14	-43.80	-13.00	30.80	Vertical
5	14083.5	43.51	-29.64	41.70	-39.69	-13.00	26.69	Vertical
6	17673	42.23	-25.56	44.82	-33.77	-13.00	20.77	Vertical

1.27. Test Band = _ENDC 30A-N66A _TM1**1.27.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3790.5	48.31	-43.55	29.76	-60.74	-13.00	47.74	Horizontal
2	5061	47.68	-41.57	31.58	-57.57	-13.00	44.57	Horizontal
3	7188	44.76	-37.08	36.55	-51.03	-13.00	38.03	Horizontal
4	10966.5	44.09	-33.23	40.13	-44.27	-13.00	31.27	Horizontal
5	14078.25	43.32	-29.75	41.67	-40.02	-13.00	27.02	Horizontal
6	17664	42.31	-25.46	44.79	-33.62	-13.00	20.62	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3853.5	48.74	-43.50	29.70	-60.32	-13.00	47.32	Vertical
2	5433	46.83	-41.00	32.30	-57.13	-13.00	44.13	Vertical
3	7432.5	44.13	-36.69	36.77	-51.05	-13.00	38.05	Vertical
4	10773	44.71	-33.50	39.57	-44.48	-13.00	31.48	Vertical
5	14092.5	42.85	-29.46	41.76	-40.11	-13.00	27.11	Vertical
6	17559	42.43	-25.32	44.68	-33.47	-13.00	20.47	Vertical

1.28. Test Band = _ENDC 5A-N2A _TM1**1.28.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3793.5	48.41	-43.55	29.77	-60.63	-13.00	47.63	Horizontal
2	4633.5	47.97	-42.37	30.17	-59.49	-13.00	46.49	Horizontal
3	6213	46.02	-39.47	33.42	-55.29	-13.00	42.29	Horizontal
4	7968.75	43.99	-35.66	36.40	-50.53	-13.00	37.53	Horizontal
5	10959	43.88	-33.27	40.14	-44.51	-13.00	31.51	Horizontal
6	14095.5	43.17	-29.40	41.77	-39.72	-13.00	26.72	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3816.75	48.77	-43.53	29.77	-60.25	-13.00	47.25	Vertical
2	5183.25	46.88	-41.38	31.87	-57.89	-13.00	44.89	Vertical
3	6543.75	45.72	-38.94	34.48	-54.00	-13.00	41.00	Vertical
4	9167.25	44.03	-34.13	37.24	-48.12	-13.00	35.12	Vertical
5	10939.5	43.72	-33.37	40.16	-44.75	-13.00	31.75	Vertical
6	14136.75	43.33	-29.87	41.84	-39.96	-13.00	26.96	Vertical

1.29. Test Band = _ENDC 5A-N2A _TM1**1.29.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3819.75	48.36	-43.53	29.76	-60.67	-13.00	47.67	Horizontal
2	5128.5	47.04	-41.55	31.67	-58.10	-13.00	45.10	Horizontal
3	6734.25	44.71	-38.02	35.17	-53.40	-13.00	40.40	Horizontal
4	9186	44.01	-34.10	37.39	-47.96	-13.00	34.96	Horizontal
5	11525.25	44.80	-33.56	40.23	-43.79	-13.00	30.79	Horizontal
6	14140.5	43.69	-29.93	41.84	-39.66	-13.00	26.66	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3851.25	48.82	-43.50	29.70	-60.24	-13.00	47.24	Vertical
2	5182.5	47.58	-41.38	31.87	-57.19	-13.00	44.19	Vertical
3	7206	44.27	-37.03	36.56	-51.46	-13.00	38.46	Vertical
4	10965	44.42	-33.24	40.14	-43.94	-13.00	30.94	Vertical
5	14149.5	43.50	-30.06	41.85	-39.97	-13.00	26.97	Vertical
6	17665.5	42.39	-25.47	44.80	-33.54	-13.00	20.54	Vertical

1.30. Test Band = _ENDC 5A-N2A _TM1**1.30.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3803.25	48.30	-43.54	29.79	-60.71	-13.00	47.71	Horizontal
2	5175	47.05	-41.41	31.85	-57.77	-13.00	44.77	Horizontal
3	7064.25	45.28	-37.67	36.11	-51.54	-13.00	38.54	Horizontal
4	9225	43.71	-34.12	37.50	-48.17	-13.00	35.17	Horizontal
5	12408.75	44.67	-33.21	39.73	-44.07	-13.00	31.07	Horizontal
6	14491.5	44.19	-30.41	41.60	-39.88	-13.00	26.88	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3803.25	49.03	-43.54	29.79	-59.98	-13.00	46.98	Vertical
2	5145.75	47.21	-41.50	31.77	-57.78	-13.00	44.78	Vertical
3	7083	45.46	-37.62	36.00	-51.42	-13.00	38.42	Vertical
4	9633.75	44.40	-34.26	38.00	-47.12	-13.00	34.12	Vertical
5	11903.25	44.10	-33.21	39.89	-44.48	-13.00	31.48	Vertical
6	14150.25	43.99	-30.07	41.85	-39.49	-13.00	26.49	Vertical

1.31. Test Band = _ENDC 12A-N2A _TM1**1.31.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741	48.97	-43.62	29.55	-60.36	-13.00	47.36	Horizontal
2	4796.25	47.64	-42.04	30.78	-58.88	-13.00	45.88	Horizontal
3	6066.75	45.89	-39.53	33.47	-55.43	-13.00	42.43	Horizontal
4	7196.25	45.00	-37.03	36.59	-50.70	-13.00	37.70	Horizontal
5	9201.75	43.96	-34.08	37.50	-47.88	-13.00	34.88	Horizontal
6	14088	43.29	-29.55	41.73	-39.79	-13.00	26.79	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3854.25	48.73	-43.50	29.70	-60.33	-13.00	47.33	Vertical
2	5187.75	47.94	-41.37	31.88	-56.81	-13.00	43.81	Vertical
3	7063.5	45.66	-37.67	36.12	-51.15	-13.00	38.15	Vertical
4	11191.5	44.27	-33.62	40.20	-44.41	-13.00	31.41	Vertical
5	14091	43.53	-29.49	41.75	-39.47	-13.00	26.47	Vertical
6	17882.25	42.34	-25.84	46.29	-32.47	-13.00	19.47	Vertical

1.32. Test Band = _ENDC 12A-N2A _TM1**1.32.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3853.5	48.56	-43.50	29.70	-60.50	-13.00	47.50	Horizontal
2	5128.5	47.47	-41.55	31.67	-57.67	-13.00	44.67	Horizontal
3	7069.5	45.86	-37.65	36.08	-50.97	-13.00	37.97	Horizontal
4	9182.25	44.20	-34.10	37.36	-47.80	-13.00	34.80	Horizontal
5	12113.25	45.13	-33.55	39.51	-44.17	-13.00	31.17	Horizontal
6	14109.75	43.02	-29.46	41.81	-39.89	-13.00	26.89	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3733.5	48.70	-43.63	29.50	-60.69	-13.00	47.69	Vertical
2	5392.5	46.63	-41.15	32.46	-57.32	-13.00	44.32	Vertical
3	7368	44.70	-36.87	36.57	-50.86	-13.00	37.86	Vertical
4	8931	43.14	-34.46	36.82	-49.76	-13.00	36.76	Vertical
5	12121.5	44.55	-33.53	39.52	-44.72	-13.00	31.72	Vertical
6	14086.5	43.46	-29.58	41.72	-39.66	-13.00	26.66	Vertical

1.33. Test Band = _ENDC 12A-N2A _TM1**1.33.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3888.75	48.32	-43.48	29.70	-60.72	-13.00	47.72	Horizontal
2	5611.5	46.71	-40.56	32.58	-56.53	-13.00	43.53	Horizontal
3	7973.25	44.56	-35.66	36.40	-49.96	-13.00	36.96	Horizontal
4	10970.25	43.98	-33.21	40.13	-44.36	-13.00	31.36	Horizontal
5	14088	43.15	-29.55	41.73	-39.93	-13.00	26.93	Horizontal
6	17567.25	42.35	-25.20	44.67	-33.44	-13.00	20.44	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741	48.96	-43.62	29.55	-60.37	-13.00	47.37	Vertical
2	5185.5	47.15	-41.37	31.87	-57.61	-13.00	44.61	Vertical
3	7050	45.48	-37.71	36.20	-51.29	-13.00	38.29	Vertical
4	9521.25	44.03	-34.73	37.80	-48.16	-13.00	35.16	Vertical
5	10963.5	44.07	-33.25	40.14	-44.30	-13.00	31.30	Vertical
6	14124.75	43.85	-29.69	41.82	-39.28	-13.00	26.28	Vertical

1.34. Test Band = _ENDC 66A-N2A _TM1**1.34.1. Test Channel = Low Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3881.25	48.47	-43.48	29.70	-60.57	-13.00	47.57	Horizontal
2	5631	47.45	-40.50	32.54	-55.77	-13.00	42.77	Horizontal
3	7617	44.95	-36.79	36.73	-50.37	-13.00	37.37	Horizontal
4	10744.5	44.78	-33.53	39.54	-44.47	-13.00	31.47	Horizontal
5	13656	44.44	-30.94	40.16	-41.60	-13.00	28.60	Horizontal
6	17562.75	42.14	-25.27	44.67	-33.72	-13.00	20.72	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4323.75	48.27	-42.81	29.69	-60.11	-13.00	47.11	Vertical
2	6224.25	46.89	-39.46	33.35	-54.48	-13.00	41.48	Vertical
3	8097.75	43.79	-35.61	36.50	-50.58	-13.00	37.58	Vertical
4	11596.5	44.17	-33.20	40.30	-43.99	-13.00	30.99	Vertical
5	14147.25	43.99	-30.03	41.85	-39.45	-13.00	26.45	Vertical
6	17774.25	42.05	-25.95	45.57	-33.59	-13.00	20.59	Vertical

1.35. Test Band = _ENDC 66A-N2A _TM1**1.35.1. Test Channel = Mid Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3854.25	48.70	-43.50	29.70	-60.36	-13.00	47.36	Horizontal
2	5156.25	47.51	-41.47	31.81	-57.41	-13.00	44.41	Horizontal
3	7184.25	45.26	-37.10	36.54	-50.56	-13.00	37.56	Horizontal
4	10633.5	43.84	-33.77	39.37	-45.82	-13.00	32.82	Horizontal
5	14146.5	44.03	-30.02	41.85	-39.40	-13.00	26.40	Horizontal
6	17574.75	41.94	-25.09	44.65	-33.76	-13.00	20.76	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3710.25	48.71	-43.66	29.36	-60.85	-13.00	47.85	Vertical
2	4862.25	47.97	-42.00	30.67	-58.62	-13.00	45.62	Vertical
3	6384	46.38	-39.26	33.76	-54.38	-13.00	41.38	Vertical
4	8547	43.80	-35.17	36.59	-50.04	-13.00	37.04	Vertical
5	11601	44.51	-33.19	40.30	-43.64	-13.00	30.64	Vertical
6	14103.75	42.89	-29.37	41.80	-39.94	-13.00	26.94	Vertical

1.36. Test Band = _ENDC 66A-N2A _TM1**1.36.1. Test Channel = High Channel**

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4050	48.19	-43.30	29.60	-60.77	-13.00	47.77	Horizontal
2	5852.25	46.81	-40.20	32.61	-56.04	-13.00	43.04	Horizontal
3	7424.25	44.38	-36.68	36.75	-50.81	-13.00	37.81	Horizontal
4	9188.25	44.36	-34.10	37.41	-47.59	-13.00	34.59	Horizontal
5	10959.75	44.40	-33.27	40.14	-43.99	-13.00	30.99	Horizontal
6	14132.25	43.79	-29.80	41.83	-39.44	-13.00	26.44	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3748.5	48.67	-43.61	29.59	-60.61	-13.00	47.61	Vertical
2	5319	47.15	-41.21	32.01	-57.31	-13.00	44.31	Vertical
3	7209	44.83	-37.04	36.55	-50.92	-13.00	37.92	Vertical
4	9180.75	44.45	-34.11	37.35	-47.57	-13.00	34.57	Vertical
5	11368.5	44.88	-33.68	40.24	-43.82	-13.00	30.82	Vertical
6	14087.25	43.51	-29.57	41.72	-39.60	-13.00	26.60	Vertical

- End of the Appendix -