





11ax(HE40)_TX_CH_03_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2386.95	60.49	27.28	-24.82	62.95	74.00	11.05	Vertical
2	2486.13	47.94	27.56	-24.63	50.87	74.00	23.13	Vertical

11ax(HE40)_TX_CH_03_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.66	46.70	27.29	-24.82	49.17	54.00	4.83	Vertical
2	2489.17	35.35	27.57	-24.62	38.30	54.00	15.70	Vertical

11ax(HE40)_TX_CH_06_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.04	52.94	27.29	-24.82	55.41	74.00	18.59	Horizontal
2	2484.04	52.04	27.56	-24.63	54.96	74.00	19.04	Horizontal


11ax(HE40)_TX_CH_06_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.61	39.22	27.29	-24.82	41.69	54.00	12.31	Horizontal
2	2484.04	38.92	27.56	-24.63	41.84	54.00	12.16	Horizontal




11ax(HE40)_TX_CH_06_Veritical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.04	51.20	27.29	-24.82	53.67	74.00	20.33	Vertical
2	2485.18	51.79	27.56	-24.63	54.72	74.00	19.28	Vertical


11ax(HE40)_TX_CH_06_Veritical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.42	39.28	27.29	-24.82	41.75	54.00	12.25	Vertical
2	2484.04	39.30	27.56	-24.63	42.22	54.00	11.78	Vertical




11ax(HE40)_TX_CH_09_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.04	47.26	27.29	-24.82	49.73	74.00	24.27	Horizontal
2	2484.61	57.62	27.56	-24.63	60.54	74.00	13.46	Horizontal




11ax(HE40)_TX_CH_09_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2384.48	35.40	27.28	-24.82	37.86	54.00	16.14	Horizontal
2	2484.04	46.62	27.56	-24.63	49.54	54.00	4.46	Horizontal




11ax(HE40)_TX_CH_09_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.81	46.84	27.28	-24.82	49.30	74.00	24.70	Vertical
2	2483.85	61.34	27.55	-24.63	64.26	74.00	9.74	Vertical


11ax(HE40)_TX_CH_09_Veritical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.71	35.54	27.29	-24.82	38.01	54.00	15.99	Vertical
2	2484.04	46.95	27.56	-24.63	49.87	54.00	4.13	Vertical




11ax(HE20)_TX_RU26_Left_CH_01_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2372.14	47.26	27.24	-24.83	49.67	74.00	24.33	Horizontal
2	2388.78	67.73	27.29	-24.82	70.20	74.00	3.80	Horizontal

11ax(HE20)_TX_RU26_Left_CH_01_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2381.24	34.90	27.27	-24.82	37.34	54.00	16.66	Horizontal
2	2388.52	37.14	27.29	-24.82	39.61	54.00	14.39	Horizontal

11ax(HE20)_TX_RU26_Left_CH_01_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2367.46	46.45	27.23	-24.83	48.85	74.00	25.15	Vertical
2	2388.78	66.46	27.29	-24.82	68.93	74.00	5.07	Vertical


11ax(HE20)_TX_RU26_Left_CH_01_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2381.76	35.00	27.27	-24.82	37.45	54.00	16.55	Vertical
2	2389.56	37.88	27.29	-24.82	40.35	54.00	13.65	Vertical




11ax(HE20)_TX_RU26_Right_CH_11_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.98	63.71	27.56	-24.63	66.63	74.00	7.37	Horizontal
2	2493.28	46.68	27.58	-24.61	49.65	74.00	24.35	Horizontal

11ax(HE20)_TX_RU26_Right_CH_11_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.86	37.71	27.55	-24.63	40.63	54.00	13.37	Horizontal
2	2487.58	36.62	27.57	-24.63	39.56	54.00	14.44	Horizontal


11ax(HE20)_TX_RU26_Right_CH_11_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.74	65.89	27.55	-24.63	68.81	74.00	5.19	Vertical
2	2493.76	47.33	27.58	-24.61	50.30	74.00	23.70	Vertical




11ax(HE20)_TX_RU26_Right_CH_11_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.92	37.74	27.55	-24.63	40.66	54.00	13.34	Vertical
2	2488.78	36.02	27.57	-24.62	38.97	54.00	15.03	Vertical

11ax(HE20)_TX_RU52_Left_CH_01_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2365.64	47.30	27.22	-24.83	49.69	74.00	24.31	Horizontal
2	2389.56	67.50	27.29	-24.82	69.97	74.00	4.03	Horizontal

11ax(HE20)_TX_RU52_Left_CH_01_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2383.84	35.50	27.27	-24.82	37.95	54.00	16.05	Horizontal
2	2388.91	37.46	27.29	-24.82	39.93	54.00	14.07	Horizontal

11ax(HE20)_TX_RU52_Left_CH_01_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2375.65	49.06	27.25	-24.83	51.48	74.00	22.52	Vertical
2	2389.04	68.46	27.29	-24.82	70.93	74.00	3.07	Vertical

11ax(HE20)_TX_RU52_Left_CH_01_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2382.02	35.19	27.27	-24.82	37.64	54.00	16.36	Vertical
2	2389.69	37.58	27.29	-24.82	40.05	54.00	13.95	Vertical

11ax(HE20)_TX_RU52_Right_CH_11_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2486.08	63.41	27.56	-24.63	66.34	74.00	7.66	Horizontal
2	2494.78	48.03	27.59	-24.61	51.00	74.00	23.00	Horizontal

11ax(HE20)_TX_RU52_Right_CH_11_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.56	37.14	27.55	-24.63	40.06	54.00	13.94	Horizontal
2	2488.48	35.75	27.57	-24.62	38.69	54.00	15.31	Horizontal


11ax(HE20)_TX_RU52_Right_CH_11_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2485.06	62.78	27.56	-24.63	65.71	74.00	8.29	Vertical
2	2494.36	46.55	27.58	-24.61	49.52	74.00	24.48	Vertical




11ax(HE20)_TX_RU52_Right_CH_11_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.58	37.45	27.56	-24.63	40.37	54.00	13.63	Vertical
2	2488.06	36.01	27.57	-24.63	38.95	54.00	15.05	Vertical

11ax(HE20)_TX_RU106_Left_CH_01_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2372.53	46.47	27.24	-24.83	48.88	74.00	25.12	Horizontal
2	2388.65	67.83	27.29	-24.82	70.30	74.00	3.70	Horizontal

11ax(HE20)_TX_RU106_Left_CH_01_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2378.38	34.65	27.26	-24.83	37.08	54.00	16.92	Horizontal
2	2389.3	39.11	27.29	-24.82	41.58	54.00	12.42	Horizontal

11ax(HE20)_TX_RU106_Left_CH_01_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2374.09	47.47	27.25	-24.83	49.89	74.00	24.11	Vertical
2	2388.78	67.09	27.29	-24.82	69.56	74.00	4.44	Vertical

11ax(HE20)_TX_RU106_Left_CH_01_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2379.03	34.64	27.26	-24.82	37.08	54.00	16.92	Vertical
2	2389.04	39.57	27.29	-24.82	42.04	54.00	11.96	Vertical

11ax(HE20)_TX_RU106_Right_CH_11_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.1	63.87	27.56	-24.63	66.79	74.00	7.21	Horizontal
2	2494.48	47.22	27.58	-24.61	50.19	74.00	23.81	Horizontal

11ax(HE20)_TX_RU106_Right_CH_11_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.8	36.88	27.55	-24.63	39.80	54.00	14.20	Horizontal
2	2488.84	36.23	27.57	-24.62	39.18	54.00	14.82	Horizontal