



11ax(HE40)_TX_CH_099_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6778.9375	39.98	35.95	-16.98	58.95	88.20	29.25	Horizontal
2	8988.6667	44.92	37.99	-38.59	44.33	88.20	43.87	Horizontal
3	12101.6667	41.11	38.82	-34.91	45.02	74.00	28.98	Horizontal
4	14709.6667	39.97	39.97	-33.60	46.35	88.20	41.85	Horizontal
5	17915.6667	38.40	41.46	-30.99	48.87	74.00	25.13	Horizontal
6	17861.6667	29.97	41.30	-30.76	40.50	54.00	13.50	Horizontal

11ax(HE40)_TX_CH_099_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6922.875	40.42	36.18	-17.37	59.23	88.20	28.97	Vertical
2	8967.3333	45.82	37.98	-38.69	45.11	88.20	43.09	Vertical
3	11382	42.60	39.07	-35.78	45.89	74.00	28.11	Vertical
4	13330.6667	41.47	40.07	-34.78	46.76	74.00	27.24	Vertical
5	17861.3333	38.28	41.30	-30.76	48.82	74.00	25.18	Vertical
6	17987.6667	30.11	41.66	-30.76	41.01	54.00	12.99	Vertical

11ax(HE40)_TX_CH_107_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6987.1875	39.19	36.28	-17.29	58.18	88.20	30.02	Horizontal
2	8781.3333	45.77	37.85	-39.16	44.46	88.20	43.74	Horizontal
3	10967	42.38	39.26	-35.76	45.88	74.00	28.12	Horizontal
4	13897	40.18	40.35	-34.33	46.20	88.20	42.00	Horizontal
5	17784.3333	37.84	41.07	-30.44	48.48	74.00	25.52	Horizontal
6	17984	29.38	41.65	-30.77	40.26	54.00	13.74	Horizontal

11ax(HE40)_TX_CH_107_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7098.75	39.19	36.30	-17.31	58.18	88.20	30.02	Vertical
2	8937.3333	45.69	37.96	-38.84	44.81	88.20	43.39	Vertical
3	12025	41.50	38.73	-35.20	45.03	74.00	28.97	Vertical
4	14678	40.69	39.99	-33.70	46.99	88.20	41.21	Vertical
5	17825.6667	37.82	41.19	-30.50	48.51	74.00	25.49	Vertical
6	17822	29.61	41.18	-30.48	40.32	54.00	13.68	Vertical

11ax(HE40)_TX_CH_123_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7348.5625	38.74	36.30	-17.75	57.29	74.00	16.71	Horizontal
2	8544	45.63	37.68	-39.62	43.69	88.20	44.51	Horizontal
3	10637.3333	42.05	38.86	-36.32	44.60	74.00	29.40	Horizontal
4	13298	41.03	40.05	-34.71	46.37	74.00	27.63	Horizontal
5	17826	38.24	41.20	-30.51	48.93	74.00	25.07	Horizontal
6	17996.3333	29.23	41.69	-30.73	40.19	54.00	13.81	Horizontal

11ax(HE40)_TX_CH_123_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7028.3125	39.46	36.30	-17.28	58.48	88.20	29.72	Vertical
2	8968.6667	45.36	37.98	-38.68	44.65	88.20	43.55	Vertical
3	10814.3333	42.94	39.08	-36.37	45.65	74.00	28.35	Vertical
4	14051	40.20	40.37	-34.89	45.68	88.20	42.52	Vertical
5	17742.3333	38.28	40.95	-30.75	48.49	74.00	25.51	Vertical
6	17992.3333	29.13	41.68	-30.74	40.06	54.00	13.94	Vertical

11ax(HE40)_TX_CH_147_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6956.5625	39.57	36.23	-17.33	58.47	88.20	29.73	Horizontal
2	8562	45.66	37.69	-39.45	43.90	88.20	44.30	Horizontal
3	11475.6667	42.09	39.01	-35.75	45.35	74.00	28.65	Horizontal
4	13963.6667	41.42	40.38	-34.76	47.05	88.20	41.15	Horizontal
5	17644	37.72	40.67	-31.58	46.81	88.20	41.39	Horizontal
6	17930	29.89	41.50	-30.94	40.44	54.00	13.56	Horizontal

11ax(HE40)_TX_CH_147_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7026.125	39.93	36.30	-17.28	58.95	88.20	29.25	Vertical
2	8603	45.49	37.72	-39.08	44.13	88.20	44.07	Vertical
3	10221.6667	42.92	38.37	-36.65	44.64	88.20	43.56	Vertical
4	13478.6667	41.25	40.14	-34.58	46.81	88.20	41.39	Vertical
5	17865.6667	38.01	41.31	-30.79	48.53	74.00	25.47	Vertical
6	17990.3333	29.42	41.67	-30.75	40.34	54.00	13.66	Vertical

11ax(HE40)_TX_CH_179_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7132.875	39.19	36.30	-17.50	57.99	88.20	30.21	Horizontal
2	8891.3333	44.77	37.92	-39.03	43.66	88.20	44.54	Horizontal
3	10966	42.25	39.26	-35.77	45.74	74.00	28.26	Horizontal
4	13957	40.68	40.38	-34.71	46.35	88.20	41.85	Horizontal
5	17813	38.35	41.16	-30.41	49.09	74.00	24.91	Horizontal
6	17822.3333	29.98	41.18	-30.48	40.68	54.00	13.32	Horizontal

11ax(HE40)_TX_CH_179_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7080.375	39.51	36.30	-17.30	58.51	88.20	29.69	Vertical
2	8327.6667	45.80	37.53	-40.07	43.26	74.00	30.74	Vertical
3	10631.3333	42.44	38.86	-36.34	44.96	74.00	29.04	Vertical
4	12784.6667	41.61	39.64	-34.61	46.64	88.20	41.56	Vertical
5	17846.3333	37.93	41.25	-30.65	48.53	74.00	25.47	Vertical
6	17997.6667	29.58	41.69	-30.73	40.55	54.00	13.45	Vertical

11ax(HE40)_TX_CH_187_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7100.5	38.87	36.30	-17.31	57.86	88.20	30.34	Horizontal
2	8943	45.42	37.96	-38.81	44.57	88.20	43.63	Horizontal
3	11339.6667	41.37	39.10	-35.53	44.94	74.00	29.06	Horizontal
4	13646.6667	41.39	40.22	-34.56	47.05	88.20	41.15	Horizontal
5	17988.6667	38.97	41.67	-30.76	49.88	74.00	24.12	Horizontal
6	17981.3333	29.62	41.65	-30.78	40.49	54.00	13.51	Horizontal

11ax(HE40)_TX_CH_187_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7183.1875	39.32	36.30	-17.78	57.84	88.20	30.36	Vertical
2	8912	45.32	37.94	-38.96	44.30	88.20	43.90	Vertical
3	10875	42.85	39.15	-36.10	45.90	74.00	28.10	Vertical
4	13908	40.60	40.35	-34.37	46.59	88.20	41.61	Vertical
5	17874	38.00	41.33	-30.85	48.48	74.00	25.52	Vertical
6	17876.6667	29.95	41.34	-30.87	40.42	54.00	13.58	Vertical

11ax(HE40)_TX_CH_195_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7153	39.70	36.30	-17.61	58.39	88.20	29.81	Horizontal
2	8768	44.95	37.84	-39.17	43.62	88.20	44.58	Horizontal
3	11318	42.03	39.11	-35.40	45.74	74.00	28.26	Horizontal
4	13622	41.12	40.21	-34.44	46.89	88.20	41.31	Horizontal
5	17972	38.48	41.62	-30.81	49.29	74.00	24.71	Horizontal
6	17994.6667	29.55	41.68	-30.74	40.50	54.00	13.50	Horizontal

11ax(HE40)_TX_CH_195_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7176.625	39.40	36.30	-17.75	57.95	88.20	30.25	Vertical
2	8956.3333	45.73	37.97	-38.74	44.96	88.20	43.24	Vertical
3	11580	41.24	38.95	-34.93	45.26	74.00	28.74	Vertical
4	13873	41.23	40.34	-34.46	47.10	88.20	41.10	Vertical
5	17886.6667	38.29	41.37	-30.94	48.72	74.00	25.28	Vertical
6	17997.6667	29.67	41.69	-30.73	40.64	54.00	13.36	Vertical

11ax(HE40)_TX_CH_203_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7116.6875	39.19	36.30	-17.41	58.08	88.20	30.12	Horizontal
2	8616.6667	44.73	37.73	-39.11	43.36	88.20	44.84	Horizontal
3	10998.3333	41.68	39.30	-35.66	45.32	74.00	28.68	Horizontal
4	13918.3333	41.43	40.36	-34.44	47.35	88.20	40.85	Horizontal
5	17851	39.45	41.27	-30.69	50.03	74.00	23.97	Horizontal
6	17994	29.85	41.68	-30.74	40.79	54.00	13.21	Horizontal

11ax(HE40)_TX_CH_203_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7248.375	38.70	36.30	-17.82	57.18	88.20	31.02	Vertical
2	8543.6667	45.78	37.68	-39.63	43.83	88.20	44.37	Vertical
3	10604.6667	42.26	38.83	-36.43	44.65	74.00	29.35	Vertical
4	13273.3333	40.80	40.04	-34.76	46.08	74.00	27.92	Vertical
5	17849.3333	38.21	41.26	-30.68	48.80	74.00	25.20	Vertical
6	17990	29.96	41.67	-30.75	40.88	54.00	13.12	Vertical

11ax(HE40)_TX_CH_227_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7662.25	39.21	36.62	-18.55	57.28	74.00	16.72	Horizontal
2	8599.3333	45.87	37.72	-39.09	44.50	88.20	43.70	Horizontal
3	10852.6667	42.32	39.12	-36.20	45.24	74.00	28.76	Horizontal
4	13920.6667	40.99	40.36	-34.45	46.90	88.20	41.30	Horizontal
5	17993.6667	38.45	41.68	-30.74	49.39	74.00	24.61	Horizontal
6	17983.3333	29.51	41.65	-30.77	40.39	54.00	13.61	Horizontal

11ax(HE40)_TX_CH_227_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7987.75	39.45	37.28	-18.79	57.94	88.20	30.26	Vertical
2	8585.3333	46.03	37.71	-39.22	44.52	88.20	43.68	Vertical
3	11966.6667	41.13	38.72	-35.13	44.72	74.00	29.28	Vertical
4	14336.3333	40.70	40.20	-34.22	46.67	88.20	41.53	Vertical
5	17825.6667	38.36	41.19	-30.50	49.05	74.00	24.95	Vertical
6	17928.3333	29.85	41.49	-30.95	40.39	54.00	13.61	Vertical

11ax(HE80)_TX_CH_007_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6285	40.05	35.07	-17.01	58.11	88.20	30.09	Horizontal
2	8712.6667	44.89	37.80	-39.23	43.46	88.20	44.74	Horizontal
3	11730	41.82	38.86	-35.50	45.18	74.00	28.82	Horizontal
4	14379	40.73	40.17	-33.90	47.00	88.20	41.20	Horizontal
5	17868.6667	38.02	41.32	-30.81	48.52	74.00	25.48	Horizontal
6	17987	29.43	41.66	-30.76	40.33	54.00	13.67	Horizontal

11ax(HE80)_TX_CH_007_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6480.5625	38.71	35.46	-16.72	57.45	88.20	30.75	Vertical
2	8910.3333	45.31	37.94	-38.97	44.28	88.20	43.92	Vertical
3	11266	41.62	39.14	-35.42	45.34	74.00	28.66	Vertical
4	13641.3333	40.97	40.22	-34.53	46.66	88.20	41.54	Vertical
5	17936.3333	38.46	41.52	-30.92	49.05	74.00	24.95	Vertical
6	17969	29.17	41.61	-30.82	39.96	54.00	14.04	Vertical

11ax(HE80)_TX_CH_039_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6478.375	38.62	35.46	-16.71	57.36	88.20	30.84	Horizontal
2	8537.3333	45.40	37.68	-39.69	43.39	88.20	44.81	Horizontal
3	10876	42.47	39.15	-36.10	45.53	74.00	28.47	Horizontal
4	13425	41.18	40.11	-34.82	46.47	88.20	41.73	Horizontal
5	17824.3333	37.70	41.19	-30.50	48.40	74.00	25.60	Horizontal
6	17891.3333	29.85	41.38	-30.98	40.26	54.00	13.74	Horizontal

11ax(HE80)_TX_CH_039_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6586.875	38.91	35.64	-16.98	57.56	88.20	30.64	Vertical
2	8928.3333	45.61	37.95	-38.88	44.68	88.20	43.52	Vertical
3	11153.6667	41.66	39.21	-35.63	45.24	74.00	28.76	Vertical
4	14369	40.69	40.18	-33.98	46.89	88.20	41.31	Vertical
5	17987.6667	38.30	41.66	-30.76	49.20	74.00	24.80	Vertical
6	17988	29.60	41.67	-30.76	40.51	54.00	13.49	Vertical

11ax(HE80)_TX_CH_087_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7005.5625	39.51	36.30	-17.27	58.54	88.20	29.66	Horizontal
2	8613.6667	45.32	37.73	-39.10	43.95	88.20	44.25	Horizontal
3	11275	41.74	39.13	-35.38	45.49	74.00	28.51	Horizontal
4	13620.3333	40.15	40.21	-34.43	45.93	88.20	42.27	Horizontal
5	17782.6667	37.32	41.07	-30.45	47.94	74.00	26.06	Horizontal
6	17907.6667	29.45	41.43	-31.02	39.87	54.00	14.13	Horizontal

11ax(HE80)_TX_CH_087_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6886.5625	39.79	36.12	-17.35	58.56	88.20	29.64	Vertical
2	8917	45.63	37.94	-38.94	44.64	88.20	43.56	Vertical
3	10870.6667	42.44	39.14	-36.12	45.47	74.00	28.53	Vertical
4	12756.3333	41.45	39.61	-34.66	46.40	88.20	41.80	Vertical
5	17807.3333	38.72	41.14	-30.37	49.49	74.00	24.51	Vertical
6	17994.6667	29.48	41.68	-30.74	40.43	54.00	13.57	Vertical

11ax(HE80)_TX_CH_103_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6947.8125	39.45	36.22	-17.34	58.33	88.20	29.87	Horizontal
2	8701	45.02	37.79	-39.24	43.57	88.20	44.63	Horizontal
3	11416.3333	42.65	39.05	-35.86	45.84	74.00	28.16	Horizontal
4	13887	41.72	40.34	-34.38	47.68	88.20	40.52	Horizontal
5	17997.6667	37.89	41.69	-30.73	48.86	74.00	25.14	Horizontal
6	17998	29.21	41.69	-30.73	40.18	54.00	13.82	Horizontal

11ax(HE80)_TX_CH_103_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7014.75	39.99	36.30	-17.28	59.01	88.20	29.19	Vertical
2	9041	46.03	38.00	-38.81	45.23	74.00	28.77	Vertical
3	11434.3333	43.06	39.04	-35.83	46.27	74.00	27.73	Vertical
4	13679.3333	42.24	40.24	-34.72	47.76	88.20	40.44	Vertical
5	17880.6667	39.06	41.35	-30.90	49.51	74.00	24.49	Vertical
6	17979.3333	30.09	41.64	-30.79	40.94	54.00	13.06	Vertical

11ax(HE80)_TX_CH_119_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7043.1875	40.22	36.30	-17.29	59.23	88.20	28.97	Horizontal
2	9451.3333	45.84	38.05	-38.26	45.63	74.00	28.37	Horizontal
3	11465	42.83	39.02	-35.77	46.08	74.00	27.92	Horizontal
4	13916	41.63	40.36	-34.42	47.57	88.20	40.63	Horizontal
5	17991.3333	39.78	41.67	-30.75	50.71	74.00	23.29	Horizontal
6	17926.3333	30.36	41.49	-30.96	40.89	54.00	13.11	Horizontal

11ax(HE80)_TX_CH_119_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6950.4375	40.33	36.22	-17.33	59.22	88.20	28.98	Vertical
2	9053	46.15	38.01	-38.89	45.26	74.00	28.74	Vertical
3	11500.6667	43.66	39.00	-35.70	46.96	74.00	27.04	Vertical
4	13853.6667	42.00	40.33	-34.57	47.75	88.20	40.45	Vertical
5	17862.3333	39.58	41.30	-30.77	50.11	74.00	23.89	Vertical
6	17949.6667	30.99	41.55	-30.88	41.66	54.00	12.34	Vertical

11ax(HE80)_TX_CH_151_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6990.25	40.73	36.28	-17.28	59.73	88.20	28.47	Horizontal
2	9067	45.74	38.01	-38.99	44.76	74.00	29.24	Horizontal
3	10969.3333	43.73	39.26	-35.75	47.24	74.00	26.76	Horizontal
4	13777	42.51	40.29	-34.87	47.93	88.20	40.27	Horizontal
5	17865.6667	39.41	41.31	-30.79	49.93	74.00	24.07	Horizontal
6	17976.3333	30.38	41.63	-30.80	41.22	54.00	12.78	Horizontal

11ax(HE80)_TX_CH_151_Verical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7436.9375	41.09	36.30	-17.92	59.47	74.00	14.53	Vertical
2	8953	45.65	37.97	-38.76	44.86	88.20	43.34	Vertical
3	10940.6667	43.16	39.23	-35.85	46.54	74.00	27.46	Vertical
4	13325	41.99	40.06	-34.77	47.29	74.00	26.71	Vertical
5	17848.6667	39.75	41.26	-30.67	50.34	74.00	23.66	Vertical
6	17997.6667	30.40	41.69	-30.73	41.37	54.00	12.63	Vertical

11ax(HE80)_TX_CH_183_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7406.3125	40.79	36.30	-17.78	59.31	74.00	14.69	Horizontal
2	8607	45.64	37.72	-39.09	44.27	88.20	43.93	Horizontal
3	10448.6667	43.58	38.64	-36.32	45.90	88.20	42.30	Horizontal
4	13939.3333	42.82	40.37	-34.59	48.60	88.20	39.60	Horizontal
5	17872	39.66	41.33	-30.84	50.15	74.00	23.85	Horizontal
6	17806.6667	30.40	41.14	-30.37	41.17	54.00	12.83	Horizontal

11ax(HE80)_TX_CH_183_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7100.5	39.87	36.30	-17.31	58.86	88.20	29.34	Vertical
2	8951	46.72	37.97	-38.77	45.92	88.20	42.28	Vertical
3	11043	43.18	39.27	-35.62	46.83	74.00	27.17	Vertical
4	14314	41.81	40.21	-34.39	47.63	88.20	40.57	Vertical
5	17996	39.18	41.69	-30.73	50.14	74.00	23.86	Vertical
6	17935	30.55	41.51	-30.93	41.13	54.00	12.87	Vertical

11ax(HE80)_TX_CH_199_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7188.875	39.84	36.30	-17.82	58.32	88.20	29.88	Horizontal
2	8616	46.40	37.73	-39.11	45.03	88.20	43.17	Horizontal
3	10818.6667	43.69	39.08	-36.35	46.42	74.00	27.58	Horizontal
4	13343.3333	41.78	40.07	-34.81	47.05	74.00	26.95	Horizontal
5	17874.6667	38.89	41.34	-30.86	49.37	74.00	24.63	Horizontal
6	17989	30.10	41.67	-30.76	41.01	54.00	12.99	Horizontal

11ax(HE80)_TX_CH_199_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7120.625	39.60	36.30	-17.43	58.47	88.20	29.73	Vertical
2	8939.6667	45.89	37.96	-38.83	45.02	88.20	43.18	Vertical
3	10925.6667	43.97	39.21	-35.90	47.28	74.00	26.72	Vertical
4	13773.6667	42.19	40.29	-34.86	47.61	88.20	40.59	Vertical
5	17955	38.68	41.57	-30.86	49.39	74.00	24.61	Vertical
6	17975	30.53	41.63	-30.80	41.36	54.00	12.64	Vertical

11ax(HE80)_TX_CH_215_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7604.9375	40.37	36.51	-18.44	58.44	74.00	15.56	Horizontal
2	8911.6667	46.11	37.94	-38.96	45.09	88.20	43.11	Horizontal
3	10980.3333	42.80	39.28	-35.72	46.36	74.00	27.64	Horizontal
4	13789	42.47	40.29	-34.87	47.89	88.20	40.31	Horizontal
5	17981.3333	39.35	41.65	-30.78	50.22	74.00	23.78	Horizontal
6	17825.6667	30.25	41.19	-30.50	40.94	54.00	13.06	Horizontal

11ax(HE80)_TX_CH_215_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7443.0625	40.36	36.30	-17.95	58.71	74.00	15.29	Vertical
2	8557	46.51	37.69	-39.50	44.70	88.20	43.50	Vertical
3	10875.6667	43.42	39.15	-36.10	46.47	74.00	27.53	Vertical
4	14329.6667	42.20	40.20	-34.27	48.13	88.20	40.07	Vertical
5	17987	39.33	41.66	-30.76	50.23	74.00	23.77	Vertical
6	17930.3333	30.44	41.50	-30.94	41.00	54.00	13.00	Vertical

11ax(HE160)_TX_CH_015_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6959.1875	40.70	36.23	-17.32	59.61	88.20	28.59	Horizontal
2	8999.6667	46.15	38.00	-38.53	45.62	88.20	42.58	Horizontal
3	10953	43.84	39.24	-35.81	47.27	74.00	26.73	Horizontal
4	13618	43.24	40.21	-34.42	49.03	88.20	39.17	Horizontal
5	17994.3333	39.35	41.68	-30.74	50.30	74.00	23.70	Horizontal
6	17996.6667	31.65	41.69	-30.73	42.61	54.00	11.39	Horizontal

11ax(HE160)_TX_CH_015_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6962.6875	40.19	36.24	-17.32	59.11	88.20	29.09	Vertical
2	9091.3333	46.93	38.01	-39.15	45.79	74.00	28.21	Vertical
3	11303.6667	43.46	39.12	-35.31	47.27	74.00	26.73	Vertical
4	14683	42.32	39.99	-33.66	48.65	88.20	39.55	Vertical
5	17857.6667	40.16	41.29	-30.74	50.71	74.00	23.29	Vertical
6	17983.3333	31.14	41.65	-30.77	42.02	54.00	11.98	Vertical

11ax(HE160)_TX_CH_047_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6981.9375	39.99	36.27	-17.29	58.97	88.20	29.23	Horizontal
2	8999.3333	46.30	38.00	-38.53	45.77	88.20	42.43	Horizontal
3	10656.6667	44.58	38.89	-36.25	47.22	74.00	26.78	Horizontal
4	13260.3333	43.31	40.03	-34.78	48.56	74.00	25.44	Horizontal
5	17985.3333	39.66	41.66	-30.77	50.55	74.00	23.45	Horizontal
6	17961	30.60	41.59	-30.84	41.34	54.00	12.66	Horizontal

11ax(HE160)_TX_CH_047_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7167	41.09	36.30	-17.69	59.70	88.20	28.50	Vertical
2	8950	46.29	37.97	-38.78	45.48	88.20	42.72	Vertical
3	11125.3333	44.19	39.22	-35.61	47.81	74.00	26.19	Vertical
4	13514.3333	42.70	40.16	-34.47	48.39	88.20	39.81	Vertical
5	17971	40.31	41.62	-30.81	51.11	74.00	22.89	Vertical
6	17984.6667	30.67	41.66	-30.77	41.56	54.00	12.44	Vertical

11ax(HE160)_TX_CH_079_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6980.1875	40.35	36.27	-17.30	59.32	88.20	28.88	Horizontal
2	9077	47.14	38.01	-39.05	46.09	74.00	27.91	Horizontal
3	10939.3333	44.54	39.23	-35.86	47.91	74.00	26.09	Horizontal
4	13916	42.33	40.36	-34.42	48.27	88.20	39.93	Horizontal
5	17983.6667	39.99	41.65	-30.77	50.87	74.00	23.13	Horizontal
6	17966	30.91	41.60	-30.83	41.68	54.00	12.32	Horizontal

11ax(HE160)_TX_CH_079_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7101.375	40.27	36.30	-17.32	59.25	88.20	28.95	Vertical
2	9004	46.44	38.00	-38.56	45.88	74.00	28.12	Vertical
3	10955.6667	43.41	39.25	-35.80	46.86	74.00	27.14	Vertical
4	13675.3333	42.75	40.24	-34.70	48.29	88.20	39.91	Vertical
5	17979.6667	39.66	41.64	-30.79	50.52	74.00	23.48	Vertical
6	17980	31.14	41.64	-30.78	42.00	54.00	12.00	Vertical

11ax(HE160)_TX_CH_111_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6805.625	40.34	35.99	-17.06	59.27	88.20	28.93	Horizontal
2	8939.6667	46.56	37.96	-38.83	45.69	88.20	42.51	Horizontal
3	10956.6667	43.93	39.25	-35.80	47.38	74.00	26.62	Horizontal
4	13877	42.44	40.34	-34.44	48.34	88.20	39.86	Horizontal
5	17976.3333	39.47	41.63	-30.80	50.31	74.00	23.69	Horizontal
6	17846.3333	31.39	41.25	-30.65	41.99	54.00	12.01	Horizontal

11ax(HE160)_TX_CH_111_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6994.1875	40.10	36.29	-17.28	59.11	88.20	29.09	Vertical
2	9438.6667	46.53	38.04	-38.28	46.30	74.00	27.70	Vertical
3	10972	44.45	39.27	-35.75	47.97	74.00	26.03	Vertical
4	14708	41.87	39.98	-33.59	48.26	88.20	39.94	Vertical
5	17956.3333	39.96	41.57	-30.86	50.67	74.00	23.33	Vertical
6	17980.6667	31.23	41.64	-30.78	42.09	54.00	11.91	Vertical

11ax(HE160)_TX_CH_143_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7442.625	42.34	36.30	-17.95	60.69	74.00	13.31	Horizontal
2	9008.3333	46.51	38.00	-38.59	45.92	74.00	28.08	Horizontal
3	10962	43.58	39.25	-35.78	47.06	74.00	26.94	Horizontal
4	13869.3333	42.50	40.33	-34.48	48.35	88.20	39.85	Horizontal
5	17967.6667	40.04	41.61	-30.82	50.82	74.00	23.18	Horizontal
6	17996.6667	30.86	41.69	-30.73	41.82	54.00	12.18	Horizontal

11ax(HE160)_TX_CH_143_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7050.625	39.70	36.30	-17.29	58.71	88.20	29.49	Vertical
2	9054	46.91	38.01	-38.90	46.02	74.00	27.98	Vertical
3	10968	43.80	39.26	-35.76	47.30	74.00	26.70	Vertical
4	13943.6667	43.11	40.37	-34.62	48.87	88.20	39.33	Vertical
5	17923.6667	39.94	41.48	-30.96	50.45	74.00	23.55	Vertical
6	17995	30.75	41.69	-30.74	41.70	54.00	12.30	Vertical

11ax(HE160)_TX_CH_175_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7089.125	39.86	36.30	-17.31	58.85	88.20	29.35	Horizontal
2	9079.6667	46.76	38.01	-39.07	45.70	74.00	28.30	Horizontal
3	11220	43.60	39.17	-35.59	47.18	74.00	26.82	Horizontal
4	14289.6667	42.42	40.23	-34.56	48.09	88.20	40.11	Horizontal
5	17962.3333	40.73	41.59	-30.84	51.48	74.00	22.52	Horizontal
6	17827.3333	31.33	41.20	-30.52	42.01	54.00	11.99	Horizontal

11ax(HE160)_TX_CH_175_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7096.125	40.77	36.30	-17.31	59.76	88.20	28.44	Vertical
2	9063	46.99	38.01	-38.96	46.04	74.00	27.96	Vertical
3	10924	43.93	39.21	-35.91	47.23	74.00	26.77	Vertical
4	14368	42.26	40.18	-33.98	48.46	88.20	39.74	Vertical
5	17963.3333	39.47	41.59	-30.84	50.23	74.00	23.77	Vertical
6	17855.3333	31.22	41.28	-30.72	41.78	54.00	12.22	Vertical

11ax(HE160)_TX_CH_207_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7997.375	40.53	37.29	-18.78	59.04	88.20	29.16	Horizontal
2	8994	46.45	38.00	-38.56	45.89	88.20	42.31	Horizontal
3	10970.6667	43.94	39.26	-35.75	47.46	74.00	26.54	Horizontal
4	13801.6667	43.61	40.30	-34.87	49.04	88.20	39.16	Horizontal
5	17850.3333	39.76	41.27	-30.68	50.34	74.00	23.66	Horizontal
6	17990	30.89	41.67	-30.75	41.81	54.00	12.19	Horizontal

11ax(HE160)_TX_CH_207_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7139	40.07	36.30	-17.53	58.84	88.20	29.36	Vertical
2	9562.6667	46.15	38.06	-37.96	46.24	88.20	41.96	Vertical
3	10988	43.68	39.29	-35.69	47.27	74.00	26.73	Vertical
4	14378.3333	42.16	40.17	-33.90	48.43	88.20	39.77	Vertical
5	17993	39.63	41.68	-30.74	50.57	74.00	23.43	Vertical
6	17836.6667	30.88	41.23	-30.58	41.52	54.00	12.48	Vertical

7.4 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: ANSI C63.10 (2020) Section 6.10.5

Measurement Distance: 3m

7.4.1 E.U.T. Operation

Operating Environment:

Temperature: 23 °C


Humidity: 44 % RH

Atmospheric Pressure: 1001 mbar

7.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	11	TX mode (U-NII-5) _Keep the EUT in continuously transmitting mode with all modulation types and being charged. All data rates for each modulation type have been tested, Only the data of worst case is recorded in the report.
Final test	12	TX mode (U-NII-6) _Keep the EUT in continuously transmitting mode with all modulation types and being charged. All data rates for each modulation type have been tested, Only the data of worst case is recorded in the report.
Final test	13	TX mode (U-NII-7) _Keep the EUT in continuously transmitting mode with all modulation types and being charged. All data rates for each modulation type have been tested, Only the data of worst case is recorded in the report.
Final test	14	TX mode (U-NII-8) _Keep the EUT in continuously transmitting mode with all modulation types and being charged. All data rates for each modulation type have been tested, Only the data of worst case is recorded in the report.

7.4.3 Test Setup Diagram



7.4.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.


Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: The resolution bandwidth of test receiver/spectrum analyzer is 1MHz and the video bandwidth is 3MHz for Peak detection (PK) and Average detection (AV) at frequency above 1GHz.

Remark 3: For fundamental and harmonic signal measurement, the resolution bandwidth of test receiver/spectrum analyzer is 1MHz and the video bandwidth is $\geq 1/T$ (Duty cycle < 98%) or 10Hz (Duty cycle $\geq 98\%$) for Average detection (AV) at frequency above 1GHz.




11a_TX_CH_001_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5909.7	37.66	34.23	-16.84	55.05	88.20	33.15	Horizontal
2	5922.86	36.62	34.27	-16.88	54.01	88.20	34.19	Horizontal




11a_TX_CH_001_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5907.74	24.83	34.22	-16.83	42.22	68.20	25.98	Horizontal
2	5923.42	24.92	34.27	-16.88	42.31	68.20	25.89	Horizontal




11a_TX_CH_001_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5912.22	36.32	34.24	-16.85	53.71	88.20	34.49	Vertical
2	5922.58	36.49	34.27	-16.88	53.88	88.20	34.32	Vertical




11a_TX_CH_001_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5908.44	25.06	34.23	-16.84	42.45	68.20	25.75	Vertical
2	5923.14	24.85	34.27	-16.88	42.24	68.20	25.96	Vertical


11a_TX_CH_233_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	37.34	36.30	-17.45	56.19	88.20	32.01	Horizontal
2	7130.325	37.40	36.30	-17.48	56.22	88.20	31.98	Horizontal




11a_TX_CH_233_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	28.23	36.30	-17.45	47.08	68.20	21.12	Horizontal
2	7136.43	25.93	36.30	-17.52	44.71	68.20	23.49	Horizontal




11a_TX_CH_233_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	38.87	36.30	-17.45	57.72	88.20	30.48	Vertical
2	7130.49	37.75	36.30	-17.48	56.57	88.20	31.63	Vertical




11a_TX_CH_233_Veritical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	28.61	36.30	-17.45	47.46	68.20	20.74	Vertical
2	7132.635	26.02	36.30	-17.50	44.82	68.20	23.38	Vertical




11ax(HE20)_TX_CH_001_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5916.56	37.01	34.25	-16.86	54.40	88.20	33.80	Horizontal
2	5923.56	36.17	34.27	-16.88	53.56	88.20	34.64	Horizontal




11ax(HE20)_TX_CH_001_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5917.12	24.90	34.25	-16.86	42.29	68.20	25.91	Horizontal
2	5922.86	24.81	34.27	-16.88	42.20	68.20	26.00	Horizontal




11ax(HE20)_TX_CH_001_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5910.68	36.57	34.23	-16.84	53.96	88.20	34.24	Vertical
2	5921.46	36.27	34.26	-16.88	53.66	88.20	34.54	Vertical




11ax(HE20)_TX_CH_001_Vetical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5912.92	25.18	34.24	-16.85	42.57	68.20	25.63	Vertical
2	5923.7	24.97	34.27	-16.88	42.36	68.20	25.84	Vertical

11ax(HE20)_TX_CH_233_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	50.90	36.30	-17.45	69.75	88.20	18.45	Horizontal
2	7130.82	38.03	36.30	-17.49	56.84	88.20	31.36	Horizontal



Report No.: SUCR260300016104

Page: 142 of 722


11ax(HE20)_TX_CH_233_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	42.12	36.30	-17.45	60.97	68.20	7.23	Horizontal
2	7129.335	25.80	36.30	-17.48	44.62	68.20	23.58	Horizontal




11ax(HE20)_TX_CH_233_Vetical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	51.27	36.30	-17.45	70.12	88.20	18.08	Vertical
2	7132.305	37.44	36.30	-17.49	56.25	88.20	31.95	Vertical




11ax(HE20)_TX_CH_233_Vetical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	42.98	36.30	-17.45	61.83	68.20	6.37	Vertical
2	7129.83	25.83	36.30	-17.48	44.65	68.20	23.55	Vertical




11ax(HE40)_TX_CH_003_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5911.13	37.02	34.23	-16.84	54.41	88.20	33.79	Horizontal
2	5923.175	36.54	34.27	-16.88	53.93	88.20	34.27	Horizontal




11ax(HE40)_TX_CH_003_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5910.47	25.01	34.23	-16.84	42.40	68.20	25.80	Horizontal
2	5923.67	24.91	34.27	-16.88	42.30	68.20	25.90	Horizontal




11ax(HE40)_TX_CH_003_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5904.035	36.07	34.21	-16.82	53.46	88.20	34.74	Vertical
2	5922.35	36.01	34.27	-16.88	53.40	88.20	34.80	Vertical




11ax(HE40)_TX_CH_003_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5910.8	24.97	34.23	-16.84	42.36	68.20	25.84	Vertical
2	5923.34	24.89	34.27	-16.88	42.28	68.20	25.92	Vertical




11ax(HE40)_TX_CH_227_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7126.2	37.35	36.30	-17.46	56.19	88.20	32.01	Horizontal
2	7147.08	37.45	36.30	-17.58	56.17	88.20	32.03	Horizontal




11ax(HE40)_TX_CH_227_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.16	25.95	36.30	-17.46	44.79	68.20	23.41	Horizontal
2	7144.2	26.15	36.30	-17.56	44.89	68.20	23.31	Horizontal




11ax(HE40)_TX_CH_227_Vetical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7126.92	37.55	36.30	-17.46	56.39	88.20	31.81	Vertical
2	7148.28	37.24	36.30	-17.59	55.95	88.20	32.25	Vertical



11ax(HE40)_TX_CH_227_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	26.04	36.30	-17.45	44.89	68.20	23.31	Vertical
2	7139.64	26.29	36.30	-17.54	45.05	68.20	23.15	Vertical



Report No.: SUCR260300016104

Page: 153 of 722

11ax(HE80)_TX_CH_007_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5889.32	36.52	34.17	-16.83	53.86	88.20	34.34	Horizontal
2	5921	36.60	34.26	-16.88	53.99	88.20	34.21	Horizontal



Report No.: SUCR260300016104

Page: 154 of 722


11ax(HE80)_TX_CH_007_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5901.16	26.32	34.20	-16.81	43.71	68.20	24.49	Horizontal
2	5920.68	26.05	34.26	-16.87	43.44	68.20	24.76	Horizontal




11ax(HE80)_TX_CH_007_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5892.52	36.19	34.18	-16.83	53.54	88.20	34.66	Vertical
2	5919.72	36.68	34.26	-16.87	54.07	88.20	34.13	Vertical


11ax(HE80)_TX_CH_007_Vetical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5907.56	26.06	34.22	-16.83	43.45	68.20	24.75	Vertical
2	5921.96	26.03	34.27	-16.88	43.42	68.20	24.78	Vertical




11ax(HE80)_TX_CH_215_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7130.28	37.45	36.30	-17.48	56.27	88.20	31.93	Horizontal
2	7147.56	37.14	36.30	-17.58	55.86	88.20	32.34	Horizontal




11ax(HE80)_TX_CH_215_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.4	26.80	36.30	-17.47	45.63	68.20	22.57	Horizontal
2	7157.48	27.37	36.30	-17.64	46.03	68.20	22.17	Horizontal




11ax(HE80)_TX_CH_215_Vetical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.16	37.77	36.30	-17.45	56.62	88.20	31.58	Vertical
2	7145.64	36.91	36.30	-17.57	55.64	88.20	32.56	Vertical




11ax(HE80)_TX_CH_215_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7131.56	26.85	36.30	-17.49	45.66	68.20	22.54	Vertical
2	7156.2	27.04	36.30	-17.63	45.71	68.20	22.49	Vertical



11ax(HE160)_TX_CH_015_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5893	37.10	34.18	-16.82	54.45	88.20	33.75	Horizontal
2	5921.8	37.19	34.27	-16.88	54.58	88.20	33.62	Horizontal



Report No.: SUCR260300016104

Page: 162 of 722


11ax(HE160)_TX_CH_015_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5881.48	26.16	34.14	-16.85	43.46	68.20	24.74	Horizontal
2	5907.76	26.14	34.22	-16.83	43.53	68.20	24.67	Horizontal



11ax(HE160)_TX_CH_015_Veritical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5897.68	36.80	34.19	-16.81	54.18	88.20	34.02	Vertical
2	5918.56	37.52	34.26	-16.87	54.91	88.20	33.29	Vertical



Report No.: SUCR260300016104

Page: 164 of 722

11ax(HE160)_TX_CH_015_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5871.4	26.25	34.11	-16.87	43.49	68.20	24.71	Vertical
2	5907.76	26.20	34.22	-16.83	43.59	68.20	24.61	Vertical



Report No.: SUCR260300016104

Page: 165 of 722


11ax(HE160)_TX_CH_207_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7129.6	39.47	36.30	-17.48	58.29	88.20	29.91	Horizontal
2	7156.96	37.93	36.30	-17.63	56.60	88.20	31.60	Horizontal



11ax(HE160)_TX_CH_207_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7134.64	28.83	36.30	-17.51	47.62	68.20	20.58	Horizontal
2	7156.24	28.41	36.30	-17.63	47.08	68.20	21.12	Horizontal