

Appendix Test Data for LTE_band_41

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B41_5MHz_EIRP

Band: 41 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2557.5	1	0	22.59	-0.20	22.39	<=33.01	Pass
			13	22.61	-0.20	22.41	<=33.01	Pass
			24	22.67	-0.20	22.47	<=33.01	Pass
		12	0	21.61	-0.20	21.41	<=33.01	Pass
			6	21.57	-0.20	21.37	<=33.01	Pass
			13	21.53	-0.20	21.33	<=33.01	Pass
		25	0	21.58	-0.20	21.38	<=33.01	Pass
	2605	1	0	22.85	-0.20	22.65	<=33.01	Pass
			13	22.72	-0.20	22.52	<=33.01	Pass
			24	22.93	-0.20	22.73	<=33.01	Pass
		12	0	21.77	-0.20	21.57	<=33.01	Pass
			6	21.70	-0.20	21.50	<=33.01	Pass
			13	21.71	-0.20	21.51	<=33.01	Pass
		25	0	21.76	-0.20	21.56	<=33.01	Pass
	2652.5	1	0	23.28	-0.20	23.08	<=33.01	Pass
			13	23.41	-0.20	23.21	<=33.01	Pass
			24	23.37	-0.20	23.17	<=33.01	Pass
		12	0	22.35	-0.20	22.15	<=33.01	Pass
			6	22.33	-0.20	22.13	<=33.01	Pass
			13	22.38	-0.20	22.18	<=33.01	Pass
		25	0	22.37	-0.20	22.17	<=33.01	Pass
16QAM	2557.5	1	0	21.85	-0.20	21.65	<=33.01	Pass
			13	21.50	-0.20	21.30	<=33.01	Pass
			24	21.64	-0.20	21.44	<=33.01	Pass
		12	0	20.58	-0.20	20.38	<=33.01	Pass
			6	20.46	-0.20	20.26	<=33.01	Pass
			13	20.56	-0.20	20.36	<=33.01	Pass
		25	0	20.52	-0.20	20.32	<=33.01	Pass
	2605	1	0	21.68	-0.20	21.48	<=33.01	Pass
			13	21.72	-0.20	21.52	<=33.01	Pass
			24	21.72	-0.20	21.52	<=33.01	Pass
		12	0	20.75	-0.20	20.55	<=33.01	Pass
			6	20.75	-0.20	20.55	<=33.01	Pass
			13	20.69	-0.20	20.49	<=33.01	Pass
		25	0	20.73	-0.20	20.53	<=33.01	Pass
	2652.5	1	0	22.08	-0.20	21.88	<=33.01	Pass
			13	22.11	-0.20	21.91	<=33.01	Pass
			24	22.45	-0.20	22.25	<=33.01	Pass
		12	0	21.43	-0.20	21.23	<=33.01	Pass
			6	21.40	-0.20	21.20	<=33.01	Pass
			13	21.44	-0.20	21.24	<=33.01	Pass
		25	0	21.36	-0.20	21.16	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B41_10MHz_EIRP

Band: 41 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2560	1	0	22.52	-0.20	22.32	<=33.01	Pass
			25	22.54	-0.20	22.34	<=33.01	Pass
			49	22.63	-0.20	22.43	<=33.01	Pass
		25	0	21.60	-0.20	21.40	<=33.01	Pass
			13	21.54	-0.20	21.34	<=33.01	Pass
			25	21.55	-0.20	21.35	<=33.01	Pass
		50	0	21.60	-0.20	21.40	<=33.01	Pass
			0	22.65	-0.20	22.45	<=33.01	Pass
			25	22.73	-0.20	22.53	<=33.01	Pass
	2605	1	49	22.76	-0.20	22.56	<=33.01	Pass
			0	21.71	-0.20	21.51	<=33.01	Pass
			13	21.72	-0.20	21.52	<=33.01	Pass
		25	25	21.80	-0.20	21.60	<=33.01	Pass
			0	21.75	-0.20	21.55	<=33.01	Pass
			0	23.35	-0.20	23.15	<=33.01	Pass
		25	25	23.50	-0.20	23.30	<=33.01	Pass
			49	23.46	-0.20	23.26	<=33.01	Pass
			0	22.30	-0.20	22.10	<=33.01	Pass
			13	22.39	-0.20	22.19	<=33.01	Pass
			25	22.39	-0.20	22.19	<=33.01	Pass
			0	22.36	-0.20	22.16	<=33.01	Pass
16QAM	2560	1	0	21.77	-0.20	21.57	<=33.01	Pass
			25	21.85	-0.20	21.65	<=33.01	Pass
			49	21.31	-0.20	21.11	<=33.01	Pass
		25	0	20.59	-0.20	20.39	<=33.01	Pass
			13	20.56	-0.20	20.36	<=33.01	Pass
			25	20.62	-0.20	20.42	<=33.01	Pass
		50	0	20.55	-0.20	20.35	<=33.01	Pass
			0	21.44	-0.20	21.24	<=33.01	Pass
			25	21.62	-0.20	21.42	<=33.01	Pass
	2605	1	49	21.67	-0.20	21.47	<=33.01	Pass
			0	20.71	-0.20	20.51	<=33.01	Pass
			13	20.71	-0.20	20.51	<=33.01	Pass
		25	25	20.81	-0.20	20.61	<=33.01	Pass
			0	20.70	-0.20	20.50	<=33.01	Pass
			0	22.33	-0.20	22.13	<=33.01	Pass
		25	25	22.48	-0.20	22.28	<=33.01	Pass
			49	22.48	-0.20	22.28	<=33.01	Pass
			0	21.33	-0.20	21.13	<=33.01	Pass
			13	21.40	-0.20	21.20	<=33.01	Pass
			25	21.41	-0.20	21.21	<=33.01	Pass
			0	21.36	-0.20	21.16	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B41_15MHz_EIRP

Band: 41 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2562.5	1	0	22.52	-0.20	22.32	<=33.01	Pass
			38	22.49	-0.20	22.29	<=33.01	Pass
			74	22.46	-0.20	22.26	<=33.01	Pass
		36	0	21.53	-0.20	21.33	<=33.01	Pass
			18	21.53	-0.20	21.33	<=33.01	Pass
			39	21.54	-0.20	21.34	<=33.01	Pass
		75	0	21.57	-0.20	21.37	<=33.01	Pass
			0	22.56	-0.20	22.36	<=33.01	Pass
			38	22.66	-0.20	22.46	<=33.01	Pass
	2605	1	74	22.78	-0.20	22.58	<=33.01	Pass
			0	21.69	-0.20	21.49	<=33.01	Pass
			18	21.71	-0.20	21.51	<=33.01	Pass
		36	39	21.74	-0.20	21.54	<=33.01	Pass
			0	21.72	-0.20	21.52	<=33.01	Pass
			0	23.25	-0.20	23.05	<=33.01	Pass
		75	38	23.46	-0.20	23.26	<=33.01	Pass
			74	23.43	-0.20	23.23	<=33.01	Pass
			0	22.25	-0.20	22.05	<=33.01	Pass
	2647.5	36	18	22.25	-0.20	22.05	<=33.01	Pass
			39	22.32	-0.20	22.12	<=33.01	Pass
		75	0	22.34	-0.20	22.14	<=33.01	Pass
16QAM	2562.5	1	0	21.40	-0.20	21.20	<=33.01	Pass
			38	21.49	-0.20	21.29	<=33.01	Pass
			74	21.45	-0.20	21.25	<=33.01	Pass
		36	0	20.49	-0.20	20.29	<=33.01	Pass
			18	20.61	-0.20	20.41	<=33.01	Pass
			39	20.65	-0.20	20.45	<=33.01	Pass
		75	0	20.58	-0.20	20.38	<=33.01	Pass
			0	21.49	-0.20	21.29	<=33.01	Pass
			38	21.67	-0.20	21.47	<=33.01	Pass
	2605	1	74	21.63	-0.20	21.43	<=33.01	Pass
			0	20.67	-0.20	20.47	<=33.01	Pass
			18	20.72	-0.20	20.52	<=33.01	Pass
		36	39	20.72	-0.20	20.52	<=33.01	Pass
			0	20.68	-0.20	20.48	<=33.01	Pass
		75	0	22.33	-0.20	22.13	<=33.01	Pass
			38	22.40	-0.20	22.20	<=33.01	Pass
			74	22.39	-0.20	22.19	<=33.01	Pass
	2647.5	36	0	21.27	-0.20	21.07	<=33.01	Pass
			18	21.28	-0.20	21.08	<=33.01	Pass
			39	21.34	-0.20	21.14	<=33.01	Pass
		75	0	21.28	-0.20	21.08	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B41_20MHz_EIRP

Band: 41 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2565	1	0	22.46	-0.20	22.26	<=33.01	Pass
			50	22.70	-0.20	22.50	<=33.01	Pass
			99	22.62	-0.20	22.42	<=33.01	Pass
		50	0	21.55	-0.20	21.35	<=33.01	Pass
			25	21.59	-0.20	21.39	<=33.01	Pass
			50	21.56	-0.20	21.36	<=33.01	Pass
		100	0	21.55	-0.20	21.35	<=33.01	Pass
			0	22.55	-0.20	22.35	<=33.01	Pass
			0	22.75	-0.20	22.55	<=33.01	Pass
	2605	1	0	22.55	-0.20	22.35	<=33.01	Pass
			50	22.75	-0.20	22.55	<=33.01	Pass
			99	22.71	-0.20	22.51	<=33.01	Pass
		50	0	21.67	-0.20	21.47	<=33.01	Pass
			25	21.73	-0.20	21.53	<=33.01	Pass
			50	21.80	-0.20	21.60	<=33.01	Pass
		100	0	21.72	-0.20	21.52	<=33.01	Pass
			0	23.09	-0.20	22.89	<=33.01	Pass
			0	23.33	-0.20	23.13	<=33.01	Pass
	2645	1	0	23.20	-0.20	23.00	<=33.01	Pass
			0	22.26	-0.20	22.06	<=33.01	Pass
			0	22.36	-0.20	22.16	<=33.01	Pass
		50	25	22.36	-0.20	22.16	<=33.01	Pass
			50	22.38	-0.20	22.18	<=33.01	Pass
		100	0	22.29	-0.20	22.09	<=33.01	Pass
			0	21.69	-0.20	21.49	<=33.01	Pass
			0	21.60	-0.20	21.40	<=33.01	Pass
			0	21.85	-0.20	21.65	<=33.01	Pass
16QAM	2565	1	0	21.69	-0.20	21.49	<=33.01	Pass
			50	21.60	-0.20	21.40	<=33.01	Pass
			99	21.85	-0.20	21.65	<=33.01	Pass
		50	0	20.58	-0.20	20.38	<=33.01	Pass
			25	20.54	-0.20	20.34	<=33.01	Pass
			50	20.60	-0.20	20.40	<=33.01	Pass
		100	0	20.56	-0.20	20.36	<=33.01	Pass
			0	21.68	-0.20	21.48	<=33.01	Pass
			0	21.86	-0.20	21.66	<=33.01	Pass
	2605	1	0	21.86	-0.20	21.66	<=33.01	Pass
			50	21.91	-0.20	21.71	<=33.01	Pass
			99	21.91	-0.20	21.71	<=33.01	Pass
		50	0	20.65	-0.20	20.45	<=33.01	Pass
			25	20.75	-0.20	20.55	<=33.01	Pass
			50	20.80	-0.20	20.60	<=33.01	Pass
		100	0	20.73	-0.20	20.53	<=33.01	Pass
			0	21.91	-0.20	21.71	<=33.01	Pass
			0	21.91	-0.20	21.71	<=33.01	Pass
	2645	1	0	22.05	-0.20	21.85	<=33.01	Pass
			50	22.15	-0.20	21.95	<=33.01	Pass
			99	22.15	-0.20	21.95	<=33.01	Pass
		50	0	21.28	-0.20	21.08	<=33.01	Pass
			25	21.29	-0.20	21.09	<=33.01	Pass
			50	21.26	-0.20	21.06	<=33.01	Pass
		100	0	21.25	-0.20	21.05	<=33.01	Pass
			0	21.25	-0.20	21.05	<=33.01	Pass
			0	21.25	-0.20	21.05	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2557.5	25	0	20	3.29	-9.427	-0.0037	-2.5 to 2.5	Pass
					3.87	-6.695	-0.0026	-2.5 to 2.5	Pass
					4.45	-5.136	-0.0020	-2.5 to 2.5	Pass
				-30	3.87	-1.159	-0.0005	-2.5 to 2.5	Pass
				-20	3.87	-7.110	-0.0028	-2.5 to 2.5	Pass
				-10	3.87	-3.862	-0.0015	-2.5 to 2.5	Pass
				0	3.87	3.963	0.0015	-2.5 to 2.5	Pass
				10	3.87	-10.915	-0.0043	-2.5 to 2.5	Pass
				30	3.87	-12.660	-0.0050	-2.5 to 2.5	Pass
				40	3.87	-8.812	-0.0034	-2.5 to 2.5	Pass
				50	3.87	2.232	0.0009	-2.5 to 2.5	Pass
	2605	25	0	20	3.29	9.499	0.0036	-2.5 to 2.5	Pass
					3.87	7.453	0.0029	-2.5 to 2.5	Pass
					4.45	5.894	0.0023	-2.5 to 2.5	Pass
				-30	3.87	-1.473	-0.0006	-2.5 to 2.5	Pass
				-20	3.87	6.223	0.0024	-2.5 to 2.5	Pass
				-10	3.87	-2.518	-0.0010	-2.5 to 2.5	Pass
				0	3.87	-8.583	-0.0033	-2.5 to 2.5	Pass
				10	3.87	-9.027	-0.0035	-2.5 to 2.5	Pass
				30	3.87	-6.065	-0.0023	-2.5 to 2.5	Pass
				40	3.87	-3.619	-0.0014	-2.5 to 2.5	Pass
				50	3.87	4.892	0.0019	-2.5 to 2.5	Pass
	2652.5	25	0	20	3.29	-9.913	-0.0037	-2.5 to 2.5	Pass
					3.87	-3.090	-0.0012	-2.5 to 2.5	Pass
					4.45	7.539	0.0028	-2.5 to 2.5	Pass
				-30	3.87	-8.740	-0.0033	-2.5 to 2.5	Pass
				-20	3.87	3.405	0.0013	-2.5 to 2.5	Pass
				-10	3.87	-0.687	-0.0003	-2.5 to 2.5	Pass
				0	3.87	2.303	0.0009	-2.5 to 2.5	Pass
				10	3.87	7.467	0.0028	-2.5 to 2.5	Pass
				30	3.87	6.452	0.0024	-2.5 to 2.5	Pass
				40	3.87	0.544	0.0002	-2.5 to 2.5	Pass
				50	3.87	-0.587	-0.0002	-2.5 to 2.5	Pass
16QAM	2557.5	25	0	20	3.29	3.333	0.0013	-2.5 to 2.5	Pass
					3.87	-5.779	-0.0023	-2.5 to 2.5	Pass
					4.45	-1.531	-0.0006	-2.5 to 2.5	Pass
				-30	3.87	9.599	0.0038	-2.5 to 2.5	Pass
				-20	3.87	5.937	0.0023	-2.5 to 2.5	Pass
				-10	3.87	-5.350	-0.0021	-2.5 to 2.5	Pass
				0	3.87	-9.513	-0.0037	-2.5 to 2.5	Pass
				10	3.87	5.651	0.0022	-2.5 to 2.5	Pass
				30	3.87	-2.918	-0.0011	-2.5 to 2.5	Pass
				40	3.87	7.253	0.0028	-2.5 to 2.5	Pass
				50	3.87	-9.127	-0.0036	-2.5 to 2.5	Pass
	2605	25	0	20	3.29	-7.381	-0.0028	-2.5 to 2.5	Pass
					3.87	2.832	0.0011	-2.5 to 2.5	Pass
					4.45	-3.819	-0.0015	-2.5 to 2.5	Pass
				-30	3.87	-0.300	-0.0001	-2.5 to 2.5	Pass
				-20	3.87	7.854	0.0030	-2.5 to 2.5	Pass
				-10	3.87	-11.029	-0.0042	-2.5 to 2.5	Pass

				0	3.87	-3.676	-0.0014	-2.5 to 2.5	Pass
				10	3.87	0.601	0.0002	-2.5 to 2.5	Pass
				30	3.87	40.183	0.0154	-2.5 to 2.5	Pass
				40	3.87	0.629	0.0002	-2.5 to 2.5	Pass
				50	3.87	3.605	0.0014	-2.5 to 2.5	Pass
	2652.5	25	0	20	3.29	2.074	0.0008	-2.5 to 2.5	Pass
					3.87	0.501	0.0002	-2.5 to 2.5	Pass
					4.45	0.329	0.0001	-2.5 to 2.5	Pass
				-30	3.87	-3.533	-0.0013	-2.5 to 2.5	Pass
				-20	3.87	0.772	0.0003	-2.5 to 2.5	Pass
				-10	3.87	-4.048	-0.0015	-2.5 to 2.5	Pass
				0	3.87	-12.617	-0.0048	-2.5 to 2.5	Pass
				10	3.87	-2.203	-0.0008	-2.5 to 2.5	Pass
				30	3.87	8.268	0.0031	-2.5 to 2.5	Pass
				40	3.87	-2.675	-0.0010	-2.5 to 2.5	Pass
				50	3.87	2.818	0.0011	-2.5 to 2.5	Pass

2.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2560	50	0	20	3.29	-5.794	-0.0023	-2.5 to 2.5	Pass
					3.87	3.061	0.0012	-2.5 to 2.5	Pass
					4.45	0.844	0.0003	-2.5 to 2.5	Pass
				-30	3.87	3.705	0.0014	-2.5 to 2.5	Pass
				-20	3.87	2.561	0.0010	-2.5 to 2.5	Pass
				-10	3.87	-1.173	-0.0005	-2.5 to 2.5	Pass
				0	3.87	1.917	0.0007	-2.5 to 2.5	Pass
				10	3.87	0.815	0.0003	-2.5 to 2.5	Pass
				30	3.87	2.031	0.0008	-2.5 to 2.5	Pass
				40	3.87	2.289	0.0009	-2.5 to 2.5	Pass
				50	3.87	2.360	0.0009	-2.5 to 2.5	Pass
	2605	50	0	20	3.29	5.293	0.0020	-2.5 to 2.5	Pass
					3.87	1.645	0.0006	-2.5 to 2.5	Pass
					4.45	-0.930	-0.0004	-2.5 to 2.5	Pass
				-30	3.87	-0.029	0.0000	-2.5 to 2.5	Pass
				-20	3.87	2.275	0.0009	-2.5 to 2.5	Pass
				-10	3.87	6.280	0.0024	-2.5 to 2.5	Pass
				0	3.87	5.679	0.0022	-2.5 to 2.5	Pass
				10	3.87	-1.788	-0.0007	-2.5 to 2.5	Pass
				30	3.87	-1.130	-0.0004	-2.5 to 2.5	Pass
				40	3.87	2.804	0.0011	-2.5 to 2.5	Pass
				50	3.87	4.520	0.0017	-2.5 to 2.5	Pass
	2650	50	0	20	3.29	-0.372	-0.0001	-2.5 to 2.5	Pass
					3.87	-3.419	-0.0013	-2.5 to 2.5	Pass
					4.45	0.486	0.0002	-2.5 to 2.5	Pass
				-30	3.87	4.835	0.0018	-2.5 to 2.5	Pass
				-20	3.87	7.153	0.0027	-2.5 to 2.5	Pass
				-10	3.87	5.007	0.0019	-2.5 to 2.5	Pass
				0	3.87	0.172	0.0001	-2.5 to 2.5	Pass
				10	3.87	-3.777	-0.0014	-2.5 to 2.5	Pass
				30	3.87	-1.044	-0.0004	-2.5 to 2.5	Pass
				40	3.87	-3.862	-0.0015	-2.5 to 2.5	Pass
16QAM	2560	50	0	20	3.29	4.134	0.0016	-2.5 to 2.5	Pass
					3.87	1.874	0.0007	-2.5 to 2.5	Pass
					4.45	4.978	0.0019	-2.5 to 2.5	Pass
				-30	3.87	5.078	0.0020	-2.5 to 2.5	Pass
				-20	3.87	2.718	0.0011	-2.5 to 2.5	Pass
				-10	3.87	1.316	0.0005	-2.5 to 2.5	Pass
				0	3.87	-3.605	-0.0014	-2.5 to 2.5	Pass
				10	3.87	5.093	0.0020	-2.5 to 2.5	Pass
				30	3.87	-7.753	-0.0030	-2.5 to 2.5	Pass
				40	3.87	-5.336	-0.0021	-2.5 to 2.5	Pass
				50	3.87	11.015	0.0043	-2.5 to 2.5	Pass
	2605	50	0	20	3.29	1.702	0.0007	-2.5 to 2.5	Pass
					3.87	-4.377	-0.0017	-2.5 to 2.5	Pass
					4.45	-3.476	-0.0013	-2.5 to 2.5	Pass
				-30	3.87	4.363	0.0017	-2.5 to 2.5	Pass
				-20	3.87	-6.466	-0.0025	-2.5 to 2.5	Pass
				-10	3.87	-1.960	-0.0008	-2.5 to 2.5	Pass
				0	3.87	6.638	0.0025	-2.5 to 2.5	Pass
				10	3.87	6.895	0.0026	-2.5 to 2.5	Pass
				30	3.87	4.306	0.0017	-2.5 to 2.5	Pass
				40	3.87	6.194	0.0024	-2.5 to 2.5	Pass
				50	3.87	5.736	0.0022	-2.5 to 2.5	Pass

	2650	50	0	20	3.29	8.068	0.0030	-2.5 to 2.5	Pass
					3.87	1.888	0.0007	-2.5 to 2.5	Pass
					4.45	2.189	0.0008	-2.5 to 2.5	Pass
				-30	3.87	1.245	0.0005	-2.5 to 2.5	Pass
				-20	3.87	4.563	0.0017	-2.5 to 2.5	Pass
				-10	3.87	0.501	0.0002	-2.5 to 2.5	Pass
				0	3.87	-1.402	-0.0005	-2.5 to 2.5	Pass
				10	3.87	2.475	0.0009	-2.5 to 2.5	Pass
				30	3.87	1.073	0.0004	-2.5 to 2.5	Pass
				40	3.87	-5.808	-0.0022	-2.5 to 2.5	Pass
				50	3.87	3.233	0.0012	-2.5 to 2.5	Pass

2.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2562.5	75	0	20	3.29	-2.389	-0.0009	-2.5 to 2.5	Pass
					3.87	1.788	0.0007	-2.5 to 2.5	Pass
					4.45	4.435	0.0017	-2.5 to 2.5	Pass
				-30	3.87	-0.057	0.0000	-2.5 to 2.5	Pass
				-20	3.87	2.360	0.0009	-2.5 to 2.5	Pass
				-10	3.87	4.506	0.0018	-2.5 to 2.5	Pass
				0	3.87	4.177	0.0016	-2.5 to 2.5	Pass
				10	3.87	-2.532	-0.0010	-2.5 to 2.5	Pass
				30	3.87	7.138	0.0028	-2.5 to 2.5	Pass
				40	3.87	5.622	0.0022	-2.5 to 2.5	Pass
				50	3.87	2.432	0.0009	-2.5 to 2.5	Pass
	2605	75	0	20	3.29	3.090	0.0012	-2.5 to 2.5	Pass
					3.87	3.119	0.0012	-2.5 to 2.5	Pass
					4.45	8.955	0.0034	-2.5 to 2.5	Pass
				-30	3.87	5.021	0.0019	-2.5 to 2.5	Pass
				-20	3.87	2.589	0.0010	-2.5 to 2.5	Pass
				-10	3.87	-4.077	-0.0016	-2.5 to 2.5	Pass
				0	3.87	4.692	0.0018	-2.5 to 2.5	Pass
				10	3.87	5.808	0.0022	-2.5 to 2.5	Pass
				30	3.87	5.736	0.0022	-2.5 to 2.5	Pass
				40	3.87	-0.029	0.0000	-2.5 to 2.5	Pass
				50	3.87	3.262	0.0013	-2.5 to 2.5	Pass
	2647.5	75	0	20	3.29	-0.544	-0.0002	-2.5 to 2.5	Pass
					3.87	2.146	0.0008	-2.5 to 2.5	Pass
					4.45	-2.575	-0.0010	-2.5 to 2.5	Pass
				-30	3.87	0.401	0.0002	-2.5 to 2.5	Pass
				-20	3.87	2.089	0.0008	-2.5 to 2.5	Pass
				-10	3.87	7.725	0.0029	-2.5 to 2.5	Pass
				0	3.87	-4.392	-0.0017	-2.5 to 2.5	Pass
				10	3.87	4.306	0.0016	-2.5 to 2.5	Pass
				30	3.87	-1.473	-0.0006	-2.5 to 2.5	Pass
				40	3.87	-2.961	-0.0011	-2.5 to 2.5	Pass
16QAM	2562.5	75	0	20	3.29	3.862	0.0015	-2.5 to 2.5	Pass
					3.87	1.416	0.0006	-2.5 to 2.5	Pass
					4.45	7.353	0.0029	-2.5 to 2.5	Pass
				-30	3.87	5.407	0.0021	-2.5 to 2.5	Pass
				-20	3.87	-2.875	-0.0011	-2.5 to 2.5	Pass
				-10	3.87	4.063	0.0016	-2.5 to 2.5	Pass
				0	3.87	2.546	0.0010	-2.5 to 2.5	Pass
				10	3.87	-0.186	-0.0001	-2.5 to 2.5	Pass
				30	3.87	7.739	0.0030	-2.5 to 2.5	Pass
				40	3.87	-1.731	-0.0007	-2.5 to 2.5	Pass
				50	3.87	-2.060	-0.0008	-2.5 to 2.5	Pass
	2605	75	0	20	3.29	-3.233	-0.0012	-2.5 to 2.5	Pass
					3.87	8.068	0.0031	-2.5 to 2.5	Pass
					4.45	4.163	0.0016	-2.5 to 2.5	Pass
				-30	3.87	3.848	0.0015	-2.5 to 2.5	Pass
				-20	3.87	3.262	0.0013	-2.5 to 2.5	Pass
				-10	3.87	2.031	0.0008	-2.5 to 2.5	Pass
				0	3.87	8.855	0.0034	-2.5 to 2.5	Pass
				10	3.87	2.174	0.0008	-2.5 to 2.5	Pass
				30	3.87	4.535	0.0017	-2.5 to 2.5	Pass
				40	3.87	6.108	0.0023	-2.5 to 2.5	Pass
				50	3.87	6.237	0.0024	-2.5 to 2.5	Pass

	2647.5	75	0	20	3.29	1.187	0.0004	-2.5 to 2.5	Pass
					3.87	2.089	0.0008	-2.5 to 2.5	Pass
					4.45	5.035	0.0019	-2.5 to 2.5	Pass
				-30	3.87	4.978	0.0019	-2.5 to 2.5	Pass
				-20	3.87	1.631	0.0006	-2.5 to 2.5	Pass
				-10	3.87	-3.133	-0.0012	-2.5 to 2.5	Pass
				0	3.87	1.287	0.0005	-2.5 to 2.5	Pass
				10	3.87	2.861	0.0011	-2.5 to 2.5	Pass
				30	3.87	-2.089	-0.0008	-2.5 to 2.5	Pass
				40	3.87	4.921	0.0019	-2.5 to 2.5	Pass
				50	3.87	-1.259	-0.0005	-2.5 to 2.5	Pass

2.1.4 B41_20MHz

Band: 41 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2565	100	0	20	3.29	1.059	0.0004	-2.5 to 2.5	Pass
					3.87	3.748	0.0015	-2.5 to 2.5	Pass
					4.45	-2.990	-0.0012	-2.5 to 2.5	Pass
				-30	3.87	2.375	0.0009	-2.5 to 2.5	Pass
				-20	3.87	-0.615	-0.0002	-2.5 to 2.5	Pass
				-10	3.87	3.934	0.0015	-2.5 to 2.5	Pass
				0	3.87	5.021	0.0020	-2.5 to 2.5	Pass
				10	3.87	6.680	0.0026	-2.5 to 2.5	Pass
				30	3.87	3.562	0.0014	-2.5 to 2.5	Pass
				40	3.87	-2.446	-0.0010	-2.5 to 2.5	Pass
				50	3.87	-2.260	-0.0009	-2.5 to 2.5	Pass
	2605	100	0	20	3.29	1.116	0.0004	-2.5 to 2.5	Pass
					3.87	2.604	0.0010	-2.5 to 2.5	Pass
					4.45	1.802	0.0007	-2.5 to 2.5	Pass
				-30	3.87	2.775	0.0011	-2.5 to 2.5	Pass
				-20	3.87	5.293	0.0020	-2.5 to 2.5	Pass
				-10	3.87	2.861	0.0011	-2.5 to 2.5	Pass
				0	3.87	4.263	0.0016	-2.5 to 2.5	Pass
				10	3.87	2.060	0.0008	-2.5 to 2.5	Pass
				30	3.87	4.950	0.0019	-2.5 to 2.5	Pass
				40	3.87	-2.403	-0.0009	-2.5 to 2.5	Pass
				50	3.87	-1.431	-0.0005	-2.5 to 2.5	Pass
	2645	100	0	20	3.29	-2.003	-0.0008	-2.5 to 2.5	Pass
					3.87	1.631	0.0006	-2.5 to 2.5	Pass
					4.45	1.688	0.0006	-2.5 to 2.5	Pass
				-30	3.87	-0.887	-0.0003	-2.5 to 2.5	Pass
				-20	3.87	0.100	0.0000	-2.5 to 2.5	Pass
				-10	3.87	-2.961	-0.0011	-2.5 to 2.5	Pass
				0	3.87	-7.439	-0.0028	-2.5 to 2.5	Pass
				10	3.87	1.259	0.0005	-2.5 to 2.5	Pass
				30	3.87	1.202	0.0005	-2.5 to 2.5	Pass
				40	3.87	-2.947	-0.0011	-2.5 to 2.5	Pass
16QAM	2565	100	0	20	3.29	-0.687	-0.0003	-2.5 to 2.5	Pass
					3.87	0.300	0.0001	-2.5 to 2.5	Pass
					4.45	2.289	0.0009	-2.5 to 2.5	Pass
				-30	3.87	-3.905	-0.0015	-2.5 to 2.5	Pass
				-20	3.87	3.848	0.0015	-2.5 to 2.5	Pass
				-10	3.87	5.436	0.0021	-2.5 to 2.5	Pass
				0	3.87	5.350	0.0021	-2.5 to 2.5	Pass
				10	3.87	6.480	0.0025	-2.5 to 2.5	Pass
				30	3.87	4.535	0.0018	-2.5 to 2.5	Pass
				40	3.87	-3.576	-0.0014	-2.5 to 2.5	Pass
				50	3.87	1.903	0.0007	-2.5 to 2.5	Pass
	2605	100	0	20	3.29	3.304	0.0013	-2.5 to 2.5	Pass
					3.87	3.819	0.0015	-2.5 to 2.5	Pass
					4.45	1.903	0.0007	-2.5 to 2.5	Pass
				-30	3.87	-2.117	-0.0008	-2.5 to 2.5	Pass
				-20	3.87	-1.945	-0.0007	-2.5 to 2.5	Pass
				-10	3.87	-2.747	-0.0011	-2.5 to 2.5	Pass
				0	3.87	5.078	0.0019	-2.5 to 2.5	Pass
				10	3.87	5.035	0.0019	-2.5 to 2.5	Pass
				30	3.87	5.636	0.0022	-2.5 to 2.5	Pass
				40	3.87	-0.787	-0.0003	-2.5 to 2.5	Pass
				50	3.87	0.629	0.0002	-2.5 to 2.5	Pass

	2645	100	0	20	3.29	-6.652	-0.0025	-2.5 to 2.5	Pass
					3.87	1.659	0.0006	-2.5 to 2.5	Pass
					4.45	0.329	0.0001	-2.5 to 2.5	Pass
				-30	3.87	2.031	0.0008	-2.5 to 2.5	Pass
				-20	3.87	-0.629	-0.0002	-2.5 to 2.5	Pass
				-10	3.87	-0.300	-0.0001	-2.5 to 2.5	Pass
				0	3.87	2.718	0.0010	-2.5 to 2.5	Pass
				10	3.87	-1.345	-0.0005	-2.5 to 2.5	Pass
				30	3.87	1.445	0.0005	-2.5 to 2.5	Pass
				40	3.87	0.672	0.0003	-2.5 to 2.5	Pass
				50	3.87	3.605	0.0014	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2605	25	0	Refer To Test Graph		Pass
16QAM	2605	25	0	Refer To Test Graph		Pass

3.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2605	50	0	Refer To Test Graph		Pass
16QAM	2605	50	0	Refer To Test Graph		Pass

3.1.3 B41_15MHz


Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2605	75	0	Refer To Test Graph		Pass
16QAM	2605	75	0	Refer To Test Graph		Pass

3.1.4 B41_20MHz


Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2605	100	0	Refer To Test Graph		Pass
16QAM	2605	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B41_5MHz




3.2.2 B41_10MHz



3.2.3 B41_15MHz



3.2.4 B41_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band41_OBW

Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2557.5	25	0	4.557	/	Pass
		2605	25	0	4.567	/	Pass
		2652.5	25	0	4.560	/	Pass
	16QAM	2557.5	25	0	4.556	/	Pass
		2605	25	0	4.557	/	Pass
		2652.5	25	0	4.546	/	Pass
10	QPSK	2560	50	0	9.078	/	Pass
		2605	50	0	9.082	/	Pass
		2650	50	0	9.061	/	Pass
	16QAM	2560	50	0	9.094	/	Pass
		2605	50	0	9.058	/	Pass
		2650	50	0	9.077	/	Pass
15	QPSK	2562.5	75	0	13.536	/	Pass
		2605	75	0	13.606	/	Pass
		2647.5	75	0	13.624	/	Pass
	16QAM	2562.5	75	0	13.610	/	Pass
		2605	75	0	13.603	/	Pass
		2647.5	75	0	13.629	/	Pass
20	QPSK	2565	100	0	18.125	/	Pass
		2605	100	0	18.095	/	Pass
		2645	100	0	18.102	/	Pass
	16QAM	2565	100	0	18.113	/	Pass
		2605	100	0	18.125	/	Pass
		2645	100	0	18.082	/	Pass

4.1.2 Band41_XDB


Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2557.5	25	0	5.516	/	Pass
		2605	25	0	5.645	/	Pass
		2652.5	25	0	5.074	/	Pass
	16QAM	2557.5	25	0	5.117	/	Pass
		2605	25	0	5.161	/	Pass
		2652.5	25	0	5.126	/	Pass
10	QPSK	2560	50	0	10.620	/	Pass
		2605	50	0	10.978	/	Pass
		2650	50	0	10.994	/	Pass
	16QAM	2560	50	0	11.604	/	Pass
		2605	50	0	11.426	/	Pass
		2650	50	0	10.233	/	Pass
15	QPSK	2562.5	75	0	15.956	/	Pass
		2605	75	0	15.752	/	Pass
		2647.5	75	0	17.519	/	Pass
	16QAM	2562.5	75	0	15.677	/	Pass
		2605	75	0	15.558	/	Pass
		2647.5	75	0	20.752	/	Pass
20	QPSK	2565	100	0	20.322	/	Pass




		2605	100	0	20.857	/	Pass
		2645	100	0	20.694	/	Pass
	16QAM	2565	100	0	19.750	/	Pass
		2605	100	0	21.336	/	Pass
		2645	100	0	20.296	/	Pass

4.2 Test Graph


4.2.1 Band41_OBW




Band41_5MHz_QPSK_HCH_2652.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2557.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_MCH_2605MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2652.5MHz_RB_25_0_NTNV




Band41_10MHz_QPSK_LCH_2560MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2605MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_HCH_2650MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2560MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_MCH_2605MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_HCH_2650MHz_RB_50_0_NTNV




Band41_15MHz_QPSK_LCH_2562.5MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_MCH_2605MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_HCH_2647.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2562.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_MCH_2605MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_HCH_2647.5MHz_RB_75_0_NTNV




Band41_20MHz_QPSK_LCH_2565MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_MCH_2605MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_HCH_2645MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_LCH_2565MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_MCH_2605MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_HCH_2645MHz_RB_100_0_NTNV




4.2.2 Band41_XDB


Band41 5MHz QPSK LCH 2557.5MHz RB 25 0 NTNV




Band41 5MHz QPSK MCH 2605MHz RB 25 0 NTNV




Band41_5MHz_QPSK_HCH_2652.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2557.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_MCH_2605MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2652.5MHz_RB_25_0_NTNV




Band41_10MHz_QPSK_LCH_2560MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2605MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_HCH_2650MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2560MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_MCH_2605MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_HCH_2650MHz_RB_50_0_NTNV




Band41_15MHz_QPSK_LCH_2562.5MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_MCH_2605MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_HCH_2647.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2562.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_MCH_2605MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_HCH_2647.5MHz_RB_75_0_NTNV




Band41_20MHz_QPSK_LCH_2565MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_MCH_2605MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_HCH_2645MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_LCH_2565MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_MCH_2605MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_HCH_2645MHz_RB_100_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2557.5	25	0	7.67	<=13	Pass
	2605	25	0	7.15	<=13	Pass
	2652.5	25	0	7.16	<=13	Pass
16QAM	2557.5	25	0	8.33	<=13	Pass
	2605	25	0	7.91	<=13	Pass
	2652.5	25	0	7.90	<=13	Pass

5.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2560	50	0	7.64	<=13	Pass
	2605	50	0	7.29	<=13	Pass
	2650	50	0	7.17	<=13	Pass
16QAM	2560	50	0	8.49	<=13	Pass
	2605	50	0	8.00	<=13	Pass
	2650	50	0	7.87	<=13	Pass

5.1.3 B41_15MHz


Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2562.5	75	0	7.40	<=13	Pass
	2605	75	0	7.15	<=13	Pass
	2647.5	75	0	7.12	<=13	Pass
16QAM	2562.5	75	0	8.18	<=13	Pass
	2605	75	0	8.24	<=13	Pass
	2647.5	75	0	8.15	<=13	Pass

5.1.4 B41_20MHz


Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2565	100	0	7.76	<=13	Pass
	2605	100	0	7.70	<=13	Pass
	2645	100	0	7.64	<=13	Pass
16QAM	2565	100	0	8.76	<=13	Pass
	2605	100	0	8.45	<=13	Pass
	2645	100	0	8.63	<=13	Pass

5.2 Test Graph


5.2.1 B41_5MHz




Band41_5MHz_QPSK_HCH_2652.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2557.5MHz_RB_25_0_NTNV



Band41_5MHz_16QAM_MCH_2605MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2652.5MHz_RB_25_0_NTNV




5.2.2 B41_10MHz


Band41 10MHz QPSK LCH 2560MHz RB 50 0 NTV




Band41 10MHz QPSK MCH 2605MHz RB 50 0 NTV




Band41_10MHz_QPSK_HCH_2650MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2560MHz_RB_50_0_NTNV



Band41_10MHz_16QAM_MCH_2605MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_HCH_2650MHz_RB_50_0_NTNV




5.2.3 B41_15MHz


Band41 15MHz QPSK LCH 2562.5MHz RB 75 0 NTNV




Band41 15MHz QPSK MCH 2605MHz RB 75 0 NTNV




Band41_15MHz_QPSK_HCH_2647.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2562.5MHz_RB_75_0_NTNV



Band41_15MHz_16QAM_MCH_2605MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_HCH_2647.5MHz_RB_75_0_NTNV




5.2.4 B41_20MHz


Band41 20MHz QPSK LCH 2565MHz RB 100 0 NTNV



Band41 20MHz QPSK MCH 2605MHz RB 100 0 NTNV



Band41_20MHz_QPSK_HCH_2645MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_LCH_2565MHz_RB_100_0_NTNV

