

HONANT

承 认 书

SPECIFICATION FOR APPROVAL

客户名称 Customer name:

产品机型 Product Model:

客户料號 Risuntek P/N:

版本 Version:

零件名称 Prodcut Name:

产品描述 Description:

日期 Date:

W30

2004-W30020FPCR

A1


W30-BT-FPC

Black W30-FPC-R electrolytic copper, half-to-half,
gold-plated 3M adhesive, 14.8*8.31*0.1MM (white
silk-screen: RW30-A1)


2025-7-14

Manufacturer: Shenzhen Piesifen Technology Co., Ltd.
Address: Building 1, Factory, Second Floor, Tianxin Residents' Group,
Shangwu Community, Shenzhen Bao'an District

二、产品图纸




1、Matching circuit diagram



R		
Main Antenna		
Element		
E1(0201)	N/C	
E2(0201)	0Ω	
E3(0201)	3PF	

2.S11



3. Passive efficiency

R-FS			
MHz	dBi	db	Effi
2400	-2.31	-8.35	14.62
2410	-2.17	-8.15	15.33
2420	-1.2	-7.8	16.61
2430	-1.09	-7.38	18.26
2440	-1.41	-7.34	18.44
2450	-1.25	-7.49	17.83
2460	-1.37	-7.69	17.04
2470	-1.35	-7.82	16.51
2480	-1.31	-7.97	15.95

