







Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	1.17	<=21	Pass
NVNT	1-DH5	2441	-1.27	<=21	Pass
NVNT	1-DH5	2480	0.95	<=21	Pass
NVNT	2-DH5	2402	2.52	<=21	Pass
NVNT	2-DH5	2441	1.35	<=21	Pass
NVNT	2-DH5	2480	0.77	<=21	Pass
NVNT	3-DH5	2402	2.69	<=21	Pass
NVNT	3-DH5	2441	1.27	<=21	Pass
NVNT	3-DH5	2480	0.87	<=21	Pass















**-20dB Bandwidth**


Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.9546	Pass
NVNT	1-DH5	2441	1.028	Pass
NVNT	1-DH5	2480	1.008	Pass
NVNT	2-DH5	2402	1.325	Pass
NVNT	2-DH5	2441	1.32	Pass
NVNT	2-DH5	2480	1.285	Pass
NVNT	3-DH5	2402	1.304	Pass
NVNT	3-DH5	2441	1.296	Pass
NVNT	3-DH5	2480	1.303	Pass
















Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2401.84	2402.818	0.978	≥ 0.636	Pass
NVNT	1-DH5	2440.828	2442.145	1.317	≥ 0.685	Pass
NVNT	1-DH5	2478.813	2480.145	1.332	≥ 0.672	Pass
NVNT	2-DH5	2401.918	2402.983	1.065	≥ 0.883	Pass
NVNT	2-DH5	2440.846	2442.151	1.305	≥ 0.88	Pass
NVNT	2-DH5	2479.113	2480.091	0.978	≥ 0.857	Pass
NVNT	3-DH5	2401.837	2402.788	0.951	≥ 0.869	Pass
NVNT	3-DH5	2441.176	2442.127	0.951	≥ 0.864	Pass
NVNT	3-DH5	2478.846	2479.827	0.981	≥ 0.869	Pass















Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass
NVNT	3-DH5	79	≥ 15	Pass











Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-55.13	≤ -20	Pass
NVNT	1-DH5	2480	No-Hopping	-54.6	≤ -20	Pass
NVNT	2-DH5	2402	No-Hopping	-51.5	≤ -20	Pass
NVNT	2-DH5	2480	No-Hopping	-55.06	≤ -20	Pass
NVNT	3-DH5	2402	No-Hopping	-51.04	≤ -20	Pass
NVNT	3-DH5	2480	No-Hopping	-52.7	≤ -20	Pass



















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-55.71	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-48.1	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-53.85	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-52.22	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-55.86	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-55.27	<=-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-44.34	<=-20	Pass
NVNT	1-DH5	2441	-42.08	<=-20	Pass
NVNT	1-DH5	2480	-44.32	<=-20	Pass
NVNT	2-DH5	2402	-43.94	<=-20	Pass
NVNT	2-DH5	2441	-43.26	<=-20	Pass
NVNT	2-DH5	2480	-42.94	<=-20	Pass
NVNT	3-DH5	2402	-44.33	<=-20	Pass
NVNT	3-DH5	2441	-42.7	<=-20	Pass
NVNT	3-DH5	2480	-42.74	<=-20	Pass
























APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****