



U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.13	74.0	16.87	Peak	326.00	100	Horizontal	Pass
1**	5350.000	45.39	54.0	8.61	AV	326.00	100	Horizontal	Pass
2	5378.050	57.95	74.0	16.05	Peak	34.00	100	Horizontal	Pass
2**	5378.050	45.34	54.0	8.66	AV	34.00	100	Horizontal	Pass
3	5369.067	55.10	74.0	18.90	Peak	19.00	100	Horizontal	Pass
3**	5369.067	45.78	54.0	8.22	AV	19.00	100	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.875	60.09	74.0	13.91	Peak	110.00	400	Horizontal	Pass
1**	5141.875	49.27	54.0	4.73	AV	110.00	400	Horizontal	Pass
2	5150.000	58.25	74.0	15.75	Peak	110.00	100	Horizontal	Pass
2**	5150.000	49.56	54.0	4.44	AV	110.00	100	Horizontal	Pass
3	5135.050	58.24	74.0	15.76	Peak	162.00	100	Horizontal	Pass
3**	5135.050	49.88	54.0	4.12	AV	162.00	100	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.96	74.0	18.04	Peak	318.00	100	Horizontal	Pass
1**	5350.000	45.57	54.0	8.43	AV	318.00	100	Horizontal	Pass
2	5351.467	57.43	74.0	16.57	Peak	11.00	300	Horizontal	Pass
2**	5351.467	45.63	54.0	8.37	AV	11.00	300	Horizontal	Pass
3	5459.083	56.35	74.0	17.65	Peak	2.00	100	Horizontal	Pass
3**	5459.083	46.02	54.0	7.98	AV	2.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.575	58.05	74.0	15.95	Peak	30.00	100	Horizontal	Pass
1**	5140.575	47.34	54.0	6.66	AV	30.00	100	Horizontal	Pass
2	5150.000	56.43	74.0	17.57	Peak	114.00	300	Horizontal	Pass
2**	5150.000	47.63	54.0	6.37	AV	114.00	300	Horizontal	Pass
3	5130.500	56.43	74.0	17.57	Peak	44.00	100	Horizontal	Pass
3**	5130.500	47.65	54.0	6.35	AV	44.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.71	74.0	17.29	Peak	161.00	100	Horizontal	Pass
1**	5350.000	45.42	54.0	8.58	AV	161.00	100	Horizontal	Pass
2	5402.250	57.44	74.0	16.56	Peak	152.00	300	Horizontal	Pass
2**	5402.250	45.30	54.0	8.70	AV	152.00	300	Horizontal	Pass
3	5448.267	56.00	74.0	18.00	Peak	251.00	100	Horizontal	Pass
3**	5448.267	45.79	54.0	8.21	AV	251.00	100	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	60.87	74.0	13.13	Peak	119.00	400	Horizontal	Pass
1**	5149.025	49.78	54.0	4.22	AV	119.00	400	Horizontal	Pass
2	5150.000	60.95	74.0	13.05	Peak	120.00	300	Horizontal	Pass
2**	5150.000	49.83	54.0	4.17	AV	120.00	300	Horizontal	Pass
3	5149.350	58.48	74.0	15.52	Peak	120.00	100	Horizontal	Pass
3**	5149.350	50.48	54.0	3.52	AV	120.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.40	74.0	17.60	Peak	178.00	200	Horizontal	Pass
1**	5350.000	45.54	54.0	8.46	AV	178.00	200	Horizontal	Pass
2	5451.567	57.42	74.0	16.58	Peak	313.00	300	Horizontal	Pass
2**	5451.567	45.48	54.0	8.52	AV	313.00	300	Horizontal	Pass
3	5457.983	55.81	74.0	18.19	Peak	160.00	100	Horizontal	Pass
3**	5457.983	46.08	54.0	7.92	AV	160.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.075	58.85	74.0	15.15	Peak	117.00	200	Horizontal	Pass
1**	5147.075	47.50	54.0	6.50	AV	117.00	200	Horizontal	Pass
2	5150.000	57.33	74.0	16.67	Peak	128.00	100	Horizontal	Pass
2**	5150.000	47.78	54.0	6.22	AV	128.00	100	Horizontal	Pass
3	5147.725	56.43	74.0	17.57	Peak	132.00	100	Horizontal	Pass
3**	5147.725	47.92	54.0	6.08	AV	132.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.77	74.0	18.23	Peak	310.00	400	Horizontal	Pass
1**	5350.000	45.43	54.0	8.57	AV	310.00	400	Horizontal	Pass
2	5391.067	57.63	74.0	16.37	Peak	358.00	400	Horizontal	Pass
2**	5391.067	45.52	54.0	8.48	AV	358.00	400	Horizontal	Pass
3	5374.200	55.37	74.0	18.63	Peak	236.00	100	Horizontal	Pass
3**	5374.200	45.79	54.0	8.21	AV	236.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	60.27	74.0	13.73	Peak	109.00	200	Horizontal	Pass
1**	5146.100	49.66	54.0	4.34	AV	109.00	200	Horizontal	Pass
2	5150.000	58.54	74.0	15.46	Peak	115.00	200	Horizontal	Pass
2**	5150.000	50.51	54.0	3.49	AV	115.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.86	74.0	18.14	Peak	276.00	200	Horizontal	Pass
1**	5350.000	45.53	54.0	8.47	AV	276.00	200	Horizontal	Pass
2	5375.850	57.90	74.0	16.10	Peak	24.00	100	Horizontal	Pass
2**	5375.850	45.62	54.0	8.38	AV	24.00	100	Horizontal	Pass
3	5458.350	55.98	74.0	18.02	Peak	150.00	100	Horizontal	Pass
3**	5458.350	46.27	54.0	7.73	AV	150.00	100	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5618.334	57.83	68.2	10.37	Peak	279.00	200	Horizontal	Pass
2	5650.000	55.92	68.2	12.28	Peak	0.00	300	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.27	68.2	10.93	Peak	230.00	100	Horizontal	Pass
2	5942.000	58.82	68.2	9.38	Peak	230.00	300	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.375	58.28	68.2	9.92	Peak	356.00	400	Horizontal	Pass
2	5650.000	56.32	68.2	11.88	Peak	24.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.12	68.2	10.08	Peak	241.00	100	Horizontal	Pass
2	5999.500	58.85	68.2	9.35	Peak	282.00	400	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5607.291	57.66	68.2	10.54	Peak	14.00	100	Horizontal	Pass
2	5650.000	56.57	68.2	11.63	Peak	358.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.12	68.2	10.08	Peak	112.00	100	Horizontal	Pass
2	5937.250	59.15	68.2	9.05	Peak	10.00	400	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.625	58.08	68.2	10.12	Peak	300.00	400	Horizontal	Pass
2	5650.000	56.49	68.2	11.71	Peak	67.00	200	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.02	68.2	11.18	Peak	96.00	100	Horizontal	Pass
2	5930.750	59.16	68.2	9.04	Peak	356.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.500	58.34	68.2	9.86	Peak	0.00	200	Horizontal	Pass
2	5650.000	56.67	68.2	11.53	Peak	353.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.56	68.2	10.64	Peak	213.00	100	Horizontal	Pass
2	5939.000	58.94	68.2	9.26	Peak	169.00	300	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5615.416	57.56	68.2	10.64	Peak	6.00	300	Horizontal	Pass
2	5650.000	56.06	68.2	12.14	Peak	184.00	300	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.08	68.2	11.12	Peak	43.00	100	Horizontal	Pass
2	5936.500	59.03	68.2	9.17	Peak	166.00	300	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.084	58.42	68.2	9.78	Peak	360.00	200	Horizontal	Pass
2	5650.000	57.02	68.2	11.18	Peak	313.00	300	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.00	68.2	10.20	Peak	0.00	100	Horizontal	Pass
2	5938.000	59.20	68.2	9.00	Peak	318.00	400	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26060416-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26060416-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26060416-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--