

	Radiated Emission Test Record	No.:	TR4-01
		Version:	2023.08.15

Work Number	P-CC26070315		
Test Standards	47 CFR Part 15 Subpart B		
EUT Name	Tablet	Model Name	Link 5
Serial Number	S06	Remark	N.A
Lab Name	Shenzhen BALUN Technology Co., Ltd.		
Lab Address	1/F, Building B, Ganghongji High-Tech Intelligent Industrial Park, No.1008, Songbai Road, Yangguang Community, Xili Subdistrict, Nanshan District, Shenzhen, Guangdong Province, P. R. China		

Equipment Information						
Equipment Name	Supplier	Model	Serial No.	Cal. Date	Cal. Due	Use
Frequency Below 1 GHz						
EMI Receiver	Keysight	N9038A	MY55330121	2025.12.26	2026.12.25	☒
Test Antenna-Bi-Log	SCHWARZBECK	VULB 9163	01414	2023.11.03	2026.11.02	☒
Anechoic Chamber	EMC Electronic Co., Ltd	C8-966	107	2024.05.12	2027.05.11	☒
Description	Supplier	Name	Version	/		Use
Test Software	BALUN	BL410-E	V22.4 en	/		☒
Frequency Above 1 GHz						
EMI Receiver	Keysight	N9038A	MY55330121	2025.12.26	2026.12.25	☒
Test Antenna-Horn	SCHWARZBECK	BBHA 9120D	02459	2023.10.26	2026.10.25	☒
Anechoic Chamber	EMC Electronic Co., Ltd	C8-966	107	2024.05.12	2027.05.11	☒
Description	Supplier	Name	Version	/		Use
Test Software	BALUN	BL410-E	V22.4 en	/		☒

Test Data:

Worst Mode:Mode2

1) Test Antenna Vertical, 30 MHz – 1 GHz

Project Number: P-CC26070315

Test Time: 2026-07-22_17.36.51

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Link 5

Humidity (%RH): 45

Sample Number: S06

Pressure(kPa): 100.3

Test Standard: 47 CFR Part 15 Subpart B

Work Mode: Rear Camear


Test Site: 3m-1

Remark1: 120V+Adapte-A06+Cable-A07+
3.5mm Earphone

Test Engineer: Zhong Pingqi

Remark2: N.A

RE Test case_FCC Part 15B_FCC Part 15B Class B 30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	46.733	23.38	-25.45	40.0	16.62	Peak	343.00	100	Vertical	Pass
2	96.930	26.76	-26.26	43.5	16.74	Peak	10.00	100	Vertical	Pass
3	192.184	31.21	-25.82	43.5	12.29	Peak	314.00	200	Vertical	Pass
4	281.958	28.54	-23.73	46.0	17.46	Peak	2.00	200	Vertical	Pass
5	624.028	33.80	-15.01	46.0	12.20	Peak	122.00	100	Vertical	Pass
6	792.032	33.61	-11.17	46.0	12.39	Peak	298.00	100	Vertical	Pass

2) Test Antenna Horizontal, 30 MHz – 1 GHz

Project Number: P-CC26070315

Test Time: 2026-07-22_17.38.46

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Link 5	Humidity (%RH):	45
Sample Number:	S06	Pressure(kPa):	100.3
Test Standard:	47 CFR Part 15 Subpart B	Work Mode:	Rear Camear
Test Site:	3m-1	Remark1:	120V+Adapte-A06+Cable-A07+ 3.5mm Earphone
Test Engineer:	Zhong Pingqi	Remark2:	N.A




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	99.210	20.76	-25.86	43.5	22.74	Peak	136.00	200	Horizontal	Pass
2	194.803	34.80	-25.42	43.5	8.70	Peak	47.00	100	Horizontal	Pass
3	240.830	30.69	-24.52	46.0	15.31	Peak	62.00	100	Horizontal	Pass
4	288.796	31.71	-23.34	46.0	14.29	Peak	62.00	100	Horizontal	Pass
5	605.161	36.73	-15.02	46.0	9.27	Peak	205.00	100	Horizontal	Pass
6	791.984	35.80	-11.17	46.0	10.20	Peak	142.00	100	Horizontal	Pass

3) Test Antenna Vertical, 1 GHz – 18 GHz

Project Number: P-CC26070315

Test Time: 2026-07-22_17.40.57

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Link 5	Humidity (%RH):	45
Sample Number:	S06	Pressure(kPa):	100.3
Test Standard:	47 CFR Part 15 Subpart B	Work Mode:	Rear Camear
Test Site:	3m-1	Remark1:	120V+Adapte-A06+Cable-A07+ 3.5mm Earphone
Test Engineer:	Zhong Pingqi	Remark2:	N.A



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.700	38.77	-17.95	74.0	35.23	Peak	340.00	100	Vertical	Pass
1**	1583.700	32.06	-17.95	54.0	21.94	AV	340.00	100	Vertical	Pass
2	2376.310	44.76	-13.94	74.0	29.24	Peak	234.00	100	Vertical	Pass
2**	2376.310	40.76	-13.94	54.0	13.24	AV	234.00	100	Vertical	Pass
3	4744.780	47.89	-4.59	74.0	26.11	Peak	113.00	100	Vertical	Pass
3**	4744.780	38.09	-4.59	54.0	15.91	AV	113.00	100	Vertical	Pass
4	6659.660	54.29	-0.07	74.0	19.71	Peak	280.00	100	Vertical	Pass
4**	6659.660	44.01	-0.07	54.0	9.99	AV	280.00	100	Vertical	Pass
5	11605.701	50.01	3.86	74.0	23.99	Peak	181.00	100	Vertical	Pass
5**	11605.701	39.23	3.86	54.0	14.77	AV	181.00	100	Vertical	Pass
6	17987.351	53.31	9.81	74.0	20.69	Peak	360.00	100	Vertical	Pass
6**	17987.351	42.09	9.81	54.0	11.91	AV	360.00	100	Vertical	Pass


4) Test Antenna Horizontal, 1 GHz – 18 GHz

Project Number: P-CC26070315

Test Time: 2026-07-22_17.43.12

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Link 5	Humidity (%RH):	45
Sample Number:	S06	Pressure(kPa):	100.3
Test Standard:	47 CFR Part 15 Subpart B	Work Mode:	Rear Camear
Test Site:	3m-1	Remark1:	120V+Adapte-A06+Cable-A07+ 3.5mm Earphone
Test Engineer:	Zhong Pingqi	Remark2:	N.A

RE Test case_FCC Part 15B_FCC Part 15B Class B 1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1001.170	42.65	-17.31	74.0	31.35	Peak	40.00	100	Horizontal	Pass
1**	1001.170	35.25	-17.31	54.0	18.75	AV	40.00	100	Horizontal	Pass
2	1583.960	42.62	-17.95	74.0	31.38	Peak	360.00	100	Horizontal	Pass
2**	1583.960	34.81	-17.95	54.0	19.19	AV	360.00	100	Horizontal	Pass
3	2375.920	44.27	-13.93	74.0	29.73	Peak	342.00	100	Horizontal	Pass
3**	2375.920	40.13	-13.93	54.0	13.87	AV	342.00	100	Horizontal	Pass
4	6902.250	54.29	0.59	74.0	19.71	Peak	335.00	100	Horizontal	Pass
4**	6902.250	43.72	0.59	54.0	10.28	AV	335.00	100	Horizontal	Pass
5	13632.451	50.96	6.10	74.0	23.04	Peak	238.00	100	Horizontal	Pass
5**	13632.451	40.81	6.10	54.0	13.19	AV	238.00	100	Horizontal	Pass
6	17910.350	52.84	10.18	74.0	21.16	Peak	296.00	100	Horizontal	Pass
6**	17910.350	42.34	10.18	54.0	11.66	AV	296.00	100	Horizontal	Pass

	Radiated Emission Test Record	No.:	TR4-01
		Version:	2023.08.15

Test Engineer

Zhong Pingqi

Checked By/Date

Li JunFeng

2026.07.22

--BLANK BELOW--