




















Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.615
NVNT	a	5785	Ant1	16.609
NVNT	a	5825	Ant1	16.594
NVNT	n20	5745	Ant1	17.818
NVNT	n20	5785	Ant1	17.761
NVNT	n20	5825	Ant1	17.767
NVNT	n40	5755	Ant1	36.488
NVNT	n40	5795	Ant1	36.452
NVNT	ac20	5745	Ant1	17.866
NVNT	ac20	5785	Ant1	17.836
NVNT	ac20	5825	Ant1	17.713
NVNT	ac40	5755	Ant1	36.476
NVNT	ac40	5795	Ant1	36.422
NVNT	ac80	5775	Ant1	75.892


Test Graphs


OBW NVNT a 5745MHz Ant1





OBW NVNT a 5785MHz Ant1


















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-20.51	2.34	-18.17	30	Pass
NVNT	a	5785	Ant1	-21.23	2.35	-18.88	30	Pass
NVNT	a	5825	Ant1	-22.39	0.57	-21.82	30	Pass
NVNT	n20	5745	Ant1	-19.84	2.48	-17.36	30	Pass
NVNT	n20	5785	Ant1	-20.22	2.49	-17.73	30	Pass
NVNT	n20	5825	Ant1	-21.48	2.48	-19	30	Pass
NVNT	n40	5755	Ant1	-33.36	4.04	-29.32	30	Pass
NVNT	n40	5795	Ant1	-32.38	0.91	-31.47	30	Pass
NVNT	ac20	5745	Ant1	-16.46	2.47	-13.99	30	Pass
NVNT	ac20	5785	Ant1	-21.46	2.5	-18.96	30	Pass
NVNT	ac20	5825	Ant1	-22.17	2.47	-19.7	30	Pass
NVNT	ac40	5755	Ant1	-32.78	4.04	-28.74	30	Pass
NVNT	ac40	5795	Ant1	-32.86	4.04	-28.82	30	Pass
NVNT	ac80	5775	Ant1	-41.03	6.06	-34.97	30	Pass

Test Graphs

PSD NVNT a 5745MHz Ant1



PSD NVNT a 5785MHz Ant1

