




























8.5 MAXIMUM POWER SPECTRAL DENSITY LEVEL



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	-3.98	0.1	-3.88	8	Pass
NVNT	b	2437	Ant1	-3.45	0.06	-3.39	8	Pass
NVNT	b	2462	Ant1	-3.56	0.07	-3.49	8	Pass
NVNT	g	2412	Ant1	-6.01	0.31	-5.7	8	Pass
NVNT	g	2437	Ant1	-4.7	0.23	-4.47	8	Pass
NVNT	g	2462	Ant1	-5.13	0.69	-4.44	8	Pass
NVNT	n20	2412	Ant1	-6.14	0.35	-5.79	8	Pass
NVNT	n20	2437	Ant1	-5.3	0.26	-5.04	8	Pass
NVNT	n20	2462	Ant1	-5.92	0.31	-5.61	8	Pass
NVNT	n40	2422	Ant1	-9.72	0.65	-9.07	8	Pass
NVNT	n40	2437	Ant1	-8.66	0.67	-7.99	8	Pass
NVNT	n40	2452	Ant1	-9.06	0.66	-8.4	8	Pass
NVNT	ax20	2412	Ant1	-6.99	0.3	-6.69	8	Pass
NVNT	ax20	2437	Ant1	-6.62	0.3	-6.32	8	Pass
NVNT	ax20	2462	Ant1	-7.31	0.64	-6.67	8	Pass
NVNT	ax40	2422	Ant1	-10.6	0.5	-10.1	8	Pass
NVNT	ax40	2437	Ant1	-10.14	0.85	-9.29	8	Pass
NVNT	ax40	2452	Ant1	-10.13	0.87	-9.26	8	Pass


































8.6 BAND EDGE



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-47.27	-30	Pass
NVNT	b	2462	Ant1	-59.82	-30	Pass
NVNT	g	2412	Ant1	-31.36	-30	Pass
NVNT	g	2462	Ant1	-45.66	-30	Pass
NVNT	n20	2412	Ant1	-30.35	-30	Pass
NVNT	n20	2462	Ant1	-43.03	-30	Pass
NVNT	n40	2422	Ant1	-32.15	-30	Pass
NVNT	n40	2452	Ant1	-33.74	-30	Pass
NVNT	ax20	2412	Ant1	-31.63	-30	Pass
NVNT	ax20	2462	Ant1	-41.44	-30	Pass
NVNT	ax40	2422	Ant1	-31.86	-30	Pass
NVNT	ax40	2452	Ant1	-35.12	-30	Pass







































8.7 CONDUCTED RF SPURIOUS EMISSION

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-46.59	-30	Pass
NVNT	b	2437	Ant1	-46.07	-30	Pass
NVNT	b	2462	Ant1	-45.69	-30	Pass
NVNT	g	2412	Ant1	-42.5	-30	Pass
NVNT	g	2437	Ant1	-46.07	-30	Pass
NVNT	g	2462	Ant1	-42.41	-30	Pass
NVNT	n20	2412	Ant1	-46.59	-30	Pass
NVNT	n20	2437	Ant1	-44.65	-30	Pass
NVNT	n20	2462	Ant1	-42.91	-30	Pass
NVNT	n40	2422	Ant1	-42.57	-30	Pass
NVNT	n40	2437	Ant1	-43.48	-30	Pass
NVNT	n40	2452	Ant1	-42.27	-30	Pass
NVNT	ax20	2412	Ant1	-44.14	-30	Pass
NVNT	ax20	2437	Ant1	-46.46	-30	Pass
NVNT	ax20	2462	Ant1	-42.88	-30	Pass
NVNT	ax40	2422	Ant1	-41.67	-30	Pass
NVNT	ax40	2437	Ant1	-44.08	-30	Pass
NVNT	ax40	2452	Ant1	-42.32	-30	Pass

