

承 認 書

SPECIFICATION FOR APPROVAL

客 戶: **D814**
CUSTOMER:

客 戶 料 號:
CUST P/N:

泛 亞 料 號:
FINE P/N: **FYD814001**

產 品 型 號:
DESC: **FYD8142025061901**

日 期:
DATE: **2025/06/19**

版 本:
Version: **A.0**

CUSTOMER AUTHORIZED SIGNATURE/客户承认签核

--	--	--

擬制 PREPARED BY	審核 CHECKED BY	批准 APPROVED BY
黃冰冰	韋炳福	胡偉

东莞市泛亚电子有限公司

Dongguan FANYA Electronics Co., LTD

地址：东莞市石碣镇刘屋科技东路 194 号

TEL: 0769-22490287 / 22452492

FAX: 0769-22499451

E-mail: fineelec@163.com

Dongguan FANYA Electronics Co., LTD

东莞市泛亚电子有限公司 TEL: 0769-22490287 FAX: 0769-22499451

FY-GZ001

Acknowledgments

SPECIFICATION FOR APPROVAL

visitor Household:

CUSTOMER:

D814

Customer Number: CUST P/N:

Fine Asian Material: FINE P/N:

FYD814001

Product type:

DESC:

FYD8142025061901

sun designated time :

DATE:

2025/06/19

printing plate stem or
root of plants :

Version:

A.0

CUSTOMER AUTHORIZED SIGNATURE/Client's Acknowledged Signature

CUSTOMER AUTHORIZED SIGNATURE/Client's Acknowledged Signature		

Draft PREPARED BY	Review CHECKED BY	Ratify APPROVED BY
Huang Bingbing	Wei Bingfu	Hu Wei

Dongguan Pan Asia Electronics Co., LTD

Dongguan FANYA Electronics Co., LTD

Address: No.194, East Technology Road, Liuwu, Shijie Town, Dongguan City

TEL: 0769-22490287 / 22452492

FAX: 0769-22499451

E-mail: fineelec@163.com

Dongguan FANYA Electronics Co., LTD

Dongguan Pan Asia Electronics Co., LTD. Tel: 0769-22490287 Fax: 0769-22499451

FY-GZ001

Version Change History

Dongguan FANYA Electronics Co., LTD


Version Change History

FY-GZ001

SPECIFICATION


產品型號: DESC	FYD8142025061901	版本 Rev: A.0	客戶 CUST:	D814
			泛亚料号 Fine P/N:	FYD814001
			客户料号 CUST P/N:	

一、尺寸 DIMENSION:(mm)



A	14±1
B	39±1
C	1.25 Max
D	20±2
E	2-4
H	2.4 Max (不含离型纸)

二、原理图 SCHEMATIC DIAGRAM:



三、绕线参数 Winding Specification:

序号 NO.	端子 TERMINAL	线径 WIRE	圈数 Turns	绕线方向 Winding Direction
1	S F	多股线	12Ts	CCW

四、电气特性 ELECTRICAL CHARACTERISTICS:

温度 TEMPERATURE:25±10°C, 湿度 RELATIVE HUMIDITY:65±20%


序号 NO.	项目 ITEM	端子 TERMINAL	标准 SPECIFICATION	测试条件 TEST FREQUENCY	测试仪器 TEST EQUIPMENTS
1	IND.	S-F	6.5uH ±5%	100KHz/1.0V	TH2829LX
2	DCR	S-F	50mΩ Max	@25°C	TH2829LX

擬制/日期 PREPARED BY/DATE	審核/日期 CHECKED BY/DATE	批准/日期 APPROVED BY/DATE
黃冰冰 2025/06/19	韋炳福 2025/06/19	胡偉 2025/06/19

SPECIFICATION


Product Type: DESC	FYD8142025061901	Version Rev: A.0	Customer CUST:	D814
			Fine P/N for Pan-Asia Mate- rial:	FYD814001
			Customer part number CUST P/N:	

1. Dimension (mm)



A	14±1
B	39±1
C	1.25 Max
D	20±2
E	2-4
H	2.4 Max (excluding release paper)

2. Schematic Diagram:



3. Winding Specifications:

Order number NO.	Terminal TERMINAL		Wire diameter WIRE	Number of turns Turns	Winding Direction
1	S	F	Multi-folded yarn	12Ts	CCW

4. Electrical Characteristics (ELECTRICAL CHARACTERISTICS):

Temperature: 25±10°C, Relative Humidity: 65±20%

Order number NO.	Project ITEM	Terminal TERMINAL	Standard SPECIFICATION	Test condition TEST FREQUENCY	Measuring and test instruments TEST EQUIPMENTS
1	IND.	S-F	6.5uH ±5%	100KHz/1.0V	TH2829LX
2	DCR	S-F	50m Ω Max	@25°C	TH2829LX


Prepared by/Date	Review/Date CHECKED BY/DATE	Approved by/Date
Huang Bingbing 2025/06/19	Wei Bingfu 2025/06/19	Hu Wei 2025/06/19

SPECIFICATION

產品型號: DESC	FYD8142025061901	版本 Rev: A.0	客戶 CUST:	D814
			泛亚料号 Fine P/N:	FYD814001
			客戶料号 CUST P/N:	

五、包装 PACKONG:

5.1 包装图片 Packing pictures:



5.2 包装数量及规格 Packing Quantity:

項目 Item	數量 Quantity	材料規格 Material
盒 Box	200 Pcs	370*265*55mm
箱 Big Carton	1000 Pcs	420*270*310mm

5.3 包装以现有包装盘为参照标准，以实际出货包装为准,如有特要求可以定制。

The packaging shall be based on the existing packing plate and the actual delivery package shall prevail. If there is any requirement, we can customize it.

六、材料清单 Material list:

序号 number	材料名称 Material name	品名描述 Description	制造商 Manufacturer
1	线材	多股线	
2	无铅锡条	无铅锡条	
3	磁片	Φ 42.5*5.3*0.75mm, 开孔开 L 双槽	
4	背胶	Φ 41*6*0.08mm 带手撕位双面普通背胶	
5	胶水	胶水	
6	高温胶纸	8mm 宽	


擬制/日期 PREPARED BY/DATE	審核/日期 CHECKED BY/DATE	批准/日期 APPROVED BY/DATE
黃冰冰 2025/06/19	韋炳福 2025/06/19	胡偉 2025/06/19

SPECIFICATION

Product Type: DESC	FYD8142025061901	Version Rev: A.0	Customer CUST:	D814
			Fine P/N for Pan-Asia Material:	FYD814001
			Customer part number CUST P/N:	

5. Packaging (PACKONG):

5.1. Packing pictures:



5.2 Packing Quantity:

Project Item	Quantity	Material Specification
Box Box	200 Pcs	370*265*55mm
Big Carton	1000 Pcs	420*270*310mm

5.3 The packaging is based on the existing packaging tray as the reference standard, and the actual shipping packaging is the standard. If there is a special requirement, it can be customized.

The packaging shall be based on the existing packing plate and the actual delivery package shall prevail. If there is any requirement, we can customize it.

6. Material List:

Order number number	Material Name Material name	Product Description Description	Manufacturer Manufacturer
1	Wire stock	Multi-folded yam	
2	Lead-free soldering wire	Lead-free soldering wire	
3	Magnetic sheet	φ42.5×5.3×0.75mm, double grooved with L-shaped opening	
4	Gum	Φ41×6×0.08mm double-sided standard adhesive tape with tear-off strip	
5	Glue	Glue	
6	High-temperature tape	8mm wide	

Prepared by/Date	Review/Date CHE-CKED BY/DATE	Approved by/Date
Huang Bingbing 2025/06/19	Wei Bingfu 2025/06/19	Hu Wei 2025/06/19