

承 認 書

SPECIFICATION FOR APPROVAL

客 戶:

CUSTOMER:

D814

客 戶 料 號:

CUST P/N:

泛 亞 料 號:

FINE P/N:

FYD814002

產 品 型 號:

DESC:

FYD8142025061902

日 期:

DATE:

2025/06/19

版 本:

Version:

A.0

CUSTOMER AUTHORIZED SIGNATURE/客户承认签核

--	--	--

擬制 PREPARED BY	審核 CHECKED BY	批准 APPROVED BY
黃冰冰	韋炳福	胡偉

东莞市泛亚电子有限公司

Dongguan FANYA Electronics Co., LTD

地址: 东莞市石碣镇刘屋科技东路 194 号

TEL: 0769-22490287 / 22452492

FAX: 0769-22499451

E-mail: fineelec@163.com



Acknowledgments

SPECIFICATION FOR APPROVAL

visitor Household:

D814

CUSTOMER:

Customer Number: CUST P/N:

Fine Asian Material: FINE P/N:

FYD814002

Product type:

DESC:

FYD8142025061902

sun designated time :

DATE:

2025/06/19

printing plate stem or root of plants :

Version:

A.0

CUSTOMER AUTHORIZED SIGNATURE/Client's Acknowledged Signature

--	--	--

Draft PREPARED BY	Review CHECKED BY	Ratify APPROVED BY
Huang Bingbing	Wei Bingfu	Hu Wei

Dongguan Pan Asia Electronics Co., LTD

Dongguan FANYA Electronics Co., LTD

Address: No.194, East Technology Road, Liuwu, Shijie Town, Dongguan City

TEL: 0769-22490287 / 22452492

FAX: 0769-22499451

E-mail: fineelec@163.com

Dongguan FANYA Electronics Co., LTD

Dongguan Pan Asia Electronics Co., LTD. Tel: 0769-22490287 Fax: 0769-22499451

FY-GZ001

版本變更履歷

[illegible]


Version Change History

[illegible]

SPECIFICATION


產品型號: DESC	FYD8142025061902	版本 Rev: A.0	客戶 CUST:	D814
			泛亚料号 Fine P/N:	FYD814002
			客戶料号 CUST P/N:	

一、尺寸 DIMENSION:(mm)



A	20.5±0.5
B	39±1
C	5±2
D	2-4
E	0.85±0.1
F	2.5 Max (不含离型纸)
G	42.5±0.5

二、原理图 SCHEMATIC DIAGRAM:



三、绕线参数 Winding Specification:

序号 NO.	端子 TERMINAL	线径 WIRE	圈数 Turns	绕线方向 Winding Direction
1	S F	多股线	11Ts	CW

四、电气特性 ELECTRICAL CHARACTERISTICS:

温度 TEMPERATURE:25±10℃, 湿度 RELATIVE HUMIDITY:65±20%


序号 NO.	项目 ITEM	端子 TERMINAL	标准 SPECIFICATION	测试条件 TEST FREQUENCY	测试仪器 TEST EQUIPMENTS
1	IND.	S-F	7.7uH ±10%	100KHz/1.0V	TH2810
2	DCR	S-F	≤70m Ω	25℃	TH2810

擬制/日期 PREPARED BY/DATE	審核/日期 CHECKED BY/DATE	批准/日期 APPROVED BY
黄冰冰 2025/06/19	韦炳福 2025/06/19	胡伟 2025/06/19

SPECIFICATION


Product Type: DESC	FYD8142025061902	Version Rev: A.0	Customer CUST: Fine P/N for Pan-Asia Mate- rial: Customer part number CUST P/N:	D814 FYD814002
-----------------------	-------------------------	---------------------	---	---------------------------------

1. Dimension (mm)



A	20.5 ± 0.5
B	39 ± 1
C	5 ± 2
D	2-4
E	0.85 ± 0.1
F	2.5 Max (excluding release paper)
G	42.5 ± 0.5

2. Schematic Diagram:



3. Winding Specifications:

Order number NO.	Terminal TERMINAL	Wire diameter WIRE	Number of turns Turns	Winding Direction
1	S F	Multi-folded yarn	11Ts	CW

4. Electrical Characteristics (ELECTRICAL CHARACTERISTICS):

Temperature: 25±10°C, Relative Humidity: 65±20%

Order number NO.	Project ITEM	Terminal TERMINAL	Standard SPECIFICATION	Test condition TEST FREQUENCY	Measuring and test instruments TEST EQUIPMENTS
1	IND.	S-F	7.7uH ±10%	100KHz/1.0V	TH2810
2	DCR	S-F	≤70m Ω	25°C	TH2810


Prepared by/Date	Review/Date CHECKED BY/DATE	Approved by / Date
Huang Bingbing 2025/06/19	Wei Bingfu 2025/06/19	Hu Wei 2025/06/19

SPECIFICATION

產品型號: DESC	FYD8142025061902	版本 Rev: A.0	客戶 CUST:	D814
			泛亞料號 Fine P/N:	FYD814002
			客戶料號 CUST P/N:	

五、包裝 PACKONG:

5.1 包裝圖片 Packing pictures:



5.2 包裝數量及規格 Packing Quantity:

項目 Item	數量 Quantity	材料規格 Material
盒 Box	200 Pcs	370*265*55mm
箱 Big Carton	1000 Pcs	420*270*310mm

5.3 包裝以現有包裝盤為參照標準，以實際出貨包裝為準,如有特需要求可以定制。

The packaging shall be based on the existing packing plate and the actual delivery package shall prevail. If there is any requirement, we can customize it.


擬制/日期 PREPARED BY/DATE	審核/日期 CHECKED BY/DATE	批准/日期 APPROVED BY
黃冰冰 2025/06/19	韋炳福 2025/06/19	胡偉 2025/06/19

SPECIFICATION

Product Type: DESC	FYD8142025061902	Version Rev: A.0	Customer CUST:	D814
			Fine P/N for Pan-Asia Material:	FYD814002
			Customer part number CUST P/N:	

5. Packaging (PACKONG):

5.1. Packing pictures:



5.2 Packing Quantity:

Project Item	Quantity	Material Specification
Box Box	200 Pcs	370*265*55mm
Big Carton	1000 Pcs	420*270*310mm

5.3 The packaging is based on the existing packaging tray as the reference standard, and the actual shipping packaging is the standard. If there is a special requirement, it can be customized.

The packaging shall be based on the existing packing plate and the actual delivery package shall prevail. If there is any requirement, we can customize it.

Prepared by/Date	Review/Date CHECKED BY/DATE	Approved by / Date
Huang Bingbing 2025/06/19	Wei Bingfu 2025/06/19	Hu Wei 2025/06/19

SPECIFICATION

产 品 型 号: DESC	FYD8142025061902	版本 Rev: A.0	客 户 CUST:	D814
			泛亚料号 Fine P/N:	FYD814002
			客户料号 CUST P/N:	

六、材料清单 Material list:

序号 number	材 料 名 称 Material name	品 名 描 述 Description	制 造 商 Manufacturer
1	线材	多股线	
2	无铅锡条	无铅锡条	
3	磁片	φ42.5*5.3*0.75mm, 开孔开 L 双槽	
4	小磁片	φ20*0.75mm	
5	背胶	φ42*0.3mm 带手撕位泡棉双面背胶	
6	小背胶	φ 15*0.08mm 带手撕位普通背胶	
7	胶水	胶水	
8	高温胶	8mm 宽高温胶带	

拟制/日期 PREPARED BY/DATE	审核/日期 CHECKED BY/DATE	批准/日期 APPROVED BY
黄冰冰 2025/06/19	韦炳福 2025/06/19	胡伟 2025/06/19

SPECIFICATION

Product Type: DESC	FYD8142025061902	Version Rev: A.0	Customer CUST:	D814
			Fine P/N for Pan-Asia Material:	FYD814002
			Customer part number CUST P/N:	

6. Material List:

Order number number	Material Name Material name	Product Description Description	Manufacturer Manufacturer
1	Wire stock	Multi-folded yarn	
2	Lead-free soldering wire	Lead-free soldering wire	
3	Magnetic sheet	φ42.5×5.3×0.75mm, double grooved hole with L-shaped opening	
4	Small Disc	φ20*0.75mm	
5	Gum	φ42*0.3mm foam with tear-off strip and double-sided adhesive	
6	Small Back Glue	φ15*0.08mm standard adhesive tape with tear-off strip	
7	Glue	Glue	
8	High temperature adhesive	8mm wide high-temperature tape	

Prepared by/Date	Review/Date CHECKED BY/DATE	Approved by / Date
Huang Bingbing 2025/06/19	Wei Bingfu 2025/06/19	Hu Wei 2025/06/19