


Spurious Emission at Antenna Terminals


3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.54	-13	65.54	Pass	401
0.15	30	0.01	RMS	0.17	-77.89	-13	64.89	Pass	2986
30	814	0.1	RMS	813.5	-70.05	-13	57.05	Pass	7841
814	860	0.1	RMS	824.2	13.27	60	46.73	Pass	461
860	1000	0.1	RMS	997.3	-69.75	-13	56.75	Pass	1401
1000	3000	1	RMS	1648	-52.33	-13	39.33	Pass	2001
3000	10000	1	RMS	9702	-45.5	-13	32.5	Pass	7001




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.1	-13	65.1	Pass	401
0.15	30	0.01	RMS	0.16	-78.31	-13	65.31	Pass	2986
30	814	0.1	RMS	811.6	-70.24	-13	57.24	Pass	7841
814	860	0.1	RMS	836.1	14.06	60	45.94	Pass	461
860	1000	0.1	RMS	980.1	-70.01	-13	57.01	Pass	1401
1000	3000	1	RMS	1672	-54.01	-13	41.01	Pass	2001
3000	10000	1	RMS	9700	-45.56	-13	32.56	Pass	7001




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.22	-13	65.22	Pass	401
0.15	30	0.01	RMS	0.24	-78.82	-13	65.82	Pass	2986
30	814	0.1	RMS	803.2	-70.41	-13	57.41	Pass	7841
814	860	0.1	RMS	836.1	13	60	47	Pass	461
860	1000	0.1	RMS	944.9	-70	-13	57	Pass	1401
1000	3000	1	RMS	2993	-54.42	-13	41.42	Pass	2001
3000	10000	1	RMS	9703	-45.51	-13	32.51	Pass	7001




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.74	-13	65.74	Pass	401
0.15	30	0.01	RMS	0.16	-78.59	-13	65.59	Pass	2986
30	814	0.1	RMS	813.2	-70.31	-13	57.31	Pass	7841
814	860	0.1	RMS	847.9	13.83	60	46.17	Pass	461
860	1000	0.1	RMS	942.5	-69.95	-13	56.95	Pass	1401
1000	3000	1	RMS	1695	-53.5	-13	40.5	Pass	2001
3000	10000	1	RMS	9702	-45.62	-13	32.62	Pass	7001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77	-13	64	Pass	401
0.15	30	0.01	RMS	0.35	-78.7	-13	65.7	Pass	2986
30	814	0.1	RMS	759.9	-70.39	-13	57.39	Pass	7841
814	860	0.1	RMS	847.9	12.86	60	47.14	Pass	461
860	1000	0.1	RMS	944.5	-70.05	-13	57.05	Pass	1401
1000	3000	1	RMS	1695	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	9698	-45.6	-13	32.6	Pass	7001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.18	-13	65.18	Pass	401
0.15	30	0.01	RMS	0.16	-78.43	-13	65.43	Pass	2986
30	814	0.1	RMS	813.6	-69.94	-13	56.94	Pass	7841
814	860	0.1	RMS	824.2	14.39	60	45.61	Pass	461
860	1000	0.1	RMS	978.9	-70.07	-13	57.07	Pass	1401
1000	3000	1	RMS	1648	-51.47	-13	38.47	Pass	2001
3000	10000	1	RMS	9699	-45.57	-13	32.57	Pass	7001




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.77	-13	63.77	Pass	401
0.15	30	0.01	RMS	0.3	-78.68	-13	65.68	Pass	2986
30	814	0.1	RMS	813.5	-70.04	-13	57.04	Pass	7841
814	860	0.1	RMS	824.2	13.52	60	46.48	Pass	461
860	1000	0.1	RMS	977.8	-69.93	-13	56.93	Pass	1401
1000	3000	1	RMS	1648	-52.28	-13	39.28	Pass	2001
3000	10000	1	RMS	9702	-45.57	-13	32.57	Pass	7001




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.65	-13	65.65	Pass	401
0.15	30	0.01	RMS	0.15	-77.78	-13	64.78	Pass	2986
30	814	0.1	RMS	743.3	-70.39	-13	57.39	Pass	7841
814	860	0.1	RMS	835.2	14.32	60	45.68	Pass	461
860	1000	0.1	RMS	988.8	-70.1	-13	57.1	Pass	1401
1000	3000	1	RMS	1670	-53.53	-13	40.53	Pass	2001
3000	10000	1	RMS	9699	-45.61	-13	32.61	Pass	7001




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.87	-13	64.87	Pass	401
0.15	30	0.01	RMS	0.19	-77.95	-13	64.95	Pass	2986
30	814	0.1	RMS	812.7	-70.38	-13	57.38	Pass	7841
814	860	0.1	RMS	835.2	13.33	60	46.67	Pass	461
860	1000	0.1	RMS	986.2	-69.92	-13	56.92	Pass	1401
1000	3000	1	RMS	3000	-54.44	-13	41.44	Pass	2001
3000	10000	1	RMS	9703	-45.52	-13	32.52	Pass	7001




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.15	-77.92	-13	64.92	Pass	2986
30	814	0.1	RMS	804.3	-70.38	-13	57.38	Pass	7841
814	860	0.1	RMS	846.2	14.24	60	45.76	Pass	461
860	1000	0.1	RMS	860	-69.81	-13	56.81	Pass	1401
1000	3000	1	RMS	1692	-52.16	-13	39.16	Pass	2001
3000	10000	1	RMS	9699	-45.53	-13	32.53	Pass	7001




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.43	-13	65.43	Pass	401
0.15	30	0.01	RMS	0.15	-78.29	-13	65.29	Pass	2986
30	814	0.1	RMS	813	-70.46	-13	57.46	Pass	7841
814	860	0.1	RMS	846.2	13.15	60	46.85	Pass	461
860	1000	0.1	RMS	860.6	-70	-13	57	Pass	1401
1000	3000	1	RMS	1692	-53	-13	40	Pass	2001
3000	10000	1	RMS	9700	-45.58	-13	32.58	Pass	7001




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.65	-13	65.65	Pass	401
0.15	30	0.01	RMS	0.15	-78.28	-13	65.28	Pass	2986
30	814	0.1	RMS	813.6	-69.89	-13	56.89	Pass	7841
814	860	0.1	RMS	824.3	14.67	60	45.33	Pass	461
860	1000	0.1	RMS	934.8	-70.09	-13	57.09	Pass	1401
1000	3000	1	RMS	1648	-51.26	-13	38.26	Pass	2001
3000	10000	1	RMS	9700	-45.59	-13	32.59	Pass	7001




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-77.84	-13	64.84	Pass	401
0.15	30	0.01	RMS	0.21	-78.39	-13	65.39	Pass	2986
30	814	0.1	RMS	813.6	-70.12	-13	57.12	Pass	7841
814	860	0.1	RMS	824.3	13.73	60	46.27	Pass	461
860	1000	0.1	RMS	935.7	-70.04	-13	57.04	Pass	1401
1000	3000	1	RMS	1648	-52.24	-13	39.24	Pass	2001
3000	10000	1	RMS	9699	-45.55	-13	32.55	Pass	7001




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.24	-13	65.24	Pass	401
0.15	30	0.01	RMS	0.32	-79.08	-13	66.08	Pass	2986
30	814	0.1	RMS	779.4	-70.5	-13	57.5	Pass	7841
814	860	0.1	RMS	834.3	14.49	60	45.51	Pass	461
860	1000	0.1	RMS	947.7	-70.12	-13	57.12	Pass	1401
1000	3000	1	RMS	1668	-53.94	-13	40.94	Pass	2001
3000	10000	1	RMS	9706	-45.62	-13	32.62	Pass	7001




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.72	-13	65.72	Pass	401
0.15	30	0.01	RMS	0.16	-78.4	-13	65.4	Pass	2986
30	814	0.1	RMS	813.7	-70.46	-13	57.46	Pass	7841
814	860	0.1	RMS	834.3	13.6	60	46.4	Pass	461
860	1000	0.1	RMS	951.3	-70.09	-13	57.09	Pass	1401
1000	3000	1	RMS	2995	-54.47	-13	41.47	Pass	2001
3000	10000	1	RMS	9698	-45.58	-13	32.58	Pass	7001




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.66	-13	65.66	Pass	401
0.15	30	0.01	RMS	0.23	-78.49	-13	65.49	Pass	2986
30	814	0.1	RMS	812.5	-70.57	-13	57.57	Pass	7841
814	860	0.1	RMS	844.3	14.54	60	45.46	Pass	461
860	1000	0.1	RMS	891.4	-70.02	-13	57.02	Pass	1401
1000	3000	1	RMS	1688	-51.12	-13	38.12	Pass	2001
3000	10000	1	RMS	9701	-45.59	-13	32.59	Pass	7001




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.86	-13	64.86	Pass	401
0.15	30	0.01	RMS	0.17	-78.34	-13	65.34	Pass	2986
30	814	0.1	RMS	811.7	-70.47	-13	57.47	Pass	7841
814	860	0.1	RMS	844.3	13.8	60	46.2	Pass	461
860	1000	0.1	RMS	974.6	-69.99	-13	56.99	Pass	1401
1000	3000	1	RMS	1688	-52	-13	39	Pass	2001
3000	10000	1	RMS	9699	-45.62	-13	32.62	Pass	7001




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.66	-13	65.66	Pass	401
0.15	30	0.01	RMS	0.16	-78.53	-13	65.53	Pass	2986
30	814	0.1	RMS	807	-69.39	-13	56.39	Pass	7841
814	860	0.1	RMS	824.6	15.21	60	44.79	Pass	461
860	1000	0.1	RMS	938.7	-69.95	-13	56.95	Pass	1401
1000	3000	1	RMS	1649	-51.59	-13	38.59	Pass	2001
3000	10000	1	RMS	9703	-45.63	-13	32.63	Pass	7001




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.21	-13	65.21	Pass	401
0.15	30	0.01	RMS	0.2	-78.66	-13	65.66	Pass	2986
30	814	0.1	RMS	807	-69.76	-13	56.76	Pass	7841
814	860	0.1	RMS	824.6	14.56	60	45.44	Pass	461
860	1000	0.1	RMS	860	-69.86	-13	56.86	Pass	1401
1000	3000	1	RMS	1649	-52.23	-13	39.23	Pass	2001
3000	10000	1	RMS	9703	-45.62	-13	32.62	Pass	7001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-79.04	-13	66.04	Pass	401
0.15	30	0.01	RMS	0.16	-78.75	-13	65.75	Pass	2986
30	814	0.1	RMS	814	-70.3	-13	57.3	Pass	7841
814	860	0.1	RMS	832.1	14.94	60	45.06	Pass	461
860	1000	0.1	RMS	885.7	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	2985	-54.47	-13	41.47	Pass	2001
3000	10000	1	RMS	9701	-45.5	-13	32.5	Pass	7001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.19	-13	65.19	Pass	401
0.15	30	0.01	RMS	0.15	-78.16	-13	65.16	Pass	2986
30	814	0.1	RMS	813.8	-70.34	-13	57.34	Pass	7841
814	860	0.1	RMS	832.1	14.01	60	45.99	Pass	461
860	1000	0.1	RMS	957.6	-70.02	-13	57.02	Pass	1401
1000	3000	1	RMS	2988	-54.46	-13	41.46	Pass	2001
3000	10000	1	RMS	9704	-45.58	-13	32.58	Pass	7001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.05	-13	65.05	Pass	401
0.15	30	0.01	RMS	0.22	-78.09	-13	65.09	Pass	2986
30	814	0.1	RMS	803.9	-70.44	-13	57.44	Pass	7841
814	860	0.1	RMS	839.6	15.29	60	44.71	Pass	461
860	1000	0.1	RMS	884.6	-69.85	-13	56.85	Pass	1401
1000	3000	1	RMS	1679	-51.54	-13	38.54	Pass	2001
3000	10000	1	RMS	9703	-45.61	-13	32.61	Pass	7001



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.58	-13	64.58	Pass	401
0.15	30	0.01	RMS	0.15	-77.64	-13	64.64	Pass	2986
30	814	0.1	RMS	794.3	-70.38	-13	57.38	Pass	7841
814	860	0.1	RMS	839.6	14.43	60	45.57	Pass	461
860	1000	0.1	RMS	977.5	-70.02	-13	57.02	Pass	1401
1000	3000	1	RMS	1679	-52.49	-13	39.49	Pass	2001
3000	10000	1	RMS	9707	-45.63	-13	32.63	Pass	7001



4. LTE_Band12


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.18	-13	65.18	Pass	401
0.15	30	0.01	RMS	0.15	-77.74	-13	64.74	Pass	2986
30	689	0.1	RMS	634.9	-70.88	-13	57.88	Pass	6591
689	726	0.1	RMS	699.268	14.3	60	45.7	Pass	401
726	1000	0.1	RMS	974.3	-69.71	-13	56.71	Pass	2741
1000	3000	1	RMS	1398	-53.61	-13	40.61	Pass	2001
3000	10000	1	RMS	9701	-45.57	-13	32.57	Pass	7001




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.77	-13	64.77	Pass	401
0.15	30	0.01	RMS	0.15	-78.72	-13	65.72	Pass	2986
30	689	0.1	RMS	514	-70.95	-13	57.95	Pass	6591
689	726	0.1	RMS	699.268	13.4	60	46.6	Pass	401
726	1000	0.1	RMS	983.4	-69.79	-13	56.79	Pass	2741
1000	3000	1	RMS	2995	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9693	-45.54	-13	32.54	Pass	7001




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.2	-13	64.2	Pass	401
0.15	30	0.01	RMS	0.15	-78.39	-13	65.39	Pass	2986
30	689	0.1	RMS	608.7	-70.97	-13	57.97	Pass	6591
689	726	0.1	RMS	707.038	14.17	60	45.83	Pass	401
726	1000	0.1	RMS	844.6	-69.78	-13	56.78	Pass	2741
1000	3000	1	RMS	2987	-54.37	-13	41.37	Pass	2001
3000	10000	1	RMS	9705	-45.51	-13	32.51	Pass	7001




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.41	-13	64.41	Pass	401
0.15	30	0.01	RMS	0.15	-78.03	-13	65.03	Pass	2986
30	689	0.1	RMS	615.3	-70.84	-13	57.84	Pass	6591
689	726	0.1	RMS	707.038	13.28	60	46.72	Pass	401
726	1000	0.1	RMS	993	-69.68	-13	56.68	Pass	2741
1000	3000	1	RMS	2978	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9703	-45.5	-13	32.5	Pass	7001




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.41	-13	65.41	Pass	401
0.15	30	0.01	RMS	0.17	-78.11	-13	65.11	Pass	2986
30	689	0.1	RMS	595.3	-71.01	-13	58.01	Pass	6591
689	726	0.1	RMS	714.808	13.7	60	46.3	Pass	401
726	1000	0.1	RMS	928.7	-69.82	-13	56.82	Pass	2741
1000	3000	1	RMS	1429	-53.45	-13	40.45	Pass	2001
3000	10000	1	RMS	9708	-45.52	-13	32.52	Pass	7001




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.47	-13	65.47	Pass	401
0.15	30	0.01	RMS	0.15	-78.31	-13	65.31	Pass	2986
30	689	0.1	RMS	619.9	-70.95	-13	57.95	Pass	6591
689	726	0.1	RMS	714.808	12.72	60	47.28	Pass	401
726	1000	0.1	RMS	869.3	-69.47	-13	56.47	Pass	2741
1000	3000	1	RMS	2996	-54.37	-13	41.37	Pass	2001
3000	10000	1	RMS	9697	-45.51	-13	32.51	Pass	7001




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.87	-13	64.87	Pass	401
0.15	30	0.01	RMS	0.21	-78.08	-13	65.08	Pass	2986
30	689	0.1	RMS	688.5	-70.96	-13	57.96	Pass	6591
689	726	0.1	RMS	699.268	14.09	60	45.91	Pass	401
726	1000	0.1	RMS	967.4	-69.72	-13	56.72	Pass	2741
1000	3000	1	RMS	1398	-53.69	-13	40.69	Pass	2001
3000	10000	1	RMS	9698	-45.49	-13	32.49	Pass	7001




4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.81	-13	65.81	Pass	401
0.15	30	0.01	RMS	0.28	-78.13	-13	65.13	Pass	2986
30	689	0.1	RMS	608.5	-70.95	-13	57.95	Pass	6591
689	726	0.1	RMS	699.268	13.37	60	46.63	Pass	401
726	1000	0.1	RMS	839.1	-69.82	-13	56.82	Pass	2741
1000	3000	1	RMS	3000	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9699	-45.6	-13	32.6	Pass	7001




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.79	-13	65.79	Pass	401
0.15	30	0.01	RMS	0.17	-78.21	-13	65.21	Pass	2986
30	689	0.1	RMS	615.5	-70.97	-13	57.97	Pass	6591
689	726	0.1	RMS	706.205	13.6	60	46.4	Pass	401
726	1000	0.1	RMS	986.7	-69.73	-13	56.73	Pass	2741
1000	3000	1	RMS	1412	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	9703	-45.58	-13	32.58	Pass	7001




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.82	-13	64.82	Pass	401
0.15	30	0.01	RMS	0.22	-78.1	-13	65.1	Pass	2986
30	689	0.1	RMS	632.7	-71.02	-13	58.02	Pass	6591
689	726	0.1	RMS	706.205	12.76	60	47.24	Pass	401
726	1000	0.1	RMS	988.3	-69.76	-13	56.76	Pass	2741
1000	3000	1	RMS	1412	-51.22	-13	38.22	Pass	2001
3000	10000	1	RMS	9704	-45.55	-13	32.55	Pass	7001




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-79.01	-13	66.01	Pass	401
0.15	30	0.01	RMS	0.17	-78.37	-13	65.37	Pass	2986
30	689	0.1	RMS	687.4	-70.91	-13	57.91	Pass	6591
689	726	0.1	RMS	713.235	14.3	60	45.7	Pass	401
726	1000	0.1	RMS	864	-69.73	-13	56.73	Pass	2741
1000	3000	1	RMS	2999	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9702	-45.56	-13	32.56	Pass	7001




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.76	-13	63.76	Pass	401
0.15	30	0.01	RMS	0.19	-77.9	-13	64.9	Pass	2986
30	689	0.1	RMS	592.2	-71	-13	58	Pass	6591
689	726	0.1	RMS	713.235	13.49	60	46.51	Pass	401
726	1000	0.1	RMS	987.8	-69.63	-13	56.63	Pass	2741
1000	3000	1	RMS	2998	-54.37	-13	41.37	Pass	2001
3000	10000	1	RMS	9706	-45.54	-13	32.54	Pass	7001




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.85	-13	65.85	Pass	401
0.15	30	0.01	RMS	0.15	-78.19	-13	65.19	Pass	2986
30	689	0.1	RMS	650.2	-70.89	-13	57.89	Pass	6591
689	726	0.1	RMS	699.36	14.28	60	45.72	Pass	401
726	1000	0.1	RMS	849	-69.72	-13	56.72	Pass	2741
1000	3000	1	RMS	1398	-53.45	-13	40.45	Pass	2001
3000	10000	1	RMS	9698	-45.48	-13	32.48	Pass	7001




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.98	-13	64.98	Pass	401
0.15	30	0.01	RMS	0.17	-77.79	-13	64.79	Pass	2986
30	689	0.1	RMS	603.3	-71.03	-13	58.03	Pass	6591
689	726	0.1	RMS	699.36	13.69	60	46.31	Pass	401
726	1000	0.1	RMS	996.6	-69.71	-13	56.71	Pass	2741
1000	3000	1	RMS	1398	-54.21	-13	41.21	Pass	2001
3000	10000	1	RMS	9707	-45.53	-13	32.53	Pass	7001




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.75	-13	65.75	Pass	401
0.15	30	0.01	RMS	0.15	-78.59	-13	65.59	Pass	2986
30	689	0.1	RMS	667.4	-70.99	-13	57.99	Pass	6591
689	726	0.1	RMS	705.373	13.97	60	46.03	Pass	401
726	1000	0.1	RMS	940.8	-69.73	-13	56.73	Pass	2741
1000	3000	1	RMS	1410	-54.22	-13	41.22	Pass	2001
3000	10000	1	RMS	9700	-45.54	-13	32.54	Pass	7001




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-77.73	-13	64.73	Pass	401
0.15	30	0.01	RMS	0.16	-78.03	-13	65.03	Pass	2986
30	689	0.1	RMS	500.6	-71	-13	58	Pass	6591
689	726	0.1	RMS	705.373	13.16	60	46.84	Pass	401
726	1000	0.1	RMS	971.7	-69.79	-13	56.79	Pass	2741
1000	3000	1	RMS	2995	-54.38	-13	41.38	Pass	2001
3000	10000	1	RMS	9701	-45.57	-13	32.57	Pass	7001




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.58	-13	64.58	Pass	401
0.15	30	0.01	RMS	0.26	-78.8	-13	65.8	Pass	2986
30	689	0.1	RMS	633	-70.91	-13	57.91	Pass	6591
689	726	0.1	RMS	711.293	14.16	60	45.84	Pass	401
726	1000	0.1	RMS	843.3	-69.71	-13	56.71	Pass	2741
1000	3000	1	RMS	2996	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9697	-45.54	-13	32.54	Pass	7001




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.61	-13	65.61	Pass	401
0.15	30	0.01	RMS	0.19	-78.7	-13	65.7	Pass	2986
30	689	0.1	RMS	494.9	-71.01	-13	58.01	Pass	6591
689	726	0.1	RMS	711.385	13.51	60	46.49	Pass	401
726	1000	0.1	RMS	953.3	-69.66	-13	56.66	Pass	2741
1000	3000	1	RMS	2998	-54.38	-13	41.38	Pass	2001
3000	10000	1	RMS	9701	-45.47	-13	32.47	Pass	7001




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.53	-13	65.53	Pass	401
0.15	30	0.01	RMS	0.24	-78.19	-13	65.19	Pass	2986
30	689	0.1	RMS	688.9	-70.54	-13	57.54	Pass	6591
689	726	0.1	RMS	699.545	14.25	60	45.75	Pass	401
726	1000	0.1	RMS	927.3	-69.83	-13	56.83	Pass	2741
1000	3000	1	RMS	2990	-54.36	-13	41.36	Pass	2001
3000	10000	1	RMS	9694	-45.54	-13	32.54	Pass	7001




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.84	-13	65.84	Pass	401
0.15	30	0.01	RMS	0.17	-78.25	-13	65.25	Pass	2986
30	689	0.1	RMS	688.9	-70.97	-13	57.97	Pass	6591
689	726	0.1	RMS	699.638	13.54	60	46.46	Pass	401
726	1000	0.1	RMS	991.1	-69.69	-13	56.69	Pass	2741
1000	3000	1	RMS	2993	-54.38	-13	41.38	Pass	2001
3000	10000	1	RMS	9700	-45.54	-13	32.54	Pass	7001




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.26	-13	64.26	Pass	401
0.15	30	0.01	RMS	0.2	-78.16	-13	65.16	Pass	2986
30	689	0.1	RMS	498.4	-70.98	-13	57.98	Pass	6591
689	726	0.1	RMS	703.06	14.36	60	45.64	Pass	401
726	1000	0.1	RMS	985.4	-69.82	-13	56.82	Pass	2741
1000	3000	1	RMS	1406	-52.12	-13	39.12	Pass	2001
3000	10000	1	RMS	9701	-45.51	-13	32.51	Pass	7001




4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.81	-13	65.81	Pass	401
0.15	30	0.01	RMS	0.37	-78.37	-13	65.37	Pass	2986
30	689	0.1	RMS	613.8	-70.97	-13	57.97	Pass	6591
689	726	0.1	RMS	703.06	13.37	60	46.63	Pass	401
726	1000	0.1	RMS	970.6	-69.66	-13	56.66	Pass	2741
1000	3000	1	RMS	1406	-53.29	-13	40.29	Pass	2001
3000	10000	1	RMS	9697	-45.59	-13	32.59	Pass	7001




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.35	-13	65.35	Pass	401
0.15	30	0.01	RMS	0.15	-78.34	-13	65.34	Pass	2986
30	689	0.1	RMS	587.8	-71.02	-13	58.02	Pass	6591
689	726	0.1	RMS	706.575	14.6	60	45.4	Pass	401
726	1000	0.1	RMS	970.8	-69.81	-13	56.81	Pass	2741
1000	3000	1	RMS	1413	-50.92	-13	37.92	Pass	2001
3000	10000	1	RMS	9696	-45.55	-13	32.55	Pass	7001



4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.9	-13	64.9	Pass	401
0.15	30	0.01	RMS	0.16	-78.43	-13	65.43	Pass	2986
30	689	0.1	RMS	603.9	-70.96	-13	57.96	Pass	6591
689	726	0.1	RMS	706.575	13.63	60	46.37	Pass	401
726	1000	0.1	RMS	980.4	-69.58	-13	56.58	Pass	2741
1000	3000	1	RMS	1413	-51.68	-13	38.68	Pass	2001
3000	10000	1	RMS	9701	-45.55	-13	32.55	Pass	7001



5. LTE_Band17


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.97	-13	64.97	Pass	401
0.15	30	0.01	RMS	0.15	-78.34	-13	65.34	Pass	2986
30	694	0.1	RMS	693.6	-66.41	-13	53.41	Pass	6641
694	726	0.1	RMS	704.32	14.88	60	45.12	Pass	401
726	1000	0.1	RMS	981.3	-69.76	-13	56.76	Pass	2741
1000	3000	1	RMS	1408	-52.4	-13	39.4	Pass	2001
3000	10000	1	RMS	9707	-45.58	-13	32.58	Pass	7001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.85	-13	65.85	Pass	401
0.15	30	0.01	RMS	0.16	-78.39	-13	65.39	Pass	2986
30	694	0.1	RMS	693.7	-67.59	-13	54.59	Pass	6641
694	726	0.1	RMS	704.32	14.04	60	45.96	Pass	401
726	1000	0.1	RMS	937.4	-69.62	-13	56.62	Pass	2741
1000	3000	1	RMS	1408	-53.29	-13	40.29	Pass	2001
3000	10000	1	RMS	9706	-45.5	-13	32.5	Pass	7001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.93	-13	65.93	Pass	401
0.15	30	0.01	RMS	0.15	-77.63	-13	64.63	Pass	2986
30	694	0.1	RMS	694	-69.32	-13	56.32	Pass	6641
694	726	0.1	RMS	707.84	15.21	60	44.79	Pass	401
726	1000	0.1	RMS	939.4	-69.77	-13	56.77	Pass	2741
1000	3000	1	RMS	1415	-52.94	-13	39.94	Pass	2001
3000	10000	1	RMS	9701	-45.51	-13	32.51	Pass	7001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.79	-13	65.79	Pass	401
0.15	30	0.01	RMS	0.15	-78.29	-13	65.29	Pass	2986
30	694	0.1	RMS	694	-69.77	-13	56.77	Pass	6641
694	726	0.1	RMS	707.84	14.49	60	45.51	Pass	401
726	1000	0.1	RMS	996	-69.67	-13	56.67	Pass	2741
1000	3000	1	RMS	1415	-53.84	-13	40.84	Pass	2001
3000	10000	1	RMS	9699	-45.52	-13	32.52	Pass	7001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.8	-13	65.8	Pass	401
0.15	30	0.01	RMS	0.15	-77.9	-13	64.9	Pass	2986
30	694	0.1	RMS	694	-70.09	-13	57.09	Pass	6641
694	726	0.1	RMS	711.36	14.85	60	45.15	Pass	401
726	1000	0.1	RMS	995.9	-69.69	-13	56.69	Pass	2741
1000	3000	1	RMS	1422	-54	-13	41	Pass	2001
3000	10000	1	RMS	9701	-45.59	-13	32.59	Pass	7001




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.18	-13	65.18	Pass	401
0.15	30	0.01	RMS	0.2	-77.98	-13	64.98	Pass	2986
30	694	0.1	RMS	694	-70.35	-13	57.35	Pass	6641
694	726	0.1	RMS	711.36	14.39	60	45.61	Pass	401
726	1000	0.1	RMS	952.5	-69.82	-13	56.82	Pass	2741
1000	3000	1	RMS	2996	-54.39	-13	41.39	Pass	2001
3000	10000	1	RMS	9709	-45.53	-13	32.53	Pass	7001




5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.94	-13	64.94	Pass	401
0.15	30	0.01	RMS	0.15	-78.05	-13	65.05	Pass	2986
30	694	0.1	RMS	694	-68.36	-13	55.36	Pass	6641
694	726	0.1	RMS	704.56	15.1	60	44.9	Pass	401
726	1000	0.1	RMS	954.3	-69.55	-13	56.55	Pass	2741
1000	3000	1	RMS	1409	-52.02	-13	39.02	Pass	2001
3000	10000	1	RMS	9701	-45.5	-13	32.5	Pass	7001




5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.9	-13	64.9	Pass	401
0.15	30	0.01	RMS	0.19	-78.72	-13	65.72	Pass	2986
30	694	0.1	RMS	693.9	-68.73	-13	55.73	Pass	6641
694	726	0.1	RMS	704.56	14.31	60	45.69	Pass	401
726	1000	0.1	RMS	957.7	-69.61	-13	56.61	Pass	2741
1000	3000	1	RMS	1409	-53.07	-13	40.07	Pass	2001
3000	10000	1	RMS	9696	-45.56	-13	32.56	Pass	7001




5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.52	-13	65.52	Pass	401
0.15	30	0.01	RMS	0.17	-77.87	-13	64.87	Pass	2986
30	694	0.1	RMS	692.4	-66.87	-13	53.87	Pass	6641
694	726	0.1	RMS	705.6	15.32	60	44.68	Pass	401
726	1000	0.1	RMS	958.4	-69.77	-13	56.77	Pass	2741
1000	3000	1	RMS	2993	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9701	-45.55	-13	32.55	Pass	7001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.87	-13	64.87	Pass	401
0.15	30	0.01	RMS	0.16	-78.3	-13	65.3	Pass	2986
30	694	0.1	RMS	692.3	-68.54	-13	55.54	Pass	6641
694	726	0.1	RMS	705.6	14.35	60	45.65	Pass	401
726	1000	0.1	RMS	940	-69.64	-13	56.64	Pass	2741
1000	3000	1	RMS	2998	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9707	-45.55	-13	32.55	Pass	7001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.89	-13	65.89	Pass	401
0.15	30	0.01	RMS	0.15	-78.34	-13	65.34	Pass	2986
30	694	0.1	RMS	693.4	-65.34	-13	52.34	Pass	6641
694	726	0.1	RMS	706.56	15.55	60	44.45	Pass	401
726	1000	0.1	RMS	860.5	-69.74	-13	56.74	Pass	2741
1000	3000	1	RMS	1413	-49.85	-13	36.85	Pass	2001
3000	10000	1	RMS	9705	-45.54	-13	32.54	Pass	7001



5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.8	-13	64.8	Pass	401
0.15	30	0.01	RMS	0.2	-78.4	-13	65.4	Pass	2986
30	694	0.1	RMS	693.4	-66.78	-13	53.78	Pass	6641
694	726	0.1	RMS	706.56	14.56	60	45.44	Pass	401
726	1000	0.1	RMS	994.3	-69.53	-13	56.53	Pass	2741
1000	3000	1	RMS	1413	-50.82	-13	37.82	Pass	2001
3000	10000	1	RMS	9700	-45.54	-13	32.54	Pass	7001



6. LTE_Band13


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.7	-13	65.7	Pass	401
0.15	30	0.01	RMS	0.15	-78.73	-13	65.73	Pass	2986
30	767	0.1	RMS	766.7	-70.31	-13	57.31	Pass	7371
767	797	0.1	RMS	777.35	15.33	60	44.67	Pass	401
797	1000	0.1	RMS	938.5	-69.71	-13	56.71	Pass	2031
1000	3000	1	RMS	1554	-53.25	-13	40.25	Pass	2001
3000	10000	1	RMS	9701	-45.5	-13	32.5	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.19	-13	65.19	Pass	401
0.15	30	0.01	RMS	0.16	-78.19	-13	65.19	Pass	2986
30	767	0.1	RMS	766.7	-70.25	-13	57.25	Pass	7371
767	797	0.1	RMS	777.35	14.58	60	45.42	Pass	401
797	1000	0.1	RMS	944.7	-69.8	-13	56.8	Pass	2031
1000	3000	1	RMS	1554	-54.19	-13	41.19	Pass	2001
3000	10000	1	RMS	9696	-45.42	-13	32.42	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.96	-13	64.96	Pass	401
0.15	30	0.01	RMS	0.15	-77.68	-13	64.68	Pass	2986
30	767	0.1	RMS	739.7	-70.41	-13	57.41	Pass	7371
767	797	0.1	RMS	779.825	15.28	60	44.72	Pass	401
797	1000	0.1	RMS	852.7	-69.73	-13	56.73	Pass	2031
1000	3000	1	RMS	1559	-51.9	-13	38.9	Pass	2001
3000	10000	1	RMS	9702	-45.49	-13	32.49	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.48	-13	65.48	Pass	401
0.15	30	0.01	RMS	0.23	-78.42	-13	65.42	Pass	2986
30	767	0.1	RMS	753	-70.48	-13	57.48	Pass	7371
767	797	0.1	RMS	779.825	14.63	60	45.37	Pass	401
797	1000	0.1	RMS	940	-69.88	-13	56.88	Pass	2031
1000	3000	1	RMS	1559	-52.83	-13	39.83	Pass	2001
3000	10000	1	RMS	9697	-45.54	-13	32.54	Pass	7001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.68	-13	65.68	Pass	401
0.15	30	0.01	RMS	0.16	-77.97	-13	64.97	Pass	2986
30	767	0.1	RMS	754.5	-70.5	-13	57.5	Pass	7371
767	797	0.1	RMS	782.3	15.12	60	44.88	Pass	401
797	1000	0.1	RMS	850.4	-69.75	-13	56.75	Pass	2031
1000	3000	1	RMS	1564	-52.42	-13	39.42	Pass	2001
3000	10000	1	RMS	9701	-45.5	-13	32.5	Pass	7001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.04	-13	65.04	Pass	401
0.15	30	0.01	RMS	0.15	-77.54	-13	64.54	Pass	2986
30	767	0.1	RMS	753.4	-70.43	-13	57.43	Pass	7371
767	797	0.1	RMS	782.375	14.48	60	45.52	Pass	401
797	1000	0.1	RMS	925.9	-69.81	-13	56.81	Pass	2031
1000	3000	1	RMS	1564	-53.06	-13	40.06	Pass	2001
3000	10000	1	RMS	9700	-45.46	-13	32.46	Pass	7001




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.53	-13	65.53	Pass	401
0.15	30	0.01	RMS	0.19	-78.22	-13	65.22	Pass	2986
30	767	0.1	RMS	766.9	-70.14	-13	57.14	Pass	7371
767	797	0.1	RMS	777.575	15.97	60	44.03	Pass	401
797	1000	0.1	RMS	984.2	-69.76	-13	56.76	Pass	2031
1000	3000	1	RMS	1555	-50.89	-13	37.89	Pass	2001
3000	10000	1	RMS	9708	-45.57	-13	32.57	Pass	7001




6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.73	-13	64.73	Pass	401
0.15	30	0.01	RMS	0.16	-78.01	-13	65.01	Pass	2986
30	767	0.1	RMS	766.9	-70.23	-13	57.23	Pass	7371
767	797	0.1	RMS	777.575	15.11	60	44.89	Pass	401
797	1000	0.1	RMS	971.5	-69.81	-13	56.81	Pass	2031
1000	3000	1	RMS	1555	-53.15	-13	40.15	Pass	2001
3000	10000	1	RMS	9698	-45.55	-13	32.55	Pass	7001




6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-79.05	-13	66.05	Pass	401
0.15	30	0.01	RMS	0.15	-78.18	-13	65.18	Pass	2986
30	767	0.1	RMS	766.9	-70.24	-13	57.24	Pass	7371
767	797	0.1	RMS	777.575	15.92	60	44.08	Pass	401
797	1000	0.1	RMS	959.9	-69.78	-13	56.78	Pass	2031
1000	3000	1	RMS	1555	-51.22	-13	38.22	Pass	2001
3000	10000	1	RMS	9697	-45.56	-13	32.56	Pass	7001



6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.92	-13	64.92	Pass	401
0.15	30	0.01	RMS	0.15	-78.49	-13	65.49	Pass	2986
30	767	0.1	RMS	766.9	-69.92	-13	56.92	Pass	7371
767	797	0.1	RMS	777.575	15.19	60	44.81	Pass	401
797	1000	0.1	RMS	992.6	-69.68	-13	56.68	Pass	2031
1000	3000	1	RMS	1555	-53.22	-13	40.22	Pass	2001
3000	10000	1	RMS	9700	-45.54	-13	32.54	Pass	7001



6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.72	-13	64.72	Pass	401
0.15	30	0.01	RMS	0.17	-77.29	-13	64.29	Pass	2986
30	767	0.1	RMS	766.9	-69.86	-13	56.86	Pass	7371
767	797	0.1	RMS	777.575	15.98	60	44.02	Pass	401
797	1000	0.1	RMS	949.7	-69.77	-13	56.77	Pass	2031
1000	3000	1	RMS	1555	-51.05	-13	38.05	Pass	2001
3000	10000	1	RMS	9700	-45.51	-13	32.51	Pass	7001

