


Spurious Emission at Antenna Terminals

6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.05	-13	65.05	Pass	401
0.15	30	0.01	RMS	0.15	-78.37	-13	65.37	Pass	2986
30	767	0.1	RMS	766.9	-70.09	-13	57.09	Pass	7371
767	797	0.1	RMS	777.575	15.12	60	44.88	Pass	401
797	1000	0.1	RMS	973.7	-69.73	-13	56.73	Pass	2031
1000	3000	1	RMS	1555	-53.23	-13	40.23	Pass	2001
3000	10000	1	RMS	9699	-45.57	-13	32.57	Pass	7001



7. LTE_Band71


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.13	-13	65.13	Pass	401
0.15	30	0.01	RMS	0.16	-78.43	-13	65.43	Pass	2986
30	653	0.1	RMS	652.6	-70.9	-13	57.9	Pass	6231
653	709	0.1	RMS	663.3	12.97	60	47.03	Pass	561
709	1000	0.1	RMS	958.9	-69.73	-13	56.73	Pass	2911
1000	3000	1	RMS	2998	-54.4	-13	41.4	Pass	2001
3000	10000	1	RMS	9701	-45.48	-13	32.48	Pass	7001




7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.61	-13	65.61	Pass	401
0.15	30	0.01	RMS	0.15	-78.1	-13	65.1	Pass	2986
30	653	0.1	RMS	652.6	-70.92	-13	57.92	Pass	6231
653	709	0.1	RMS	663.3	11.93	60	48.07	Pass	561
709	1000	0.1	RMS	922.7	-69.71	-13	56.71	Pass	2911
1000	3000	1	RMS	2997	-54.38	-13	41.38	Pass	2001
3000	10000	1	RMS	9698	-45.53	-13	32.53	Pass	7001




7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.84	-13	64.84	Pass	401
0.15	30	0.01	RMS	0.18	-78.45	-13	65.45	Pass	2986
30	653	0.1	RMS	609.8	-70.97	-13	57.97	Pass	6231
653	709	0.1	RMS	678.3	14.59	60	45.41	Pass	561
709	1000	0.1	RMS	941	-69.52	-13	56.52	Pass	2911
1000	3000	1	RMS	2996	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9698	-45.56	-13	32.56	Pass	7001




7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.56	-13	64.56	Pass	401
0.15	30	0.01	RMS	0.16	-78.21	-13	65.21	Pass	2986
30	653	0.1	RMS	632.8	-70.93	-13	57.93	Pass	6231
653	709	0.1	RMS	678.3	13.86	60	46.14	Pass	561
709	1000	0.1	RMS	926.5	-69.73	-13	56.73	Pass	2911
1000	3000	1	RMS	3000	-54.36	-13	41.36	Pass	2001
3000	10000	1	RMS	9708	-45.57	-13	32.57	Pass	7001




7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-79.11	-13	66.11	Pass	401
0.15	30	0.01	RMS	0.2	-78.09	-13	65.09	Pass	2986
30	653	0.1	RMS	599.8	-71.04	-13	58.04	Pass	6231
653	709	0.1	RMS	693.3	13.99	60	46.01	Pass	561
709	1000	0.1	RMS	710.5	-67.76	-13	54.76	Pass	2911
1000	3000	1	RMS	3000	-54.4	-13	41.4	Pass	2001
3000	10000	1	RMS	9701	-45.57	-13	32.57	Pass	7001




7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-79.34	-13	66.34	Pass	401
0.15	30	0.01	RMS	0.15	-77.75	-13	64.75	Pass	2986
30	653	0.1	RMS	617.4	-71.03	-13	58.03	Pass	6231
653	709	0.1	RMS	693.3	13.1	60	46.9	Pass	561
709	1000	0.1	RMS	710.8	-68.34	-13	55.34	Pass	2911
1000	3000	1	RMS	2999	-54.39	-13	41.39	Pass	2001
3000	10000	1	RMS	9698	-45.57	-13	32.57	Pass	7001




7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.68	-13	65.68	Pass	401
0.15	30	0.01	RMS	0.16	-78.1	-13	65.1	Pass	2986
30	653	0.1	RMS	652.9	-70.68	-13	57.68	Pass	6231
653	709	0.1	RMS	663.6	14.05	60	45.95	Pass	561
709	1000	0.1	RMS	942.6	-69.7	-13	56.7	Pass	2911
1000	3000	1	RMS	2996	-54.41	-13	41.41	Pass	2001
3000	10000	1	RMS	9706	-45.54	-13	32.54	Pass	7001




7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.69	-13	65.69	Pass	401
0.15	30	0.01	RMS	0.15	-78.16	-13	65.16	Pass	2986
30	653	0.1	RMS	652.9	-70.78	-13	57.78	Pass	6231
653	709	0.1	RMS	663.6	13.14	60	46.86	Pass	561
709	1000	0.1	RMS	934.3	-69.73	-13	56.73	Pass	2911
1000	3000	1	RMS	2999	-54.42	-13	41.42	Pass	2001
3000	10000	1	RMS	9704	-45.58	-13	32.58	Pass	7001




7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.29	-13	64.29	Pass	401
0.15	30	0.01	RMS	0.17	-78.6	-13	65.6	Pass	2986
30	653	0.1	RMS	618.7	-70.95	-13	57.95	Pass	6231
653	709	0.1	RMS	676.1	14.9	60	45.1	Pass	561
709	1000	0.1	RMS	711.3	-67.86	-13	54.86	Pass	2911
1000	3000	1	RMS	2990	-54.37	-13	41.37	Pass	2001
3000	10000	1	RMS	9700	-45.48	-13	32.48	Pass	7001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.44	-13	64.44	Pass	401
0.15	30	0.01	RMS	0.15	-77.72	-13	64.72	Pass	2986
30	653	0.1	RMS	616.5	-70.83	-13	57.83	Pass	6231
653	709	0.1	RMS	676.1	13.86	60	46.14	Pass	561
709	1000	0.1	RMS	711.4	-67.53	-13	54.53	Pass	2911
1000	3000	1	RMS	3000	-54.39	-13	41.39	Pass	2001
3000	10000	1	RMS	9700	-45.54	-13	32.54	Pass	7001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.42	-13	65.42	Pass	401
0.15	30	0.01	RMS	0.15	-78.14	-13	65.14	Pass	2986
30	653	0.1	RMS	650.3	-71.05	-13	58.05	Pass	6231
653	709	0.1	RMS	688.6	14.62	60	45.38	Pass	561
709	1000	0.1	RMS	709.4	-69.52	-13	56.52	Pass	2911
1000	3000	1	RMS	2992	-54.36	-13	41.36	Pass	2001
3000	10000	1	RMS	9704	-45.56	-13	32.56	Pass	7001




7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.8	-13	64.8	Pass	401
0.15	30	0.01	RMS	0.18	-78.12	-13	65.12	Pass	2986
30	653	0.1	RMS	606.6	-71.06	-13	58.06	Pass	6231
653	709	0.1	RMS	688.6	13.57	60	46.43	Pass	561
709	1000	0.1	RMS	940.1	-69.73	-13	56.73	Pass	2911
1000	3000	1	RMS	3000	-54.37	-13	41.37	Pass	2001
3000	10000	1	RMS	9704	-45.6	-13	32.6	Pass	7001




7.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.99	-13	64.99	Pass	401
0.15	30	0.01	RMS	0.21	-78.54	-13	65.54	Pass	2986
30	653	0.1	RMS	642.6	-71	-13	58	Pass	6231
653	709	0.1	RMS	663.8	13.27	60	46.73	Pass	561
709	1000	0.1	RMS	962.2	-69.75	-13	56.75	Pass	2911
1000	3000	1	RMS	3000	-54.36	-13	41.36	Pass	2001
3000	10000	1	RMS	9702	-45.51	-13	32.51	Pass	7001




7.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.86	-13	65.86	Pass	401
0.15	30	0.01	RMS	0.17	-78.53	-13	65.53	Pass	2986
30	653	0.1	RMS	609.7	-70.94	-13	57.94	Pass	6231
653	709	0.1	RMS	663.8	12.26	60	47.74	Pass	561
709	1000	0.1	RMS	990.4	-69.77	-13	56.77	Pass	2911
1000	3000	1	RMS	2993	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9702	-45.55	-13	32.55	Pass	7001




7.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.16	-13	65.16	Pass	401
0.15	30	0.01	RMS	0.21	-78.39	-13	65.39	Pass	2986
30	653	0.1	RMS	626.8	-70.96	-13	57.96	Pass	6231
653	709	0.1	RMS	673.8	13.65	60	46.35	Pass	561
709	1000	0.1	RMS	938.7	-69.63	-13	56.63	Pass	2911
1000	3000	1	RMS	2998	-54.38	-13	41.38	Pass	2001
3000	10000	1	RMS	9701	-45.51	-13	32.51	Pass	7001




7.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.14	-13	65.14	Pass	401
0.15	30	0.01	RMS	0.27	-78.65	-13	65.65	Pass	2986
30	653	0.1	RMS	644.9	-70.98	-13	57.98	Pass	6231
653	709	0.1	RMS	673.8	12.51	60	47.49	Pass	561
709	1000	0.1	RMS	956.7	-69.65	-13	56.65	Pass	2911
1000	3000	1	RMS	2999	-54.37	-13	41.37	Pass	2001
3000	10000	1	RMS	9698	-45.5	-13	32.5	Pass	7001




7.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.2	-13	65.2	Pass	401
0.15	30	0.01	RMS	0.15	-78.44	-13	65.44	Pass	2986
30	653	0.1	RMS	613	-70.95	-13	57.95	Pass	6231
653	709	0.1	RMS	683.8	14.03	60	45.97	Pass	561
709	1000	0.1	RMS	710.5	-40.19	-13	27.19	Pass	2911
1000	3000	1	RMS	2995	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	9697	-45.57	-13	32.57	Pass	7001




7.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.9	-13	65.9	Pass	401
0.15	30	0.01	RMS	0.15	-78.55	-13	65.55	Pass	2986
30	653	0.1	RMS	598.8	-70.94	-13	57.94	Pass	6231
653	709	0.1	RMS	683.8	13.25	60	46.75	Pass	561
709	1000	0.1	RMS	710.5	-40.32	-13	27.32	Pass	2911
1000	3000	1	RMS	2998	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9703	-45.52	-13	32.52	Pass	7001




7.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.65	-13	65.65	Pass	401
0.15	30	0.01	RMS	0.26	-77.97	-13	64.97	Pass	2986
30	653	0.1	RMS	621.3	-70.96	-13	57.96	Pass	6231
653	709	0.1	RMS	664.1	13.71	60	46.29	Pass	561
709	1000	0.1	RMS	983.1	-69.7	-13	56.7	Pass	2911
1000	3000	1	RMS	2994	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9704	-45.53	-13	32.53	Pass	7001




7.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.16	-13	65.16	Pass	401
0.15	30	0.01	RMS	0.16	-76.98	-13	63.98	Pass	2986
30	653	0.1	RMS	625.4	-70.94	-13	57.94	Pass	6231
653	709	0.1	RMS	664.1	12.64	60	47.36	Pass	561
709	1000	0.1	RMS	933.2	-69.68	-13	56.68	Pass	2911
1000	3000	1	RMS	2996	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	9700	-45.49	-13	32.49	Pass	7001




7.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133297, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.79	-13	64.79	Pass	401
0.15	30	0.01	RMS	0.15	-78.13	-13	65.13	Pass	2986
30	653	0.1	RMS	615.4	-70.9	-13	57.9	Pass	6231
653	709	0.1	RMS	671.6	14.16	60	45.84	Pass	561
709	1000	0.1	RMS	937.6	-69.65	-13	56.65	Pass	2911
1000	3000	1	RMS	2994	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9708	-45.49	-13	32.49	Pass	7001




7.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133297, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.8	-13	64.8	Pass	401
0.15	30	0.01	RMS	0.15	-77.82	-13	64.82	Pass	2986
30	653	0.1	RMS	638.6	-70.9	-13	57.9	Pass	6231
653	709	0.1	RMS	671.6	13.01	60	46.99	Pass	561
709	1000	0.1	RMS	929.1	-69.54	-13	56.54	Pass	2911
1000	3000	1	RMS	2985	-54.31	-13	41.31	Pass	2001
3000	10000	1	RMS	9698	-45.52	-13	32.52	Pass	7001




7.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-79.04	-13	66.04	Pass	401
0.15	30	0.01	RMS	0.17	-77.08	-13	64.08	Pass	2986
30	653	0.1	RMS	619.6	-70.87	-13	57.87	Pass	6231
653	709	0.1	RMS	679.1	14.75	60	45.25	Pass	561
709	1000	0.1	RMS	714.7	-41.77	-13	28.77	Pass	2911
1000	3000	1	RMS	2994	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9703	-45.46	-13	32.46	Pass	7001



7.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.61	-13	65.61	Pass	401
0.15	30	0.01	RMS	0.16	-78.2	-13	65.2	Pass	2986
30	653	0.1	RMS	641.7	-70.75	-13	57.75	Pass	6231
653	709	0.1	RMS	679.1	13.96	60	46.04	Pass	561
709	1000	0.1	RMS	714.7	-42.61	-13	29.61	Pass	2911
1000	3000	1	RMS	2999	-54.28	-13	41.28	Pass	2001
3000	10000	1	RMS	9701	-45.46	-13	32.46	Pass	7001



8. LTE_Band66


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.35	-13	65.35	Pass	401
0.15	30	0.01	RMS	0.18	-78.18	-13	65.18	Pass	2986
30	1000	0.1	RMS	967.178	-69.87	-13	56.87	Pass	9701
1000	1700	1	RMS	1700	-53.9	-13	40.9	Pass	701
1700	1790	1	RMS	1710.125	17.85	60	42.15	Pass	401
1790	3000	1	RMS	2985	-54.29	-13	41.29	Pass	1211
3000	12000	1	RMS	11892	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19413	-34.95	-13	21.95	Pass	8001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.89	-13	65.89	Pass	401
0.15	30	0.01	RMS	0.15	-77.15	-13	64.15	Pass	2986
30	1000	0.1	RMS	848.6	-69.93	-13	56.93	Pass	9701
1000	1700	1	RMS	1700	-54.59	-13	41.59	Pass	701
1700	1790	1	RMS	1710.125	16.84	60	43.16	Pass	401
1790	3000	1	RMS	2996	-54.28	-13	41.28	Pass	1211
3000	12000	1	RMS	11904	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19364	-34.9	-13	21.9	Pass	8001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-77.67	-13	64.67	Pass	401
0.15	30	0.01	RMS	0.32	-78.08	-13	65.08	Pass	2986
30	1000	0.1	RMS	919.647	-69.89	-13	56.89	Pass	9701
1000	1700	1	RMS	1687	-58.01	-13	45.01	Pass	701
1700	1790	1	RMS	1744.55	17.71	60	42.29	Pass	401
1790	3000	1	RMS	2994	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	11997	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19404	-34.97	-13	21.97	Pass	8001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.85	-13	64.85	Pass	401
0.15	30	0.01	RMS	0.22	-77.65	-13	64.65	Pass	2986
30	1000	0.1	RMS	924.25	-69.88	-13	56.88	Pass	9701
1000	1700	1	RMS	1685	-58.01	-13	45.01	Pass	701
1700	1790	1	RMS	1744.55	16.82	60	43.18	Pass	401
1790	3000	1	RMS	3000	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	11900	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19364	-34.95	-13	21.95	Pass	8001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.63	-13	65.63	Pass	401
0.15	30	0.01	RMS	0.15	-77.22	-13	64.22	Pass	2986
30	1000	0.1	RMS	971.581	-69.84	-13	56.84	Pass	9701
1000	1700	1	RMS	1680	-58.04	-13	45.04	Pass	701
1700	1790	1	RMS	1778.75	17.99	60	42.01	Pass	401
1790	3000	1	RMS	1790	-52.8	-13	39.8	Pass	1211
3000	12000	1	RMS	11996	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19369	-34.93	-13	21.93	Pass	8001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.03	-13	65.03	Pass	401
0.15	30	0.01	RMS	0.16	-77.76	-13	64.76	Pass	2986
30	1000	0.1	RMS	938.96	-69.75	-13	56.75	Pass	9701
1000	1700	1	RMS	1683	-58.03	-13	45.03	Pass	701
1700	1790	1	RMS	1778.75	17.29	60	42.71	Pass	401
1790	3000	1	RMS	1790	-53.46	-13	40.46	Pass	1211
3000	12000	1	RMS	12000	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19315	-34.92	-13	21.92	Pass	8001




8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.43	-13	65.43	Pass	401
0.15	30	0.01	RMS	0.18	-78.26	-13	65.26	Pass	2986
30	1000	0.1	RMS	847.5	-69.67	-13	56.67	Pass	9701
1000	1700	1	RMS	1700	-53.34	-13	40.34	Pass	701
1700	1790	1	RMS	1710.125	17.89	60	42.11	Pass	401
1790	3000	1	RMS	2996	-54.26	-13	41.26	Pass	1211
3000	12000	1	RMS	11994	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19352	-34.94	-13	21.94	Pass	8001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.29	-13	65.29	Pass	401
0.15	30	0.01	RMS	0.17	-77.77	-13	64.77	Pass	2986
30	1000	0.1	RMS	938.159	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1700	-53.64	-13	40.64	Pass	701
1700	1790	1	RMS	1710.125	16.94	60	43.06	Pass	401
1790	3000	1	RMS	2985	-54.23	-13	41.23	Pass	1211
3000	12000	1	RMS	11993	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19426	-34.9	-13	21.9	Pass	8001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.07	-13	65.07	Pass	401
0.15	30	0.01	RMS	0.15	-77.65	-13	64.65	Pass	2986
30	1000	0.1	RMS	924.55	-69.82	-13	56.82	Pass	9701
1000	1700	1	RMS	1682	-58	-13	45	Pass	701
1700	1790	1	RMS	1743.65	17.87	60	42.13	Pass	401
1790	3000	1	RMS	2985	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	11998	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19380	-34.85	-13	21.85	Pass	8001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.9	-13	63.9	Pass	401
0.15	30	0.01	RMS	0.15	-78.17	-13	65.17	Pass	2986
30	1000	0.1	RMS	827	-69.89	-13	56.89	Pass	9701
1000	1700	1	RMS	1689	-58	-13	45	Pass	701
1700	1790	1	RMS	1743.65	16.91	60	43.09	Pass	401
1790	3000	1	RMS	3000	-54.23	-13	41.23	Pass	1211
3000	12000	1	RMS	11992	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19380	-34.88	-13	21.88	Pass	8001




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.51	-13	65.51	Pass	401
0.15	30	0.01	RMS	0.16	-77.81	-13	64.81	Pass	2986
30	1000	0.1	RMS	968.379	-69.79	-13	56.79	Pass	9701
1000	1700	1	RMS	1683	-58	-13	45	Pass	701
1700	1790	1	RMS	1777.175	17.99	60	42.01	Pass	401
1790	3000	1	RMS	1790	-54	-13	41	Pass	1211
3000	12000	1	RMS	11999	-43.03	-13	30.03	Pass	9002
12000	20000	1	RMS	19337	-34.88	-13	21.88	Pass	8001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.06	-13	65.06	Pass	401
0.15	30	0.01	RMS	0.16	-77.9	-13	64.9	Pass	2986
30	1000	0.1	RMS	943.663	-69.86	-13	56.86	Pass	9701
1000	1700	1	RMS	1678	-58	-13	45	Pass	701
1700	1790	1	RMS	1777.175	17.2	60	42.8	Pass	401
1790	3000	1	RMS	2988	-54.24	-13	41.24	Pass	1211
3000	12000	1	RMS	11998	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19421	-34.86	-13	21.86	Pass	8001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.22	-13	65.22	Pass	401
0.15	30	0.01	RMS	0.16	-77.33	-13	64.33	Pass	2986
30	1000	0.1	RMS	931.755	-69.89	-13	56.89	Pass	9701
1000	1700	1	RMS	1700	-54.3	-13	41.3	Pass	701
1700	1790	1	RMS	1710.125	18.01	60	41.99	Pass	401
1790	3000	1	RMS	2995	-54.28	-13	41.28	Pass	1211
3000	12000	1	RMS	11999	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19309	-34.91	-13	21.91	Pass	8001




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.26	-13	65.26	Pass	401
0.15	30	0.01	RMS	0.17	-78.18	-13	65.18	Pass	2986
30	1000	0.1	RMS	960.774	-69.85	-13	56.85	Pass	9701
1000	1700	1	RMS	1700	-54.91	-13	41.91	Pass	701
1700	1790	1	RMS	1710.125	16.9	60	43.1	Pass	401
1790	3000	1	RMS	3000	-54.21	-13	41.21	Pass	1211
3000	12000	1	RMS	11896	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19380	-34.91	-13	21.91	Pass	8001




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-79.01	-13	66.01	Pass	401
0.15	30	0.01	RMS	0.15	-78.15	-13	65.15	Pass	2986
30	1000	0.1	RMS	938.759	-69.88	-13	56.88	Pass	9701
1000	1700	1	RMS	1679	-57.98	-13	44.98	Pass	701
1700	1790	1	RMS	1742.75	18.13	60	41.87	Pass	401
1790	3000	1	RMS	2999	-54.29	-13	41.29	Pass	1211
3000	12000	1	RMS	11998	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19307	-34.91	-13	21.91	Pass	8001




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.62	-13	64.62	Pass	401
0.15	30	0.01	RMS	0.15	-77.17	-13	64.17	Pass	2986
30	1000	0.1	RMS	998.899	-69.86	-13	56.86	Pass	9701
1000	1700	1	RMS	1679	-58.03	-13	45.03	Pass	701
1700	1790	1	RMS	1742.75	17.37	60	42.63	Pass	401
1790	3000	1	RMS	2986	-54.29	-13	41.29	Pass	1211
3000	12000	1	RMS	11996	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19416	-34.92	-13	21.92	Pass	8001




8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.4	-13	65.4	Pass	401
0.15	30	0.01	RMS	0.15	-77.41	-13	64.41	Pass	2986
30	1000	0.1	RMS	965.477	-69.74	-13	56.74	Pass	9701
1000	1700	1	RMS	1680	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1775.15	18.24	60	41.76	Pass	401
1790	3000	1	RMS	1793	-50.58	-13	37.58	Pass	1211
3000	12000	1	RMS	11888	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19342	-34.95	-13	21.95	Pass	8001




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.22	-13	65.22	Pass	401
0.15	30	0.01	RMS	0.16	-78.12	-13	65.12	Pass	2986
30	1000	0.1	RMS	987.692	-69.87	-13	56.87	Pass	9701
1000	1700	1	RMS	1686	-58.07	-13	45.07	Pass	701
1700	1790	1	RMS	1775.15	17.58	60	42.42	Pass	401
1790	3000	1	RMS	1793	-49.82	-13	36.82	Pass	1211
3000	12000	1	RMS	11997	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19346	-34.91	-13	21.91	Pass	8001




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.44	-13	65.44	Pass	401
0.15	30	0.01	RMS	0.17	-77.48	-13	64.48	Pass	2986
30	1000	0.1	RMS	945.464	-69.87	-13	56.87	Pass	9701
1000	1700	1	RMS	1700	-54.91	-13	41.91	Pass	701
1700	1790	1	RMS	1710.575	18.29	60	41.71	Pass	401
1790	3000	1	RMS	2985	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	11892	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19381	-34.93	-13	21.93	Pass	8001




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.58	-13	64.58	Pass	401
0.15	30	0.01	RMS	0.15	-77.28	-13	64.28	Pass	2986
30	1000	0.1	RMS	967.879	-69.88	-13	56.88	Pass	9701
1000	1700	1	RMS	1700	-55.4	-13	42.4	Pass	701
1700	1790	1	RMS	1710.575	17.43	60	42.57	Pass	401
1790	3000	1	RMS	2997	-54.29	-13	41.29	Pass	1211
3000	12000	1	RMS	11998	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19319	-34.93	-13	21.93	Pass	8001




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.22	-13	64.22	Pass	401
0.15	30	0.01	RMS	0.15	-76.88	-13	63.88	Pass	2986
30	1000	0.1	RMS	923.049	-69.89	-13	56.89	Pass	9701
1000	1700	1	RMS	1676	-58	-13	45	Pass	701
1700	1790	1	RMS	1740.5	18.21	60	41.79	Pass	401
1790	3000	1	RMS	2995	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	11996	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19368	-34.94	-13	21.94	Pass	8001




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.9	-13	64.9	Pass	401
0.15	30	0.01	RMS	0.15	-77.67	-13	64.67	Pass	2986
30	1000	0.1	RMS	855.304	-69.89	-13	56.89	Pass	9701
1000	1700	1	RMS	1688	-58.01	-13	45.01	Pass	701
1700	1790	1	RMS	1740.5	17.44	60	42.56	Pass	401
1790	3000	1	RMS	2983	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	11999	-43.02	-13	30.02	Pass	9002
12000	20000	1	RMS	19295	-34.9	-13	21.9	Pass	8001




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.78	-13	65.78	Pass	401
0.15	30	0.01	RMS	0.15	-77.88	-13	64.88	Pass	2986
30	1000	0.1	RMS	966.178	-69.88	-13	56.88	Pass	9701
1000	1700	1	RMS	1681	-58.03	-13	45.03	Pass	701
1700	1790	1	RMS	1770.425	18.47	60	41.53	Pass	401
1790	3000	1	RMS	1793	-52.88	-13	39.88	Pass	1211
3000	12000	1	RMS	11996	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19365	-34.87	-13	21.87	Pass	8001




8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.73	-13	64.73	Pass	401
0.15	30	0.01	RMS	0.16	-77.93	-13	64.93	Pass	2986
30	1000	0.1	RMS	867.812	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1679	-58.01	-13	45.01	Pass	701
1700	1790	1	RMS	1770.425	17.77	60	42.23	Pass	401
1790	3000	1	RMS	1806	-52.86	-13	39.86	Pass	1211
3000	12000	1	RMS	11995	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19330	-34.89	-13	21.89	Pass	8001




8.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.79	-13	64.79	Pass	401
0.15	30	0.01	RMS	0.22	-78.09	-13	65.09	Pass	2986
30	1000	0.1	RMS	984.089	-69.88	-13	56.88	Pass	9701
1000	1700	1	RMS	1698	-51.22	-13	38.22	Pass	701
1700	1790	1	RMS	1710.8	17.91	60	42.09	Pass	401
1790	3000	1	RMS	2999	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	11998	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19351	-34.91	-13	21.91	Pass	8001




8.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.41	-13	65.41	Pass	401
0.15	30	0.01	RMS	0.16	-77.64	-13	64.64	Pass	2986
30	1000	0.1	RMS	864.21	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1698	-53.07	-13	40.07	Pass	701
1700	1790	1	RMS	1710.8	16.96	60	43.04	Pass	401
1790	3000	1	RMS	2973	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	11998	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19429	-34.95	-13	21.95	Pass	8001




8.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.47	-13	64.47	Pass	401
0.15	30	0.01	RMS	0.17	-78.08	-13	65.08	Pass	2986
30	1000	0.1	RMS	957.972	-69.88	-13	56.88	Pass	9701
1000	1700	1	RMS	1693	-58	-13	45	Pass	701
1700	1790	1	RMS	1738.25	17.85	60	42.15	Pass	401
1790	3000	1	RMS	1792	-49.26	-13	36.26	Pass	1211
3000	12000	1	RMS	11904	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	19337	-34.88	-13	21.88	Pass	8001




8.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.67	-13	64.67	Pass	401
0.15	30	0.01	RMS	0.17	-77.77	-13	64.77	Pass	2986
30	1000	0.1	RMS	954.07	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1691	-58	-13	45	Pass	701
1700	1790	1	RMS	1738.25	16.9	60	43.1	Pass	401
1790	3000	1	RMS	1792	-48.72	-13	35.72	Pass	1211
3000	12000	1	RMS	11995	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	17842	-34.93	-13	21.93	Pass	8001




8.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.24	-13	65.24	Pass	401
0.15	30	0.01	RMS	0.15	-77.49	-13	64.49	Pass	2986
30	1000	0.1	RMS	943.162	-69.87	-13	56.87	Pass	9701
1000	1700	1	RMS	1689	-58	-13	45	Pass	701
1700	1790	1	RMS	1765.7	18.12	60	41.88	Pass	401
1790	3000	1	RMS	1792	-33.53	-13	20.53	Pass	1211
3000	12000	1	RMS	11993	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19303	-34.92	-13	21.92	Pass	8001




8.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.11	-13	65.11	Pass	401
0.15	30	0.01	RMS	0.16	-78.09	-13	65.09	Pass	2986
30	1000	0.1	RMS	832.3	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1678	-58.03	-13	45.03	Pass	701
1700	1790	1	RMS	1765.7	17.41	60	42.59	Pass	401
1790	3000	1	RMS	1792	-31.44	-13	18.44	Pass	1211
3000	12000	1	RMS	11992	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19295	-34.87	-13	21.87	Pass	8001




8.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.88	-13	64.88	Pass	401
0.15	30	0.01	RMS	0.16	-78.53	-13	65.53	Pass	2986
30	1000	0.1	RMS	999.8	-69.76	-13	56.76	Pass	9701
1000	1700	1	RMS	1700	-56.65	-13	43.65	Pass	701
1700	1790	1	RMS	1711.025	17.85	60	42.15	Pass	401
1790	3000	1	RMS	2999	-54.28	-13	41.28	Pass	1211
3000	12000	1	RMS	11996	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19401	-34.89	-13	21.89	Pass	8001




8.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.33	-13	64.33	Pass	401
0.15	30	0.01	RMS	0.17	-77.54	-13	64.54	Pass	2986
30	1000	0.1	RMS	929.353	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1700	-56.92	-13	43.92	Pass	701
1700	1790	1	RMS	1711.025	16.89	60	43.11	Pass	401
1790	3000	1	RMS	2993	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	12000	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	17843	-34.92	-13	21.92	Pass	8001




8.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.24	-13	65.24	Pass	401
0.15	30	0.01	RMS	0.15	-78.14	-13	65.14	Pass	2986
30	1000	0.1	RMS	849.8	-69.68	-13	56.68	Pass	9701
1000	1700	1	RMS	1700	-49.44	-13	36.44	Pass	701
1700	1790	1	RMS	1736	17.73	60	42.27	Pass	401
1790	3000	1	RMS	2994	-54.26	-13	41.26	Pass	1211
3000	12000	1	RMS	12000	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	17848	-34.94	-13	21.94	Pass	8001




8.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.54	-13	65.54	Pass	401
0.15	30	0.01	RMS	0.16	-77.51	-13	64.51	Pass	2986
30	1000	0.1	RMS	938.96	-69.78	-13	56.78	Pass	9701
1000	1700	1	RMS	1700	-49.33	-13	36.33	Pass	701
1700	1790	1	RMS	1736	16.82	60	43.18	Pass	401
1790	3000	1	RMS	2999	-54.29	-13	41.29	Pass	1211
3000	12000	1	RMS	12000	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19386	-34.89	-13	21.89	Pass	8001




8.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.91	-13	63.91	Pass	401
0.15	30	0.01	RMS	0.22	-78.33	-13	65.33	Pass	2986
30	1000	0.1	RMS	974.983	-69.83	-13	56.83	Pass	9701
1000	1700	1	RMS	1685	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1760.975	17.99	60	42.01	Pass	401
1790	3000	1	RMS	1797	-34.52	-13	21.52	Pass	1211
3000	12000	1	RMS	11994	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19397	-34.94	-13	21.94	Pass	8001



8.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.47	-13	65.47	Pass	401
0.15	30	0.01	RMS	0.16	-77.94	-13	64.94	Pass	2986
30	1000	0.1	RMS	929.353	-69.94	-13	56.94	Pass	9701
1000	1700	1	RMS	1681	-58.04	-13	45.04	Pass	701
1700	1790	1	RMS	1760.975	17.17	60	42.83	Pass	401
1790	3000	1	RMS	1797	-32.61	-13	19.61	Pass	1211
3000	12000	1	RMS	11893	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	19407	-34.91	-13	21.91	Pass	8001



--BLANK BELOW--