



2.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.15	-13	60.15	Pass	141
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	966.278	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1697	-53.32	-13	40.32	Pass	701
1700	1765	1	RMS	1722.75	21.55	60	38.45	Pass	101
1765	3000	1	RMS	2989	-51.37	-13	38.37	Pass	1236
3000	12000	1	RMS	11996	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




2.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.33	-13	60.33	Pass	141
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	969.48	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1697	-53.45	-13	40.45	Pass	701
1700	1765	1	RMS	1722.75	20.78	60	39.22	Pass	101
1765	3000	1	RMS	2997	-51.34	-13	38.34	Pass	1236
3000	12000	1	RMS	11993	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.68	-13	26.68	Pass	8001




2.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.86	-13	60.86	Pass	141
0.15	30	0.01	RMS	0.22	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	934.957	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1700	-51.81	-13	38.81	Pass	701
1700	1765	1	RMS	1735.75	21.67	60	38.33	Pass	101
1765	3000	1	RMS	1772	-38.09	-13	25.09	Pass	1236
3000	12000	1	RMS	11996	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001



2.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.19	-13	60.19	Pass	141
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	971.481	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-48.93	-13	35.93	Pass	701
1700	1765	1	RMS	1735.75	20.96	60	39.04	Pass	101
1765	3000	1	RMS	1772	-37.15	-13	24.15	Pass	1236
3000	12000	1	RMS	11991	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13603	-39.7	-13	26.7	Pass	8001



3. LTE_Band5


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.28	-13	61.28	Pass	141
0.15	30	0.01	RMS	0.17	-71.81	-13	58.81	Pass	2986
30	814	0.1	RMS	813.5	-64.96	-13	51.96	Pass	7841
814	860	0.1	RMS	824.2	19.36	60	40.64	Pass	461
860	1000	0.1	RMS	870.3	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1648	-47.62	-13	34.62	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.43	-13	60.43	Pass	141
0.15	30	0.01	RMS	0.16	-71.03	-13	58.03	Pass	2986
30	814	0.1	RMS	813.6	-65.11	-13	52.11	Pass	7841
814	860	0.1	RMS	824.2	18.43	60	41.57	Pass	461
860	1000	0.1	RMS	957.7	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1648	-48.83	-13	35.83	Pass	2001
3000	10000	1	RMS	6801	-45.65	-13	32.65	Pass	7001




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-13	59.99	Pass	141
0.15	30	0.01	RMS	0.22	-72.51	-13	59.51	Pass	2986
30	814	0.1	RMS	813.1	-65.39	-13	52.39	Pass	7841
814	860	0.1	RMS	836	19.37	60	40.63	Pass	461
860	1000	0.1	RMS	965.4	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1672	-49.15	-13	36.15	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.95	-13	60.95	Pass	141
0.15	30	0.01	RMS	0.19	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	811.9	-65.38	-13	52.38	Pass	7841
814	860	0.1	RMS	836.1	18.45	60	41.55	Pass	461
860	1000	0.1	RMS	950	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1672	-49.85	-13	36.85	Pass	2001
3000	10000	1	RMS	6799	-45.49	-13	32.49	Pass	7001




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.16	-13	61.16	Pass	141
0.15	30	0.01	RMS	0.19	-72.84	-13	59.84	Pass	2986
30	814	0.1	RMS	809.8	-65.39	-13	52.39	Pass	7841
814	860	0.1	RMS	847.8	19.36	60	40.64	Pass	461
860	1000	0.1	RMS	922.4	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1695	-49.12	-13	36.12	Pass	2001
3000	10000	1	RMS	6800	-45.53	-13	32.53	Pass	7001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.83	-13	60.83	Pass	141
0.15	30	0.01	RMS	0.18	-72.51	-13	59.51	Pass	2986
30	814	0.1	RMS	812.5	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	847.8	18.56	60	41.44	Pass	461
860	1000	0.1	RMS	973.5	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1695	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	6799	-45.56	-13	32.56	Pass	7001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.15	-13	60.15	Pass	141
0.15	30	0.01	RMS	0.17	-72.03	-13	59.03	Pass	2986
30	814	0.1	RMS	813.6	-64.76	-13	51.76	Pass	7841
814	860	0.1	RMS	824.2	19.58	60	40.42	Pass	461
860	1000	0.1	RMS	871.5	-65.17	-13	52.17	Pass	1401
1000	3000	1	RMS	1648	-47.75	-13	34.75	Pass	2001
3000	10000	1	RMS	6798	-45.54	-13	32.54	Pass	7001




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-13	60.87	Pass	141
0.15	30	0.01	RMS	0.17	-71.71	-13	58.71	Pass	2986
30	814	0.1	RMS	814	-64.82	-13	51.82	Pass	7841
814	860	0.1	RMS	824.2	18.6	60	41.4	Pass	461
860	1000	0.1	RMS	931.4	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1648	-48.97	-13	35.97	Pass	2001
3000	10000	1	RMS	6801	-45.44	-13	32.44	Pass	7001




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.53	-13	60.53	Pass	141
0.15	30	0.01	RMS	0.19	-72.58	-13	59.58	Pass	2986
30	814	0.1	RMS	813.3	-65.27	-13	52.27	Pass	7841
814	860	0.1	RMS	835.2	19.59	60	40.41	Pass	461
860	1000	0.1	RMS	880.8	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1670	-49.01	-13	36.01	Pass	2001
3000	10000	1	RMS	6800	-45.5	-13	32.5	Pass	7001




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.54	-13	60.54	Pass	141
0.15	30	0.01	RMS	0.2	-72.58	-13	59.58	Pass	2986
30	814	0.1	RMS	812.5	-65.33	-13	52.33	Pass	7841
814	860	0.1	RMS	835.2	18.77	60	41.23	Pass	461
860	1000	0.1	RMS	962.2	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1670	-49.57	-13	36.57	Pass	2001
3000	10000	1	RMS	6801	-45.49	-13	32.49	Pass	7001




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.31	-13	60.31	Pass	141
0.15	30	0.01	RMS	0.16	-72.01	-13	59.01	Pass	2986
30	814	0.1	RMS	813.9	-65.29	-13	52.29	Pass	7841
814	860	0.1	RMS	846.2	19.74	60	40.26	Pass	461
860	1000	0.1	RMS	868.1	-65.17	-13	52.17	Pass	1401
1000	3000	1	RMS	1692	-47.78	-13	34.78	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.91	-13	60.91	Pass	141
0.15	30	0.01	RMS	0.18	-72.81	-13	59.81	Pass	2986
30	814	0.1	RMS	811.2	-65.3	-13	52.3	Pass	7841
814	860	0.1	RMS	846.2	18.93	60	41.07	Pass	461
860	1000	0.1	RMS	981.6	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1692	-48.55	-13	35.55	Pass	2001
3000	10000	1	RMS	6799	-45.56	-13	32.56	Pass	7001




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.5	-13	60.5	Pass	141
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	814	0.1	RMS	813.6	-62.23	-13	49.23	Pass	7841
814	860	0.1	RMS	824.3	19.98	60	40.02	Pass	461
860	1000	0.1	RMS	982.3	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1648	-46.95	-13	33.95	Pass	2001
3000	10000	1	RMS	6799	-45.49	-13	32.49	Pass	7001




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-13	60.28	Pass	141
0.15	30	0.01	RMS	0.16	-71	-13	58	Pass	2986
30	814	0.1	RMS	813.6	-62.64	-13	49.64	Pass	7841
814	860	0.1	RMS	824.3	18.93	60	41.07	Pass	461
860	1000	0.1	RMS	979.7	-65.2	-13	52.2	Pass	1401
1000	3000	1	RMS	1648	-48.02	-13	35.02	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.57	-13	60.57	Pass	141
0.15	30	0.01	RMS	0.15	-72.74	-13	59.74	Pass	2986
30	814	0.1	RMS	813.4	-64.21	-13	51.21	Pass	7841
814	860	0.1	RMS	834.3	19.69	60	40.31	Pass	461
860	1000	0.1	RMS	977.7	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1668	-47.91	-13	34.91	Pass	2001
3000	10000	1	RMS	6802	-45.6	-13	32.6	Pass	7001




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.11	-13	60.11	Pass	141
0.15	30	0.01	RMS	0.15	-72.66	-13	59.66	Pass	2986
30	814	0.1	RMS	813.4	-64.54	-13	51.54	Pass	7841
814	860	0.1	RMS	834.3	19.05	60	40.95	Pass	461
860	1000	0.1	RMS	879.9	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1668	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-13	60.63	Pass	141
0.15	30	0.01	RMS	0.22	-72.7	-13	59.7	Pass	2986
30	814	0.1	RMS	812.9	-63.62	-13	50.62	Pass	7841
814	860	0.1	RMS	844.3	19.77	60	40.23	Pass	461
860	1000	0.1	RMS	994	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1688	-48.02	-13	35.02	Pass	2001
3000	10000	1	RMS	6801	-45.61	-13	32.61	Pass	7001




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-13	60.03	Pass	141
0.15	30	0.01	RMS	0.17	-72.16	-13	59.16	Pass	2986
30	814	0.1	RMS	812.9	-63.26	-13	50.26	Pass	7841
814	860	0.1	RMS	844.3	19.21	60	40.79	Pass	461
860	1000	0.1	RMS	977.7	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1688	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	6802	-45.52	-13	32.52	Pass	7001




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.85	-13	60.85	Pass	141
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	814	0.1	RMS	811.4	-56.7	-13	43.7	Pass	7841
814	860	0.1	RMS	824.6	20.45	60	39.55	Pass	461
860	1000	0.1	RMS	870.1	-65.16	-13	52.16	Pass	1401
1000	3000	1	RMS	1649	-47.87	-13	34.87	Pass	2001
3000	10000	1	RMS	6803	-45.58	-13	32.58	Pass	7001




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-13	60.19	Pass	141
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	811.4	-58.13	-13	45.13	Pass	7841
814	860	0.1	RMS	824.6	19.4	60	40.6	Pass	461
860	1000	0.1	RMS	971.5	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1649	-48.57	-13	35.57	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.36	-13	60.36	Pass	141
0.15	30	0.01	RMS	0.15	-72.96	-13	59.96	Pass	2986
30	814	0.1	RMS	814	-63.99	-13	50.99	Pass	7841
814	860	0.1	RMS	832.1	20.25	60	39.75	Pass	461
860	1000	0.1	RMS	984.7	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1664	-48.46	-13	35.46	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.34	-72.88	-13	59.88	Pass	2986
30	814	0.1	RMS	814	-64.06	-13	51.06	Pass	7841
814	860	0.1	RMS	832.1	19.53	60	40.47	Pass	461
860	1000	0.1	RMS	973.4	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1664	-48.97	-13	35.97	Pass	2001
3000	10000	1	RMS	6801	-45.47	-13	32.47	Pass	7001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.43	-13	60.43	Pass	141
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	813.2	-63.96	-13	50.96	Pass	7841
814	860	0.1	RMS	839.6	19.98	60	40.02	Pass	461
860	1000	0.1	RMS	893.1	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1679	-47.96	-13	34.96	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.07	-13	60.07	Pass	141
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	814	0.1	RMS	813.1	-62.69	-13	49.69	Pass	7841
814	860	0.1	RMS	839.6	19.43	60	40.57	Pass	461
860	1000	0.1	RMS	916.1	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1679	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001



4. LTE_Band12


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.56	-13	60.56	Pass	141
0.15	30	0.01	RMS	0.18	-72.35	-13	59.35	Pass	2986
30	689	0.1	RMS	688.5	-65.83	-13	52.83	Pass	6591
689	726	0.1	RMS	699.2	19.14	60	40.86	Pass	371
726	1000	0.1	RMS	985.1	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	1398	-47.64	-13	34.64	Pass	2001
3000	10000	1	RMS	6796	-45.63	-13	32.63	Pass	7001




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.16	-13	59.16	Pass	141
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	689	0.1	RMS	504.2	-65.86	-13	52.86	Pass	6591
689	726	0.1	RMS	699.2	18.26	60	41.74	Pass	371
726	1000	0.1	RMS	951.4	-64.85	-13	51.85	Pass	2741
1000	3000	1	RMS	1398	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.78	-13	60.78	Pass	141
0.15	30	0.01	RMS	0.17	-72.34	-13	59.34	Pass	2986
30	689	0.1	RMS	605.4	-66	-13	53	Pass	6591
689	726	0.1	RMS	707	19.35	60	40.65	Pass	371
726	1000	0.1	RMS	845	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	1414	-47.27	-13	34.27	Pass	2001
3000	10000	1	RMS	6798	-45.64	-13	32.64	Pass	7001




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.43	-13	60.43	Pass	141
0.15	30	0.01	RMS	0.19	-72.64	-13	59.64	Pass	2986
30	689	0.1	RMS	495.5	-66.1	-13	53.1	Pass	6591
689	726	0.1	RMS	707.1	18.29	60	41.71	Pass	371
726	1000	0.1	RMS	827.7	-65.04	-13	52.04	Pass	2741
1000	3000	1	RMS	1414	-48.32	-13	35.32	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.71	-13	60.71	Pass	141
0.15	30	0.01	RMS	0.15	-72.94	-13	59.94	Pass	2986
30	689	0.1	RMS	515.9	-66.03	-13	53.03	Pass	6591
689	726	0.1	RMS	714.8	19.19	60	40.81	Pass	371
726	1000	0.1	RMS	829.4	-65.16	-13	52.16	Pass	2741
1000	3000	1	RMS	1429	-48.3	-13	35.3	Pass	2001
3000	10000	1	RMS	6802	-45.67	-13	32.67	Pass	7001




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.57	-13	60.57	Pass	141
0.15	30	0.01	RMS	0.19	-72.56	-13	59.56	Pass	2986
30	689	0.1	RMS	487.9	-66.01	-13	53.01	Pass	6591
689	726	0.1	RMS	714.9	18.24	60	41.76	Pass	371
726	1000	0.1	RMS	834.2	-65.24	-13	52.24	Pass	2741
1000	3000	1	RMS	1429	-49.61	-13	36.61	Pass	2001
3000	10000	1	RMS	6802	-45.54	-13	32.54	Pass	7001




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.16	-13	60.16	Pass	141
0.15	30	0.01	RMS	0.18	-72.18	-13	59.18	Pass	2986
30	689	0.1	RMS	688.5	-65.62	-13	52.62	Pass	6591
689	726	0.1	RMS	699.2	19.6	60	40.4	Pass	371
726	1000	0.1	RMS	993.2	-65.21	-13	52.21	Pass	2741
1000	3000	1	RMS	1398	-47.57	-13	34.57	Pass	2001
3000	10000	1	RMS	6802	-45.64	-13	32.64	Pass	7001




4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.71	-13	60.71	Pass	141
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	689	0.1	RMS	688.5	-65.83	-13	52.83	Pass	6591
689	726	0.1	RMS	699.2	18.48	60	41.52	Pass	371
726	1000	0.1	RMS	978.6	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1398	-48.48	-13	35.48	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.8	-13	60.8	Pass	141
0.15	30	0.01	RMS	0.27	-72.52	-13	59.52	Pass	2986
30	689	0.1	RMS	486.3	-66.06	-13	53.06	Pass	6591
689	726	0.1	RMS	706.2	19.64	60	40.36	Pass	371
726	1000	0.1	RMS	841.7	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1412	-48.9	-13	35.9	Pass	2001
3000	10000	1	RMS	6802	-45.66	-13	32.66	Pass	7001




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	60.45	Pass	141
0.15	30	0.01	RMS	0.16	-72.43	-13	59.43	Pass	2986
30	689	0.1	RMS	510.3	-66.08	-13	53.08	Pass	6591
689	726	0.1	RMS	706.2	18.49	60	41.51	Pass	371
726	1000	0.1	RMS	839	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1412	-50.3	-13	37.3	Pass	2001
3000	10000	1	RMS	6798	-45.59	-13	32.59	Pass	7001




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.85	-13	60.85	Pass	141
0.15	30	0.01	RMS	0.26	-72.19	-13	59.19	Pass	2986
30	689	0.1	RMS	482.9	-66.05	-13	53.05	Pass	6591
689	726	0.1	RMS	713.2	19.39	60	40.61	Pass	371
726	1000	0.1	RMS	832.1	-64.94	-13	51.94	Pass	2741
1000	3000	1	RMS	1426	-48.11	-13	35.11	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.63	-13	60.63	Pass	141
0.15	30	0.01	RMS	0.18	-72.4	-13	59.4	Pass	2986
30	689	0.1	RMS	615	-66.11	-13	53.11	Pass	6591
689	726	0.1	RMS	713.2	18.41	60	41.59	Pass	371
726	1000	0.1	RMS	980	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1426	-48.91	-13	35.91	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.36	-13	61.36	Pass	141
0.15	30	0.01	RMS	0.24	-72.43	-13	59.43	Pass	2986
30	689	0.1	RMS	688.6	-65.81	-13	52.81	Pass	6591
689	726	0.1	RMS	699.3	19.85	60	40.15	Pass	371
726	1000	0.1	RMS	975.7	-65.04	-13	52.04	Pass	2741
1000	3000	1	RMS	1398	-47.45	-13	34.45	Pass	2001
3000	10000	1	RMS	6801	-45.57	-13	32.57	Pass	7001




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.42	-13	60.42	Pass	141
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	689	0.1	RMS	688.7	-65.95	-13	52.95	Pass	6591
689	726	0.1	RMS	699.3	18.95	60	41.05	Pass	371
726	1000	0.1	RMS	835.2	-65.05	-13	52.05	Pass	2741
1000	3000	1	RMS	1398	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	6801	-45.65	-13	32.65	Pass	7001




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.76	-13	60.76	Pass	141
0.15	30	0.01	RMS	0.21	-71.74	-13	58.74	Pass	2986
30	689	0.1	RMS	620	-65.97	-13	52.97	Pass	6591
689	726	0.1	RMS	705.3	19.56	60	40.44	Pass	371
726	1000	0.1	RMS	916.2	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	1410	-47.18	-13	34.18	Pass	2001
3000	10000	1	RMS	6801	-45.61	-13	32.61	Pass	7001




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.62	-13	60.62	Pass	141
0.15	30	0.01	RMS	0.16	-71.77	-13	58.77	Pass	2986
30	689	0.1	RMS	493.4	-66.03	-13	53.03	Pass	6591
689	726	0.1	RMS	705.3	18.8	60	41.2	Pass	371
726	1000	0.1	RMS	916.8	-64.97	-13	51.97	Pass	2741
1000	3000	1	RMS	1410	-47.8	-13	34.8	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.29	-13	60.29	Pass	141
0.15	30	0.01	RMS	0.21	-72.55	-13	59.55	Pass	2986
30	689	0.1	RMS	502.6	-66.01	-13	53.01	Pass	6591
689	726	0.1	RMS	711.3	19.5	60	40.5	Pass	371
726	1000	0.1	RMS	871.9	-65.07	-13	52.07	Pass	2741
1000	3000	1	RMS	2991	-51.32	-13	38.32	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.43	-13	60.43	Pass	141
0.15	30	0.01	RMS	0.18	-72.35	-13	59.35	Pass	2986
30	689	0.1	RMS	477.7	-65.87	-13	52.87	Pass	6591
689	726	0.1	RMS	711.3	18.78	60	41.22	Pass	371
726	1000	0.1	RMS	935.3	-64.82	-13	51.82	Pass	2741
1000	3000	1	RMS	2991	-51.32	-13	38.32	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.37	-13	60.37	Pass	141
0.15	30	0.01	RMS	0.16	-72.61	-13	59.61	Pass	2986
30	689	0.1	RMS	688.9	-65.41	-13	52.41	Pass	6591
689	726	0.1	RMS	699.6	20.37	60	39.63	Pass	371
726	1000	0.1	RMS	847	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	1399	-47.74	-13	34.74	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.98	-13	60.98	Pass	141
0.15	30	0.01	RMS	0.18	-72.61	-13	59.61	Pass	2986
30	689	0.1	RMS	688.9	-65.47	-13	52.47	Pass	6591
689	726	0.1	RMS	699.6	19.52	60	40.48	Pass	371
726	1000	0.1	RMS	845.7	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	1399	-48.35	-13	35.35	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.15	-72.84	-13	59.84	Pass	2986
30	689	0.1	RMS	501.4	-65.96	-13	52.96	Pass	6591
689	726	0.1	RMS	703.1	20.18	60	39.82	Pass	371
726	1000	0.1	RMS	854.7	-64.88	-13	51.88	Pass	2741
1000	3000	1	RMS	1406	-47.97	-13	34.97	Pass	2001
3000	10000	1	RMS	6801	-45.51	-13	32.51	Pass	7001




4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.85	-13	60.85	Pass	141
0.15	30	0.01	RMS	0.17	-72.31	-13	59.31	Pass	2986
30	689	0.1	RMS	599	-66	-13	53	Pass	6591
689	726	0.1	RMS	703.1	19.14	60	40.86	Pass	371
726	1000	0.1	RMS	850.9	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1406	-48.99	-13	35.99	Pass	2001
3000	10000	1	RMS	6802	-45.6	-13	32.6	Pass	7001




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.74	-13	60.74	Pass	141
0.15	30	0.01	RMS	0.15	-73.05	-13	60.05	Pass	2986
30	689	0.1	RMS	497.5	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	706.6	20.03	60	39.97	Pass	371
726	1000	0.1	RMS	827.7	-65.05	-13	52.05	Pass	2741
1000	3000	1	RMS	1413	-47.79	-13	34.79	Pass	2001
3000	10000	1	RMS	6797	-45.56	-13	32.56	Pass	7001



4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-13	60.47	Pass	141
0.15	30	0.01	RMS	0.19	-72.96	-13	59.96	Pass	2986
30	689	0.1	RMS	479.9	-65.92	-13	52.92	Pass	6591
689	726	0.1	RMS	706.6	19.21	60	40.79	Pass	371
726	1000	0.1	RMS	988.1	-64.87	-13	51.87	Pass	2741
1000	3000	1	RMS	1413	-48.81	-13	35.81	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001



5. LTE_Band13


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-13	60.44	Pass	141
0.15	30	0.01	RMS	0.16	-72.48	-13	59.48	Pass	2986
30	767	0.1	RMS	766.6	-65.31	-13	52.31	Pass	7371
767	797	0.1	RMS	777.3	19.87	60	40.13	Pass	301
797	1000	0.1	RMS	809	-64.11	-13	51.11	Pass	2031
1000	3000	1	RMS	1554	-48.83	-13	35.83	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.1	-13	61.1	Pass	141
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	767	0.1	RMS	766.6	-65.57	-13	52.57	Pass	7371
767	797	0.1	RMS	777.3	19.09	60	40.91	Pass	301
797	1000	0.1	RMS	809	-64.29	-13	51.29	Pass	2031
1000	3000	1	RMS	1554	-49.51	-13	36.51	Pass	2001
3000	10000	1	RMS	6799	-45.53	-13	32.53	Pass	7001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-13	59.67	Pass	141
0.15	30	0.01	RMS	0.18	-72.37	-13	59.37	Pass	2986
30	767	0.1	RMS	728	-65.62	-13	52.62	Pass	7371
767	797	0.1	RMS	779.8	19.9	60	40.1	Pass	301
797	1000	0.1	RMS	811.4	-64.65	-13	51.65	Pass	2031
1000	3000	1	RMS	1559	-48.47	-13	35.47	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.87	-13	60.87	Pass	141
0.15	30	0.01	RMS	0.26	-72.62	-13	59.62	Pass	2986
30	767	0.1	RMS	748.6	-65.77	-13	52.77	Pass	7371
767	797	0.1	RMS	779.8	19.09	60	40.91	Pass	301
797	1000	0.1	RMS	800.8	-64.85	-13	51.85	Pass	2031
1000	3000	1	RMS	1559	-49.31	-13	36.31	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.81	-13	60.81	Pass	141
0.15	30	0.01	RMS	0.17	-72.24	-13	59.24	Pass	2986
30	767	0.1	RMS	758.4	-65.77	-13	52.77	Pass	7371
767	797	0.1	RMS	782.3	20.09	60	39.91	Pass	301
797	1000	0.1	RMS	797.4	-62.63	-13	49.63	Pass	2031
1000	3000	1	RMS	1564	-48.23	-13	35.23	Pass	2001
3000	10000	1	RMS	6802	-45.56	-13	32.56	Pass	7001




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.89	-13	60.89	Pass	141
0.15	30	0.01	RMS	0.2	-72.31	-13	59.31	Pass	2986
30	767	0.1	RMS	753.3	-65.77	-13	52.77	Pass	7371
767	797	0.1	RMS	782.3	19.46	60	40.54	Pass	301
797	1000	0.1	RMS	797.4	-62.79	-13	49.79	Pass	2031
1000	3000	1	RMS	1564	-48.86	-13	35.86	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-13	60.14	Pass	141
0.15	30	0.01	RMS	0.26	-71.82	-13	58.82	Pass	2986
30	767	0.1	RMS	766.9	-65.16	-13	52.16	Pass	7371
767	797	0.1	RMS	777.6	20.35	60	39.65	Pass	301
797	1000	0.1	RMS	799.6	-60.04	-13	47.04	Pass	2031
1000	3000	1	RMS	1555	-49.13	-13	36.13	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.24	-13	60.24	Pass	141
0.15	30	0.01	RMS	0.16	-72.1	-13	59.1	Pass	2986
30	767	0.1	RMS	766.9	-65.51	-13	52.51	Pass	7371
767	797	0.1	RMS	777.6	19.48	60	40.52	Pass	301
797	1000	0.1	RMS	799.7	-60.22	-13	47.22	Pass	2031
1000	3000	1	RMS	1555	-49.74	-13	36.74	Pass	2001
3000	10000	1	RMS	6799	-45.61	-13	32.61	Pass	7001




5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.82	-13	60.82	Pass	141
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	767	0.1	RMS	766.9	-65.36	-13	52.36	Pass	7371
767	797	0.1	RMS	777.6	20.45	60	39.55	Pass	301
797	1000	0.1	RMS	799.6	-60.02	-13	47.02	Pass	2031
1000	3000	1	RMS	1555	-49.11	-13	36.11	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.51	-13	60.51	Pass	141
0.15	30	0.01	RMS	0.19	-72.69	-13	59.69	Pass	2986
30	767	0.1	RMS	766.9	-65.13	-13	52.13	Pass	7371
767	797	0.1	RMS	777.6	19.57	60	40.43	Pass	301
797	1000	0.1	RMS	799.6	-60.64	-13	47.64	Pass	2031
1000	3000	1	RMS	1555	-49.8	-13	36.8	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.93	-13	59.93	Pass	141
0.15	30	0.01	RMS	0.19	-71.96	-13	58.96	Pass	2986
30	767	0.1	RMS	766.9	-65.09	-13	52.09	Pass	7371
767	797	0.1	RMS	777.6	20.37	60	39.63	Pass	301
797	1000	0.1	RMS	799.6	-59.59	-13	46.59	Pass	2031
1000	3000	1	RMS	1555	-49.22	-13	36.22	Pass	2001
3000	10000	1	RMS	6802	-45.51	-13	32.51	Pass	7001



5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.58	-13	60.58	Pass	141
0.15	30	0.01	RMS	0.17	-72.1	-13	59.1	Pass	2986
30	767	0.1	RMS	766.9	-65.45	-13	52.45	Pass	7371
767	797	0.1	RMS	777.6	19.56	60	40.44	Pass	301
797	1000	0.1	RMS	799.7	-60.62	-13	47.62	Pass	2031
1000	3000	1	RMS	1555	-49.63	-13	36.63	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001



6. LTE_Band17


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.69	-13	60.69	Pass	141
0.15	30	0.01	RMS	0.16	-72.83	-13	59.83	Pass	2986
30	694	0.1	RMS	693.6	-64.09	-13	51.09	Pass	6641
694	726	0.1	RMS	704.3	19.68	60	40.32	Pass	321
726	1000	0.1	RMS	864.6	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1408	-47.25	-13	34.25	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.35	-13	60.35	Pass	141
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	694	0.1	RMS	693.7	-64.75	-13	51.75	Pass	6641
694	726	0.1	RMS	704.3	18.79	60	41.21	Pass	321
726	1000	0.1	RMS	962.2	-65.16	-13	52.16	Pass	2741
1000	3000	1	RMS	1408	-48.12	-13	35.12	Pass	2001
3000	10000	1	RMS	6799	-45.67	-13	32.67	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.18	-13	60.18	Pass	141
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	694	0.1	RMS	693.7	-65.96	-13	52.96	Pass	6641
694	726	0.1	RMS	707.8	19.6	60	40.4	Pass	321
726	1000	0.1	RMS	919.3	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	1415	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.34	-13	60.34	Pass	141
0.15	30	0.01	RMS	0.18	-71.97	-13	58.97	Pass	2986
30	694	0.1	RMS	693.7	-66.03	-13	53.03	Pass	6641
694	726	0.1	RMS	707.8	18.84	60	41.16	Pass	321
726	1000	0.1	RMS	898.1	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1415	-48.42	-13	35.42	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.51	-13	60.51	Pass	141
0.15	30	0.01	RMS	0.15	-73.08	-13	60.08	Pass	2986
30	694	0.1	RMS	506.2	-66.03	-13	53.03	Pass	6641
694	726	0.1	RMS	711.3	19.51	60	40.49	Pass	321
726	1000	0.1	RMS	988.6	-65.21	-13	52.21	Pass	2741
1000	3000	1	RMS	2989	-51.36	-13	38.36	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.54	-13	60.54	Pass	141
0.15	30	0.01	RMS	0.17	-72.55	-13	59.55	Pass	2986
30	694	0.1	RMS	693.9	-65.89	-13	52.89	Pass	6641
694	726	0.1	RMS	711.3	18.75	60	41.25	Pass	321
726	1000	0.1	RMS	817.1	-65.03	-13	52.03	Pass	2741
1000	3000	1	RMS	2989	-51.39	-13	38.39	Pass	2001
3000	10000	1	RMS	6802	-45.61	-13	32.61	Pass	7001




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.32	-13	60.32	Pass	141
0.15	30	0.01	RMS	0.16	-72.58	-13	59.58	Pass	2986
30	694	0.1	RMS	693.9	-64.5	-13	51.5	Pass	6641
694	726	0.1	RMS	704.6	20.18	60	39.82	Pass	321
726	1000	0.1	RMS	912.1	-64.92	-13	51.92	Pass	2741
1000	3000	1	RMS	1409	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	6797	-45.65	-13	32.65	Pass	7001




6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.03	-13	61.03	Pass	141
0.15	30	0.01	RMS	0.23	-72.58	-13	59.58	Pass	2986
30	694	0.1	RMS	693.9	-65.11	-13	52.11	Pass	6641
694	726	0.1	RMS	704.6	19.25	60	40.75	Pass	321
726	1000	0.1	RMS	847.6	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1409	-48.81	-13	35.81	Pass	2001
3000	10000	1	RMS	6796	-45.62	-13	32.62	Pass	7001




6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.65	-13	60.65	Pass	141
0.15	30	0.01	RMS	0.17	-72.36	-13	59.36	Pass	2986
30	694	0.1	RMS	692.4	-64.4	-13	51.4	Pass	6641
694	726	0.1	RMS	705.6	20.11	60	39.89	Pass	321
726	1000	0.1	RMS	965.9	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1411	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.18	-72.38	-13	59.38	Pass	2986
30	694	0.1	RMS	692.5	-65.39	-13	52.39	Pass	6641
694	726	0.1	RMS	705.6	19.23	60	40.77	Pass	321
726	1000	0.1	RMS	846.3	-65	-13	52	Pass	2741
1000	3000	1	RMS	1411	-49.01	-13	36.01	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-13	60.04	Pass	141
0.15	30	0.01	RMS	0.16	-72.36	-13	59.36	Pass	2986
30	694	0.1	RMS	693.4	-60.88	-13	47.88	Pass	6641
694	726	0.1	RMS	706.6	20.06	60	39.94	Pass	321
726	1000	0.1	RMS	887.2	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1413	-47.59	-13	34.59	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001



6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.23	-13	60.23	Pass	141
0.15	30	0.01	RMS	0.28	-72.57	-13	59.57	Pass	2986
30	694	0.1	RMS	693.4	-62.14	-13	49.14	Pass	6641
694	726	0.1	RMS	706.6	19.29	60	40.71	Pass	321
726	1000	0.1	RMS	852.3	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1413	-48.57	-13	35.57	Pass	2001
3000	10000	1	RMS	6799	-45.61	-13	32.61	Pass	7001



7. LTE_Band25


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.93	-13	60.93	Pass	141
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	843	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1836	-47.97	-13	34.97	Pass	841
1840	1925	1	RMS	1849.35	21.78	60	38.22	Pass	101
1925	3000	1	RMS	2996	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	12000	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	60.2	Pass	141
0.15	30	0.01	RMS	0.18	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	994.997	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1836	-48.33	-13	35.33	Pass	841
1840	1925	1	RMS	1849.35	20.96	60	39.04	Pass	101
1925	3000	1	RMS	2979	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11993	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001



7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-13	60.28	Pass	141
0.15	30	0.01	RMS	0.15	-70.7	-13	57.7	Pass	2986
30	1000	0.1	RMS	865.011	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1838	-53.83	-13	40.83	Pass	841
1840	1925	1	RMS	1881.65	21.1	60	38.9	Pass	101
1925	3000	1	RMS	2986	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	3764	-43.84	-13	30.84	Pass	9002
12000	20000	1	RMS	13604	-39.76	-13	26.76	Pass	8001



7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.73	-13	59.73	Pass	141
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	846.5	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1830	-53.83	-13	40.83	Pass	841
1840	1925	1	RMS	1881.65	20.31	60	39.69	Pass	101
1925	3000	1	RMS	2986	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11999	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.67	-13	26.67	Pass	8001

