



**7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-13	60.14	Pass	141
0.15	30	0.01	RMS	0.2	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	966.378	-65.16	-13	52.16	Pass	9701
1000	1840	1	RMS	1838	-53.69	-13	40.69	Pass	841
1840	1925	1	RMS	1913.1	22.11	60	37.89	Pass	101
1925	3000	1	RMS	2994	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11999	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13602	-39.72	-13	26.72	Pass	8001




7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.53	-13	59.53	Pass	141
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	1000	0.1	RMS	865.411	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1840	-53.74	-13	40.74	Pass	841
1840	1925	1	RMS	1913.1	21.25	60	38.75	Pass	101
1925	3000	1	RMS	2920	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11993	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.79	-13	26.79	Pass	8001




**7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.18	-13	60.18	Pass	141
0.15	30	0.01	RMS	0.15	-72.54	-13	59.54	Pass	2986
30	1000	0.1	RMS	865.211	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1836	-48.05	-13	35.05	Pass	841
1840	1925	1	RMS	1849.35	21.72	60	38.28	Pass	101
1925	3000	1	RMS	2989	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	11996	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13602	-39.65	-13	26.65	Pass	8001




7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-13	60.46	Pass	141
0.15	30	0.01	RMS	0.2	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	957.972	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1836	-48.44	-13	35.44	Pass	841
1840	1925	1	RMS	1849.35	20.95	60	39.05	Pass	101
1925	3000	1	RMS	2986	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11997	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13602	-39.64	-13	26.64	Pass	8001




7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.71	-13	60.71	Pass	141
0.15	30	0.01	RMS	0.16	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	873.816	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1833	-53.8	-13	40.8	Pass	841
1840	1925	1	RMS	1880.8	21.15	60	38.85	Pass	101
1925	3000	1	RMS	2930	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11999	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.67	-13	60.67	Pass	141
0.15	30	0.01	RMS	0.19	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	852.602	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1838	-53.78	-13	40.78	Pass	841
1840	1925	1	RMS	1880.8	20.5	60	39.5	Pass	101
1925	3000	1	RMS	2970	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11998	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13601	-39.69	-13	26.69	Pass	8001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.6	-13	60.6	Pass	141
0.15	30	0.01	RMS	0.16	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	955.07	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1839	-53.56	-13	40.56	Pass	841
1840	1925	1	RMS	1911.4	21.93	60	38.07	Pass	101
1925	3000	1	RMS	2990	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	12000	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.54	-13	60.54	Pass	141
0.15	30	0.01	RMS	0.18	-72.74	-13	59.74	Pass	2986
30	1000	0.1	RMS	967.879	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1839	-53.65	-13	40.65	Pass	841
1840	1925	1	RMS	1911.4	21.06	60	38.94	Pass	101
1925	3000	1	RMS	2984	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13602	-39.71	-13	26.71	Pass	8001




7.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.61	-13	60.61	Pass	141
0.15	30	0.01	RMS	0.17	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	933.956	-65.15	-13	52.15	Pass	9701
1000	1840	1	RMS	1836	-47.7	-13	34.7	Pass	841
1840	1925	1	RMS	1849.35	21.68	60	38.32	Pass	101
1925	3000	1	RMS	2998	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




7.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.47	-13	59.47	Pass	141
0.15	30	0.01	RMS	0.18	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	878.92	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1836	-48.12	-13	35.12	Pass	841
1840	1925	1	RMS	1849.35	20.91	60	39.09	Pass	101
1925	3000	1	RMS	2977	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11998	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13599	-39.82	-13	26.82	Pass	8001




7.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.15	-13	60.15	Pass	141
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	846.4	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1839	-53.84	-13	40.84	Pass	841
1840	1925	1	RMS	1879.95	21.07	60	38.93	Pass	101
1925	3000	1	RMS	2989	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11993	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




7.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.29	-13	60.29	Pass	141
0.15	30	0.01	RMS	0.2	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	981.288	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1840	-53.83	-13	40.83	Pass	841
1840	1925	1	RMS	1879.95	20.36	60	39.64	Pass	101
1925	3000	1	RMS	2991	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	11987	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13598	-39.74	-13	26.74	Pass	8001




7.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.11	-13	60.11	Pass	141
0.15	30	0.01	RMS	0.19	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	975.584	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1837	-53.72	-13	40.72	Pass	841
1840	1925	1	RMS	1909.7	22	60	38	Pass	101
1925	3000	1	RMS	2999	-51.3	-13	38.3	Pass	1076
3000	12000	1	RMS	12000	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




7.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.06	-13	60.06	Pass	141
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	962.775	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1837	-53.79	-13	40.79	Pass	841
1840	1925	1	RMS	1909.7	21.26	60	38.74	Pass	101
1925	3000	1	RMS	2975	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11990	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13603	-39.67	-13	26.67	Pass	8001




7.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-13	60.67	Pass	141
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	905.437	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1836	-47.95	-13	34.95	Pass	841
1840	1925	1	RMS	1850.2	20.84	60	39.16	Pass	101
1925	3000	1	RMS	2989	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




7.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.48	-13	60.48	Pass	141
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	896.932	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1836	-48.34	-13	35.34	Pass	841
1840	1925	1	RMS	1850.2	20.18	60	39.82	Pass	101
1925	3000	1	RMS	2986	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




7.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.32	-13	60.32	Pass	141
0.15	30	0.01	RMS	0.16	-71.17	-13	58.17	Pass	2986
30	1000	0.1	RMS	955.671	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1840	-53.83	-13	40.83	Pass	841
1840	1925	1	RMS	1877.4	22.26	60	37.74	Pass	101
1925	3000	1	RMS	2929	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11985	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




7.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.94	-13	59.94	Pass	141
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	845.2	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1837	-53.84	-13	40.84	Pass	841
1840	1925	1	RMS	1877.4	21.58	60	38.42	Pass	101
1925	3000	1	RMS	2980	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11998	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




7.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.66	-13	60.66	Pass	141
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	847.6	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-53.78	-13	40.78	Pass	841
1840	1925	1	RMS	1904.6	21.49	60	38.51	Pass	101
1925	3000	1	RMS	2999	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	12000	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13603	-39.72	-13	26.72	Pass	8001




7.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	60.07	Pass	141
0.15	30	0.01	RMS	0.15	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	963.576	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1839	-53.81	-13	40.81	Pass	841
1840	1925	1	RMS	1904.6	20.76	60	39.24	Pass	101
1925	3000	1	RMS	2994	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	11997	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13603	-39.74	-13	26.74	Pass	8001




7.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.68	-13	60.68	Pass	141
0.15	30	0.01	RMS	0.15	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	985.891	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1838	-41.77	-13	28.77	Pass	841
1840	1925	1	RMS	1850.2	21.73	60	38.27	Pass	101
1925	3000	1	RMS	2986	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11994	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13603	-39.72	-13	26.72	Pass	8001




7.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.8	-13	60.8	Pass	141
0.15	30	0.01	RMS	0.15	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	830.5	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1838	-40.66	-13	27.66	Pass	841
1840	1925	1	RMS	1850.2	21.07	60	38.93	Pass	101
1925	3000	1	RMS	2995	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	11997	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13605	-39.72	-13	26.72	Pass	8001




7.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.49	-13	60.49	Pass	141
0.15	30	0.01	RMS	0.17	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	864.01	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1840	-53.76	-13	40.76	Pass	841
1840	1925	1	RMS	1874.85	21.58	60	38.42	Pass	101
1925	3000	1	RMS	2982	-51.31	-13	38.31	Pass	1076
3000	12000	1	RMS	11988	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




7.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.35	-13	60.35	Pass	141
0.15	30	0.01	RMS	0.15	-71.4	-13	58.4	Pass	2986
30	1000	0.1	RMS	944.863	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1836	-53.68	-13	40.68	Pass	841
1840	1925	1	RMS	1874.85	20.82	60	39.18	Pass	101
1925	3000	1	RMS	2987	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	12000	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13601	-39.69	-13	26.69	Pass	8001




7.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.95	-13	60.95	Pass	141
0.15	30	0.01	RMS	0.19	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	852.602	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1838	-53.74	-13	40.74	Pass	841
1840	1925	1	RMS	1900.35	21.14	60	38.86	Pass	101
1925	3000	1	RMS	2995	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	12000	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13598	-39.71	-13	26.71	Pass	8001




7.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-13	60.55	Pass	141
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	849.2	-65.11	-13	52.11	Pass	9701
1000	1840	1	RMS	1838	-53.79	-13	40.79	Pass	841
1840	1925	1	RMS	1900.35	20.33	60	39.67	Pass	101
1925	3000	1	RMS	2930	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13598	-39.76	-13	26.76	Pass	8001




7.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.18	-13	60.18	Pass	141
0.15	30	0.01	RMS	0.16	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	843.3	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1833	-41.12	-13	28.12	Pass	841
1840	1925	1	RMS	1850.2	21.93	60	38.07	Pass	101
1925	3000	1	RMS	2980	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11998	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13606	-39.68	-13	26.68	Pass	8001




7.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.96	-13	59.96	Pass	141
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	943.162	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1833	-40.48	-13	27.48	Pass	841
1840	1925	1	RMS	1850.2	21.26	60	38.74	Pass	101
1925	3000	1	RMS	2991	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	12000	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13604	-39.74	-13	26.74	Pass	8001




7.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.02	-13	60.02	Pass	141
0.15	30	0.01	RMS	0.2	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	889.127	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1838	-49.97	-13	36.97	Pass	841
1840	1925	1	RMS	1873.15	21.21	60	38.79	Pass	101
1925	3000	1	RMS	2989	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	12000	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13601	-39.62	-13	26.62	Pass	8001




7.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.18	-13	60.18	Pass	141
0.15	30	0.01	RMS	0.16	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	848.4	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1838	-48.89	-13	35.89	Pass	841
1840	1925	1	RMS	1873.15	20.58	60	39.42	Pass	101
1925	3000	1	RMS	2990	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	11998	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13603	-39.73	-13	26.73	Pass	8001




7.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.12	-13	60.12	Pass	141
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	886.024	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1836	-53.81	-13	40.81	Pass	841
1840	1925	1	RMS	1895.25	21.93	60	38.07	Pass	101
1925	3000	1	RMS	2989	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11999	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13599	-39.66	-13	26.66	Pass	8001



7.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.92	-13	59.92	Pass	141
0.15	30	0.01	RMS	0.2	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	849.901	-65.09	-13	52.09	Pass	9701
1000	1840	1	RMS	1839	-53.78	-13	40.78	Pass	841
1840	1925	1	RMS	1895.25	21.09	60	38.91	Pass	101
1925	3000	1	RMS	2965	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11992	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001



8. LTE_Band66


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.79	-13	60.79	Pass	141
0.15	30	0.01	RMS	0.16	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	854.604	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-53.43	-13	40.43	Pass	701
1700	1790	1	RMS	1709	20.48	60	39.52	Pass	101
1790	3000	1	RMS	2989	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	11867	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13603	-39.8	-13	26.8	Pass	8001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.45	-13	60.45	Pass	141
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	840.9	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1700	-53.62	-13	40.62	Pass	701
1700	1790	1	RMS	1709	19.6	60	40.4	Pass	101
1790	3000	1	RMS	2996	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11997	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13605	-39.75	-13	26.75	Pass	8001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.27	-13	60.27	Pass	141
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	869.814	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1693	-54.05	-13	41.05	Pass	701
1700	1790	1	RMS	1744.1	20.95	60	39.05	Pass	101
1790	3000	1	RMS	2990	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11997	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.36	-13	60.36	Pass	141
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	838.9	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1678	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1744.1	20.12	60	39.88	Pass	101
1790	3000	1	RMS	2933	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11994	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.39	-13	60.39	Pass	141
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	841.9	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1678	-54.05	-13	41.05	Pass	701
1700	1790	1	RMS	1778.3	21.31	60	38.69	Pass	101
1790	3000	1	RMS	2986	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	3558	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.25	-13	60.25	Pass	141
0.15	30	0.01	RMS	0.24	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	984.99	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1682	-54.02	-13	41.02	Pass	701
1700	1790	1	RMS	1778.3	20.35	60	39.65	Pass	101
1790	3000	1	RMS	2995	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	3558	-43.65	-13	30.65	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.16	-13	61.16	Pass	141
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	975.184	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1700	-53.3	-13	40.3	Pass	701
1700	1790	1	RMS	1709	20.34	60	39.66	Pass	101
1790	3000	1	RMS	2979	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11991	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-13	59.98	Pass	141
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	874.517	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-53.4	-13	40.4	Pass	701
1700	1790	1	RMS	1709	19.48	60	40.52	Pass	101
1790	3000	1	RMS	2983	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13606	-39.78	-13	26.78	Pass	8001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.15	-13	60.15	Pass	141
0.15	30	0.01	RMS	0.21	-72.86	-13	59.86	Pass	2986
30	1000	0.1	RMS	881.221	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1679	-54.01	-13	41.01	Pass	701
1700	1790	1	RMS	1743.2	21.21	60	38.79	Pass	101
1790	3000	1	RMS	2988	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11997	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13599	-39.74	-13	26.74	Pass	8001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.16	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	933.556	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1673	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1743.2	20.52	60	39.48	Pass	101
1790	3000	1	RMS	2988	-51.31	-13	38.31	Pass	1211
3000	12000	1	RMS	12000	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13598	-39.78	-13	26.78	Pass	8001




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	847.7	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1677	-53.91	-13	40.91	Pass	701
1700	1790	1	RMS	1776.5	21.76	60	38.24	Pass	101
1790	3000	1	RMS	2988	-51.31	-13	38.31	Pass	1211
3000	12000	1	RMS	3554	-44	-13	31	Pass	9002
12000	20000	1	RMS	13602	-39.77	-13	26.77	Pass	8001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.13	-13	60.13	Pass	141
0.15	30	0.01	RMS	0.18	-72.69	-13	59.69	Pass	2986
30	1000	0.1	RMS	859.007	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1681	-53.97	-13	40.97	Pass	701
1700	1790	1	RMS	1776.5	20.91	60	39.09	Pass	101
1790	3000	1	RMS	2991	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11997	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.81	-13	59.81	Pass	141
0.15	30	0.01	RMS	0.15	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	863.51	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1700	-52.89	-13	39.89	Pass	701
1700	1790	1	RMS	1709.9	20.97	60	39.03	Pass	101
1790	3000	1	RMS	2992	-51.3	-13	38.3	Pass	1211
3000	12000	1	RMS	11995	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.29	-13	60.29	Pass	141
0.15	30	0.01	RMS	0.16	-72.51	-13	59.51	Pass	2986
30	1000	0.1	RMS	984.99	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-52.96	-13	39.96	Pass	701
1700	1790	1	RMS	1709.9	20.12	60	39.88	Pass	101
1790	3000	1	RMS	2986	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13597	-39.78	-13	26.78	Pass	8001




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.72	-13	60.72	Pass	141
0.15	30	0.01	RMS	0.15	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	949.467	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1677	-53.98	-13	40.98	Pass	701
1700	1790	1	RMS	1742.3	21.55	60	38.45	Pass	101
1790	3000	1	RMS	2998	-51.32	-13	38.32	Pass	1211
3000	12000	1	RMS	12000	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13599	-39.73	-13	26.73	Pass	8001




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.42	-13	60.42	Pass	141
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	870.314	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1676	-54	-13	41	Pass	701
1700	1790	1	RMS	1742.3	20.76	60	39.24	Pass	101
1790	3000	1	RMS	2986	-51.33	-13	38.33	Pass	1211
3000	12000	1	RMS	11996	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.11	-13	60.11	Pass	141
0.15	30	0.01	RMS	0.16	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	924.95	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1682	-53.97	-13	40.97	Pass	701
1700	1790	1	RMS	1774.7	21.9	60	38.1	Pass	101
1790	3000	1	RMS	2936	-51.31	-13	38.31	Pass	1211
3000	12000	1	RMS	3551	-43.9	-13	30.9	Pass	9002
12000	20000	1	RMS	13599	-39.72	-13	26.72	Pass	8001




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-13	59.98	Pass	141
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	856.105	-65.11	-13	52.11	Pass	9701
1000	1700	1	RMS	1700	-53.98	-13	40.98	Pass	701
1700	1790	1	RMS	1774.7	21.15	60	38.85	Pass	101
1790	3000	1	RMS	2985	-51.29	-13	38.29	Pass	1211
3000	12000	1	RMS	3551	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-13	59.83	Pass	141
0.15	30	0.01	RMS	0.15	-71.1	-13	58.1	Pass	2986
30	1000	0.1	RMS	935.657	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1697	-52.13	-13	39.13	Pass	701
1700	1790	1	RMS	1709.9	22.01	60	37.99	Pass	101
1790	3000	1	RMS	2998	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	3421	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13602	-39.72	-13	26.72	Pass	8001




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	60.02	Pass	141
0.15	30	0.01	RMS	0.17	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	976.484	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1697	-52.62	-13	39.62	Pass	701
1700	1790	1	RMS	1709.9	21.3	60	38.7	Pass	101
1790	3000	1	RMS	3000	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	12000	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.42	-13	60.42	Pass	141
0.15	30	0.01	RMS	0.18	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	868.013	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1679	-53.94	-13	40.94	Pass	701
1700	1790	1	RMS	1739.6	21.89	60	38.11	Pass	101
1790	3000	1	RMS	2995	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	12000	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13598	-39.76	-13	26.76	Pass	8001




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.9	-13	59.9	Pass	141
0.15	30	0.01	RMS	0.16	-72.62	-13	59.62	Pass	2986
30	1000	0.1	RMS	983.989	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1678	-54.03	-13	41.03	Pass	701
1700	1790	1	RMS	1739.6	21.17	60	38.83	Pass	101
1790	3000	1	RMS	2998	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11996	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.86	-13	60.86	Pass	141
0.15	30	0.01	RMS	0.16	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	824.8	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1681	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1770.2	20.61	60	39.39	Pass	101
1790	3000	1	RMS	2991	-51.31	-13	38.31	Pass	1211
3000	12000	1	RMS	3541	-43.46	-13	30.46	Pass	9002
12000	20000	1	RMS	13608	-39.8	-13	26.8	Pass	8001




8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.29	-13	60.29	Pass	141
0.15	30	0.01	RMS	0.22	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	849.2	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1677	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1770.2	19.88	60	40.12	Pass	101
1790	3000	1	RMS	2993	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	3541	-43.76	-13	30.76	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




8.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-13	59.97	Pass	141
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	859.907	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1698	-42.82	-13	29.82	Pass	701
1700	1790	1	RMS	1709.9	21.89	60	38.11	Pass	101
1790	3000	1	RMS	2979	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11999	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13599	-39.75	-13	26.75	Pass	8001




8.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.42	-13	60.42	Pass	141
0.15	30	0.01	RMS	0.32	-72.46	-13	59.46	Pass	2986
30	1000	0.1	RMS	972.782	-65.11	-13	52.11	Pass	9701
1000	1700	1	RMS	1698	-41.94	-13	28.94	Pass	701
1700	1790	1	RMS	1709.9	21.16	60	38.84	Pass	101
1790	3000	1	RMS	2992	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13598	-39.71	-13	26.71	Pass	8001




8.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.81	-13	59.81	Pass	141
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	951.468	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1698	-53.94	-13	40.94	Pass	701
1700	1790	1	RMS	1737.8	21.37	60	38.63	Pass	101
1790	3000	1	RMS	2991	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11999	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13599	-39.68	-13	26.68	Pass	8001




8.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.98	-13	59.98	Pass	141
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	980.287	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1698	-53.88	-13	40.88	Pass	701
1700	1790	1	RMS	1737.8	20.47	60	39.53	Pass	101
1790	3000	1	RMS	2994	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




8.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-13	60.03	Pass	141
0.15	30	0.01	RMS	0.22	-72.46	-13	59.46	Pass	2986
30	1000	0.1	RMS	959.173	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1676	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1764.8	21.43	60	38.57	Pass	101
1790	3000	1	RMS	1792	-45.82	-13	32.82	Pass	1211
3000	12000	1	RMS	11997	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




8.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.45	-13	60.45	Pass	141
0.15	30	0.01	RMS	0.17	-72.58	-13	59.58	Pass	2986
30	1000	0.1	RMS	871.815	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1680	-54	-13	41	Pass	701
1700	1790	1	RMS	1764.8	20.71	60	39.29	Pass	101
1790	3000	1	RMS	1792	-45.43	-13	32.43	Pass	1211
3000	12000	1	RMS	11992	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13603	-39.75	-13	26.75	Pass	8001




8.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.99	-13	59.99	Pass	141
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	891.528	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1693	-47.92	-13	34.92	Pass	701
1700	1790	1	RMS	1709.9	20.93	60	39.07	Pass	101
1790	3000	1	RMS	2930	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	12000	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13600	-39.64	-13	26.64	Pass	8001




8.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.25	-13	60.25	Pass	141
0.15	30	0.01	RMS	0.17	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	846.4	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1693	-47.9	-13	34.9	Pass	701
1700	1790	1	RMS	1709.9	20.19	60	39.81	Pass	101
1790	3000	1	RMS	2982	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13602	-39.74	-13	26.74	Pass	8001




8.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.83	-13	60.83	Pass	141
0.15	30	0.01	RMS	0.15	-72.67	-13	59.67	Pass	2986
30	1000	0.1	RMS	851.702	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1700	-50.48	-13	37.48	Pass	701
1700	1790	1	RMS	1735.1	21.64	60	38.36	Pass	101
1790	3000	1	RMS	3000	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11999	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13605	-39.78	-13	26.78	Pass	8001




8.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.8	-13	59.8	Pass	141
0.15	30	0.01	RMS	0.15	-70.92	-13	57.92	Pass	2986
30	1000	0.1	RMS	985.891	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1700	-48.91	-13	35.91	Pass	701
1700	1790	1	RMS	1735.1	21.01	60	38.99	Pass	101
1790	3000	1	RMS	2991	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11988	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




8.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.5	-13	60.5	Pass	141
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	943.563	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1681	-54	-13	41	Pass	701
1700	1790	1	RMS	1760.3	22.16	60	37.84	Pass	101
1790	3000	1	RMS	1797	-42.75	-13	29.75	Pass	1211
3000	12000	1	RMS	3522	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001



8.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73	-13	60	Pass	141
0.15	30	0.01	RMS	0.16	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	848.1	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1681	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1760.3	21.39	60	38.61	Pass	101
1790	3000	1	RMS	1797	-41.65	-13	28.65	Pass	1211
3000	12000	1	RMS	11992	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13606	-39.72	-13	26.72	Pass	8001



9. LTE_Band71


9.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.86	-13	60.86	Pass	141
0.15	30	0.01	RMS	0.15	-71.82	-13	58.82	Pass	2986
30	653	0.1	RMS	652.6	-65.25	-13	52.25	Pass	6231
653	709	0.1	RMS	663.3	19.96	60	40.04	Pass	561
709	1000	0.1	RMS	835	-65.06	-13	52.06	Pass	2911
1000	3000	1	RMS	1326	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	6804	-45.68	-13	32.68	Pass	7001




9.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:133147, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.78	-13	60.78	Pass	141
0.15	30	0.01	RMS	0.19	-72.09	-13	59.09	Pass	2986
30	653	0.1	RMS	652.6	-65.58	-13	52.58	Pass	6231
653	709	0.1	RMS	663.3	19.07	60	40.93	Pass	561
709	1000	0.1	RMS	845.1	-65	-13	52	Pass	2911
1000	3000	1	RMS	1326	-50.68	-13	37.68	Pass	2001
3000	10000	1	RMS	6804	-45.55	-13	32.55	Pass	7001




9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.88	-13	60.88	Pass	141
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	653	0.1	RMS	581.5	-66.04	-13	53.04	Pass	6231
653	709	0.1	RMS	678.3	19.48	60	40.52	Pass	561
709	1000	0.1	RMS	856.8	-65.01	-13	52.01	Pass	2911
1000	3000	1	RMS	1356	-49.57	-13	36.57	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:133297, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.89	-13	60.89	Pass	141
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	653	0.1	RMS	490.9	-65.96	-13	52.96	Pass	6231
653	709	0.1	RMS	678.3	18.71	60	41.29	Pass	561
709	1000	0.1	RMS	857	-65.03	-13	52.03	Pass	2911
1000	3000	1	RMS	1356	-50.28	-13	37.28	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.81	-13	60.81	Pass	141
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	653	0.1	RMS	488.2	-65.94	-13	52.94	Pass	6231
653	709	0.1	RMS	693.3	19.97	60	40.03	Pass	561
709	1000	0.1	RMS	851	-64.99	-13	51.99	Pass	2911
1000	3000	1	RMS	1386	-49.03	-13	36.03	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001




**9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:133447, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.56	-13	60.56	Pass	141
0.15	30	0.01	RMS	0.22	-72.62	-13	59.62	Pass	2986
30	653	0.1	RMS	507.6	-66.05	-13	53.05	Pass	6231
653	709	0.1	RMS	693.3	19.18	60	40.82	Pass	561
709	1000	0.1	RMS	899.4	-65.13	-13	52.13	Pass	2911
1000	3000	1	RMS	1386	-49.76	-13	36.76	Pass	2001
3000	10000	1	RMS	6801	-45.61	-13	32.61	Pass	7001




9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.66	-13	60.66	Pass	141
0.15	30	0.01	RMS	0.19	-72.63	-13	59.63	Pass	2986
30	653	0.1	RMS	652.9	-65.16	-13	52.16	Pass	6231
653	709	0.1	RMS	663.6	20.27	60	39.73	Pass	561
709	1000	0.1	RMS	839.7	-65.06	-13	52.06	Pass	2911
1000	3000	1	RMS	1327	-50.45	-13	37.45	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:133172, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-13	60.55	Pass	141
0.15	30	0.01	RMS	0.17	-71.53	-13	58.53	Pass	2986
30	653	0.1	RMS	652.9	-65.62	-13	52.62	Pass	6231
653	709	0.1	RMS	663.6	19.38	60	40.62	Pass	561
709	1000	0.1	RMS	950.1	-65.07	-13	52.07	Pass	2911
1000	3000	1	RMS	1327	-51.08	-13	38.08	Pass	2001
3000	10000	1	RMS	6801	-45.57	-13	32.57	Pass	7001




9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.48	-13	60.48	Pass	141
0.15	30	0.01	RMS	0.16	-72.15	-13	59.15	Pass	2986
30	653	0.1	RMS	481.6	-65.9	-13	52.9	Pass	6231
653	709	0.1	RMS	676.1	20.29	60	39.71	Pass	561
709	1000	0.1	RMS	949.3	-65.11	-13	52.11	Pass	2911
1000	3000	1	RMS	1352	-50.15	-13	37.15	Pass	2001
3000	10000	1	RMS	6796	-45.62	-13	32.62	Pass	7001




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:133297, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-13	60.47	Pass	141
0.15	30	0.01	RMS	0.16	-72.33	-13	59.33	Pass	2986
30	653	0.1	RMS	631.6	-65.9	-13	52.9	Pass	6231
653	709	0.1	RMS	676.1	19.31	60	40.69	Pass	561
709	1000	0.1	RMS	951	-64.79	-13	51.79	Pass	2911
1000	3000	1	RMS	1352	-50.8	-13	37.8	Pass	2001
3000	10000	1	RMS	6801	-45.55	-13	32.55	Pass	7001



9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.04	-13	60.04	Pass	141
0.15	30	0.01	RMS	0.16	-72.6	-13	59.6	Pass	2986
30	653	0.1	RMS	618.9	-66.02	-13	53.02	Pass	6231
653	709	0.1	RMS	688.6	20.19	60	39.81	Pass	561
709	1000	0.1	RMS	710.6	-62.32	-13	49.32	Pass	2911
1000	3000	1	RMS	1377	-48.86	-13	35.86	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001



9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:133422, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.52	-13	60.52	Pass	141
0.15	30	0.01	RMS	0.16	-71.83	-13	58.83	Pass	2986
30	653	0.1	RMS	493.8	-66.01	-13	53.01	Pass	6231
653	709	0.1	RMS	688.6	19.45	60	40.55	Pass	561
709	1000	0.1	RMS	710.6	-63.45	-13	50.45	Pass	2911
1000	3000	1	RMS	1377	-49.82	-13	36.82	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001

