



9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.69	-13	60.69	Pass	141
0.15	30	0.01	RMS	0.2	-72.1	-13	59.1	Pass	2986
30	653	0.1	RMS	496.9	-65.94	-13	52.94	Pass	6231
653	709	0.1	RMS	663.8	19.77	60	40.23	Pass	561
709	1000	0.1	RMS	982.4	-65.12	-13	52.12	Pass	2911
1000	3000	1	RMS	1327	-50.38	-13	37.38	Pass	2001
3000	10000	1	RMS	6799	-45.61	-13	32.61	Pass	7001




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:133197, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.7	-13	60.7	Pass	141
0.15	30	0.01	RMS	0.22	-71.86	-13	58.86	Pass	2986
30	653	0.1	RMS	611.3	-66.04	-13	53.04	Pass	6231
653	709	0.1	RMS	663.8	18.82	60	41.18	Pass	561
709	1000	0.1	RMS	863.8	-64.91	-13	51.91	Pass	2911
1000	3000	1	RMS	1327	-51.16	-13	38.16	Pass	2001
3000	10000	1	RMS	6796	-45.56	-13	32.56	Pass	7001




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.76	-13	60.76	Pass	141
0.15	30	0.01	RMS	0.16	-71.6	-13	58.6	Pass	2986
30	653	0.1	RMS	479.5	-65.98	-13	52.98	Pass	6231
653	709	0.1	RMS	673.8	19.95	60	40.05	Pass	561
709	1000	0.1	RMS	848.5	-64.86	-13	51.86	Pass	2911
1000	3000	1	RMS	1347	-49.25	-13	36.25	Pass	2001
3000	10000	1	RMS	6802	-45.57	-13	32.57	Pass	7001




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:133297, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.28	-13	60.28	Pass	141
0.15	30	0.01	RMS	0.16	-72.44	-13	59.44	Pass	2986
30	653	0.1	RMS	494.5	-66.01	-13	53.01	Pass	6231
653	709	0.1	RMS	673.8	18.89	60	41.11	Pass	561
709	1000	0.1	RMS	841.4	-64.9	-13	51.9	Pass	2911
1000	3000	1	RMS	1347	-50.1	-13	37.1	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.38	-13	60.38	Pass	141
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	653	0.1	RMS	482.6	-65.94	-13	52.94	Pass	6231
653	709	0.1	RMS	683.8	19.41	60	40.59	Pass	561
709	1000	0.1	RMS	710.5	-54.92	-13	41.92	Pass	2911
1000	3000	1	RMS	1367	-48.02	-13	35.02	Pass	2001
3000	10000	1	RMS	6799	-45.53	-13	32.53	Pass	7001




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:133397, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.41	-13	60.41	Pass	141
0.15	30	0.01	RMS	0.35	-73.1	-13	60.1	Pass	2986
30	653	0.1	RMS	488	-66.05	-13	53.05	Pass	6231
653	709	0.1	RMS	683.8	18.71	60	41.29	Pass	561
709	1000	0.1	RMS	710.5	-55.44	-13	42.44	Pass	2911
1000	3000	1	RMS	1367	-48.86	-13	35.86	Pass	2001
3000	10000	1	RMS	6799	-45.64	-13	32.64	Pass	7001




9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.17	-13	60.17	Pass	141
0.15	30	0.01	RMS	0.15	-71.99	-13	58.99	Pass	2986
30	653	0.1	RMS	622.8	-65.9	-13	52.9	Pass	6231
653	709	0.1	RMS	664.1	20.56	60	39.44	Pass	561
709	1000	0.1	RMS	842.5	-65.12	-13	52.12	Pass	2911
1000	3000	1	RMS	1328	-50.59	-13	37.59	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:133222, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.41	-13	60.41	Pass	141
0.15	30	0.01	RMS	0.16	-72.14	-13	59.14	Pass	2986
30	653	0.1	RMS	616.8	-66	-13	53	Pass	6231
653	709	0.1	RMS	664.1	19.61	60	40.39	Pass	561
709	1000	0.1	RMS	836	-65.13	-13	52.13	Pass	2911
1000	3000	1	RMS	1328	-51.34	-13	38.34	Pass	2001
3000	10000	1	RMS	6802	-45.56	-13	32.56	Pass	7001




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:133297, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.33	-13	60.33	Pass	141
0.15	30	0.01	RMS	0.17	-72.12	-13	59.12	Pass	2986
30	653	0.1	RMS	484.6	-66.01	-13	53.01	Pass	6231
653	709	0.1	RMS	671.6	20.4	60	39.6	Pass	561
709	1000	0.1	RMS	855.5	-65.11	-13	52.11	Pass	2911
1000	3000	1	RMS	1343	-49.21	-13	36.21	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:133297, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.11	-13	60.11	Pass	141
0.15	30	0.01	RMS	0.16	-72.76	-13	59.76	Pass	2986
30	653	0.1	RMS	521.4	-65.94	-13	52.94	Pass	6231
653	709	0.1	RMS	671.6	19.76	60	40.24	Pass	561
709	1000	0.1	RMS	861.5	-64.95	-13	51.95	Pass	2911
1000	3000	1	RMS	1343	-49.87	-13	36.87	Pass	2001
3000	10000	1	RMS	6801	-45.54	-13	32.54	Pass	7001




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.35	-13	60.35	Pass	141
0.15	30	0.01	RMS	0.18	-71.96	-13	58.96	Pass	2986
30	653	0.1	RMS	612.6	-65.91	-13	52.91	Pass	6231
653	709	0.1	RMS	679.1	20.24	60	39.76	Pass	561
709	1000	0.1	RMS	714.6	-64.14	-13	51.14	Pass	2911
1000	3000	1	RMS	1358	-49.67	-13	36.67	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001



9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:133372, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.2	-72.93	-13	59.93	Pass	2986
30	653	0.1	RMS	511.3	-66.05	-13	53.05	Pass	6231
653	709	0.1	RMS	679.1	19.25	60	40.75	Pass	561
709	1000	0.1	RMS	714.7	-64.23	-13	51.23	Pass	2911
1000	3000	1	RMS	1358	-50.42	-13	37.42	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001



10. LTE_Band26(part22)


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.62	-13	60.62	Pass	141
0.15	30	0.01	RMS	0.23	-71.85	-13	58.85	Pass	2986
30	814	0.1	RMS	813.5	-64.84	-13	51.84	Pass	7841
814	860	0.1	RMS	824.2	19.58	60	40.42	Pass	461
860	1000	0.1	RMS	981	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1648	-47.54	-13	34.54	Pass	2001
3000	10000	1	RMS	6801	-45.52	-13	32.52	Pass	7001




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.38	-13	60.38	Pass	141
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	814	0.1	RMS	813.1	-65.06	-13	52.06	Pass	7841
814	860	0.1	RMS	824.2	18.63	60	41.37	Pass	461
860	1000	0.1	RMS	869.9	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1648	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	6798	-45.55	-13	32.55	Pass	7001




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.42	-13	60.42	Pass	141
0.15	30	0.01	RMS	0.16	-71.63	-13	58.63	Pass	2986
30	814	0.1	RMS	810	-65.36	-13	52.36	Pass	7841
814	860	0.1	RMS	836	19.53	60	40.47	Pass	461
860	1000	0.1	RMS	864.9	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1672	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	6801	-45.57	-13	32.57	Pass	7001




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.07	-13	60.07	Pass	141
0.15	30	0.01	RMS	0.15	-72.57	-13	59.57	Pass	2986
30	814	0.1	RMS	813.4	-65.26	-13	52.26	Pass	7841
814	860	0.1	RMS	836.1	18.72	60	41.28	Pass	461
860	1000	0.1	RMS	928.6	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1672	-49.69	-13	36.69	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.83	-13	60.83	Pass	141
0.15	30	0.01	RMS	0.15	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	812.2	-65.35	-13	52.35	Pass	7841
814	860	0.1	RMS	847.8	18.2	60	41.8	Pass	461
860	1000	0.1	RMS	893.2	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1695	-50.74	-13	37.74	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.42	-13	60.42	Pass	141
0.15	30	0.01	RMS	0.2	-72.67	-13	59.67	Pass	2986
30	814	0.1	RMS	813.4	-65.31	-13	52.31	Pass	7841
814	860	0.1	RMS	847.8	17.41	60	42.59	Pass	461
860	1000	0.1	RMS	986.9	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1695	-51.26	-13	38.26	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.02	-13	61.02	Pass	141
0.15	30	0.01	RMS	0.15	-72.65	-13	59.65	Pass	2986
30	814	0.1	RMS	813.9	-64.93	-13	51.93	Pass	7841
814	860	0.1	RMS	824.2	19.7	60	40.3	Pass	461
860	1000	0.1	RMS	870	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1648	-47.6	-13	34.6	Pass	2001
3000	10000	1	RMS	6803	-45.59	-13	32.59	Pass	7001




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.86	-13	59.86	Pass	141
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	813.5	-64.95	-13	51.95	Pass	7841
814	860	0.1	RMS	824.2	18.77	60	41.23	Pass	461
860	1000	0.1	RMS	869.8	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1648	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	6802	-45.63	-13	32.63	Pass	7001




10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-13	59.99	Pass	141
0.15	30	0.01	RMS	0.17	-72.54	-13	59.54	Pass	2986
30	814	0.1	RMS	811.2	-65.27	-13	52.27	Pass	7841
814	860	0.1	RMS	835.2	19.73	60	40.27	Pass	461
860	1000	0.1	RMS	873.5	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1670	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




10.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.06	-13	60.06	Pass	141
0.15	30	0.01	RMS	0.2	-72.72	-13	59.72	Pass	2986
30	814	0.1	RMS	813.9	-65.38	-13	52.38	Pass	7841
814	860	0.1	RMS	835.2	18.74	60	41.26	Pass	461
860	1000	0.1	RMS	867.4	-65.14	-13	52.14	Pass	1401
1000	3000	1	RMS	1670	-49.57	-13	36.57	Pass	2001
3000	10000	1	RMS	6799	-45.67	-13	32.67	Pass	7001




10.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.73	-13	59.73	Pass	141
0.15	30	0.01	RMS	0.16	-71.85	-13	58.85	Pass	2986
30	814	0.1	RMS	812.7	-65.43	-13	52.43	Pass	7841
814	860	0.1	RMS	846.2	18.39	60	41.61	Pass	461
860	1000	0.1	RMS	871.7	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1692	-49.7	-13	36.7	Pass	2001
3000	10000	1	RMS	6801	-45.57	-13	32.57	Pass	7001




10.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.62	-13	60.62	Pass	141
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	812.6	-65.47	-13	52.47	Pass	7841
814	860	0.1	RMS	846.2	17.63	60	42.37	Pass	461
860	1000	0.1	RMS	865.5	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1692	-50.23	-13	37.23	Pass	2001
3000	10000	1	RMS	6802	-45.62	-13	32.62	Pass	7001




10.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.62	-13	60.62	Pass	141
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	814	0.1	RMS	813.6	-61.89	-13	48.89	Pass	7841
814	860	0.1	RMS	824.3	20.18	60	39.82	Pass	461
860	1000	0.1	RMS	871.5	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1648	-46.71	-13	33.71	Pass	2001
3000	10000	1	RMS	6802	-45.6	-13	32.6	Pass	7001




10.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-13	60.26	Pass	141
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	814	0.1	RMS	813.6	-63.06	-13	50.06	Pass	7841
814	860	0.1	RMS	824.3	19.16	60	40.84	Pass	461
860	1000	0.1	RMS	871	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1648	-47.62	-13	34.62	Pass	2001
3000	10000	1	RMS	6801	-45.55	-13	32.55	Pass	7001




10.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.53	-13	60.53	Pass	141
0.15	30	0.01	RMS	0.17	-71.77	-13	58.77	Pass	2986
30	814	0.1	RMS	813.4	-64.55	-13	51.55	Pass	7841
814	860	0.1	RMS	834.3	19.74	60	40.26	Pass	461
860	1000	0.1	RMS	880.5	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1668	-47.73	-13	34.73	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




10.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.48	-13	60.48	Pass	141
0.15	30	0.01	RMS	0.17	-72.68	-13	59.68	Pass	2986
30	814	0.1	RMS	813.4	-64.1	-13	51.1	Pass	7841
814	860	0.1	RMS	834.3	19.01	60	40.99	Pass	461
860	1000	0.1	RMS	982.9	-65.14	-13	52.14	Pass	1401
1000	3000	1	RMS	1668	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	6803	-45.63	-13	32.63	Pass	7001




10.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.85	-13	60.85	Pass	141
0.15	30	0.01	RMS	0.15	-72.57	-13	59.57	Pass	2986
30	814	0.1	RMS	812.9	-63.39	-13	50.39	Pass	7841
814	860	0.1	RMS	844.3	19.84	60	40.16	Pass	461
860	1000	0.1	RMS	893.3	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1688	-47.78	-13	34.78	Pass	2001
3000	10000	1	RMS	6795	-45.57	-13	32.57	Pass	7001




10.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.95	-13	59.95	Pass	141
0.15	30	0.01	RMS	0.17	-72.53	-13	59.53	Pass	2986
30	814	0.1	RMS	813	-63.73	-13	50.73	Pass	7841
814	860	0.1	RMS	844.3	19.29	60	40.71	Pass	461
860	1000	0.1	RMS	982.5	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1688	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001




10.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.72	-13	60.72	Pass	141
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	814	0.1	RMS	811.4	-56.69	-13	43.69	Pass	7841
814	860	0.1	RMS	824.6	20.63	60	39.37	Pass	461
860	1000	0.1	RMS	870.8	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1649	-47.65	-13	34.65	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




10.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.08	-13	60.08	Pass	141
0.15	30	0.01	RMS	0.16	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	811.4	-58.04	-13	45.04	Pass	7841
814	860	0.1	RMS	824.6	19.78	60	40.22	Pass	461
860	1000	0.1	RMS	871.2	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1649	-48.03	-13	35.03	Pass	2001
3000	10000	1	RMS	6803	-45.57	-13	32.57	Pass	7001




10.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.71	-13	60.71	Pass	141
0.15	30	0.01	RMS	0.16	-72.52	-13	59.52	Pass	2986
30	814	0.1	RMS	811.2	-64.43	-13	51.43	Pass	7841
814	860	0.1	RMS	832.1	20.35	60	39.65	Pass	461
860	1000	0.1	RMS	880.6	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1664	-48.3	-13	35.3	Pass	2001
3000	10000	1	RMS	6803	-45.57	-13	32.57	Pass	7001




10.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.86	-13	60.86	Pass	141
0.15	30	0.01	RMS	0.17	-72.02	-13	59.02	Pass	2986
30	814	0.1	RMS	814	-64.55	-13	51.55	Pass	7841
814	860	0.1	RMS	832.1	19.55	60	40.45	Pass	461
860	1000	0.1	RMS	881.2	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1664	-48.97	-13	35.97	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




10.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.67	-13	59.67	Pass	141
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	813.2	-64.08	-13	51.08	Pass	7841
814	860	0.1	RMS	839.6	20.07	60	39.93	Pass	461
860	1000	0.1	RMS	892.4	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1679	-47.87	-13	34.87	Pass	2001
3000	10000	1	RMS	6802	-45.57	-13	32.57	Pass	7001




10.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.74	-13	59.74	Pass	141
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	813.2	-63.59	-13	50.59	Pass	7841
814	860	0.1	RMS	839.6	19.27	60	40.73	Pass	461
860	1000	0.1	RMS	892.4	-65.12	-13	52.12	Pass	1401
1000	3000	1	RMS	1679	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	6803	-45.6	-13	32.6	Pass	7001




10.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.67	-13	60.67	Pass	141
0.15	30	0.01	RMS	0.25	-72.6	-13	59.6	Pass	2986
30	814	0.1	RMS	811.5	-45.8	-13	32.8	Pass	7841
814	860	0.1	RMS	824.8	19.97	60	40.03	Pass	461
860	1000	0.1	RMS	880	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1649	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	6801	-45.53	-13	32.53	Pass	7001




10.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	814	0.1	RMS	811.5	-44.05	-13	31.05	Pass	7841
814	860	0.1	RMS	824.8	19.11	60	40.89	Pass	461
860	1000	0.1	RMS	871.4	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1649	-48.48	-13	35.48	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




10.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.49	-13	60.49	Pass	141
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	809.9	-60	-13	47	Pass	7841
814	860	0.1	RMS	829.8	19.93	60	40.07	Pass	461
860	1000	0.1	RMS	880.8	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1659	-47.87	-13	34.87	Pass	2001
3000	10000	1	RMS	6799	-45.68	-13	32.68	Pass	7001




10.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.49	-13	60.49	Pass	141
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	809.9	-61.03	-13	48.03	Pass	7841
814	860	0.1	RMS	829.8	18.93	60	41.07	Pass	461
860	1000	0.1	RMS	879.4	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1659	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




10.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-13	59.59	Pass	141
0.15	30	0.01	RMS	0.19	-72.57	-13	59.57	Pass	2986
30	814	0.1	RMS	808.3	-63.55	-13	50.55	Pass	7841
814	860	0.1	RMS	834.8	19.51	60	40.49	Pass	461
860	1000	0.1	RMS	863.8	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1669	-47.85	-13	34.85	Pass	2001
3000	10000	1	RMS	6796	-45.64	-13	32.64	Pass	7001



10.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	59.9	Pass	141
0.15	30	0.01	RMS	0.23	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	808.3	-62.56	-13	49.56	Pass	7841
814	860	0.1	RMS	834.8	18.8	60	41.2	Pass	461
860	1000	0.1	RMS	880.1	-65.16	-13	52.16	Pass	1401
1000	3000	1	RMS	1669	-48.15	-13	35.15	Pass	2001
3000	10000	1	RMS	6803	-45.62	-13	32.62	Pass	7001



1. LTE_Band26(part90)


1.1 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.93	-13	52.93	Pass	141
0.15	30	0.01	Peak	0.2	-64.23	-13	51.23	Pass	2986
30	809	0.1	Peak	291.3	-54.49	-13	41.49	Pass	7791
809	829	0.1	Peak	814.2	23.85	60	36.15	Pass	201
829	1000	0.1	Peak	927	-54.31	-13	41.31	Pass	1711
1000	3000	1	Peak	2935	-39.58	-13	26.58	Pass	2001
3000	10000	1	Peak	7515	-33.63	-13	20.63	Pass	7001




1.2 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.28	-13	53.28	Pass	141
0.15	30	0.01	Peak	0.27	-64.78	-13	51.78	Pass	2986
30	809	0.1	Peak	808.8	-54.77	-13	41.77	Pass	7791
809	829	0.1	Peak	814.2	24.41	60	35.59	Pass	201
829	1000	0.1	Peak	834.9	-52.81	-13	39.81	Pass	1711
1000	3000	1	Peak	1628	-39.64	-13	26.64	Pass	2001
3000	10000	1	Peak	7516	-33.62	-13	20.62	Pass	7001




1.3 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-66.5	-13	53.5	Pass	141
0.15	30	0.01	Peak	0.17	-64.66	-13	51.66	Pass	2986
30	809	0.1	Peak	682.4	-54.83	-13	41.83	Pass	7791
809	829	0.1	Peak	818.6	25.73	60	34.27	Pass	201
829	1000	0.1	Peak	990.6	-54.35	-13	41.35	Pass	1711
1000	3000	1	Peak	1637	-37.04	-13	24.04	Pass	2001
3000	10000	1	Peak	9532	-33.2	-13	20.2	Pass	7001




1.4 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64	-13	51	Pass	141
0.15	30	0.01	Peak	0.17	-65.11	-13	52.11	Pass	2986
30	809	0.1	Peak	741	-54.41	-13	41.41	Pass	7791
809	829	0.1	Peak	818.6	25.43	60	34.57	Pass	201
829	1000	0.1	Peak	835	-54.34	-13	41.34	Pass	1711
1000	3000	1	Peak	1637	-37.48	-13	24.48	Pass	2001
3000	10000	1	Peak	7180	-33	-13	20	Pass	7001




**1.5 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.85	-13	51.85	Pass	141
0.15	30	0.01	Peak	0.2	-64.43	-13	51.43	Pass	2986
30	809	0.1	Peak	739.4	-54.75	-13	41.75	Pass	7791
809	829	0.1	Peak	822.8	24.92	60	35.08	Pass	201
829	1000	0.1	Peak	870	-54.17	-13	41.17	Pass	1711
1000	3000	1	Peak	1646	-36.1	-13	23.1	Pass	2001
3000	10000	1	Peak	9937	-33.74	-13	20.74	Pass	7001




**1.6 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-67.08	-13	54.08	Pass	141
0.15	30	0.01	Peak	0.16	-64.11	-13	51.11	Pass	2986
30	809	0.1	Peak	805.5	-54.5	-13	41.5	Pass	7791
809	829	0.1	Peak	822.8	25.27	60	34.73	Pass	201
829	1000	0.1	Peak	829.5	-54	-13	41	Pass	1711
1000	3000	1	Peak	1646	-37.27	-13	24.27	Pass	2001
3000	10000	1	Peak	6694	-33.23	-13	20.23	Pass	7001




1.7 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.89	-13	51.89	Pass	141
0.15	30	0.01	Peak	0.16	-63.82	-13	50.82	Pass	2986
30	809	0.1	Peak	809	-48.4	-13	35.4	Pass	7791
809	829	0.1	Peak	814.2	24.44	60	35.56	Pass	201
829	1000	0.1	Peak	977.7	-53.11	-13	40.11	Pass	1711
1000	3000	1	Peak	2965	-38.69	-13	25.69	Pass	2001
3000	10000	1	Peak	6826	-33.19	-13	20.19	Pass	7001




1.8 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.56	-13	51.56	Pass	141
0.15	30	0.01	Peak	0.59	-63.74	-13	50.74	Pass	2986
30	809	0.1	Peak	809	-48.14	-13	35.14	Pass	7791
809	829	0.1	Peak	814.2	24.23	60	35.77	Pass	201
829	1000	0.1	Peak	907.8	-54.09	-13	41.09	Pass	1711
1000	3000	1	Peak	2784	-39.9	-13	26.9	Pass	2001
3000	10000	1	Peak	7304	-33.76	-13	20.76	Pass	7001




1.9 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.96	-13	52.96	Pass	141
0.15	30	0.01	Peak	0.7	-63.98	-13	50.98	Pass	2986
30	809	0.1	Peak	671.2	-54.55	-13	41.55	Pass	7791
809	829	0.1	Peak	817.7	23.95	60	36.05	Pass	201
829	1000	0.1	Peak	839.2	-53.94	-13	40.94	Pass	1711
1000	3000	1	Peak	1635	-36.91	-13	23.91	Pass	2001
3000	10000	1	Peak	7643	-33.7	-13	20.7	Pass	7001




1.10 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.07	-13	52.07	Pass	141
0.15	30	0.01	Peak	0.16	-63.22	-13	50.22	Pass	2986
30	809	0.1	Peak	757	-54.76	-13	41.76	Pass	7791
809	829	0.1	Peak	817.7	24.21	60	35.79	Pass	201
829	1000	0.1	Peak	838.4	-54.21	-13	41.21	Pass	1711
1000	3000	1	Peak	1635	-39.87	-13	26.87	Pass	2001
3000	10000	1	Peak	7266	-33.29	-13	20.29	Pass	7001




1.11 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.66	-13	52.66	Pass	141
0.15	30	0.01	Peak	1.24	-64.97	-13	51.97	Pass	2986
30	809	0.1	Peak	744.9	-55.03	-13	42.03	Pass	7791
809	829	0.1	Peak	821.2	24.97	60	35.03	Pass	201
829	1000	0.1	Peak	829	-51.18	-13	38.18	Pass	1711
1000	3000	1	Peak	1643	-37.06	-13	24.06	Pass	2001
3000	10000	1	Peak	6967	-33.47	-13	20.47	Pass	7001




1.12 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.49	-13	52.49	Pass	141
0.15	30	0.01	Peak	0.39	-64.97	-13	51.97	Pass	2986
30	809	0.1	Peak	744.9	-53.52	-13	40.52	Pass	7791
809	829	0.1	Peak	821.3	25.47	60	34.53	Pass	201
829	1000	0.1	Peak	830.2	-51.49	-13	38.49	Pass	1711
1000	3000	1	Peak	1642	-37.15	-13	24.15	Pass	2001
3000	10000	1	Peak	6942	-33.37	-13	20.37	Pass	7001




1.13 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.63	-13	52.63	Pass	141
0.15	30	0.01	Peak	0.21	-64.59	-13	51.59	Pass	2986
30	809	0.1	Peak	809	-51.02	-13	38.02	Pass	7791
809	829	0.1	Peak	814.3	23.6	60	36.4	Pass	201
829	1000	0.1	Peak	829.7	-53.8	-13	40.8	Pass	1711
1000	3000	1	Peak	1629	-39.06	-13	26.06	Pass	2001
3000	10000	1	Peak	6753	-33.55	-13	20.55	Pass	7001




1.14 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.18	-13	52.18	Pass	141
0.15	30	0.01	Peak	0.22	-62.75	-13	49.75	Pass	2986
30	809	0.1	Peak	808.9	-52.25	-13	39.25	Pass	7791
809	829	0.1	Peak	814.3	24.36	60	35.64	Pass	201
829	1000	0.1	Peak	829.6	-52.76	-13	39.76	Pass	1711
1000	3000	1	Peak	1629	-39.41	-13	26.41	Pass	2001
3000	10000	1	Peak	7901	-33.31	-13	20.31	Pass	7001




1.15 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.14	-13	53.14	Pass	141
0.15	30	0.01	Peak	0.16	-63.31	-13	50.31	Pass	2986
30	809	0.1	Peak	808.3	-52.72	-13	39.72	Pass	7791
809	829	0.1	Peak	816.9	24.5	60	35.5	Pass	201
829	1000	0.1	Peak	829.8	-47.99	-13	34.99	Pass	1711
1000	3000	1	Peak	1634	-38.89	-13	25.89	Pass	2001
3000	10000	1	Peak	6816	-33.88	-13	20.88	Pass	7001




1.16 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.37	-13	53.37	Pass	141
0.15	30	0.01	Peak	0.32	-63.85	-13	50.85	Pass	2986
30	809	0.1	Peak	808.3	-51.32	-13	38.32	Pass	7791
809	829	0.1	Peak	816.8	24.24	60	35.76	Pass	201
829	1000	0.1	Peak	829.8	-46.97	-13	33.97	Pass	1711
1000	3000	1	Peak	1633	-38.09	-13	25.09	Pass	2001
3000	10000	1	Peak	7667	-33.75	-13	20.75	Pass	7001




1.17 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.67	-13	53.67	Pass	141
0.15	30	0.01	Peak	0.17	-64.56	-13	51.56	Pass	2986
30	809	0.1	Peak	808.6	-53.37	-13	40.37	Pass	7791
809	829	0.1	Peak	819.4	25.32	60	34.68	Pass	201
829	1000	0.1	Peak	830.1	-48.24	-13	35.24	Pass	1711
1000	3000	1	Peak	1639	-36.8	-13	23.8	Pass	2001
3000	10000	1	Peak	7675	-33.36	-13	20.36	Pass	7001




1.18 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-65.23	-13	52.23	Pass	141
0.15	30	0.01	Peak	0.21	-63.74	-13	50.74	Pass	2986
30	809	0.1	Peak	769.9	-54.33	-13	41.33	Pass	7791
809	829	0.1	Peak	819.3	25.75	60	34.25	Pass	201
829	1000	0.1	Peak	830.2	-47.81	-13	34.81	Pass	1711
1000	3000	1	Peak	1639	-36.98	-13	23.98	Pass	2001
3000	10000	1	Peak	8751	-33.75	-13	20.75	Pass	7001




1.19 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.85	-13	53.85	Pass	141
0.15	30	0.01	Peak	0.15	-63.61	-13	50.61	Pass	2986
30	809	0.1	Peak	808.9	-52.18	-13	39.18	Pass	7791
809	829	0.1	Peak	814.6	24.46	60	35.54	Pass	201
829	1000	0.1	Peak	832.3	-41.06	-13	28.06	Pass	1711
1000	3000	1	Peak	1629	-39.57	-13	26.57	Pass	2001
3000	10000	1	Peak	6946	-33.63	-13	20.63	Pass	7001




1.20 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.19	-13	53.19	Pass	141
0.15	30	0.01	Peak	0.17	-64.33	-13	51.33	Pass	2986
30	809	0.1	Peak	808.9	-52.18	-13	39.18	Pass	7791
809	829	0.1	Peak	814.5	24.56	60	35.44	Pass	201
829	1000	0.1	Peak	832.3	-37.14	-13	24.14	Pass	1711
1000	3000	1	Peak	1629	-39.32	-13	26.32	Pass	2001
3000	10000	1	Peak	6713	-33.37	-13	20.37	Pass	7001




1.21 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:21, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.05	-13	53.05	Pass	141
0.15	30	0.01	Peak	0.3	-64.91	-13	51.91	Pass	2986
30	809	0.1	Peak	808.9	-51.96	-13	38.96	Pass	7791
809	829	0.1	Peak	814.6	24.65	60	35.35	Pass	201
829	1000	0.1	Peak	832.2	-39.72	-13	26.72	Pass	1711
1000	3000	1	Peak	1629	-38.53	-13	25.53	Pass	2001
3000	10000	1	Peak	9243	-33.78	-13	20.78	Pass	7001




1.22 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:22, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.67	-13	52.67	Pass	141
0.15	30	0.01	Peak	0.19	-64.85	-13	51.85	Pass	2986
30	809	0.1	Peak	809	-53.35	-13	40.35	Pass	7791
809	829	0.1	Peak	814.5	24.52	60	35.48	Pass	201
829	1000	0.1	Peak	832.2	-36.19	-13	23.19	Pass	1711
1000	3000	1	Peak	1629	-38.95	-13	25.95	Pass	2001
3000	10000	1	Peak	6707	-33.73	-13	20.73	Pass	7001




1.23 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:23, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.65	-13	52.65	Pass	141
0.15	30	0.01	Peak	0.15	-64.13	-13	51.13	Pass	2986
30	809	0.1	Peak	809	-52.65	-13	39.65	Pass	7791
809	829	0.1	Peak	814.6	24.69	60	35.31	Pass	201
829	1000	0.1	Peak	832.3	-40.52	-13	27.52	Pass	1711
1000	3000	1	Peak	1629	-39.21	-13	26.21	Pass	2001
3000	10000	1	Peak	7926	-33.27	-13	20.27	Pass	7001



1.24 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:24, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.2	-13	51.2	Pass	141
0.15	30	0.01	Peak	0.19	-63.69	-13	50.69	Pass	2986
30	809	0.1	Peak	808.9	-52.14	-13	39.14	Pass	7791
809	829	0.1	Peak	814.5	24.56	60	35.44	Pass	201
829	1000	0.1	Peak	832.2	-37.8	-13	24.8	Pass	1711
1000	3000	1	Peak	1629	-38.88	-13	25.88	Pass	2001
3000	10000	1	Peak	6714	-33.3	-13	20.3	Pass	7001



2. LTE_Band14


2.1 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.82	-13	52.82	Pass	141
0.15	30	0.01	Peak	0.22	-63.8	-13	50.8	Pass	2986
30	783	0.1	Peak	779.8	-43.62	-13	30.62	Pass	7531
783	803	0.1	Peak	788.3	25.26	60	34.74	Pass	201
803	1000	0.1	Peak	803.3	-52.94	-13	39.94	Pass	1971
1000	3000	1	Peak	1577	-38.13	-13	25.13	Pass	2001
3000	10000	1	Peak	7302	-33.53	-13	20.53	Pass	7001




2.2 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.3	-13	53.3	Pass	141
0.15	30	0.01	Peak	0.35	-64.73	-13	51.73	Pass	2986
30	783	0.1	Peak	779.8	-41.82	-13	28.82	Pass	7531
783	803	0.1	Peak	788.4	25.7	60	34.3	Pass	201
803	1000	0.1	Peak	959.7	-54.17	-13	41.17	Pass	1971
1000	3000	1	Peak	1577	-38.41	-13	25.41	Pass	2001
3000	10000	1	Peak	6821	-33.82	-13	20.82	Pass	7001




2.3 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.84	-13	51.84	Pass	141
0.15	30	0.01	Peak	0.36	-64.52	-13	51.52	Pass	2986
30	783	0.1	Peak	782.2	-42.7	-13	29.7	Pass	7531
783	803	0.1	Peak	790.9	25.82	60	34.18	Pass	201
803	1000	0.1	Peak	803.7	-48.73	-13	35.73	Pass	1971
1000	3000	1	Peak	1582	-37.17	-13	24.17	Pass	2001
3000	10000	1	Peak	7729	-33.84	-13	20.84	Pass	7001




2.4 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:23330, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.8	-13	52.8	Pass	141
0.15	30	0.01	Peak	0.18	-64.26	-13	51.26	Pass	2986
30	783	0.1	Peak	782	-42.45	-13	29.45	Pass	7531
783	803	0.1	Peak	790.8	25.57	60	34.43	Pass	201
803	1000	0.1	Peak	803.8	-47.88	-13	34.88	Pass	1971
1000	3000	1	Peak	1582	-38.06	-13	25.06	Pass	2001
3000	10000	1	Peak	6835	-33.32	-13	20.32	Pass	7001




2.5 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.01	-13	53.01	Pass	141
0.15	30	0.01	Peak	0.17	-64.41	-13	51.41	Pass	2986
30	783	0.1	Peak	780.5	-50.81	-13	37.81	Pass	7531
783	803	0.1	Peak	793.4	25.45	60	34.55	Pass	201
803	1000	0.1	Peak	806.2	-48.69	-13	35.69	Pass	1971
1000	3000	1	Peak	1587	-38.6	-13	25.6	Pass	2001
3000	10000	1	Peak	7500	-33.1	-13	20.1	Pass	7001




2.6 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.17	-13	52.17	Pass	141
0.15	30	0.01	Peak	0.18	-65.23	-13	52.23	Pass	2986
30	783	0.1	Peak	780.4	-46.35	-13	33.35	Pass	7531
783	803	0.1	Peak	793.3	25.79	60	34.21	Pass	201
803	1000	0.1	Peak	806.3	-47.56	-13	34.56	Pass	1971
1000	3000	1	Peak	1586	-37.55	-13	24.55	Pass	2001
3000	10000	1	Peak	7269	-33.51	-13	20.51	Pass	7001




2.7 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.37	-13	52.37	Pass	141
0.15	30	0.01	Peak	0.15	-64.16	-13	51.16	Pass	2986
30	783	0.1	Peak	779.7	-34.3	-13	21.3	Pass	7531
783	803	0.1	Peak	788.6	25.95	60	34.05	Pass	201
803	1000	0.1	Peak	806.2	-38.13	-13	25.13	Pass	1971
1000	3000	1	Peak	1577	-38.52	-13	25.52	Pass	2001
3000	10000	1	Peak	7466	-33.82	-13	20.82	Pass	7001




2.8 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-65.99	-13	52.99	Pass	141
0.15	30	0.01	Peak	0.15	-63.57	-13	50.57	Pass	2986
30	783	0.1	Peak	779.8	-32.21	-13	19.21	Pass	7531
783	803	0.1	Peak	788.5	25.65	60	34.35	Pass	201
803	1000	0.1	Peak	806.2	-36.32	-13	23.32	Pass	1971
1000	3000	1	Peak	1577	-38.5	-13	25.5	Pass	2001
3000	10000	1	Peak	7941	-33.04	-13	20.04	Pass	7001




2.9 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:9, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.04	-13	53.04	Pass	141
0.15	30	0.01	Peak	0.28	-64.26	-13	51.26	Pass	2986
30	783	0.1	Peak	779.8	-33.78	-13	20.78	Pass	7531
783	803	0.1	Peak	788.6	25.8	60	34.2	Pass	201
803	1000	0.1	Peak	806.2	-37.97	-13	24.97	Pass	1971
1000	3000	1	Peak	1577	-38.99	-13	25.99	Pass	2001
3000	10000	1	Peak	7299	-33.12	-13	20.12	Pass	7001




2.10 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:10, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.42	-13	51.42	Pass	141
0.15	30	0.01	Peak	0.18	-63.93	-13	50.93	Pass	2986
30	783	0.1	Peak	779.8	-32.01	-13	19.01	Pass	7531
783	803	0.1	Peak	788.5	25.5	60	34.5	Pass	201
803	1000	0.1	Peak	806.2	-36.09	-13	23.09	Pass	1971
1000	3000	1	Peak	1577	-38.3	-13	25.3	Pass	2001
3000	10000	1	Peak	8729	-33.09	-13	20.09	Pass	7001



2.11 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:11, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.17	-13	52.17	Pass	141
0.15	30	0.01	Peak	0.73	-64.99	-13	51.99	Pass	2986
30	783	0.1	Peak	779.8	-33.77	-13	20.77	Pass	7531
783	803	0.1	Peak	788.6	25.93	60	34.07	Pass	201
803	1000	0.1	Peak	806.2	-38.15	-13	25.15	Pass	1971
1000	3000	1	Peak	1577	-38.4	-13	25.4	Pass	2001
3000	10000	1	Peak	7285	-33.94	-13	20.94	Pass	7001



2.12 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:12, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.61	-13	53.61	Pass	141
0.15	30	0.01	Peak	0.23	-65.03	-13	52.03	Pass	2986
30	783	0.1	Peak	779.8	-31.65	-13	18.65	Pass	7531
783	803	0.1	Peak	788.5	25.74	60	34.26	Pass	201
803	1000	0.1	Peak	806.2	-36.45	-13	23.45	Pass	1971
1000	3000	1	Peak	1577	-38.68	-13	25.68	Pass	2001
3000	10000	1	Peak	6764	-33.45	-13	20.45	Pass	7001

