



One Broadway St, 14th Floor
Cambridge, MA 02142

**U.S. Agent Designation for Service of Process -
Certification Attestation Letter**

Nemko North America, Inc.
303 River Road
Ottawa ON K1V 1H2
Canada

ATTN.: Reviewing Engineer

FCC ID: 2BSYY-EMHW130627

Applicant FRN: 0027977644

This letter serves as a formal designation, pursuant to [§2.911\(d\)\(7\)](#) of the FCC Rules, of the following U.S. Agent* for Service of Process for the equipment under application:

U.S. Agent for Service of Process:

- **Company Name:** Emerald Innovations
- **Physical U.S. Company Address:** 1 Broadway 14FL, Cambridge MA, 02142
- **Agent Name:** Dina Katabi
- **Agent Email Address:** ops@emeraldinno.com
- **Agent FRN**:** 0027977644

The above listed designated agent hereby acknowledges and accepts the obligation for service of process on behalf of the applicant signed below.

The applicant further acknowledges and accepts its obligation to maintain a U.S. Agent for Service of Process for a minimum period of one year following either:

- Permanent termination of all marketing and importation activities within the U.S. for the applicable equipment by the grantee.
- The conclusion of any Commission-related administrative or judicial proceeding involving the equipment, whichever occurs later.

Applicant Signed:

Signed:

Printed name: Rumen Hristov
Title: Director of Engineering
Company: Emerald Innovations
Name:
Date: December 4, 2025

**Designated Agent Signed:
(Required, if different to Applicant)**

Signed:

Printed name: Dina Katabi
Title: CEO/President
Company: Emerald Innovations
Name:
Date: December 4, 2025

* the applicant must designate a contact located in the United States for purposes of acting as the applicant's agent for service of process, regardless of whether the applicant is a domestic or foreign entity. An applicant located in the United States may designate itself as the agent for service of process.

** the agent does not have an FRN because they do no other business with the FCC except for acting as a US agent for service of process, and therefore are not required to have their own FRN.