





RSE-1G-18G-H
ax40 6965 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3051.653	64.53	-22.62	41.91	68.20	-26.29	peak
2	3051.653	53.05	-22.62	30.43	54.00	-23.57	AVG
3	10423.798	60.89	-6.33	54.56	68.20	-13.64	peak
4	10423.798	51.42	-6.33	45.09	54.00	-8.91	AVG
5	13957.529	61.05	-3.25	57.80	68.20	-10.40	peak
6 *	13957.529	49.35	-3.25	46.10	54.00	-7.90	AVG


RSE-1G-18G-V
ax40 6965 MHz



No.	Frequency (MHz)	Reading (dBUV)	Factor (dB/m)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector
1	3495.691	63.16	-21.11	42.05	68.20	-26.15	peak
2	3495.691	52.80	-21.11	31.69	54.00	-22.31	AVG
3	10333.803	60.57	-6.53	54.04	68.20	-14.16	peak
4	10333.803	50.01	-6.53	43.48	54.00	-10.52	AVG
5	14242.802	59.13	-2.93	56.20	68.20	-12.00	peak
6 *	14242.802	47.40	-2.93	44.47	54.00	-9.53	AVG




RSE-1G-18G-H
ax40 7085 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3270.858	63.48	-21.88	41.60	68.20	-26.60	peak
2	3270.858	53.12	-21.88	31.24	54.00	-22.76	AVG
3	8789.515	63.24	-7.54	55.70	68.20	-12.50	peak
4	8789.515	50.91	-7.54	43.37	54.00	-10.63	AVG
5	13097.624	61.74	-4.28	57.46	68.20	-10.74	peak
6 *	13097.624	49.51	-4.28	45.23	54.00	-8.77	AVG




RSE-1G-18G-V
ax40 7085 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5254.440	68.32	-15.52	52.80	68.20	-15.40	peak
2	5254.440	53.03	-15.52	37.51	54.00	-16.49	AVG
3	8688.480	61.78	-7.56	54.22	68.20	-13.98	peak
4	8688.480	51.16	-7.56	43.60	54.00	-10.40	AVG
5	13957.529	61.31	-3.25	58.06	68.20	-10.14	peak
6 *	13957.529	50.08	-3.25	46.83	54.00	-7.17	AVG




RSE-1G-18G-H
ax80 5965 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3308.894	63.92	-21.75	42.17	68.20	-26.03	peak
2	3308.894	53.32	-21.75	31.57	54.00	-22.43	AVG
3	8891.725	64.48	-7.52	56.96	68.20	-11.24	peak
4	8891.725	51.66	-7.52	44.14	54.00	-9.86	AVG
5	13135.536	61.67	-4.24	57.43	68.20	-10.77	peak
6 *	13135.536	50.80	-4.24	46.56	54.00	-7.44	AVG




RSE-1G-18G-V
ax80 5965 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3141.144	65.14	-22.32	42.82	68.20	-25.38	peak
2	3141.144	54.27	-22.32	31.95	54.00	-22.05	AVG
3	8866.061	62.44	-7.53	54.91	68.20	-13.29	peak
4	8866.061	52.10	-7.53	44.57	54.00	-9.43	AVG
5	15003.422	59.01	-2.11	56.90	68.20	-11.30	peak
6 *	15003.422	47.08	-2.11	44.97	54.00	-9.03	AVG




RSE-1G-18G-H
ax80 5985 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3455.508	63.07	-21.25	41.82	68.20	-26.38	peak
2	3455.508	54.80	-21.25	33.55	54.00	-20.45	AVG
3	8764.147	62.18	-7.55	54.63	68.20	-13.57	peak
4	8764.147	52.47	-7.55	44.92	54.00	-9.08	AVG
5	14533.906	61.30	-2.61	58.69	68.20	-9.51	peak
6 *	14533.906	49.38	-2.61	46.77	54.00	-7.23	AVG




RSE-1G-18G-H
ax80 6145 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3060.486	62.55	-22.59	39.96	68.20	-28.24	peak
2	3060.486	52.98	-22.59	30.39	54.00	-23.61	AVG
3	10156.137	62.02	-6.94	55.08	68.20	-13.12	peak
4 *	10156.137	50.96	-6.94	44.02	54.00	-9.98	AVG
5	12872.441	60.33	-4.64	55.69	68.20	-12.51	peak
6	12872.441	48.66	-4.64	44.02	54.00	-9.98	AVG




RSE-1G-18G-V
ax80 6145 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4405.090	61.28	-18.02	43.26	68.20	-24.94	peak
2	4405.090	51.88	-18.02	33.86	54.00	-20.14	AVG
3	8738.852	62.48	-7.55	54.93	68.20	-13.27	peak
4	8738.852	50.94	-7.55	43.39	54.00	-10.61	AVG
5	14873.888	60.60	-2.24	58.36	68.20	-9.84	peak
6 *	14873.888	49.29	-2.24	47.05	54.00	-6.95	AVG




RSE-1G-18G-H
ax80 6385 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4482.150	61.78	-17.76	44.02	68.20	-24.18	peak
2	4482.150	52.22	-17.76	34.46	54.00	-19.54	AVG
3	8891.725	63.00	-7.52	55.48	68.20	-12.72	peak
4	8891.725	52.17	-7.52	44.65	54.00	-9.35	AVG
5	13135.536	60.99	-4.24	56.75	68.20	-11.45	peak
6 *	13135.536	49.84	-4.24	45.60	54.00	-8.40	AVG




RSE-1G-18G-V
ax80 6385 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3318.471	63.81	-21.72	42.09	68.20	-26.11	peak
2	3318.471	53.40	-21.72	31.68	54.00	-22.32	AVG
3	8840.472	62.06	-7.53	54.53	68.20	-13.67	peak
4	8840.472	51.07	-7.53	43.54	54.00	-10.46	AVG
5	13997.929	62.06	-3.20	58.86	68.20	-9.34	peak
6 *	13997.929	50.01	-3.20	46.81	54.00	-7.19	AVG




RSE-1G-18G-H
ax80 6465 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3455.508	63.76	-21.25	42.51	68.20	-25.69	peak
2	3455.508	53.60	-21.25	32.35	54.00	-21.65	AVG
3	12798.243	61.10	-4.78	56.32	68.20	-11.88	peak
4	12798.243	49.80	-4.78	45.02	54.00	-8.98	AVG
5	15003.422	58.45	-2.11	56.34	68.20	-11.86	peak
6 *	15003.422	47.65	-2.11	45.54	54.00	-8.46	AVG




RSE-1G-18G-V
ax80 6465 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4405.090	63.11	-18.02	45.09	68.20	-23.11	peak
2	4405.090	52.48	-18.02	34.46	54.00	-19.54	AVG
3	8638.399	62.08	-7.57	54.51	68.20	-13.69	peak
4	8638.399	51.14	-7.57	43.57	54.00	-10.43	AVG
5	14325.374	59.63	-2.84	56.79	68.20	-11.41	peak
6 *	14325.374	47.13	-2.84	44.29	54.00	-9.71	AVG




RSE-1G-18G-H
ax80 6545 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3465.510	63.20	-21.22	41.98	68.20	-26.22	peak
2	3465.510	53.05	-21.22	31.83	54.00	-22.17	AVG
3	8013.020	63.34	-7.70	55.64	68.20	-12.56	peak
4	8013.020	51.16	-7.70	43.46	54.00	-10.54	AVG
5	14575.975	59.89	-2.57	57.32	68.20	-10.88	peak
6 *	14575.975	48.28	-2.57	45.71	54.00	-8.29	AVG




RSE-1G-18G-V
ax80 6545 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3396.098	63.45	-21.45	42.00	68.20	-26.20	peak
2	3396.098	52.93	-21.45	31.48	54.00	-22.52	AVG
3	8688.480	62.07	-7.56	54.51	68.20	-13.69	peak
4	8688.480	51.23	-7.56	43.67	54.00	-10.33	AVG
5	14960.120	58.45	-2.14	56.31	68.20	-11.89	peak
6 *	14960.120	47.89	-2.14	45.75	54.00	-8.25	AVG




RSE-1G-18G-H
ax80 6625 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4495.124	62.88	-17.72	45.16	68.20	-23.04	peak
2	4495.124	52.03	-17.72	34.31	54.00	-19.69	AVG
3	10068.453	61.82	-7.14	54.68	68.20	-13.52	peak
4	10068.453	52.29	-7.14	45.15	54.00	-8.85	AVG
5	15090.405	60.47	-2.39	58.08	68.20	-10.12	peak
6 *	15090.405	49.26	-2.39	46.87	54.00	-7.13	AVG




RSE-1G-18G-V
ax80 6625 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3405.929	63.64	-21.42	42.22	68.20	-25.98	peak
2	3405.929	54.30	-21.42	32.88	54.00	-21.12	AVG
3	8814.957	62.25	-7.54	54.71	68.20	-13.49	peak
4	8814.957	51.11	-7.54	43.57	54.00	-10.43	AVG
5	14575.975	59.63	-2.57	57.06	68.20	-11.14	peak
6 *	14575.975	47.74	-2.57	45.17	54.00	-8.83	AVG




RSE-1G-18G-H
ax80 6705 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3445.535	63.21	-21.29	41.92	68.20	-26.28	peak
2	3445.535	53.07	-21.29	31.78	54.00	-22.22	AVG
3	8563.819	62.10	-7.59	54.51	68.20	-13.69	peak
4	8563.819	51.17	-7.59	43.58	54.00	-10.42	AVG
5	14830.959	58.57	-2.29	56.28	68.20	-11.92	peak
6 *	14830.959	47.42	-2.29	45.13	54.00	-8.87	AVG




RSE-1G-18G-V
ax80 6705 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3415.787	63.15	-21.39	41.76	68.20	-26.44	peak
2	3415.787	53.02	-21.39	31.63	54.00	-22.37	AVG
3	7898.049	63.38	-8.00	55.38	68.20	-12.82	peak
4	7898.049	51.11	-8.00	43.11	54.00	-10.89	AVG
5	10575.535	61.60	-5.98	55.62	68.20	-12.58	peak
6 *	10575.535	51.06	-5.98	45.08	54.00	-8.92	AVG




RSE-1G-18G-H
ax80 6785 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4443.453	62.24	-17.89	44.35	68.20	-23.85	peak
2	4443.453	52.21	-17.89	34.32	54.00	-19.68	AVG
3	8891.725	62.80	-7.52	55.28	68.20	-12.92	peak
4	8891.725	51.13	-7.52	43.61	54.00	-10.39	AVG
5	12798.243	61.96	-4.78	57.18	68.20	-11.02	peak
6 *	12798.243	50.31	-4.78	45.53	54.00	-8.47	AVG




RSE-1G-18G-V
ax80 6785 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3270.858	63.80	-21.88	41.92	68.20	-26.28	peak
2	3270.858	52.70	-21.88	30.82	54.00	-23.18	AVG
3	8688.480	62.85	-7.56	55.29	68.20	-12.91	peak
4	8688.480	51.14	-7.56	43.58	54.00	-10.42	AVG
5	10363.715	61.60	-6.46	55.14	68.20	-13.06	peak
6 *	10363.715	50.52	-6.46	44.06	54.00	-9.94	AVG




RSE-1G-18G-H
ax80 6865 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3465.510	62.79	-21.22	41.57	68.20	-26.63	peak
2	3465.510	52.63	-21.22	31.41	54.00	-22.59	AVG
3	8969.161	63.01	-7.51	55.50	68.20	-12.70	peak
4	8969.161	51.24	-7.51	43.73	54.00	-10.27	AVG
5	14745.473	59.36	-2.38	56.98	68.20	-11.22	peak
6 *	14745.473	47.18	-2.38	44.80	54.00	-9.20	AVG




RSE-1G-18G-V
ax80 6865 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3465.510	63.14	-21.22	41.92	68.20	-26.28	peak
2	3465.510	53.02	-21.22	31.80	54.00	-22.20	AVG
3	9285.710	62.72	-7.44	55.28	68.20	-12.92	peak
4	9285.710	51.37	-7.44	43.93	54.00	-10.07	AVG
5	13757.267	58.64	-3.49	55.15	68.20	-13.05	peak
6 *	13757.267	48.69	-3.49	45.20	54.00	-8.80	AVG




RSE-1G-18G-H
ax80 6945 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4405.090	60.95	-18.02	42.93	68.20	-25.27	peak
2	4405.090	51.99	-18.02	33.97	54.00	-20.03	AVG
3	8789.515	63.62	-7.54	56.08	68.20	-12.12	peak
4	8789.515	51.12	-7.54	43.58	54.00	-10.42	AVG
5	14618.166	59.37	-2.52	56.85	68.20	-11.35	peak
6 *	14618.166	47.78	-2.52	45.26	54.00	-8.74	AVG




RSE-1G-18G-V
ax80 6945 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3168.500	64.19	-22.23	41.96	68.20	-26.24	peak
2	3168.500	54.44	-22.23	32.21	54.00	-21.79	AVG
3	7920.911	63.60	-7.93	55.67	68.20	-12.53	peak
4	7920.911	51.03	-7.93	43.10	54.00	-10.90	AVG
5	14916.942	57.79	-2.19	55.60	68.20	-12.60	peak
6 *	14916.942	46.82	-2.19	44.63	54.00	-9.37	AVG




RSE-1G-18G-H
ax80 7025 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3328.077	63.55	-21.68	41.87	68.20	-26.33	peak
2	3328.077	53.18	-21.68	31.50	54.00	-22.50	AVG
3	8866.061	61.93	-7.53	54.40	68.20	-13.80	peak
4	8866.061	51.58	-7.53	44.05	54.00	-9.95	AVG
5	13059.822	60.45	-4.33	56.12	68.20	-12.08	peak
6 *	13059.822	48.45	-4.33	44.12	54.00	-9.88	AVG




RSE-1G-18G-H
ax160 6025 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3465.510	63.53	-21.22	42.31	68.20	-25.89	peak
2	3465.510	53.31	-21.22	32.09	54.00	-21.91	AVG
3	8814.957	63.20	-7.54	55.66	68.20	-12.54	peak
4	8814.957	51.18	-7.54	43.64	54.00	-10.36	AVG
5	13404.009	61.54	-3.92	57.62	68.20	-10.58	peak
6 *	13404.009	49.38	-3.92	45.46	54.00	-8.54	AVG




RSE-1G-18G-V
ax160 6025 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	8814.957	62.80	-7.54	55.26	68.20	-12.94	peak
2	8814.957	50.69	-7.54	43.15	54.00	-10.85	AVG
3	11076.096	62.34	-5.10	57.24	74.00	-16.76	peak
4 *	11076.096	50.16	-5.10	45.06	54.00	-8.94	AVG
5	16504.954	58.15	-3.33	54.82	68.20	-13.38	peak
6	16504.954	47.83	-3.33	44.50	54.00	-9.50	AVG




RSE-1G-18G-H
ax160 6185 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	7875.254	63.57	-8.06	55.51	68.20	-12.69	peak
2	7875.254	51.55	-8.06	43.49	54.00	-10.51	AVG
3	10484.230	60.89	-6.19	54.70	68.20	-13.50	peak
4	10484.230	50.18	-6.19	43.99	54.00	-10.01	AVG
5	14788.154	58.13	-2.33	55.80	68.20	-12.40	peak
6 *	14788.154	46.69	-2.33	44.36	54.00	-9.64	AVG




RSE-1G-18G-V
ax160 6185 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3318.471	63.36	-21.72	41.64	68.20	-26.56	peak
2	3318.471	54.31	-21.72	32.59	54.00	-21.41	AVG
3	10575.535	61.48	-5.98	55.50	68.20	-12.70	peak
4	10575.535	50.91	-5.98	44.93	54.00	-9.07	AVG
5	13249.931	60.18	-4.10	56.08	68.20	-12.12	peak
6 *	13249.931	49.14	-4.10	45.04	54.00	-8.96	AVG




RSE-1G-18G-H
ax160 6345 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3105.037	65.41	-22.44	42.97	68.20	-25.23	peak
2	3105.037	52.94	-22.44	30.50	54.00	-23.50	AVG
3	8688.480	62.09	-7.56	54.53	68.20	-13.67	peak
4	8688.480	51.37	-7.56	43.81	54.00	-10.19	AVG
5	13837.024	59.02	-3.40	55.62	68.20	-12.58	peak
6 *	13837.024	47.76	-3.40	44.36	54.00	-9.64	AVG




RSE-1G-18G-V
ax160 6345 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3242.619	63.55	-21.98	41.57	68.20	-26.63	peak
2	3242.619	52.52	-21.98	30.54	54.00	-23.46	AVG
3	8638.399	61.90	-7.57	54.33	68.20	-13.87	peak
4	8638.399	50.91	-7.57	43.34	54.00	-10.66	AVG
5	13757.267	58.32	-3.49	54.83	68.20	-13.37	peak
6 *	13757.267	46.91	-3.49	43.42	54.00	-10.58	AVG




RSE-1G-18G-H
ax160 6505 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3150.237	64.72	-22.29	42.43	68.20	-25.77	peak
2	3150.237	53.01	-22.29	30.72	54.00	-23.28	AVG
3	8588.607	62.46	-7.58	54.88	68.20	-13.32	peak
4	8588.607	51.17	-7.58	43.59	54.00	-10.41	AVG
5	13211.689	59.76	-4.15	55.61	68.20	-12.59	peak
6 *	13211.689	48.34	-4.15	44.19	54.00	-9.81	AVG




RSE-1G-18G-V
ax160 6505 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3396.098	65.04	-21.45	43.59	68.20	-24.61	peak
2	3396.098	53.36	-21.45	31.91	54.00	-22.09	AVG
3	8764.147	62.99	-7.55	55.44	68.20	-12.76	peak
4	8764.147	51.23	-7.55	43.68	54.00	-10.32	AVG
5	14079.082	59.40	-3.11	56.29	68.20	-11.91	peak
6 *	14079.082	47.23	-3.11	44.12	54.00	-9.88	AVG




RSE-1G-18G-H
ax160 6665 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2573.203	64.21	-24.12	40.09	68.20	-28.11	peak
2	2573.203	54.01	-24.12	29.89	54.00	-24.11	AVG
3	8764.147	62.35	-7.55	54.80	68.20	-13.40	peak
4 *	8764.147	52.38	-7.55	44.83	54.00	-9.17	AVG
5	12835.288	59.63	-4.71	54.92	68.20	-13.28	peak
6	12835.288	49.04	-4.71	44.33	54.00	-9.67	AVG




RSE-1G-18G-V
ax160 6665 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2528.963	63.82	-24.26	39.56	68.20	-28.64	peak
2	2528.963	53.83	-24.26	29.57	54.00	-24.43	AVG
3	8663.404	62.20	-7.57	54.63	68.20	-13.57	peak
4 *	8663.404	51.17	-7.57	43.60	54.00	-10.40	AVG
5	14660.479	58.47	-2.47	56.00	68.20	-12.20	peak
6	14660.479	45.99	-2.47	43.52	54.00	-10.48	AVG




RSE-1G-18G-H
ax160 6825 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3475.541	62.59	-21.18	41.41	68.20	-26.79	peak
2	3475.541	53.75	-21.18	32.57	54.00	-21.43	AVG
3	8738.852	61.47	-7.55	53.92	68.20	-14.28	peak
4	8738.852	50.70	-7.55	43.15	54.00	-10.85	AVG
5	15046.851	57.81	-2.25	55.56	68.20	-12.64	peak
6 *	15046.851	45.74	-2.25	43.49	54.00	-10.51	AVG




RSE-1G-18G-V
ax160 6825 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3445.535	62.56	-21.29	41.27	68.20	-26.93	peak
2	3445.535	53.76	-21.29	32.47	54.00	-21.53	AVG
3	9558.018	61.79	-7.39	54.40	68.20	-13.80	peak
4 *	9558.018	51.62	-7.39	44.23	54.00	-9.77	AVG
5	13997.929	58.13	-3.20	54.93	68.20	-13.27	peak
6	13997.929	47.41	-3.20	44.21	54.00	-9.79	AVG




RSE-1G-18G-H
ax160 6985 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3485.601	62.60	-21.15	41.45	68.20	-26.75	peak
2	3485.601	52.33	-21.15	31.18	54.00	-22.82	AVG
3	8514.456	62.46	-7.60	54.86	68.20	-13.34	peak
4	8514.456	50.53	-7.60	42.93	54.00	-11.07	AVG
5	13481.718	59.88	-3.82	56.06	68.20	-12.14	peak
6 *	13481.718	48.02	-3.82	44.20	54.00	-9.80	AVG




RSE-1G-18G-V
ax160 6985 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	3465.510	63.01	-21.22	41.79	68.20	-26.41	peak
2	3465.510	53.23	-21.22	32.01	54.00	-21.99	AVG
3	8563.819	61.59	-7.59	54.00	68.20	-14.20	peak
4	8563.819	50.86	-7.59	43.27	54.00	-10.73	AVG
5	15090.405	59.15	-2.39	56.76	68.20	-11.44	peak
6 *	15090.405	48.20	-2.39	45.81	54.00	-8.19	AVG




RSE-18G-40G-H
ax20 5955 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19234.667	60.31	-12.12	48.19	74.00	-25.81	peak
2	19234.667	48.62	-12.12	36.50	54.00	-17.50	AVG
3	25080.337	57.13	-6.60	50.53	68.20	-17.67	peak
4	25080.337	45.37	-6.60	38.77	54.00	-15.23	AVG
5	38927.581	57.57	0.04	57.61	74.00	-16.39	peak
6 *	38927.581	45.83	0.04	45.87	54.00	-8.13	AVG




RSE-18G-40G-V
ax20 5955 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19717.228	59.28	-11.80	47.48	74.00	-26.52	peak
2	19717.228	48.43	-11.80	36.63	54.00	-17.37	AVG
3	26972.588	57.29	-6.04	51.25	68.20	-16.95	peak
4	26972.588	45.89	-6.04	39.85	54.00	-14.15	AVG
5	39021.038	56.83	0.34	57.17	74.00	-16.83	peak
6 *	39021.038	45.50	0.34	45.84	54.00	-8.16	AVG




RSE-18G-40G-H
ax20 6175 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21963.878	58.28	-9.97	48.31	68.20	-19.89	peak
2	21963.878	46.83	-9.97	36.86	54.00	-17.14	AVG
3	26994.156	57.57	-6.02	51.55	68.20	-16.65	peak
4	26994.156	45.33	-6.02	39.31	54.00	-14.69	AVG
5	39208.626	56.73	0.51	57.24	74.00	-16.76	peak
6 *	39208.626	45.24	0.51	45.75	54.00	-8.25	AVG




RSE-18G-40G-V
ax20 6175 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19654.288	59.28	-11.84	47.44	74.00	-26.56	peak
2	19654.288	48.23	-11.84	36.39	54.00	-17.61	AVG
3	31421.386	57.37	-4.51	52.86	74.00	-21.14	peak
4	31421.386	45.64	-4.51	41.13	54.00	-12.87	AVG
5	39365.638	56.60	0.66	57.26	74.00	-16.74	peak
6 *	39365.638	45.17	0.66	45.83	54.00	-8.17	AVG




RSE-18G-40G-H
ax20 6415 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19234.667	60.33	-12.12	48.21	74.00	-25.79	peak
2	19234.667	48.65	-12.12	36.53	54.00	-17.47	AVG
3	24940.401	57.51	-6.63	50.88	68.20	-17.32	peak
4	24940.401	45.80	-6.63	39.17	54.00	-14.83	AVG
5	39334.186	56.41	0.63	57.04	74.00	-16.96	peak
6 *	39334.186	45.13	0.63	45.76	54.00	-8.24	AVG




RSE-18G-40G-V
ax20 6415 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	20968.879	57.36	-9.75	47.61	74.00	-26.39	peak
2	20968.879	46.32	-9.75	36.57	54.00	-17.43	AVG
3	26651.128	56.94	-6.44	50.50	68.20	-17.70	peak
4	26651.128	45.57	-6.44	39.13	54.00	-14.87	AVG
5	39021.038	57.01	0.34	57.35	74.00	-16.65	peak
6 *	39021.038	45.44	0.34	45.78	54.00	-8.22	AVG




RSE-18G-40G-H
ax20 6435 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21238.770	57.74	-9.76	47.98	74.00	-26.02	peak
2	21238.770	47.42	-9.76	37.66	54.00	-16.34	AVG
3	30335.518	57.33	-5.06	52.27	68.20	-15.93	peak
4	30335.518	45.57	-5.06	40.51	54.00	-13.49	AVG
5	39649.846	56.67	0.92	57.59	74.00	-16.41	peak
6 *	39649.846	44.76	0.92	45.68	54.00	-8.32	AVG




RSE-18G-40G-V
ax20 6435 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21103.393	58.08	-9.72	48.36	74.00	-25.64	peak
2	21103.393	47.48	-9.72	37.76	54.00	-16.24	AVG
3	29334.032	56.30	-5.88	50.42	68.20	-17.78	peak
4	29334.032	45.87	-5.88	39.99	54.00	-14.01	AVG
5	38741.337	58.21	-0.66	57.55	74.00	-16.45	peak
6 *	38741.337	46.55	-0.66	45.89	54.00	-8.11	AVG




RSE-18G-40G-H
ax20 6475 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	20735.539	58.31	-10.20	48.11	74.00	-25.89	peak
2	20735.539	47.64	-10.20	37.44	54.00	-16.56	AVG
3	30118.074	56.75	-5.17	51.58	68.20	-16.62	peak
4	30118.074	45.68	-5.17	40.51	54.00	-13.49	AVG
5	38555.985	58.92	-1.37	57.55	68.20	-10.65	peak
6 *	38555.985	46.97	-1.37	45.60	54.00	-8.40	AVG




RSE-18G-40G-V
ax20 6475 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	20702.417	58.24	-10.26	47.98	74.00	-26.02	peak
2	20702.417	46.81	-10.26	36.55	54.00	-17.45	AVG
3	31597.686	55.72	-4.43	51.29	74.00	-22.71	peak
4	31597.686	46.12	-4.43	41.69	54.00	-12.31	AVG
5	39239.978	56.71	0.54	57.25	74.00	-16.75	peak
6 *	39239.978	45.12	0.54	45.66	54.00	-8.34	AVG




RSE-18G-40G-H
ax20 6515 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	20835.222	58.34	-10.01	48.33	74.00	-25.67	peak
2	20835.222	46.58	-10.01	36.57	54.00	-17.43	AVG
3	27080.601	56.18	-6.15	50.03	68.20	-18.17	peak
4	27080.601	44.90	-6.15	38.75	54.00	-15.25	AVG
5	38710.383	57.73	-0.78	56.95	74.00	-17.05	peak
6 *	38710.383	46.50	-0.78	45.72	54.00	-8.28	AVG




RSE-18G-40G-V
ax20 6515 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19955.052	59.46	-11.65	47.81	74.00	-26.19	peak
2	19955.052	48.11	-11.65	36.46	54.00	-17.54	AVG
3	26333.500	57.30	-6.82	50.48	68.20	-17.72	peak
4	26333.500	46.64	-6.82	39.82	54.00	-14.18	AVG
5	39177.299	55.92	0.48	56.40	74.00	-17.60	peak
6 *	39177.299	45.17	0.48	45.65	54.00	-8.35	AVG




RSE-18G-40G-H
ax20 6535 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19219.299	59.77	-12.13	47.64	74.00	-26.36	peak
2	19219.299	48.69	-12.13	36.56	54.00	-17.44	AVG
3	25140.550	57.32	-6.64	50.68	68.20	-17.52	peak
4	25140.550	45.37	-6.64	38.73	54.00	-15.27	AVG
5	39397.116	56.50	0.69	57.19	74.00	-16.81	peak
6 *	39397.116	44.90	0.69	45.59	54.00	-8.41	AVG




RSE-18G-40G-V
ax20 6535 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19451.118	59.21	-11.98	47.23	74.00	-26.77	peak
2	19451.118	48.46	-11.98	36.48	54.00	-17.52	AVG
3	26608.558	56.33	-6.49	49.84	68.20	-18.36	peak
4	26608.558	45.43	-6.49	38.94	54.00	-15.06	AVG
5	39618.167	56.21	0.89	57.10	74.00	-16.90	peak
6 *	39618.167	44.83	0.89	45.72	54.00	-8.28	AVG




RSE-18G-40G-H
ax20 6695 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	23925.027	55.91	-8.17	47.74	74.00	-26.26	peak
2	23925.027	46.23	-8.17	38.06	54.00	-15.94	AVG
3	26907.988	56.35	-6.12	50.23	68.20	-17.97	peak
4	26907.988	44.75	-6.12	38.63	54.00	-15.37	AVG
5	38772.316	56.99	-0.55	56.44	74.00	-17.56	peak
6 *	38772.316	46.24	-0.55	45.69	54.00	-8.31	AVG




RSE-18G-40G-V
ax20 6695 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21002.427	57.13	-9.69	47.44	74.00	-26.56	peak
2	21002.427	46.08	-9.69	36.39	54.00	-17.61	AVG
3	24980.303	57.68	-6.57	51.11	68.20	-17.09	peak
4	24980.303	45.70	-6.57	39.13	54.00	-14.87	AVG
5	39208.626	57.11	0.51	57.62	74.00	-16.38	peak
6 *	39208.626	45.36	0.51	45.87	54.00	-8.13	AVG




RSE-18G-40G-H
ax20 6855 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	22211.041	57.46	-9.89	47.57	74.00	-26.43	peak
2	22211.041	47.34	-9.89	37.45	54.00	-16.55	AVG
3	27605.113	56.87	-7.03	49.84	68.20	-18.36	peak
4	27605.113	46.04	-7.03	39.01	54.00	-14.99	AVG
5	39239.978	55.84	0.54	56.38	74.00	-17.62	peak
6 *	39239.978	45.26	0.54	45.80	54.00	-8.20	AVG




RSE-18G-40G-V
ax20 6855 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19066.290	59.61	-12.23	47.38	74.00	-26.62	peak
2	19066.290	48.63	-12.23	36.40	54.00	-17.60	AVG
3	24702.324	56.62	-6.99	49.63	68.20	-18.57	peak
4	24702.324	45.32	-6.99	38.33	54.00	-15.67	AVG
5	39618.167	55.20	0.89	56.09	74.00	-17.91	peak
6 *	39618.167	44.86	0.89	45.75	54.00	-8.25	AVG




RSE-18G-40G-H
ax20 6875 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21357.938	57.70	-9.79	47.91	74.00	-26.09	peak
2	21357.938	46.10	-9.79	36.31	54.00	-17.69	AVG
3	24960.344	56.94	-6.60	50.34	68.20	-17.86	peak
4	24960.344	45.24	-6.60	38.64	54.00	-15.36	AVG
5	38989.861	57.25	0.28	57.53	74.00	-16.47	peak
6 *	38989.861	45.53	0.28	45.81	54.00	-8.19	AVG




RSE-18G-40G-V
ax20 6875 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21426.333	58.08	-9.81	48.27	68.20	-19.93	peak
2	21426.333	47.03	-9.81	37.22	54.00	-16.78	AVG
3	25545.680	56.51	-6.92	49.59	68.20	-18.61	peak
4	25545.680	45.83	-6.92	38.91	54.00	-15.09	AVG
5	39681.552	56.38	0.95	57.33	74.00	-16.67	peak
6 *	39681.552	44.83	0.95	45.78	54.00	-8.22	AVG




RSE-18G-40G-H
ax20 6895 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	20603.370	57.93	-10.46	47.47	74.00	-26.53	peak
2	20603.370	46.89	-10.46	36.43	54.00	-17.57	AVG
3	26929.504	56.94	-6.10	50.84	68.20	-17.36	peak
4	26929.504	44.99	-6.10	38.89	54.00	-15.11	AVG
5	39936.107	56.53	1.18	57.71	74.00	-16.29	peak
6 *	39936.107	44.42	1.18	45.60	54.00	-8.40	AVG




RSE-18G-40G-V
ax20 6895 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21911.274	59.75	-9.95	49.80	68.20	-18.40	peak
2	21911.274	46.41	-9.95	36.46	54.00	-17.54	AVG
3	24213.605	57.84	-7.74	50.10	68.20	-18.10	peak
4	24213.605	46.79	-7.74	39.05	54.00	-14.95	AVG
5	39239.978	55.89	0.54	56.43	74.00	-17.57	peak
6 *	39239.978	45.45	0.54	45.99	54.00	-8.01	AVG




RSE-18G-40G-H
ax20 6995 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21137.157	57.93	-9.73	48.20	74.00	-25.80	peak
2	21137.157	46.12	-9.73	36.39	54.00	-17.61	AVG
3	27015.742	56.64	-6.04	50.60	68.20	-17.60	peak
4	27015.742	45.01	-6.04	38.97	54.00	-15.03	AVG
5	39745.038	56.45	1.01	57.46	74.00	-16.54	peak
6 *	39745.038	44.76	1.01	45.77	54.00	-8.23	AVG




RSE-18G-40G-V
ax20 6995 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19234.667	60.16	-12.12	48.04	74.00	-25.96	peak
2	19234.667	48.81	-12.12	36.69	54.00	-17.31	AVG
3	26907.988	56.98	-6.12	50.86	68.20	-17.34	peak
4	26907.988	45.52	-6.12	39.40	54.00	-14.60	AVG
5	38958.708	56.35	0.16	56.51	74.00	-17.49	peak
6 *	38958.708	45.52	0.16	45.68	54.00	-8.32	AVG




RSE-18G-40G-H
ax20 7115 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19203.943	60.21	-12.14	48.07	74.00	-25.93	peak
2	19203.943	48.54	-12.14	36.40	54.00	-17.60	AVG
3	25020.269	57.16	-6.55	50.61	68.20	-17.59	peak
4	25020.269	45.39	-6.55	38.84	54.00	-15.16	AVG
5	39334.186	56.67	0.63	57.30	74.00	-16.70	peak
6 *	39334.186	45.04	0.63	45.67	54.00	-8.33	AVG




RSE-18G-40G-V
ax20 7115 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	20935.385	57.50	-9.81	47.69	74.00	-26.31	peak
2	20935.385	46.05	-9.81	36.24	54.00	-17.76	AVG
3	26994.156	57.23	-6.02	51.21	68.20	-16.99	peak
4	26994.156	44.71	-6.02	38.69	54.00	-15.31	AVG
5	39114.720	56.04	0.43	56.47	74.00	-17.53	peak
6 *	39114.720	45.06	0.43	45.49	54.00	-8.51	AVG




RSE-18G-40G-H
ax40 5965 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	18793.937	59.75	-12.60	47.15	74.00	-26.85	peak
2	18793.937	48.60	-12.60	36.00	54.00	-18.00	AVG
3	27015.742	55.02	-6.04	48.98	68.20	-19.22	peak
4	27015.742	45.84	-6.04	39.80	54.00	-14.20	AVG
5	39021.038	56.57	0.34	56.91	74.00	-17.09	peak
6 *	39021.038	45.17	0.34	45.51	54.00	-8.49	AVG




RSE-18G-40G-V
ax40 5965 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19188.599	59.37	-12.15	47.22	74.00	-26.78	peak
2	19188.599	48.65	-12.15	36.50	54.00	-17.50	AVG
3	25000.278	56.03	-6.54	49.49	68.20	-18.71	peak
4	25000.278	45.04	-6.54	38.50	54.00	-15.50	AVG
5	39083.467	55.56	0.40	55.96	74.00	-18.04	peak
6 *	39083.467	45.32	0.40	45.72	54.00	-8.28	AVG




RSE-18G-40G-H
ax40 6165 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21052.850	57.28	-9.71	47.57	74.00	-26.43	peak
2	21052.850	46.19	-9.71	36.48	54.00	-17.52	AVG
3	26994.156	55.80	-6.02	49.78	68.20	-18.42	peak
4	26994.156	45.05	-6.02	39.03	54.00	-14.97	AVG
5	39428.619	55.68	0.71	56.39	74.00	-17.61	peak
6 *	39428.619	44.95	0.71	45.66	54.00	-8.34	AVG




RSE-18G-40G-V
ax40 6165 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19404.531	59.64	-12.01	47.63	74.00	-26.37	peak
2	19404.531	48.33	-12.01	36.32	54.00	-17.68	AVG
3	25464.135	56.66	-6.86	49.80	68.20	-18.40	peak
4	25464.135	45.78	-6.86	38.92	54.00	-15.08	AVG
5	39271.356	56.24	0.57	56.81	74.00	-17.19	peak
6 *	39271.356	45.13	0.57	45.70	54.00	-8.30	AVG




RSE-18G-40G-H
ax40 6405 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19389.027	60.30	-12.02	48.28	74.00	-25.72	peak
2	19389.027	48.62	-12.02	36.60	54.00	-17.40	AVG
3	24368.934	57.06	-7.50	49.56	68.20	-18.64	peak
4	24368.934	46.19	-7.50	38.69	54.00	-15.31	AVG
5	39872.315	55.47	1.12	56.59	74.00	-17.41	peak
6 *	39872.315	44.49	1.12	45.61	54.00	-8.39	AVG




RSE-18G-40G-V
ax40 6405 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19250.048	59.43	-12.11	47.32	74.00	-26.68	peak
2	19250.048	48.76	-12.11	36.65	54.00	-17.35	AVG
3	29287.175	56.18	-5.93	50.25	68.20	-17.95	peak
4	29287.175	46.21	-5.93	40.28	54.00	-13.72	AVG
5	39460.147	55.87	0.74	56.61	74.00	-17.39	peak
6 *	39460.147	44.97	0.74	45.71	54.00	-8.29	AVG




RSE-18G-40G-H
ax40 6445 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21187.903	57.14	-9.74	47.40	74.00	-26.60	peak
2	21187.903	46.12	-9.74	36.38	54.00	-17.62	AVG
3	30238.683	56.07	-5.11	50.96	68.20	-17.24	peak
4	30238.683	45.28	-5.11	40.17	54.00	-13.83	AVG
5	39271.356	56.04	0.57	56.61	74.00	-17.39	peak
6 *	39271.356	45.18	0.57	45.75	54.00	-8.25	AVG




RSE-18G-40G-V
ax40 6445 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19435.576	59.47	-11.99	47.48	74.00	-26.52	peak
2	19435.576	48.34	-11.99	36.35	54.00	-17.65	AVG
3	24960.344	57.21	-6.60	50.61	68.20	-17.59	peak
4	24960.344	45.38	-6.60	38.78	54.00	-15.22	AVG
5	39114.720	56.52	0.43	56.95	74.00	-17.05	peak
6 *	39114.720	45.39	0.43	45.82	54.00	-8.18	AVG




RSE-18G-40G-H
ax40 6485 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21357.938	58.04	-9.79	48.25	74.00	-25.75	peak
2	21357.938	46.12	-9.79	36.33	54.00	-17.67	AVG
3	26715.112	56.41	-6.36	50.05	68.20	-18.15	peak
4	26715.112	45.47	-6.36	39.11	54.00	-14.89	AVG
5	39208.626	57.01	0.51	57.52	74.00	-16.48	peak
6 *	39208.626	45.27	0.51	45.78	54.00	-8.22	AVG




RSE-18G-40G-V
ax40 6485 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	20785.321	58.09	-10.10	47.99	74.00	-26.01	peak
2	20785.321	46.29	-10.10	36.19	54.00	-17.81	AVG
3	24980.303	57.05	-6.57	50.48	68.20	-17.72	peak
4	24980.303	45.42	-6.57	38.85	54.00	-15.15	AVG
5	39618.167	56.37	0.89	57.26	74.00	-16.74	peak
6 *	39618.167	44.94	0.89	45.83	54.00	-8.17	AVG




RSE-18G-40G-H
ax40 6525 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21375.016	57.62	-9.80	47.82	74.00	-26.18	peak
2	21375.016	47.36	-9.80	37.56	54.00	-16.44	AVG
3	28984.428	57.25	-6.23	51.02	68.20	-17.18	peak
4	28984.428	47.44	-6.23	41.21	54.00	-12.79	AVG
5	39302.758	56.30	0.60	56.90	74.00	-17.10	peak
6 *	39302.758	45.15	0.60	45.75	54.00	-8.25	AVG




RSE-18G-40G-V
ax40 6525 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21170.974	58.11	-9.74	48.37	74.00	-25.63	peak
2	21170.974	45.97	-9.74	36.23	54.00	-17.77	AVG
3	30652.377	56.90	-4.89	52.01	68.20	-16.19	peak
4	30652.377	46.25	-4.89	41.36	54.00	-12.64	AVG
5	39713.282	56.36	0.98	57.34	74.00	-16.66	peak
6 *	39713.282	44.74	0.98	45.72	54.00	-8.28	AVG




RSE-18G-40G-H
ax40 6565 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21002.427	57.33	-9.69	47.64	74.00	-26.36	peak
2	21002.427	45.97	-9.69	36.28	54.00	-17.72	AVG
3	26779.250	56.12	-6.28	49.84	68.20	-18.36	peak
4	26779.250	45.32	-6.28	39.04	54.00	-14.96	AVG
5	39114.720	56.62	0.43	57.05	74.00	-16.95	peak
6 *	39114.720	45.31	0.43	45.74	54.00	-8.26	AVG




RSE-18G-40G-V
ax40 6565 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19234.667	60.57	-12.12	48.45	74.00	-25.55	peak
2	19234.667	48.43	-12.12	36.31	54.00	-17.69	AVG
3	25668.487	57.80	-7.00	50.80	68.20	-17.40	peak
4	25668.487	45.62	-7.00	38.62	54.00	-15.38	AVG
5	39334.186	55.85	0.63	56.48	74.00	-17.52	peak
6 *	39334.186	45.00	0.63	45.63	54.00	-8.37	AVG




RSE-18G-40G-H
ax40 6685 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21323.822	57.33	-9.78	47.55	74.00	-26.45	peak
2	21323.822	46.14	-9.78	36.36	54.00	-17.64	AVG
3	29310.594	57.05	-5.91	51.14	68.20	-17.06	peak
4	29310.594	45.21	-5.91	39.30	54.00	-14.70	AVG
5	39904.198	56.47	1.15	57.62	74.00	-16.38	peak
6 *	39904.198	44.48	1.15	45.63	54.00	-8.37	AVG




RSE-18G-40G-V
ax40 6685 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	20985.646	57.55	-9.72	47.83	74.00	-26.17	peak
2	20985.646	46.14	-9.72	36.42	54.00	-17.58	AVG
3	26865.006	55.96	-6.17	49.79	68.20	-18.41	peak
4	26865.006	45.09	-6.17	38.92	54.00	-15.08	AVG
5	39021.038	57.10	0.34	57.44	74.00	-16.56	peak
6 *	39021.038	45.38	0.34	45.72	54.00	-8.28	AVG




RSE-18G-40G-H
ax40 6845 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	18689.076	60.01	-12.76	47.25	74.00	-26.75	peak
2	18689.076	49.00	-12.76	36.24	54.00	-17.76	AVG
3	24662.866	57.05	-7.05	50.00	68.20	-18.20	peak
4	24662.866	45.69	-7.05	38.64	54.00	-15.36	AVG
5	39239.978	56.81	0.54	57.35	74.00	-16.65	peak
6 *	39239.978	45.26	0.54	45.80	54.00	-8.20	AVG




RSE-18G-40G-V
ax40 6845 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19939.108	59.86	-11.66	48.20	74.00	-25.80	peak
2	19939.108	48.08	-11.66	36.42	54.00	-17.58	AVG
3	28984.428	56.50	-6.23	50.27	68.20	-17.93	peak
4	28984.428	45.50	-6.23	39.27	54.00	-14.73	AVG
5	39745.038	55.93	1.01	56.94	74.00	-17.06	peak
6 *	39745.038	44.62	1.01	45.63	54.00	-8.37	AVG




RSE-18G-40G-H
ax40 6885 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19451.118	60.02	-11.98	48.04	74.00	-25.96	peak
2	19451.118	48.23	-11.98	36.25	54.00	-17.75	AVG
3	26886.488	56.69	-6.15	50.54	68.20	-17.66	peak
4	26886.488	45.03	-6.15	38.88	54.00	-15.12	AVG
5	39808.626	56.65	1.06	57.71	74.00	-16.29	peak
6 *	39808.626	44.53	1.06	45.59	54.00	-8.41	AVG




RSE-18G-40G-V
ax40 6885 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	21052.850	57.22	-9.71	47.51	74.00	-26.49	peak
2	21052.850	46.27	-9.71	36.56	54.00	-17.44	AVG
3	28845.756	57.02	-6.44	50.58	68.20	-17.62	peak
4	28845.756	46.51	-6.44	40.07	54.00	-13.93	AVG
5	38741.337	58.05	-0.66	57.39	74.00	-16.61	peak
6 *	38741.337	46.25	-0.66	45.59	54.00	-8.41	AVG




RSE-18G-40G-H
ax40 6925 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	19234.667	59.63	-12.12	47.51	74.00	-26.49	peak
2	19234.667	48.51	-12.12	36.39	54.00	-17.61	AVG
3	26886.488	56.26	-6.15	50.11	68.20	-18.09	peak
4	26886.488	45.33	-6.15	39.18	54.00	-14.82	AVG
5	39713.282	55.68	0.98	56.66	74.00	-17.34	peak
6 *	39713.282	44.69	0.98	45.67	54.00	-8.33	AVG



RSE-18G-40G-V
ax40 6925 MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	20669.349	58.13	-10.33	47.80	74.00	-26.20	peak
2	20669.349	46.80	-10.33	36.47	54.00	-17.53	AVG
3	26972.588	57.91	-6.04	51.87	68.20	-16.33	peak
4	26972.588	44.90	-6.04	38.86	54.00	-15.14	AVG
5	38865.400	58.31	-0.19	58.12	74.00	-15.88	peak
6 *	38865.400	45.93	-0.19	45.74	54.00	-8.26	AVG