



Contention Based Protocol NVNT ax160 6985MHz Interfere 6910 MHz_1



Contention Based Protocol NVNT ax160 6985MHz Interfere 6985 MHz_1






Contention Based Protocol Calibration


Condition	Mode	Frequency (MHz)	AWGN Location	AWGN Frequency (MHz)	Injected Power (dBm)	Gain (dBi)	Path Loss (dB)	Adjusted Power (dBm)	Limit (dBm)
NVNT	ax20	6175	Center	6175	-64.54	0.8	-3	-68.34	-62
NVNT	ax20	6435	Center	6435	-64.31	0.8	-3	-68.11	-62
NVNT	ax20	6535	Center	6535	-62.69	0.8	-3	-66.49	-62
NVNT	ax20	6895	Center	6895	-63.52	0.8	-3	-67.32	-62
NVNT	ax160	6185	Low	6110	-65.28	0.8	-3	-69.08	-62
NVNT	ax160	6185	Center	6185	-64.64	0.8	-3	-68.44	-62
NVNT	ax160	6185	High	6260	-63.86	0.8	-3	-67.66	-62
NVNT	ax160	6505	Low	6430	-64.83	0.8	-3	-68.63	-62
NVNT	ax160	6505	Center	6505	-68.25	0.8	-3	-72.05	-62
NVNT	ax160	6505	High	6580	-68.75	0.8	-3	-72.55	-62
NVNT	ax160	6665	Low	6590	-68.45	0.8	-3	-72.25	-62
NVNT	ax160	6665	Center	6665	-67.43	0.8	-3	-71.23	-62
NVNT	ax160	6665	High	6740	-65.51	0.8	-3	-69.31	-62
NVNT	ax160	6985	Low	6910	-63.22	0.8	-3	-67.02	-62
NVNT	ax160	6985	Center	6985	-63.84	0.8	-3	-67.64	-62
NVNT	ax160	6985	High	7060	-65.68	0.8	-3	-69.48	-62

Test Graphs


Contention Based Protocol Calibration NVNT ax20 6175MHz Interfere 6175 MHz




Contention Based Protocol Calibration NVNT ax20 6435MHz Interfere 6435 MHz




Contention Based Protocol Calibration NVNT ax20 6535MHz Interfere 6535 MHz




Contention Based Protocol Calibration NVNT ax20 6895MHz Interfere 6895 MHz




Contention Based Protocol Calibration NVNT ax160 6185MHz Interfere 6110 MHz




Contention Based Protocol Calibration NVNT ax160 6185MHz Interfere 6185 MHz




Contention Based Protocol Calibration NVNT ax160 6185MHz Interfere 6260 MHz




Contention Based Protocol Calibration NVNT ax160 6505MHz Interfere 6430 MHz




Contention Based Protocol Calibration NVNT ax160 6505MHz Interfere 6505 MHz




Contention Based Protocol Calibration NVNT ax160 6505MHz Interfere 6580 MHz




Contention Based Protocol Calibration NVNT ax160 6665MHz Interfere 6590 MHz




Contention Based Protocol Calibration NVNT ax160 6665MHz Interfere 6665 MHz




Contention Based Protocol Calibration NVNT ax160 6665MHz Interfere 6740 MHz



Contention Based Protocol Calibration NVNT ax160 6985MHz Interfere 6910 MHz



Contention Based Protocol Calibration NVNT ax160 6985MHz Interfere 6985 MHz



Contention Based Protocol Calibration NVNT ax160 6985MHz Interfere 7060 MHz

