




About the App



Includes

Access to Device Details

Battery Monitoring

Erasing Device Flash

Updating Device Firmware

Recalibrating Device

Creating Support Tickets

Users Manual

Terms & Conditions

Note: The iSafetyPatrol app is not used to adjust device settings such as siren volume, range or width, that is all done on the physical device itself.



Getting Started

What You Need:

ISP Device

IOS or Android Device

iSafetyPatrol App


Downloading the App



Note: The iSafety Patrol app is available for download on the App Store and Google Play Store. Scan the respective QR's above to download.



Getting Connected



To connect to your iSafetyPatrol App to your ISP device, please follow these steps.


- 1 Sign up or log into your existing account.
- 2 Enter the OTC that was sent to the email from the previous step.
- 3 Search for your device to the iSafetyPatrol app.
- 4 Stay up to date with your device via the home page.

Note: Make sure device is on and in pairing mode.



Core Features

Menu



1 Create a Support Ticket

2 View Terms & Conditions


3 Settings (See Right)

4 View & Download Users Manual

5 Log Out of Account

6 User Profile

Settings



7 Biometric Settings

8 Wifi Switch

9 Erase Flash

10 Update Firmware

11 Recalibrate Device

12 Edit Device Time & Date

13 Edit User Profile Details



Warranty, Service Terms & Support

This unit is covered by a **limited warranty of 16 months** from the date of purchase or shipment against defects in materials and workmanship under normal use.

During the warranty period, the manufacturer may **repair or replace** the unit of defective parts at its discretion.

The warranty does **not** cover damage caused by misuse, abuse, unauthorized repairs or modifications, opening o the unit, use of non-certified chargers or accessories, physical damage, or liquid ingress beyond specified limits.

Normal wear and tear, including gradual **reduction in rechargeable battery capacity**, is not covered under warranty.

The unit must be operated and stored within the **specified environmental and electrical conditions** to remain eligible for warranty coverage.

In the event of a malfunction, raise a service request **ISP Mobile Application** and follow the instructions provided by the support team.

Do not ship the unit for service without **prior authorization**.

Out-of-warranty service may be available at an additional cost.