


ANTENNA SPECIFICATION

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	2400MHz	2420MHz	2440MHz	2460MHz	2480MHz	2500MHz
	-1.17 dBi	-1.23 dBi	-0.74 dBi	-0.36 dBi	1.5 dBi	1.5 dBi
MAX.Gain	1.5 dBi					
Test method	-					
Azimuth Beam Pattern	Omni- directional					
Impedance	50 Ohm					
Antenna Length	9mm*2.8mm					
Manufacture	Quanzhou STAYTRUE Electronic Technology Co.,Ltd Unit 1A-2,1st Floor,Building 1,Fengshu Logistics Park,No. 920,Binhu South Road,Taiwan Investment Zone,Quanzhou,Fujian Province, China					

Antenna Length






Fig.1 Coordinate Axis







Figure 21: Shargata24 coordinate system




2400.000MHz




2400MHz

2400.000MHz H




2400MHz-H

2400.000MHz E1




2400MHz-E1

2400.000MHz E2




2400MHz-E2

2450.000MHz




2450MHz

2450.000MHz H




2450MHz-H


2450.000MHz E1



2450.000MHz E2




2500.000MHz




2500MHz

2500.000MHz H




2500MHz-H

2500.000MHz E1



2500MHz-E1

2500.000MHz E2



2500MHz-E2