


Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1250.0167	11.63	36.53	48.16	74.00	25.84	PASS	Vertical	PK
2	1706.3138	14.11	36.95	51.06	74.00	22.94	PASS	Vertical	PK
3	4920.128	-8.18	67.93	59.75	74.00	14.25	PASS	Vertical	PK
4	7387.2925	-3.17	65.99	62.82	74.00	11.18	PASS	Vertical	PK
5	9848.4566	1.37	48.82	50.19	74.00	23.81	PASS	Vertical	PK
6	13139.676	6.34	44.13	50.47	74.00	23.53	PASS	Vertical	PK
7	4925.1283	-8.15	58.01	49.86	54.00	4.14	PASS	Vertical	AV
8	7385.2924	-3.15	48.89	45.74	54.00	8.26	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18737.1495	-26.42	63.45	37.03	74.00	36.97	PASS	Horizon	PK
2	19829.2732	-25.14	61.57	36.43	74.00	37.57	PASS	Horizon	PK
3	21216.8687	-25.76	62.00	36.24	74.00	37.76	PASS	Horizon	PK
4	22382.7753	-25.13	60.51	35.38	74.00	38.62	PASS	Horizon	PK
5	22919.6568	-25.43	59.52	34.09	74.00	39.91	PASS	Horizon	PK
6	24227.0091	-22.51	57.83	35.32	74.00	38.68	PASS	Horizon	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18927.2171	-26.28	62.50	36.22	74.00	37.78	PASS	Vertical	PK
2	20141.4057	-25.25	61.50	36.25	74.00	37.75	PASS	Vertical	PK
3	21600.404	-25.74	61.07	35.33	74.00	38.67	PASS	Vertical	PK
4	22537.8215	-25.03	60.63	35.60	74.00	38.40	PASS	Vertical	PK
5	24433.3973	-21.72	58.22	36.50	74.00	37.50	PASS	Vertical	PK
6	25468.3987	-21.19	57.13	35.94	74.00	38.06	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1260.4174	11.91	36.76	48.67	74.00	25.33	PASS	Horizon	PK
2	1679.912	14.02	35.88	49.90	74.00	24.10	PASS	Horizon	PK
3	4815.121	-8.56	64.99	56.43	74.00	17.57	PASS	Horizon	PK
4	7247.2832	-2.99	52.26	49.27	74.00	24.73	PASS	Horizon	PK
5	9283.4189	0.74	45.27	46.01	74.00	27.99	PASS	Horizon	PK
6	13711.7141	7.24	43.98	51.22	74.00	22.78	PASS	Horizon	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1346.5564	12.46	36.63	49.09	74.00	24.91	PASS	Vertical	PK
2	1866.8578	14.52	35.22	49.74	74.00	24.26	PASS	Vertical	PK
3	4821.1214	-8.55	64.69	56.14	74.00	17.86	PASS	Vertical	PK
4	7239.2826	-3.07	57.78	54.71	74.00	19.29	PASS	Vertical	PK
5	9648.4432	1.21	46.80	48.01	74.00	25.99	PASS	Vertical	PK
6	13768.7179	7.38	42.90	50.28	74.00	23.72	PASS	Vertical	PK
7	4827.1218	-8.53	54.75	46.22	54.00	7.78	PASS	Vertical	AV
8	7234.2823	-3.11	45.38	42.27	54.00	11.73	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18758.2303	-26.37	63.01	36.64	74.00	37.36	PASS	Horizon	PK
2	20234.5694	-25.50	60.84	35.34	74.00	38.66	PASS	Horizon	PK
3	21540.2216	-25.78	61.78	36.00	74.00	38.00	PASS	Horizon	PK
4	22418.4767	-25.09	59.99	34.90	74.00	39.10	PASS	Horizon	PK
5	23558.5423	-23.17	58.83	35.66	74.00	38.34	PASS	Horizon	PK
6	24660.1864	-21.90	57.59	35.69	74.00	38.31	PASS	Horizon	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18996.9199	-26.27	62.88	36.61	74.00	37.39	PASS	Vertical	PK
2	20729.6292	-25.80	61.49	35.69	74.00	38.31	PASS	Vertical	PK
3	21884.3154	-25.64	60.63	34.99	74.00	39.01	PASS	Vertical	PK
4	23147.4659	-24.64	59.74	35.10	74.00	38.90	PASS	Vertical	PK
5	23932.5573	-22.07	59.04	36.97	74.00	37.03	PASS	Vertical	PK
6	25287.1715	-21.21	58.31	37.10	74.00	36.90	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1361.3574	12.63	35.96	48.59	74.00	25.41	PASS	Horizon	PK
2	1825.3884	14.37	36.06	50.43	74.00	23.57	PASS	Horizon	PK
3	4878.1252	-8.37	62.96	54.59	74.00	19.41	PASS	Horizon	PK
4	7306.2871	-2.87	56.32	53.45	74.00	20.55	PASS	Horizon	PK
5	9695.4464	1.26	44.23	45.49	74.00	28.51	PASS	Horizon	PK
6	13676.7118	7.35	42.95	50.30	74.00	23.70	PASS	Horizon	PK
7	4878.1252	-8.37	52.93	44.56	54.00	9.44	PASS	Horizon	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1295.4864	12.05	37.17	49.22	74.00	24.78	PASS	Vertical	PK
2	1818.9879	14.38	36.18	50.56	74.00	23.44	PASS	Vertical	PK
3	4873.1249	-8.39	66.54	58.15	74.00	15.85	PASS	Vertical	PK
4	7301.2868	-2.88	61.58	58.70	74.00	15.30	PASS	Vertical	PK
5	11023.5349	2.04	43.44	45.48	74.00	28.52	PASS	Vertical	PK
6	14403.7603	9.72	39.70	49.42	74.00	24.58	PASS	Vertical	PK
7	4873.1249	-8.39	54.29	45.90	54.00	8.10	PASS	Vertical	AV
8	7316.2878	-2.87	49.31	46.44	54.00	7.56	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18779.6512	-26.33	62.75	36.42	74.00	37.58	PASS	Horizon	PK
2	20039.4016	-24.80	60.73	35.93	74.00	38.07	PASS	Horizon	PK
3	21780.6112	-25.55	61.38	35.83	74.00	38.17	PASS	Horizon	PK
4	23358.2743	-23.71	58.74	35.03	74.00	38.97	PASS	Horizon	PK
5	24392.9357	-21.72	57.72	36.00	74.00	38.00	PASS	Horizon	PK
6	25288.8716	-21.22	57.66	36.44	74.00	37.56	PASS	Horizon	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18847.9939	-26.29	62.43	36.14	74.00	37.86	PASS	Vertical	PK
2	20221.3089	-25.51	61.67	36.16	74.00	37.84	PASS	Vertical	PK
3	22280.4312	-25.28	60.27	34.99	74.00	39.01	PASS	Vertical	PK
4	23717.6687	-22.63	58.23	35.60	74.00	38.40	PASS	Vertical	PK
5	24396.3359	-21.70	58.59	36.89	74.00	37.11	PASS	Vertical	PK
6	25335.1134	-21.31	57.75	36.44	74.00	37.56	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1260.4174	11.91	36.31	48.22	74.00	25.78	PASS	Horizon	PK
2	1716.5811	14.18	35.43	49.61	74.00	24.39	PASS	Horizon	PK
3	4926.1284	-8.15	64.37	56.22	74.00	17.78	PASS	Horizon	PK
4	7386.2924	-3.16	59.16	56.00	74.00	18.00	PASS	Horizon	PK
5	9847.4565	1.36	45.61	46.97	74.00	27.03	PASS	Horizon	PK
6	13684.7123	7.31	43.52	50.83	74.00	23.17	PASS	Horizon	PK
7	4924.1283	-8.16	53.87	45.71	54.00	8.29	PASS	Horizon	AV
8	7386.2924	-3.16	46.87	43.71	54.00	10.29	PASS	Horizon	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1344.9563	12.46	36.71	49.17	74.00	24.83	PASS	Vertical	PK
2	1865.1243	14.52	36.60	51.12	74.00	22.88	PASS	Vertical	PK
3	4920.128	-8.18	65.40	57.22	74.00	16.78	PASS	Vertical	PK
4	7385.2924	-3.15	65.26	62.11	74.00	11.89	PASS	Vertical	PK
5	9848.4566	1.37	46.43	47.80	74.00	26.20	PASS	Vertical	PK
6	13678.7119	7.34	43.43	50.77	74.00	23.23	PASS	Vertical	PK
7	4924.1283	-8.16	55.24	47.08	54.00	6.92	PASS	Vertical	AV
8	7385.2924	-3.15	52.71	49.56	54.00	4.44	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18737.8295	-26.41	62.50	36.09	74.00	37.91	PASS	Horizon	PK
2	20106.0442	-25.09	61.02	35.93	74.00	38.07	PASS	Horizon	PK
3	21778.9112	-25.55	61.52	35.97	74.00	38.03	PASS	Horizon	PK
4	22762.5705	-25.04	59.41	34.37	74.00	39.63	PASS	Horizon	PK
5	24364.0346	-21.85	59.12	37.27	74.00	36.73	PASS	Horizon	PK
6	24887.6555	-22.04	57.44	35.40	74.00	38.60	PASS	Horizon	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18747.0099	-26.40	62.93	36.53	74.00	37.47	PASS	Vertical	PK
2	20248.1699	-25.50	61.08	35.58	74.00	38.42	PASS	Vertical	PK
3	21840.7936	-25.59	61.94	36.35	74.00	37.65	PASS	Vertical	PK
4	22231.1292	-25.35	60.53	35.18	74.00	38.82	PASS	Vertical	PK
5	23917.9367	-22.10	57.77	35.67	74.00	38.33	PASS	Vertical	PK
6	24690.7876	-21.91	57.47	35.56	74.00	38.44	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1278.4186	11.79	36.18	47.97	74.00	26.03	PASS	Horizon	PK
2	1612.9742	13.72	35.76	49.48	74.00	24.52	PASS	Horizon	PK
3	4848.1232	-8.47	63.47	55.00	74.00	19.00	PASS	Horizon	PK
4	7265.2844	-2.94	51.09	48.15	74.00	25.85	PASS	Horizon	PK
5	12607.6405	4.67	45.22	49.89	74.00	24.11	PASS	Horizon	PK
6	17066.9378	12.58	39.85	52.43	74.00	21.57	PASS	Horizon	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1250.4167	11.64	37.16	48.80	74.00	25.20	PASS	Vertical	PK
2	1766.9845	14.35	36.13	50.48	74.00	23.52	PASS	Vertical	PK
3	4837.1225	-8.50	64.45	55.95	74.00	18.05	PASS	Vertical	PK
4	7266.2844	-2.94	55.99	53.05	74.00	20.95	PASS	Vertical	PK
5	9687.4458	1.24	45.43	46.67	74.00	27.33	PASS	Vertical	PK
6	13198.6799	6.35	43.32	49.67	74.00	24.33	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19015.9606	-26.26	62.73	36.47	74.00	37.53	PASS	Horizon	PK
2	20064.5626	-24.91	61.86	36.95	74.00	37.05	PASS	Horizon	PK
3	21587.4835	-25.75	61.69	35.94	74.00	38.06	PASS	Horizon	PK
4	22936.3175	-25.48	60.43	34.95	74.00	39.05	PASS	Horizon	PK
5	24595.5838	-21.87	57.57	35.70	74.00	38.30	PASS	Horizon	PK
6	24995.0998	-22.14	57.34	35.20	74.00	38.80	PASS	Horizon	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18862.9545	-26.28	62.55	36.27	74.00	37.73	PASS	Vertical	PK
2	19906.4563	-24.91	60.95	36.04	74.00	37.96	PASS	Vertical	PK
3	21519.4808	-25.80	61.68	35.88	74.00	38.12	PASS	Vertical	PK
4	22686.7475	-25.02	59.97	34.95	74.00	39.05	PASS	Vertical	PK
5	23822.3929	-22.29	57.81	35.52	74.00	38.48	PASS	Vertical	PK
6	24898.876	-22.05	57.22	35.17	74.00	38.83	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1342.0228	12.46	36.65	49.11	74.00	24.89	PASS	Horizon	PK
2	1670.578	14.04	35.86	49.90	74.00	24.10	PASS	Horizon	PK
3	4877.1251	-8.37	60.45	52.08	74.00	21.92	PASS	Horizon	PK
4	7299.2866	-2.88	51.36	48.48	74.00	25.52	PASS	Horizon	PK
5	9748.4499	1.31	45.00	46.31	74.00	27.69	PASS	Horizon	PK
6	14375.7584	9.35	40.62	49.97	74.00	24.03	PASS	Horizon	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1426.5618	12.89	36.02	48.91	74.00	25.09	PASS	Vertical	PK
2	1724.4483	14.20	36.25	50.45	74.00	23.55	PASS	Vertical	PK
3	4881.1254	-8.36	62.15	53.79	74.00	20.21	PASS	Vertical	PK
4	7312.2875	-2.87	56.65	53.78	74.00	20.22	PASS	Vertical	PK
5	11688.5792	2.60	45.71	48.31	74.00	25.69	PASS	Vertical	PK
6	15448.8299	11.01	39.48	50.49	74.00	23.51	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18689.5476	-26.51	63.61	37.10	74.00	36.90	PASS	Horizon	PK
2	19649.746	-25.50	61.64	36.14	74.00	37.86	PASS	Horizon	PK
3	20827.8931	-25.70	61.86	36.16	74.00	37.84	PASS	Horizon	PK
4	22298.4519	-25.25	60.12	34.87	74.00	39.13	PASS	Horizon	PK
5	23812.1925	-22.31	59.02	36.71	74.00	37.29	PASS	Horizon	PK
6	24816.5927	-21.97	57.82	35.85	74.00	38.15	PASS	Horizon	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18860.2344	-26.28	62.85	36.57	74.00	37.43	PASS	Vertical	PK
2	20013.2205	-24.68	61.91	37.23	74.00	36.77	PASS	Vertical	PK
3	21353.8942	-25.85	61.08	35.23	74.00	38.77	PASS	Vertical	PK
4	22173.6669	-25.46	60.54	35.08	74.00	38.92	PASS	Vertical	PK
5	23177.3871	-24.43	60.02	35.59	74.00	38.41	PASS	Vertical	PK
6	24715.9486	-21.92	57.52	35.60	74.00	38.40	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1280.2854	11.77	36.38	48.15	74.00	25.85	PASS	Horizon	PK
2	1638.1759	14.02	36.27	50.29	74.00	23.71	PASS	Horizon	PK
3	4905.127	-8.26	61.22	52.96	74.00	21.04	PASS	Horizon	PK
4	7359.2906	-2.93	54.68	51.75	74.00	22.25	PASS	Horizon	PK
5	11242.5495	2.38	43.78	46.16	74.00	27.84	PASS	Horizon	PK
6	14577.7719	9.65	39.62	49.27	74.00	24.73	PASS	Horizon	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1267.8845	11.91	36.13	48.04	74.00	25.96	PASS	Vertical	PK
2	1630.1753	13.84	36.11	49.95	74.00	24.05	PASS	Vertical	PK
3	4886.1257	-8.34	62.47	54.13	74.00	19.87	PASS	Vertical	PK
4	7360.2907	-2.94	60.38	57.44	74.00	16.56	PASS	Vertical	PK
5	12562.6375	4.39	45.53	49.92	74.00	24.08	PASS	Vertical	PK
6	16343.8896	11.51	41.18	52.69	74.00	21.31	PASS	Vertical	PK
7	4900.1267	-8.29	52.27	43.98	54.00	10.02	PASS	Vertical	AV
8	7350.29	-2.85	48.70	45.85	54.00	8.15	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18835.7534	-26.29	62.63	36.34	74.00	37.66	PASS	Horizon	PK
2	20420.2168	-25.54	61.33	35.79	74.00	38.21	PASS	Horizon	PK
3	21670.7868	-25.67	61.32	35.65	74.00	38.35	PASS	Horizon	PK
4	23848.914	-22.23	58.57	36.34	74.00	37.66	PASS	Horizon	PK
5	24829.5132	-21.99	57.92	35.93	74.00	38.07	PASS	Horizon	PK
6	25521.7809	-21.00	57.32	36.32	74.00	37.68	PASS	Horizon	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/4/19

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18794.9518	-26.30	63.20	36.90	74.00	37.10	PASS	Vertical	PK
2	19997.5799	-24.63	61.21	36.58	74.00	37.42	PASS	Vertical	PK
3	21542.6017	-25.78	61.53	35.75	74.00	38.25	PASS	Vertical	PK
4	22795.5518	-25.05	59.66	34.61	74.00	39.39	PASS	Vertical	PK
5	23393.9758	-23.58	58.97	35.39	74.00	38.61	PASS	Vertical	PK
6	24903.9762	-22.05	57.49	35.44	74.00	38.56	PASS	Vertical	PK


Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. As the PK values are all below 54dBμV/m. So, only the peak measurements were shown in the report.

Restricted bands:
Test plot as follows:

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	40.92	56.88	74.00	17.12	PASS	Horizon	PK
2	2390	15.96	28.38	44.34	54.00	9.66	PASS	Horizon	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	40.86	56.82	74.00	17.18	PASS	Vertical	PK
2	2390	15.96	27.62	43.58	54.00	10.42	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/19


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	33.55	49.84	74.00	24.16	PASS	Horizon	PK
2	2483.5	16.29	20.27	36.56	54.00	17.44	PASS	Horizon	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/4/19

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.47	50.76	74.00	23.24	PASS	Vertical	PK
2	2483.5	16.29	20.50	36.79	54.00	17.21	PASS	Vertical	AV