


Inverted F Antenna Specification

Summary


ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	-0.90dBi	0.10dBi	-0.60dBi	-0.12dBi	-0.19dBi	-0.73dBi
MAX. Gain	0.10dBi					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length						
Manufacture	Shenzhen Daifei Communication Technology Co., Ltd.					

Picture of real products




Address: Room 802, Building Tangzhong, Binhai Xincun, Guxu Community, Xixiang Subdistrict, Bao'an District, Shenzhen, Guangdong, China


Antenna appearance size diagram (Unit: mm)




2400.00MHz - 2500.00MHz Gain




2400.00MHz - 2500.00MHz Efficiency




2400.000MHz




2400.000MHz H




2400.000MHz E1




2400.000MHz E2




2450.000MHz




2450.000MHz H




2450.000MHz E1




2450.000MHz E2




2500.000MHz



2500.000MHz H



2500.000MHz E1



2500.000MHz E2

