

东莞灵博欧电子有限公司、
 Dongguan Lingbo Ou Electronics Co., Ltd

SPECIFICATIONS SHEET
 规格图面

CUSTOMER :	
客户	
DESCRIPTION :	
品名描述	Apple Watch Soft Magnetic Coil, Sensitivity 8.1UH, Output 10MM, Magnetic Force 3000GS
CUSTOMER P/N :	
客户品名	
PART NUMBER :	
制造商料号	
DATE OF APPLICATION :	
提出日期	2025-8-19

CLASSIFICATION OF SPEC. PRESENTATION. (Tick the relevant box "√")
 规格图面提出区分

- ☐
 New application
 新规格
- ☒
 New part is added to accepted specification
 新产品规格追加记录
- ☐
 Revision of accepted specification
 既存规格图面变更

ACCEPTANCE STAMP (客户受领印)

APPROVAL BY 承认	CHECK BY 审查	PREPARE BY 制作
Wu Ziguo		Wu Han

ADDRESS : 樟木头中达工业园9栋301 301, Building 9, Zhongda Industrial Park, Zhangmutou

TELPHONE : 13510623375

E-MAIL : fosterwu1@.163.com

History For Revised Specification 规格修订记录		CUSTOMER P/N : 客 户 品 名			
		PART NUMBER : 制 造 商 料 号			
Item 项次	DESCRIPTION (Content Or Reason For Changed) 变 更 内 容	Rev. 版本	Cust Rev. 客户版本	Date 日期	Revisor 修订者
1	Initial Release (初版发行)	A0		2025-8-19	Wu Ziguo
APPROVED BY 承 认		CHECKED BY 审 查	PREPARED BY 制 作	DATE 日 期	PAGE 页 码
Wu Ziguo			Wu Han	2025-8-19	1 of 3


Specification
规格内容

CUSTOMER P/N :
客户品名

PART NUMBER :
制造商料号

1. DIMENSIONS (外形尺寸) : (Unit: mm)

单位 (Unit) : 毫米 (mm)



A	B	C	D	E	F	G	
23.5±0.5	24.5±0.5	14.2±0.5	7.6±0.1	10±1	2±1	2.6Max	

1. 该产品贴 $\phi 18\text{mm}$ 纯白背胶。
2. 磁铁规格: $\phi 7.5 \times 2.2$, 磁场 (3000GS)。
3. 软磁, W142 磁片, 出线处开线槽。
1. The product is coated with a pure white adhesive with a diameter of 18mm.
2. Magnet specification: $\phi 7.5 \times 2.2$, magnetic field (3000GS).
3. Soft magnet, W142 magnetic sheet, with a wire slot at the outlet.

APPROVED BY 承认	CHECKED BY 审查	PREPARED BY 制作	DATE 日期	PAGE 页码
Wu Ziguo		Wu Han	2025-8-19	2 of 3

[illegible]