


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	1.35	1.86	2.0	2.09	1.78	1.86
MAX. Gain	2.09dBi					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	10.60mm					
Manufacture	SHANGHAI BEKEN TECHNOLOGY CO.,LTD					


Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div




Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	1.3517	-30.0801	-5.18716
2450	1.8658	-36.5604	-5.48023
2500	2.0855	-22.0315	-4.59127

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	1.9837	-22.1424	-10.4394
2450	1.7852	-24.5837	-9.5702
2500	1.8612	-29.5214	-8.3043

ANT Test Labs: Attestation of Global Compliance Co., Ltd.