








Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	13.61	0	13.61	24	Pass
NVNT	a	5200	12.82	0	12.82	24	Pass
NVNT	a	5240	12.62	0	12.62	24	Pass
NVNT	a	5260	12.75	0	12.75	24	Pass
NVNT	a	5300	12.45	0	12.45	24	Pass
NVNT	a	5320	12.22	0	12.22	24	Pass
NVNT	a	5500	10.19	0	10.19	24	Pass
NVNT	a	5580	10.79	0	10.79	24	Pass
NVNT	a	5700	12.52	0	12.52	24	Pass
NVNT	a	5745	12.89	0	12.89	30	Pass
NVNT	a	5785	13.18	0	13.18	30	Pass
NVNT	a	5825	13.21	0	13.21	30	Pass
NVNT	n20	5180	11.79	0	11.79	24	Pass
NVNT	n20	5200	11.68	0	11.68	24	Pass
NVNT	n20	5240	10.51	0	10.51	24	Pass
NVNT	n20	5260	11.43	0	11.43	24	Pass
NVNT	n20	5300	11.29	0	11.29	24	Pass
NVNT	n20	5320	10.97	0	10.97	24	Pass
NVNT	n20	5500	10.13	0	10.13	24	Pass
NVNT	n20	5580	10.65	0	10.65	24	Pass
NVNT	n20	5700	9.84	0	9.84	24	Pass
NVNT	n20	5745	11.37	0	11.37	30	Pass
NVNT	n20	5785	11.72	0	11.72	30	Pass
NVNT	n20	5825	11.81	0	11.81	30	Pass
NVNT	n40	5190	11.32	0	11.32	24	Pass
NVNT	n40	5230	10.98	0	10.98	24	Pass
NVNT	n40	5270	11.03	0	11.03	24	Pass
NVNT	n40	5310	10.68	0	10.68	24	Pass
NVNT	n40	5510	9.22	0	9.22	24	Pass
NVNT	n40	5550	9.49	0	9.49	24	Pass
NVNT	n40	5670	11.01	0	11.01	24	Pass
NVNT	n40	5755	11.67	0	11.67	30	Pass
NVNT	n40	5795	11.8	0	11.8	30	Pass
NVNT	ac20	5180	11.43	0	11.43	24	Pass
NVNT	ac20	5200	11.25	0	11.25	24	Pass
NVNT	ac20	5240	11.1	0	11.1	24	Pass
NVNT	ac20	5260	11.07	0	11.07	24	Pass
NVNT	ac20	5300	10.86	0	10.86	24	Pass
NVNT	ac20	5320	10.48	0	10.48	24	Pass
NVNT	ac20	5500	9.6	0	9.6	24	Pass
NVNT	ac20	5580	10.25	0	10.25	24	Pass
NVNT	ac20	5700	11.32	0	11.32	24	Pass
NVNT	ac20	5745	11.63	0	11.63	30	Pass
NVNT	ac20	5785	11.93	0	11.93	30	Pass
NVNT	ac20	5825	11.9	0	11.9	30	Pass
NVNT	ac40	5190	11.39	0	11.39	24	Pass
NVNT	ac40	5230	11.04	0	11.04	24	Pass
NVNT	ac40	5270	11	0	11	24	Pass
NVNT	ac40	5310	10.69	0	10.69	24	Pass
NVNT	ac40	5510	9.11	0	9.11	24	Pass
NVNT	ac40	5550	9.52	0	9.52	24	Pass
NVNT	ac40	5670	11.03	0	11.03	24	Pass
NVNT	ac40	5755	11.56	0	11.56	30	Pass
NVNT	ac40	5795	11.72	0	11.72	30	Pass
NVNT	ac80	5210	10.99	0	10.99	24	Pass
NVNT	ac80	5290	10.67	0	10.67	24	Pass
NVNT	ac80	5530	9.25	0	9.25	24	Pass
NVNT	ac80	5610	10.63	0	10.63	24	Pass
NVNT	ac80	5775	11.56	0	11.56	30	Pass



















































-26dB Bandwidth

Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	20.056	Pass
NVNT	a	5200	19.94	Pass
NVNT	a	5240	19.928	Pass
NVNT	a	5260	20.06	Pass
NVNT	a	5300	19.911	Pass
NVNT	a	5320	19.919	Pass
NVNT	a	5500	21.192	Pass
NVNT	a	5580	20.125	Pass
NVNT	a	5700	20.539	Pass
NVNT	n20	5180	20.237	Pass
NVNT	n20	5200	20.236	Pass
NVNT	n20	5240	20.242	Pass
NVNT	n20	5260	20.404	Pass
NVNT	n20	5300	20.234	Pass
NVNT	n20	5320	20.175	Pass
NVNT	n20	5500	20.444	Pass
NVNT	n20	5580	20.29	Pass
NVNT	n20	5700	29.932	Pass
NVNT	n40	5190	40.773	Pass
NVNT	n40	5230	40.824	Pass
NVNT	n40	5270	40.931	Pass
NVNT	n40	5310	41.067	Pass
NVNT	n40	5510	41.06	Pass
NVNT	n40	5550	40.417	Pass
NVNT	n40	5670	40.896	Pass
NVNT	ac20	5180	20.328	Pass
NVNT	ac20	5200	20.269	Pass
NVNT	ac20	5240	20.26	Pass
NVNT	ac20	5260	20.453	Pass
NVNT	ac20	5300	20.434	Pass
NVNT	ac20	5320	20.097	Pass
NVNT	ac20	5500	20.438	Pass
NVNT	ac20	5580	20.393	Pass
NVNT	ac20	5700	20.258	Pass
NVNT	ac40	5190	41.29	Pass
NVNT	ac40	5230	40.877	Pass
NVNT	ac40	5270	40.737	Pass
NVNT	ac40	5310	40.607	Pass
NVNT	ac40	5510	40.806	Pass
NVNT	ac40	5550	41.104	Pass
NVNT	ac40	5670	40.862	Pass
NVNT	ac80	5210	81.791	Pass
NVNT	ac80	5290	81.328	Pass
NVNT	ac80	5530	81.893	Pass
NVNT	ac80	5610	81.556	Pass















