


















Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5180	16.427
NVNT	a	5200	16.385
NVNT	a	5240	16.428
NVNT	a	5260	16.408
NVNT	a	5300	16.402
NVNT	a	5320	16.389
NVNT	a	5500	16.399
NVNT	a	5580	16.438
NVNT	a	5700	16.41
NVNT	a	5745	16.429
NVNT	a	5785	16.415
NVNT	a	5825	16.413
NVNT	n20	5180	17.552
NVNT	n20	5200	17.544
NVNT	n20	5240	17.563
NVNT	n20	5260	17.56
NVNT	n20	5300	17.563
NVNT	n20	5320	17.54
NVNT	n20	5500	17.585
NVNT	n20	5580	17.545
NVNT	n20	5700	18.145
NVNT	n20	5745	17.553
NVNT	n20	5785	17.572
NVNT	n20	5825	17.558
NVNT	n40	5190	35.978
NVNT	n40	5230	35.988
NVNT	n40	5270	35.965
NVNT	n40	5310	35.931
NVNT	n40	5510	35.954
NVNT	n40	5550	35.948
NVNT	n40	5670	35.922
NVNT	n40	5755	35.955
NVNT	n40	5795	35.935
NVNT	ac20	5180	17.541
NVNT	ac20	5200	17.545
NVNT	ac20	5240	17.558
NVNT	ac20	5260	17.573
NVNT	ac20	5300	17.547
NVNT	ac20	5320	17.547
NVNT	ac20	5500	17.552
NVNT	ac20	5580	17.55
NVNT	ac20	5700	17.535
NVNT	ac20	5745	17.55
NVNT	ac20	5785	17.558
NVNT	ac20	5825	17.548
NVNT	ac40	5190	35.941
NVNT	ac40	5230	35.998
NVNT	ac40	5270	35.984
NVNT	ac40	5310	35.948
NVNT	ac40	5510	35.928
NVNT	ac40	5550	35.972
NVNT	ac40	5670	35.982
NVNT	ac40	5755	35.925
NVNT	ac40	5795	35.93
NVNT	ac80	5210	75.195
NVNT	ac80	5290	75.128
NVNT	ac80	5530	75.218
NVNT	ac80	5610	75.124
NVNT	ac80	5775	75.151



