


User Manual

WiFi Hidden Camera Outlet



Please read user manual carefully before

YOU NEED TO KNOW BEFORE SETUP:

1. The indicator light is on by default, can be turn off in the APP settings.

2. Make sure you are using 2.4 GHz wireless network, not 5GHz.

3. Please format the memory card before use. (If there is an app in the card, the camera will not be connected, you must reset the camera and insert a new card)

4. The hotspot name of the camera is "FXXXXXXXXXXXXX"

6. If you need any issues, please feel free to contact us and we will do our best to help you.

1. APP Download

Scan the QR code and download the "LookCam" APP.



Install from Google Play




iPhone/iPad AppStore

2. Tutorial on AP Hotspot Mode (Password Settings)


Please initialize the device when using the device for the first time.

1. Plug into the socket, the back indicator lights up, and the blue LED indicator flashes quickly. About 45s later, the blue LED indicator flashes slowly and the red light is still on, indicating that a WIFI hotspot is established.
2. Long press the RESET button for 3s. After about 45s, the internal blue LED indicator flashes slowly, and the red light is always on, indicating that the camera has been reset successfully.


3. Open the phone WiFi list and connect to “FXXXXXXXXXXXXX”.



4. After connecting the camera hotspot, enter the APP and scroll to refresh the page , the APP will automatically add the camera that have been connected to the hotspot.



5. Click on the monitoring interface and change the password as shown in the figure below (the default password is: 123456).




3. Set the Camera Remote

Connecting the camera to WiFi


1. Click the settings button on the right.



2. Enter the setting interface or select " Device Setting", and select " WiFi Setting".



3. Select your WiFi and enter your password.




The connection process may take 45s. The blue light will flash during the connection process. When the blue light is always on, WiFi connection is successful.


4. Problem Solving

1. The remote monitoring is not smooth. Please choose the appropriate clarity according to the network environment at that time.
2. The memory card does not save the video. The first time you use the memory card, you must format it once.
3. Unable to connect to the network, please select the connection mode according to the nature of your network.
4. A cloud storage unit can only be tied to one camera device.
5. If the password is accidentally forgotten, please directly press the device reset button for 5 seconds to restore factory Settings.

5. Introduction to the Operation Interface



6. Product Structure



7. Package Content



WiFi Hidden Camera Outlet* 1



SD Card Reader * 1



Reset Pin* 1



User Manual * 1

8. Format Memory Card

There are two ways to format the memory card.

1)Format the card on PC.

2)Insert micro SD card into memory card slot. Go to LookCam app to format.

9. Specification

Video Resolution	1080P
Angle of View	150° wide angle
Input	AC 110-240V, 50/60Hz, 0.5A
USB-A(QC) Output:	5V-3.5A
USB-C(PD) Output:	5V-3.5A
USB-A+USB-C (PD)Output:	Total Max 45w Made in China
Card	Max up to 128GB

*Dear customers, if you need any
issues, please feel free to contact us
and we will do our best to help you.*

 danfengpong@163.com



§ 15.19 Labelling requirements.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

§ 15.21 Information to user.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

§ 15.105 Information to the user.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

*RF warning for Mobile device:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.