

NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-10
000-3000-PASS




NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-3
000-12000-PASS




NTNV-n26(814-824)-PC3-15-5-L-DFT-BPSK-Inner_1RB_Left-12
000-20000-PASS




NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-0
.009-0.15-PASS






NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-0.
15-30-PASS




NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-3
0-1000-PASS



NTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-1
000-3000-PASSNTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-3
000-12000-PASSNTNV-n26(814-824)-PC3-15-5-M-DFT-BPSK-Inner_1RB_Left-1
2000-20000-PASSNTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-0
.009-0.15-PASSNTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-0.
15-30-PASSNTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-3
0-1000-PASS

NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-1
000-3000-PASS




NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-3
000-12000-PASS




NTNV-n26(814-824)-PC3-15-5-H-DFT-BPSK-Inner_1RB_Left-1
2000-20000-PASS




NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK-Inner_1RB_Left-1
0.009-0.15-PASS




NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK-Inner_1RB_Left-1
0.15-30-PASS



NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK-Inner_1RB_Left-1
30-1000-PASS



NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS




NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS



NTNV-n26(814-824)-PC3-15-10-M-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS




NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS






NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-0
.15-30-PASS



NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS



NTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-1
000-3000-PASSNTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-1
3000-12000-PASSNTNV-n26(824-849)-PC3-15-20-L-DFT-BPSK-Inner_1RB_Left-1
2000-20000-PASSNTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-1
0.009-0.15-PASSNTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-1
0.15-30-PASSNTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-1
30-1000-PASS

NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS



NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS




NTNV-n26(824-849)-PC3-15-20-M-DFT-BPSK-Inner_1RB_Left-
12000-20000-PASS




NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS



NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-0
.15-30-PASS



NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS



NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-1
000-3000-PASS




NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-
3000-12000-PASS




NTNV-n26(824-849)-PC3-15-20-H-DFT-BPSK-Inner_1RB_Left-1
2000-20000-PASS



NTNV-n41-PC2-30-100-L-DFT-BPSK-Inner_1RB_Left-30-1000-
PASS



NTNV-n41-PC2-30-100-L-DFT-BPSK-Inner_1RB_Left-1000-300
0-PASS




NTNV-n41-PC2-30-100-L-DFT-BPSK-Inner_1RB_Left-3000-18
000-PASS



NTNV-n41-PC2-30-100-L-DFT-BPSK-Inner_1RB_Left-18000-30
000-PASS



NTNV-n41-PC2-30-100-M-DFT-BPSK-Inner_1RB_Left-30-1000
-PASS




NTNV-n41-PC2-30-100-M-DFT-BPSK-Inner_1RB_Left-1000-300
0-PASS




NTNV-n41-PC2-30-100-M-DFT-BPSK-Inner_1RB_Left-3000-18
000-PASS



NTNV-n41-PC2-30-100-M-DFT-BPSK-Inner_1RB_Left-18000-30
000-PASS



NTNV-n41-PC2-30-100-H-DFT-BPSK-Inner_1RB_Left-30-1000
-PASS




NTNV-n41-PC2-30-100-H-DFT-BPSK-Inner_1RB_Left-1000-300
0-PASS




NTNV-n41-PC2-30-100-H-DFT-BPSK-Inner_1RB_Left-3000-18
000-PASS




NTNV-n41-PC2-30-100-H-DFT-BPSK-Inner_1RB_Left-18000-30
000-PASS




NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-0.009-0.1
5-PASS










NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-0.15-30-PA
SS



NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-30-1000-P
ASS



NTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-1000-3000
-PASSNTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-3000-120
00-PASSNTNV-n66-PC3-15-40-L-DFT-BPSK-Inner_1RB_Left-12000-200
00-PASSNTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-0.009-0.1
5-PASSNTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-0.15-30-P
ASSNTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-30-1000-
PASS

NTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-1000-3000
-PASSNTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-3000-120
00-PASSNTNV-n66-PC3-15-40-M-DFT-BPSK-Inner_1RB_Left-12000-200
00-PASSNTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-0.009-0.1
5-PASSNTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-0.15-30-P
ASSNTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-30-1000-
PASS

NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-1000-30
00-PASS



NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-3000-1200
0-PASS



NTNV-n66-PC3-15-40-H-DFT-BPSK-Inner_1RB_Left-12000-2
0000-PASS




NTNV-n77(3450-3550)-PC2-30-90-L-DFT-BPSK-Inner_1RB_Left
-0.009-0.15-PASS







NTNV-n77(3450-3550)-PC2-30-90-L-DFT-BPSK-Inner_1RB_L
eft-0.15-30-PASS




NTNV-n77(3450-3550)-PC2-30-90-L-DFT-BPSK-Inner_1RB_Left
-30-1000-PASS




NTNV-n77(3450-3550)-PC2-30-90-L-DFT-BPSK-Inner_1RB_Le
ft-1000-3000-PASSNTNV-n77(3450-3550)-PC2-30-90-L-DFT-BPSK-Inner_1RB_Lef
t-3000-6000-PASSNTNV-n77(3450-3550)-PC2-30-90-L-DFT-BPSK-Inner_1RB_Le
ft-6000-20000-PASSNTNV-n77(3450-3550)-PC2-30-90-L-DFT-BPSK-Inner_1RB_Lef
t-20000-40000-PASSNTNV-n77(3450-3550)-PC2-30-90-M-DFT-BPSK-Inner_1RB_L
eft-0.009-0.15-PASSNTNV-n77(3450-3550)-PC2-30-90-M-DFT-BPSK-Inner_1RB_Le
ft-0.15-30-PASS

NTNV-n77(3450-3550)-PC2-30-90-M-DFT-BPSK-Inner_1RB_Le
ft-30-1000-PASSNTNV-n77(3450-3550)-PC2-30-90-M-DFT-BPSK-Inner_1RB_L
eft-1000-3000-PASSNTNV-n77(3450-3550)-PC2-30-90-M-DFT-BPSK-Inner_1RB_Le
ft-3000-6000-PASSNTNV-n77(3450-3550)-PC2-30-90-M-DFT-BPSK-Inner_1RB_L
eft-6000-20000-PASSNTNV-n77(3450-3550)-PC2-30-90-M-DFT-BPSK-Inner_1RB_Le
ft-20000-40000-PASSNTNV-n77(3450-3550)-PC2-30-90-H-DFT-BPSK-Inner_1RB_L
eft-0.009-0.15-PASS

NTNV-n77(3450-3550)-PC2-30-90-H-DFT-BPSK-Inner_1RB_L
eft-0.15-30-PASS



NTNV-n77(3450-3550)-PC2-30-90-H-DFT-BPSK-Inner_1RB_Lef
t-30-1000-PASS




NTNV-n77(3450-3550)-PC2-30-90-H-DFT-BPSK-Inner_1RB_L
eft-1000-3000-PASS



NTNV-n77(3450-3550)-PC2-30-90-H-DFT-BPSK-Inner_1RB_Lef
t-3000-6000-PASS








NTNV-n77(3450-3550)-PC2-30-90-H-DFT-BPSK-Inner_1RB_L
eft-6000-20000-PASS



NTNV-n77(3450-3550)-PC2-30-90-H-DFT-BPSK-Inner_1RB_Lef
t-20000-40000-PASS



NTNV-n77(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1RB_
Left-0.009-0.15-PASSNTNV-n77(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1RB_L
eft-0.15-30-PASSNTNV-n77(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1RB_
Left-30-1000-PASSNTNV-n77(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1RB_L
eft-1000-3000-PASSNTNV-n77(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1RB_
Left-3000-6000-PASSNTNV-n77(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1RB_L
eft-6000-20000-PASS

NTNV-n77(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1RB_Le
ft-20000-40000-PASSNTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Inner_1RB_L
eft-0.009-0.15-PASSNTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASSNTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Inner_1RB_L
eft-30-1000-PASSNTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASSNTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Inner_1RB_L
eft-3000-6000-PASS

NTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Inner_1RB_Le
ft-6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Inner_1RB_Le
t-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Inner_1RB_L
eft-0.009-0.15-PASS



NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Inner_1RB_Le
ft-0.15-30-PASS



NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Inner_1RB_L
eft-30-1000-PASS



NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Inner_1RB_Le
ft-1000-3000-PASS



NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Inner_1RB_Le
ft-3000-6000-PASS



NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Inner_1RB_L
eft-6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Inner_1RB_Le
ft-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Inner_1RB_L
eft-0.009-0.15-PASS






NTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Inner_1RB_Lef
t-0.15-30-PASS



NTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Inner_1RB_L
eft-30-1000-PASS



NTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Inner_1RB_L
eft-1000-3000-PASSNTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Inner_1RB_Lef
t-3000-6000-PASSNTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Inner_1RB_L
eft-6000-20000-PASSNTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Inner_1RB_Lef
t-20000-40000-PASSNTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1RB_
Left-0.009-0.15-PASSNTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1RB_L
eft-0.15-30-PASS

NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1RB_L
eft-30-1000-PASSNTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1RB_
Left-1000-3000-PASSNTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1RB_L
eft-3000-6000-PASSNTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1RB_
Left-6000-20000-PASSNTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Inner_1RB_L
eft-20000-40000-PASS

Frequency Stability

Test Result and Data

NR Band n2_40MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	-0.49	-0.000261	Within authorized band for Band n2	PASS
LV	NT	0.78	0.000415		PASS
HV	NT	-0.13	-6.9E-05		PASS
NV	-30	-6.05	-0.003218		PASS
NV	-20	-5.81	-0.00309		PASS
NV	-10	-5.08	-0.002702		PASS
NV	0	-6.63	-0.003527		PASS
NV	10	-7.35	-0.00391		PASS
NV	20	-6.89	-0.003665		PASS
NV	30	-5.44	-0.002894		PASS
NV	40	-6.21	-0.003303		PASS
NV	50	-7.15	-0.003803		PASS

NR Band n5_20MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	-5.48	-0.006551	±2.5	PASS
LV	NT	-6.78	-0.008105		PASS
HV	NT	-6.29	-0.007519		PASS
NV	-30	-6.55	-0.00783		PASS
NV	-20	-5.16	-0.006169		PASS
NV	-10	-6.09	-0.00728		PASS
NV	0	-6.74	-0.008057		PASS
NV	10	-6.01	-0.007185		PASS
NV	20	-5.55	-0.006635		PASS
NV	30	-6.39	-0.007639		PASS
NV	40	-5.13	-0.006133		PASS
NV	50	-6.15	-0.007352		PASS

NR Band n7_40MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	-2.69	-0.001061	Within authorized band for Band n7	PASS
LV	NT	-3.65	-0.00144		PASS
HV	NT	-2.88	-0.001136		PASS
NV	-30	-3.07	-0.001211		PASS
NV	-20	-2.87	-0.001132		PASS
NV	-10	-3.37	-0.001329		PASS
NV	0	-3.26	-0.001286		PASS
NV	10	-3.74	-0.001475		PASS
NV	20	-1.38	-0.000544		PASS
NV	30	-4.14	-0.001633		PASS
NV	40	-2.69	-0.001061		PASS
NV	50	-1.41	-0.000556		PASS

NR Band n26(814~824MHz)_10MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	-1.05	-0.001282	±2.5	PASS
LV	NT	-0.7	-0.000855		PASS
HV	NT	-0.44	-0.000537		PASS
NV	-30	-1.12	-0.001368		PASS
NV	-20	-0.74	-0.000904		PASS
NV	-10	-0.63	-0.000769		PASS
NV	0	-0.98	-0.001197		PASS
NV	10	-0.72	-0.000879		PASS
NV	20	-1.59	-0.001941		PASS
NV	30	-0.53	-0.000647		PASS
NV	40	-0.75	-0.000916		PASS
NV	50	-0.37	-0.000452		PASS

NR Band n26(824~849MHz)_20MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	-7.25	-0.008667	±2.5	PASS
LV	NT	-6.63	-0.007926		PASS
HV	NT	-6.73	-0.008045		PASS
NV	-30	-6.19	-0.0074		PASS
NV	-20	-7.51	-0.008978		PASS
NV	-10	-5.93	-0.007089		PASS
NV	0	-6.64	-0.007938		PASS
NV	10	-6.59	-0.007878		PASS
NV	20	-7.02	-0.008392		PASS
NV	30	-6.79	-0.008117		PASS
NV	40	-5.34	-0.006384		PASS
NV	50	-6.75	-0.008069		PASS

NR Band n41_100MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	-6.88	-0.002653	Within authorized band for Band n41	PASS
LV	NT	-3.92	-0.001512		PASS
HV	NT	-2.87	-0.001107		PASS
NV	-30	-7.04	-0.002715		PASS
NV	-20	-10.3	-0.003972		PASS
NV	-10	-4.98	-0.001921		PASS
NV	0	-4.98	-0.001921		PASS
NV	10	-4.24	-0.001635		PASS
NV	20	-2.15	-0.000829		PASS
NV	30	-4.78	-0.001843		PASS
NV	40	-4.86	-0.001874		PASS
NV	50	-6.97	-0.002688		PASS

NR Band n66_40MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	0.09	5.2E-05	Within authorized band for Band n66	PASS
LV	NT	-0.83	-0.000476		PASS
HV	NT	-0.51	-0.000292		PASS
NV	-30	-0.11	-6.3E-05		PASS
NV	-20	-0.46	-0.000264		PASS
NV	-10	-1.41	-0.000808		PASS
NV	0	-0.78	-0.000447		PASS
NV	10	-0.91	-0.000521		PASS
NV	20	0.25	0.000143		PASS
NV	30	-1.09	-0.000625		PASS
NV	40	0.5	0.000287		PASS
NV	50	1.18	0.000676		PASS

NR Band n77_100MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	-0.66	-0.000189	Within authorized band for Band n77	PASS
LV	NT	2.39	0.000683		PASS
HV	NT	5.17	0.001477		PASS
NV	-30	7.48	0.002137		PASS
NV	-20	5.13	0.001466		PASS
NV	-10	1.93	0.000551		PASS
NV	0	2.01	0.000574		PASS
NV	10	7.02	0.002006		PASS
NV	20	-0.51	-0.000146		PASS
NV	30	0.14	4E-05		PASS
NV	40	4.42	0.001263		PASS
NV	50	5.93	0.001694		PASS

NR Band n78_100MHz_DFT-BPSK_Mid Channel_Outer_Full					
Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NV	NT	6.14	0.001754	Within authorized band for Band n78	PASS
LV	NT	4.48	0.00128		PASS
HV	NT	-1.51	-0.000431		PASS
NV	-30	5.08	0.001451		PASS
NV	-20	9.83	0.002809		PASS
NV	-10	3.73	0.001066		PASS
NV	0	5.79	0.001654		PASS
NV	10	1.02	0.000291		PASS
NV	20	1.88	0.000537		PASS
NV	30	0.5	0.000143		PASS
NV	40	-0.94	-0.000269		PASS
NV	50	4.31	0.001231		PASS

Note 1: Normal Voltage = 3.79V, Low Voltage = 3.25V, High Voltage = 4.35V, Normal Temperature = 20°C.

****END OF REPORT****