

Annex 202 - Test Results

No. 1-2152-25-01-02_TR1-A202-R01

10. July 2026

This document is electronically signed and valid without handwritten signature.
Public keys for verification of the electronic signatures can be requested at the testing laboratory.

i.V. 
cn=Andreas Luckenbill,
o=cetecom advanced GmbH,
ou=LUC-230601,
email=andreas.luckenbill@cetecom
advanced.com, c=DE
2026.07.13 14:05:23+02'00' signed by

Andreas Luckenbill

Head of Regulatory Services
Regulatory Services

Table of contents

1. Output power — Band 38	3
1.1. Output power — Band 38	3
2. Output power — Band 41	30
2.1. Output power — Band 41	30
3. Output power — Band 48	88
3.1. Output power — Band 48	88
4. Output power — Band 77 A	115
4.1. Output power — Band 77 A	115
5. Output power — Band 77 B	173
5.1. Output power — Band 77 B	173
6. Output power — Band 78	231
6.1. Output power — Band 78	231

Output power — Band 38

Maximum P_{avg} per (technology · bandwidth · modulation) for **Band 38** (25 tables)

The max-summary table leads; one measurement table follows per (technology · bandwidth · modulation), with each table's maximum P_{avg} highlighted.

Result rows used

- **NR** — the **TX power Σ** result rows (total transmit power, summed over the TX antennas).
- The per-antenna **TX power 1** / **TX power 2** rows are deliberately not tabulated.

Max summary

Technology	Bandwidth	Modulation	Max P_{avg}	Where
NR	10 MHz	BPSK	22.01 dBm	 · low · ch 515000
NR	15 MHz	BPSK	21.94 dBm	 · low · ch 515500
NR	20 MHz	BPSK	21.98 dBm	 · low · ch 516000
NR	30 MHz	BPSK	22.14 dBm	 · mid · ch 519000
NR	40 MHz	BPSK	22.25 dBm	 · low · ch 518000
NR	10 MHz	QPSK	22.37 dBm	 · low · ch 515000
NR	15 MHz	QPSK	22.43 dBm	 · low · ch 515500
NR	20 MHz	QPSK	22.50 dBm	 · low · ch 516000
NR	30 MHz	QPSK	22.56 dBm	 · mid · ch 519000
NR	40 MHz	QPSK	22.55 dBm	 · mid · ch 519000
NR	10 MHz	16QAM	22.17 dBm	 · low · ch 515000
NR	15 MHz	16QAM	22.38 dBm	 · low · ch 515500
NR	20 MHz	16QAM	22.41 dBm	 · low · ch 516000
NR	30 MHz	16QAM	22.49 dBm	 · mid · ch 519000
NR	40 MHz	16QAM	22.65 dBm	 · high · ch 520000
NR	10 MHz	64QAM	21.88 dBm	 · low · ch 515000
NR	15 MHz	64QAM	21.96 dBm	 · low · ch 515500
NR	20 MHz	64QAM	21.91 dBm	 · low · ch 516000
NR	30 MHz	64QAM	22.09 dBm	 · mid · ch 519000
NR	40 MHz	64QAM	22.11 dBm	 · low · ch 518000

Technology	Bandwidth	Modulation	Max P _{avg}	Where
NR	10 MHz	256QAM	18.86 dBm	   · low · ch 515000
NR	15 MHz	256QAM	18.93 dBm	   · low · ch 515500
NR	20 MHz	256QAM	19.02 dBm	   · low · ch 516000
NR	30 MHz	256QAM	18.95 dBm	   · low · ch 517000
NR	40 MHz	256QAM	18.97 dBm	   · low · ch 518000

NR, BPSK, 10 MHz

Max: **22.01 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2575 MHz	515000	1 low	19.85 dBm
 · low	2575 MHz	515000	1 low+1	21.68 dBm
 · low	2575 MHz	515000	1 high-1	21.72 dBm
 · low	2575 MHz	515000	1 high	22.01 dBm
 · low	2575 MHz	515000	50 % mid	21.79 dBm
 · low	2575 MHz	515000	100 %	19.84 dBm
 · mid	2595 MHz	519000	1 low	21.46 dBm
 · mid	2595 MHz	519000	1 low+1	21.48 dBm
 · mid	2595 MHz	519000	1 high-1	21.75 dBm
 · mid	2595 MHz	519000	1 high	21.37 dBm
 · mid	2595 MHz	519000	50 % mid	21.60 dBm
 · mid	2595 MHz	519000	100 %	19.60 dBm
 · high	2615 MHz	523000	1 low	21.50 dBm
 · high	2615 MHz	523000	1 low+1	21.46 dBm
 · high	2615 MHz	523000	1 high-1	21.53 dBm
 · high	2615 MHz	523000	1 high	21.56 dBm
 · high	2615 MHz	523000	50 % mid	21.41 dBm
 · high	2615 MHz	523000	100 %	19.44 dBm

NR, BPSK, 15 MHz

Max: **21.94 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2577.5 MHz	515500	1 low	19.94 dBm
 · low	2577.5 MHz	515500	1 low+1	21.73 dBm
 · low	2577.5 MHz	515500	1 high-1	21.72 dBm
 · low	2577.5 MHz	515500	1 high	21.68 dBm
 · low	2577.5 MHz	515500	50 % mid	21.94 dBm
 · low	2577.5 MHz	515500	100 %	19.99 dBm
 · mid	2595 MHz	519000	1 low	21.69 dBm
 · mid	2595 MHz	519000	1 low+1	21.63 dBm
 · mid	2595 MHz	519000	1 high-1	21.90 dBm
 · mid	2595 MHz	519000	1 high	21.87 dBm
 · mid	2595 MHz	519000	50 % mid	21.71 dBm
 · mid	2595 MHz	519000	100 %	19.78 dBm
 · high	2612.5 MHz	522500	1 low	21.81 dBm
 · high	2612.5 MHz	522500	1 low+1	21.86 dBm
 · high	2612.5 MHz	522500	1 high-1	21.74 dBm
 · high	2612.5 MHz	522500	1 high	21.52 dBm
 · high	2612.5 MHz	522500	50 % mid	21.61 dBm
 · high	2612.5 MHz	522500	100 %	19.70 dBm

NR, BPSK, 20 MHz

Max: **21.98 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2580 MHz	516000	1 low	19.93 dBm
 · low	2580 MHz	516000	1 low+1	21.98 dBm
 · low	2580 MHz	516000	1 high-1	21.77 dBm
 · low	2580 MHz	516000	1 high	21.86 dBm
 · low	2580 MHz	516000	50 % mid	21.96 dBm
 · low	2580 MHz	516000	100 %	19.92 dBm
 · mid	2595 MHz	519000	1 low	21.74 dBm
 · mid	2595 MHz	519000	1 low+1	21.78 dBm
 · mid	2595 MHz	519000	1 high-1	21.64 dBm
 · mid	2595 MHz	519000	1 high	21.79 dBm
 · mid	2595 MHz	519000	50 % mid	21.68 dBm
 · mid	2595 MHz	519000	100 %	19.73 dBm
 · high	2610 MHz	522000	1 low	21.87 dBm
 · high	2610 MHz	522000	1 low+1	21.89 dBm
 · high	2610 MHz	522000	1 high-1	21.63 dBm
 · high	2610 MHz	522000	1 high	21.76 dBm
 · high	2610 MHz	522000	50 % mid	21.70 dBm
 · high	2610 MHz	522000	100 %	19.70 dBm

NR, BPSK, 30 MHz

Max: **22.14 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2585 MHz	517000	1 low	19.88 dBm
 · low	2585 MHz	517000	1 low+1	21.91 dBm
 · low	2585 MHz	517000	1 high-1	21.91 dBm
 · low	2585 MHz	517000	1 high	21.99 dBm
 · low	2585 MHz	517000	50 % mid	21.85 dBm
 · low	2585 MHz	517000	100 %	19.91 dBm
 · mid	2595 MHz	519000	1 low	22.03 dBm
 · mid	2595 MHz	519000	1 low+1	22.01 dBm
 · mid	2595 MHz	519000	1 high-1	21.89 dBm
 · mid	2595 MHz	519000	1 high	22.14 dBm
 · mid	2595 MHz	519000	50 % mid	21.80 dBm
 · mid	2595 MHz	519000	100 %	19.84 dBm
 · high	2605 MHz	521000	1 low	21.73 dBm
 · high	2605 MHz	521000	1 low+1	21.78 dBm
 · high	2605 MHz	521000	1 high-1	21.84 dBm
 · high	2605 MHz	521000	1 high	21.85 dBm
 · high	2605 MHz	521000	50 % mid	21.75 dBm
 · high	2605 MHz	521000	100 %	19.81 dBm

NR, BPSK, 40 MHz

Max: **22.25 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2590 MHz	518000	1 low	19.95 dBm
 · low	2590 MHz	518000	1 low+1	22.25 dBm
 · low	2590 MHz	518000	1 high-1	21.69 dBm
 · low	2590 MHz	518000	1 high	21.99 dBm
 · low	2590 MHz	518000	50 % mid	21.82 dBm
 · low	2590 MHz	518000	100 %	20.00 dBm
 · mid	2595 MHz	519000	1 low	22.10 dBm
 · mid	2595 MHz	519000	1 low+1	22.03 dBm
 · mid	2595 MHz	519000	1 high-1	21.95 dBm
 · mid	2595 MHz	519000	1 high	21.98 dBm
 · mid	2595 MHz	519000	50 % mid	21.77 dBm
 · mid	2595 MHz	519000	100 %	19.96 dBm
 · high	2600 MHz	520000	1 low	21.94 dBm
 · high	2600 MHz	520000	1 low+1	21.93 dBm
 · high	2600 MHz	520000	1 high-1	21.54 dBm
 · high	2600 MHz	520000	1 high	21.99 dBm
 · high	2600 MHz	520000	50 % mid	21.82 dBm
 · high	2600 MHz	520000	100 %	19.86 dBm

NR, QPSK, 10 MHz

Max: **22.37 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2575 MHz	515000	1 low	22.17 dBm
 · low	2575 MHz	515000	1 low+1	22.19 dBm
 · low	2575 MHz	515000	1 high-1	22.18 dBm
 · low	2575 MHz	515000	1 high	22.23 dBm
 · low	2575 MHz	515000	50 % mid	22.37 dBm
 · low	2575 MHz	515000	100 %	20.83 dBm
 · mid	2595 MHz	519000	1 low	21.99 dBm
 · mid	2595 MHz	519000	1 low+1	22.01 dBm
 · mid	2595 MHz	519000	1 high-1	22.07 dBm
 · mid	2595 MHz	519000	1 high	22.03 dBm
 · mid	2595 MHz	519000	50 % mid	22.08 dBm
 · mid	2595 MHz	519000	100 %	20.56 dBm
 · high	2615 MHz	523000	1 low	21.92 dBm
 · high	2615 MHz	523000	1 low+1	21.86 dBm
 · high	2615 MHz	523000	1 high-1	21.99 dBm
 · high	2615 MHz	523000	1 high	21.95 dBm
 · high	2615 MHz	523000	50 % mid	21.92 dBm
 · high	2615 MHz	523000	100 %	20.55 dBm

NR, QPSK, 15 MHz

Max: **22.43 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2577.5 MHz	515500	1 low	22.38 dBm
 · low	2577.5 MHz	515500	1 low+1	22.34 dBm
 · low	2577.5 MHz	515500	1 high-1	22.26 dBm
 · low	2577.5 MHz	515500	1 high	22.15 dBm
 · low	2577.5 MHz	515500	50 % mid	22.43 dBm
 · low	2577.5 MHz	515500	100 %	21.01 dBm
 · mid	2595 MHz	519000	1 low	22.06 dBm
 · mid	2595 MHz	519000	1 low+1	22.17 dBm
 · mid	2595 MHz	519000	1 high-1	22.19 dBm
 · mid	2595 MHz	519000	1 high	22.15 dBm
 · mid	2595 MHz	519000	50 % mid	22.19 dBm
 · mid	2595 MHz	519000	100 %	20.73 dBm
 · high	2612.5 MHz	522500	1 low	22.12 dBm
 · high	2612.5 MHz	522500	1 low+1	22.08 dBm
 · high	2612.5 MHz	522500	1 high-1	22.05 dBm
 · high	2612.5 MHz	522500	1 high	22.02 dBm
 · high	2612.5 MHz	522500	50 % mid	22.11 dBm
 · high	2612.5 MHz	522500	100 %	20.71 dBm

NR, QPSK, 20 MHz

Max: **22.50 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2580 MHz	516000	1 low	22.39 dBm
 · low	2580 MHz	516000	1 low+1	22.31 dBm
 · low	2580 MHz	516000	1 high-1	22.15 dBm
 · low	2580 MHz	516000	1 high	22.14 dBm
 · low	2580 MHz	516000	50 % mid	22.50 dBm
 · low	2580 MHz	516000	100 %	20.80 dBm
 · mid	2595 MHz	519000	1 low	22.16 dBm
 · mid	2595 MHz	519000	1 low+1	22.12 dBm
 · mid	2595 MHz	519000	1 high-1	22.17 dBm
 · mid	2595 MHz	519000	1 high	22.23 dBm
 · mid	2595 MHz	519000	50 % mid	22.21 dBm
 · mid	2595 MHz	519000	100 %	20.70 dBm
 · high	2610 MHz	522000	1 low	22.26 dBm
 · high	2610 MHz	522000	1 low+1	22.10 dBm
 · high	2610 MHz	522000	1 high-1	22.09 dBm
 · high	2610 MHz	522000	1 high	21.92 dBm
 · high	2610 MHz	522000	50 % mid	22.23 dBm
 · high	2610 MHz	522000	100 %	20.67 dBm

NR, QPSK, 30 MHz

Max: **22.56 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2585 MHz	517000	1 low	22.41 dBm
 · low	2585 MHz	517000	1 low+1	22.42 dBm
 · low	2585 MHz	517000	1 high-1	22.31 dBm
 · low	2585 MHz	517000	1 high	22.33 dBm
 · low	2585 MHz	517000	50 % mid	22.34 dBm
 · low	2585 MHz	517000	100 %	20.87 dBm
 · mid	2595 MHz	519000	1 low	22.56 dBm
 · mid	2595 MHz	519000	1 low+1	22.39 dBm
 · mid	2595 MHz	519000	1 high-1	22.31 dBm
 · mid	2595 MHz	519000	1 high	22.43 dBm
 · mid	2595 MHz	519000	50 % mid	22.31 dBm
 · mid	2595 MHz	519000	100 %	20.86 dBm
 · high	2605 MHz	521000	1 low	22.24 dBm
 · high	2605 MHz	521000	1 low+1	22.10 dBm
 · high	2605 MHz	521000	1 high-1	22.14 dBm
 · high	2605 MHz	521000	1 high	22.17 dBm
 · high	2605 MHz	521000	50 % mid	22.23 dBm
 · high	2605 MHz	521000	100 %	20.82 dBm

NR, QPSK, 40 MHz

Max: **22.55 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2590 MHz	518000	1 low	22.53 dBm
 · low	2590 MHz	518000	1 low+1	22.43 dBm
 · low	2590 MHz	518000	1 high-1	22.32 dBm
 · low	2590 MHz	518000	1 high	22.37 dBm
 · low	2590 MHz	518000	50 % mid	22.40 dBm
 · low	2590 MHz	518000	100 %	20.92 dBm
 · mid	2595 MHz	519000	1 low	22.55 dBm
 · mid	2595 MHz	519000	1 low+1	22.46 dBm
 · mid	2595 MHz	519000	1 high-1	22.19 dBm
 · mid	2595 MHz	519000	1 high	22.21 dBm
 · mid	2595 MHz	519000	50 % mid	22.34 dBm
 · mid	2595 MHz	519000	100 %	20.86 dBm
 · high	2600 MHz	520000	1 low	22.54 dBm
 · high	2600 MHz	520000	1 low+1	22.36 dBm
 · high	2600 MHz	520000	1 high-1	22.09 dBm
 · high	2600 MHz	520000	1 high	22.10 dBm
 · high	2600 MHz	520000	50 % mid	22.32 dBm
 · high	2600 MHz	520000	100 %	20.93 dBm

NR, 16QAM, 10 MHz

Max: **22.17 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2575 MHz	515000	1 low	22.17 dBm
 · low	2575 MHz	515000	1 low+1	21.65 dBm
 · low	2575 MHz	515000	1 high-1	21.62 dBm
 · low	2575 MHz	515000	1 high	22.17 dBm
 · low	2575 MHz	515000	50 % mid	21.80 dBm
 · low	2575 MHz	515000	100 %	20.82 dBm
 · mid	2595 MHz	519000	1 low	22.01 dBm
 · mid	2595 MHz	519000	1 low+1	21.37 dBm
 · mid	2595 MHz	519000	1 high-1	21.46 dBm
 · mid	2595 MHz	519000	1 high	22.14 dBm
 · mid	2595 MHz	519000	50 % mid	21.58 dBm
 · mid	2595 MHz	519000	100 %	20.61 dBm
 · high	2615 MHz	523000	1 low	21.91 dBm
 · high	2615 MHz	523000	1 low+1	21.42 dBm
 · high	2615 MHz	523000	1 high-1	21.40 dBm
 · high	2615 MHz	523000	1 high	21.97 dBm
 · high	2615 MHz	523000	50 % mid	21.49 dBm
 · high	2615 MHz	523000	100 %	20.47 dBm

NR, 16QAM, 15 MHz

Max: **22.38 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2577.5 MHz	515500	1 low	22.38 dBm
 · low	2577.5 MHz	515500	1 low+1	21.84 dBm
 · low	2577.5 MHz	515500	1 high-1	21.69 dBm
 · low	2577.5 MHz	515500	1 high	22.30 dBm
 · low	2577.5 MHz	515500	50 % mid	21.99 dBm
 · low	2577.5 MHz	515500	100 %	21.01 dBm
 · mid	2595 MHz	519000	1 low	22.14 dBm
 · mid	2595 MHz	519000	1 low+1	21.68 dBm
 · mid	2595 MHz	519000	1 high-1	21.70 dBm
 · mid	2595 MHz	519000	1 high	22.28 dBm
 · mid	2595 MHz	519000	50 % mid	21.72 dBm
 · mid	2595 MHz	519000	100 %	20.75 dBm
 · high	2612.5 MHz	522500	1 low	22.20 dBm
 · high	2612.5 MHz	522500	1 low+1	21.70 dBm
 · high	2612.5 MHz	522500	1 high-1	21.50 dBm
 · high	2612.5 MHz	522500	1 high	22.03 dBm
 · high	2612.5 MHz	522500	50 % mid	21.63 dBm
 · high	2612.5 MHz	522500	100 %	20.71 dBm

NR, 16QAM, 20 MHz

Max: **22.41 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2580 MHz	516000	1 low	22.41 dBm
 · low	2580 MHz	516000	1 low+1	21.84 dBm
 · low	2580 MHz	516000	1 high-1	21.58 dBm
 · low	2580 MHz	516000	1 high	21.68 dBm
 · low	2580 MHz	516000	50 % mid	22.04 dBm
 · low	2580 MHz	516000	100 %	20.90 dBm
 · mid	2595 MHz	519000	1 low	22.13 dBm
 · mid	2595 MHz	519000	1 low+1	21.62 dBm
 · mid	2595 MHz	519000	1 high-1	21.64 dBm
 · mid	2595 MHz	519000	1 high	21.74 dBm
 · mid	2595 MHz	519000	50 % mid	21.81 dBm
 · mid	2595 MHz	519000	100 %	20.75 dBm
 · high	2610 MHz	522000	1 low	22.22 dBm
 · high	2610 MHz	522000	1 low+1	21.67 dBm
 · high	2610 MHz	522000	1 high-1	21.48 dBm
 · high	2610 MHz	522000	1 high	21.75 dBm
 · high	2610 MHz	522000	50 % mid	21.79 dBm
 · high	2610 MHz	522000	100 %	20.74 dBm

NR, 16QAM, 30 MHz

Max: **22.49 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2585 MHz	517000	1 low	22.40 dBm
 · low	2585 MHz	517000	1 low+1	21.96 dBm
 · low	2585 MHz	517000	1 high-1	21.95 dBm
 · low	2585 MHz	517000	1 high	21.92 dBm
 · low	2585 MHz	517000	50 % mid	21.89 dBm
 · low	2585 MHz	517000	100 %	20.93 dBm
 · mid	2595 MHz	519000	1 low	22.49 dBm
 · mid	2595 MHz	519000	1 low+1	21.82 dBm
 · mid	2595 MHz	519000	1 high-1	21.80 dBm
 · mid	2595 MHz	519000	1 high	21.80 dBm
 · mid	2595 MHz	519000	50 % mid	21.86 dBm
 · mid	2595 MHz	519000	100 %	20.88 dBm
 · high	2605 MHz	521000	1 low	22.29 dBm
 · high	2605 MHz	521000	1 low+1	21.77 dBm
 · high	2605 MHz	521000	1 high-1	21.57 dBm
 · high	2605 MHz	521000	1 high	21.66 dBm
 · high	2605 MHz	521000	50 % mid	21.81 dBm
 · high	2605 MHz	521000	100 %	20.77 dBm

NR, 16QAM, 40 MHz

Max: **22.65 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2590 MHz	518000	1 low	22.61 dBm
 · low	2590 MHz	518000	1 low+1	22.03 dBm
 · low	2590 MHz	518000	1 high-1	21.87 dBm
 · low	2590 MHz	518000	1 high	21.83 dBm
 · low	2590 MHz	518000	50 % mid	21.91 dBm
 · low	2590 MHz	518000	100 %	20.94 dBm
 · mid	2595 MHz	519000	1 low	22.57 dBm
 · mid	2595 MHz	519000	1 low+1	21.92 dBm
 · mid	2595 MHz	519000	1 high-1	21.77 dBm
 · mid	2595 MHz	519000	1 high	21.67 dBm
 · mid	2595 MHz	519000	50 % mid	21.84 dBm
 · mid	2595 MHz	519000	100 %	20.88 dBm
 · high	2600 MHz	520000	1 low	22.65 dBm
 · high	2600 MHz	520000	1 low+1	21.93 dBm
 · high	2600 MHz	520000	1 high-1	21.79 dBm
 · high	2600 MHz	520000	1 high	21.80 dBm
 · high	2600 MHz	520000	50 % mid	21.83 dBm
 · high	2600 MHz	520000	100 %	20.84 dBm

NR, 64QAM, 10 MHz

Max: **21.88 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2575 MHz	515000	1 low	21.70 dBm
 · low	2575 MHz	515000	1 low+1	21.65 dBm
 · low	2575 MHz	515000	1 high-1	21.62 dBm
 · low	2575 MHz	515000	1 high	21.58 dBm
 · low	2575 MHz	515000	50 % mid	21.88 dBm
 · low	2575 MHz	515000	100 %	19.86 dBm
 · mid	2595 MHz	519000	1 low	21.42 dBm
 · mid	2595 MHz	519000	1 low+1	21.49 dBm
 · mid	2595 MHz	519000	1 high-1	21.57 dBm
 · mid	2595 MHz	519000	1 high	21.39 dBm
 · mid	2595 MHz	519000	50 % mid	21.61 dBm
 · mid	2595 MHz	519000	100 %	19.58 dBm
 · high	2615 MHz	523000	1 low	21.33 dBm
 · high	2615 MHz	523000	1 low+1	21.36 dBm
 · high	2615 MHz	523000	1 high-1	21.37 dBm
 · high	2615 MHz	523000	1 high	21.29 dBm
 · high	2615 MHz	523000	50 % mid	21.55 dBm
 · high	2615 MHz	523000	100 %	19.50 dBm

NR, 64QAM, 15 MHz

Max: **21.96 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2577.5 MHz	515500	1 low	21.88 dBm
 · low	2577.5 MHz	515500	1 low+1	21.77 dBm
 · low	2577.5 MHz	515500	1 high-1	21.71 dBm
 · low	2577.5 MHz	515500	1 high	21.63 dBm
 · low	2577.5 MHz	515500	50 % mid	21.96 dBm
 · low	2577.5 MHz	515500	100 %	19.96 dBm
 · mid	2595 MHz	519000	1 low	21.49 dBm
 · mid	2595 MHz	519000	1 low+1	21.67 dBm
 · mid	2595 MHz	519000	1 high-1	21.69 dBm
 · mid	2595 MHz	519000	1 high	21.50 dBm
 · mid	2595 MHz	519000	50 % mid	21.71 dBm
 · mid	2595 MHz	519000	100 %	19.69 dBm
 · high	2612.5 MHz	522500	1 low	21.71 dBm
 · high	2612.5 MHz	522500	1 low+1	21.57 dBm
 · high	2612.5 MHz	522500	1 high-1	21.61 dBm
 · high	2612.5 MHz	522500	1 high	21.57 dBm
 · high	2612.5 MHz	522500	50 % mid	21.65 dBm
 · high	2612.5 MHz	522500	100 %	19.62 dBm

NR, 64QAM, 20 MHz

Max: **21.91 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2580 MHz	516000	1 low	21.91 dBm
 · low	2580 MHz	516000	1 low+1	21.66 dBm
 · low	2580 MHz	516000	1 high-1	21.45 dBm
 · low	2580 MHz	516000	1 high	21.56 dBm
 · low	2580 MHz	516000	50 % mid	21.91 dBm
 · low	2580 MHz	516000	100 %	19.88 dBm
 · mid	2595 MHz	519000	1 low	21.81 dBm
 · mid	2595 MHz	519000	1 low+1	21.68 dBm
 · mid	2595 MHz	519000	1 high-1	21.80 dBm
 · mid	2595 MHz	519000	1 high	21.53 dBm
 · mid	2595 MHz	519000	50 % mid	21.68 dBm
 · mid	2595 MHz	519000	100 %	19.71 dBm
 · high	2610 MHz	522000	1 low	21.81 dBm
 · high	2610 MHz	522000	1 low+1	21.71 dBm
 · high	2610 MHz	522000	1 high-1	21.54 dBm
 · high	2610 MHz	522000	1 high	21.59 dBm
 · high	2610 MHz	522000	50 % mid	21.69 dBm
 · high	2610 MHz	522000	100 %	19.71 dBm

NR, 64QAM, 30 MHz

Max: **22.09 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2585 MHz	517000	1 low	21.99 dBm
 · low	2585 MHz	517000	1 low+1	21.82 dBm
 · low	2585 MHz	517000	1 high-1	21.83 dBm
 · low	2585 MHz	517000	1 high	21.82 dBm
 · low	2585 MHz	517000	50 % mid	21.93 dBm
 · low	2585 MHz	517000	100 %	19.93 dBm
 · mid	2595 MHz	519000	1 low	22.09 dBm
 · mid	2595 MHz	519000	1 low+1	21.70 dBm
 · mid	2595 MHz	519000	1 high-1	21.80 dBm
 · mid	2595 MHz	519000	1 high	21.82 dBm
 · mid	2595 MHz	519000	50 % mid	21.85 dBm
 · mid	2595 MHz	519000	100 %	19.84 dBm
 · high	2605 MHz	521000	1 low	21.69 dBm
 · high	2605 MHz	521000	1 low+1	21.66 dBm
 · high	2605 MHz	521000	1 high-1	21.69 dBm
 · high	2605 MHz	521000	1 high	21.72 dBm
 · high	2605 MHz	521000	50 % mid	21.79 dBm
 · high	2605 MHz	521000	100 %	19.80 dBm

NR, 64QAM, 40 MHz

Max: **22.11 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2590 MHz	518000	1 low	22.11 dBm
  · low	2590 MHz	518000	1 low+1	21.93 dBm
  · low	2590 MHz	518000	1 high-1	21.64 dBm
  · low	2590 MHz	518000	1 high	21.85 dBm
  · low	2590 MHz	518000	50 % mid	21.92 dBm
  · low	2590 MHz	518000	100 %	19.94 dBm
  · mid	2595 MHz	519000	1 low	21.88 dBm
  · mid	2595 MHz	519000	1 low+1	22.00 dBm
  · mid	2595 MHz	519000	1 high-1	21.84 dBm
  · mid	2595 MHz	519000	1 high	21.76 dBm
  · mid	2595 MHz	519000	50 % mid	21.83 dBm
  · mid	2595 MHz	519000	100 %	19.91 dBm
  · high	2600 MHz	520000	1 low	22.00 dBm
  · high	2600 MHz	520000	1 low+1	21.74 dBm
  · high	2600 MHz	520000	1 high-1	21.55 dBm
  · high	2600 MHz	520000	1 high	21.51 dBm
  · high	2600 MHz	520000	50 % mid	21.86 dBm
  · high	2600 MHz	520000	100 %	19.85 dBm

NR, 256QAM, 10 MHz

Max: **18.86 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2575 MHz	515000	1 low	18.53 dBm
  · low	2575 MHz	515000	1 low+1	18.10 dBm
  · low	2575 MHz	515000	1 high-1	18.14 dBm
  · low	2575 MHz	515000	1 high	18.51 dBm
  · low	2575 MHz	515000	50 % mid	18.42 dBm
  · low	2575 MHz	515000	100 %	18.86 dBm
  · mid	2595 MHz	519000	1 low	18.21 dBm
  · mid	2595 MHz	519000	1 low+1	17.66 dBm
  · mid	2595 MHz	519000	1 high-1	17.89 dBm
  · mid	2595 MHz	519000	1 high	18.37 dBm
  · mid	2595 MHz	519000	50 % mid	18.18 dBm
  · mid	2595 MHz	519000	100 %	18.65 dBm
  · high	2615 MHz	523000	1 low	18.33 dBm
  · high	2615 MHz	523000	1 low+1	17.86 dBm
  · high	2615 MHz	523000	1 high-1	17.77 dBm
  · high	2615 MHz	523000	1 high	18.35 dBm
  · high	2615 MHz	523000	50 % mid	18.04 dBm
  · high	2615 MHz	523000	100 %	18.51 dBm

NR, 256QAM, 15 MHz

Max: **18.93 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2577.5 MHz	515500	1 low	18.77 dBm
  · low	2577.5 MHz	515500	1 low+1	18.24 dBm
  · low	2577.5 MHz	515500	1 high-1	18.18 dBm
  · low	2577.5 MHz	515500	1 high	18.64 dBm
  · low	2577.5 MHz	515500	50 % mid	18.47 dBm
  · low	2577.5 MHz	515500	100 %	18.93 dBm
  · mid	2595 MHz	519000	1 low	18.36 dBm
  · mid	2595 MHz	519000	1 low+1	17.81 dBm
  · mid	2595 MHz	519000	1 high-1	18.03 dBm
  · mid	2595 MHz	519000	1 high	18.48 dBm
  · mid	2595 MHz	519000	50 % mid	18.20 dBm
  · mid	2595 MHz	519000	100 %	18.71 dBm
  · high	2612.5 MHz	522500	1 low	18.61 dBm
  · high	2612.5 MHz	522500	1 low+1	18.13 dBm
  · high	2612.5 MHz	522500	1 high-1	18.12 dBm
  · high	2612.5 MHz	522500	1 high	18.40 dBm
  · high	2612.5 MHz	522500	50 % mid	18.21 dBm
  · high	2612.5 MHz	522500	100 %	18.70 dBm

NR, 256QAM, 20 MHz

Max: **19.02 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2580 MHz	516000	1 low	18.67 dBm
  · low	2580 MHz	516000	1 low+1	18.16 dBm
  · low	2580 MHz	516000	1 high-1	18.03 dBm
  · low	2580 MHz	516000	1 high	17.90 dBm
  · low	2580 MHz	516000	50 % mid	18.55 dBm
  · low	2580 MHz	516000	100 %	19.02 dBm
  · mid	2595 MHz	519000	1 low	18.41 dBm
  · mid	2595 MHz	519000	1 low+1	18.19 dBm
  · mid	2595 MHz	519000	1 high-1	18.09 dBm
  · mid	2595 MHz	519000	1 high	17.97 dBm
  · mid	2595 MHz	519000	50 % mid	18.28 dBm
  · mid	2595 MHz	519000	100 %	18.75 dBm
  · high	2610 MHz	522000	1 low	18.67 dBm
  · high	2610 MHz	522000	1 low+1	18.02 dBm
  · high	2610 MHz	522000	1 high-1	18.00 dBm
  · high	2610 MHz	522000	1 high	17.94 dBm
  · high	2610 MHz	522000	50 % mid	18.25 dBm
  · high	2610 MHz	522000	100 %	18.79 dBm

NR, 256QAM, 30 MHz

Max: **18.95 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2585 MHz	517000	1 low	18.70 dBm
 · low	2585 MHz	517000	1 low+1	18.13 dBm
 · low	2585 MHz	517000	1 high-1	18.01 dBm
 · low	2585 MHz	517000	1 high	18.30 dBm
 · low	2585 MHz	517000	50 % mid	18.42 dBm
 · low	2585 MHz	517000	100 %	18.95 dBm
 · mid	2595 MHz	519000	1 low	18.85 dBm
 · mid	2595 MHz	519000	1 low+1	18.26 dBm
 · mid	2595 MHz	519000	1 high-1	18.18 dBm
 · mid	2595 MHz	519000	1 high	18.27 dBm
 · mid	2595 MHz	519000	50 % mid	18.32 dBm
 · mid	2595 MHz	519000	100 %	18.91 dBm
 · high	2605 MHz	521000	1 low	18.66 dBm
 · high	2605 MHz	521000	1 low+1	17.99 dBm
 · high	2605 MHz	521000	1 high-1	17.99 dBm
 · high	2605 MHz	521000	1 high	17.85 dBm
 · high	2605 MHz	521000	50 % mid	18.30 dBm
 · high	2605 MHz	521000	100 %	18.84 dBm

NR, 256QAM, 40 MHz

Max: **18.97 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2590 MHz	518000	1 low	18.69 dBm
  · low	2590 MHz	518000	1 low+1	18.32 dBm
  · low	2590 MHz	518000	1 high-1	18.04 dBm
  · low	2590 MHz	518000	1 high	18.26 dBm
  · low	2590 MHz	518000	50 % mid	18.41 dBm
  · low	2590 MHz	518000	100 %	18.97 dBm
  · mid	2595 MHz	519000	1 low	18.79 dBm
  · mid	2595 MHz	519000	1 low+1	18.36 dBm
  · mid	2595 MHz	519000	1 high-1	18.29 dBm
  · mid	2595 MHz	519000	1 high	18.17 dBm
  · mid	2595 MHz	519000	50 % mid	18.33 dBm
  · mid	2595 MHz	519000	100 %	18.96 dBm
  · high	2600 MHz	520000	1 low	18.91 dBm
  · high	2600 MHz	520000	1 low+1	18.33 dBm
  · high	2600 MHz	520000	1 high-1	17.91 dBm
  · high	2600 MHz	520000	1 high	18.02 dBm
  · high	2600 MHz	520000	50 % mid	18.33 dBm
  · high	2600 MHz	520000	100 %	18.87 dBm

Output power — Band 41

Maximum P_{avg} per (technology · bandwidth · modulation) for **Band 41** (55 tables)

The max-summary table leads; one measurement table follows per (technology · bandwidth · modulation), with each table's maximum P_{avg} highlighted.

Result rows used

- **NR** — the **TX power Σ** result rows (total transmit power, summed over the TX antennas).
- The per-antenna **TX power 1** / **TX power 2** rows are deliberately not tabulated.

Max summary

Technology	Bandwidth	Modulation	Max P_{avg}	Where
NR	10 MHz	BPSK	21.77 dBm	 · low · ch 500202
NR	15 MHz	BPSK	21.98 dBm	 · low · ch 500700
NR	20 MHz	BPSK	22.08 dBm	 · low · ch 501204
NR	30 MHz	BPSK	22.12 dBm	 · low · ch 502200
NR	40 MHz	BPSK	22.19 dBm	 · mid · ch 518598
NR	50 MHz	BPSK	21.93 dBm	 · mid · ch 518598
NR	60 MHz	BPSK	22.02 dBm	 · mid · ch 518598
NR	70 MHz	BPSK	21.84 dBm	 · mid · ch 518598
NR	80 MHz	BPSK	21.82 dBm	 · mid · ch 518598
NR	90 MHz	BPSK	21.71 dBm	 · high · ch 528996
NR	100 MHz	BPSK	21.62 dBm	 · mid · ch 518598
NR	10 MHz	QPSK	23.63 dBm	 · low · ch 500202
NR	15 MHz	QPSK	23.89 dBm	 · low · ch 500700
NR	20 MHz	QPSK	24.00 dBm	 · low · ch 501204
NR	30 MHz	QPSK	23.96 dBm	 · mid · ch 518598
NR	40 MHz	QPSK	24.03 dBm	 · low · ch 503202
NR	50 MHz	QPSK	23.82 dBm	 · low · ch 504204
NR	60 MHz	QPSK	23.86 dBm	 · low · ch 505200
NR	70 MHz	QPSK	23.72 dBm	 · mid · ch 518598
NR	80 MHz	QPSK	23.60 dBm	 · low · ch 507204

Technology	Bandwidth	Modulation	Max P _{avg}	Where
NR	90 MHz	QPSK	23.50 dBm	   · low · ch 508200
NR	100 MHz	QPSK	23.54 dBm	   · low · ch 509202
NR	10 MHz	16QAM	23.14 dBm	   · low · ch 500202
NR	15 MHz	16QAM	23.38 dBm	   · low · ch 500700
NR	20 MHz	16QAM	23.51 dBm	   · low · ch 501204
NR	30 MHz	16QAM	23.43 dBm	   · low · ch 502200
NR	40 MHz	16QAM	23.65 dBm	   · low · ch 503202
NR	50 MHz	16QAM	23.22 dBm	   · low · ch 504204
NR	60 MHz	16QAM	23.34 dBm	   · low · ch 505200
NR	70 MHz	16QAM	23.16 dBm	   · mid · ch 518598
NR	80 MHz	16QAM	23.08 dBm	   · low · ch 507204
NR	90 MHz	16QAM	23.03 dBm	   · mid · ch 518598
NR	100 MHz	16QAM	23.04 dBm	   · mid · ch 518598
NR	10 MHz	64QAM	21.66 dBm	   · low · ch 500202
NR	15 MHz	64QAM	21.84 dBm	   · low · ch 500700
NR	20 MHz	64QAM	21.82 dBm	   · low · ch 501204
NR	30 MHz	64QAM	21.94 dBm	   · mid · ch 518598
NR	40 MHz	64QAM	22.07 dBm	   · low · ch 503202
NR	50 MHz	64QAM	21.80 dBm	   · mid · ch 518598
NR	60 MHz	64QAM	21.89 dBm	   · low · ch 505200
NR	70 MHz	64QAM	21.60 dBm	   · low · ch 506202
NR	80 MHz	64QAM	21.60 dBm	   · mid · ch 518598
NR	90 MHz	64QAM	21.61 dBm	   · high · ch 528996
NR	100 MHz	64QAM	21.61 dBm	   · low · ch 509202
NR	10 MHz	256QAM	18.74 dBm	   · low · ch 500202
NR	15 MHz	256QAM	18.88 dBm	   · low · ch 500700
NR	20 MHz	256QAM	18.92 dBm	   · low · ch 501204
NR	30 MHz	256QAM	18.94 dBm	   · low · ch 502200
NR	40 MHz	256QAM	18.92 dBm	   · low · ch 503202
NR	50 MHz	256QAM	18.92 dBm	   · low · ch 504204
NR	60 MHz	256QAM	18.90 dBm	   · low · ch 505200

Technology	Bandwidth	Modulation	Max P _{avg}	Where
NR	70 MHz	256QAM	18.77 dBm	   · low · ch 506202
NR	80 MHz	256QAM	18.72 dBm	   · low · ch 507204
NR	90 MHz	256QAM	18.55 dBm	   · low · ch 508200
NR	100 MHz	256QAM	18.58 dBm	   · mid · ch 518598

NR, BPSK, 10 MHz

Max: **21.77 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2501.01 MHz	500202	1 low	21.58 dBm
  · low	2501.01 MHz	500202	1 low+1	21.64 dBm
  · low	2501.01 MHz	500202	1 high-1	21.77 dBm
  · low	2501.01 MHz	500202	1 high	21.40 dBm
  · low	2501.01 MHz	500202	50 % mid	21.61 dBm
  · low	2501.01 MHz	500202	100 %	19.63 dBm
  · mid	2592.99 MHz	518598	1 low	21.67 dBm
  · mid	2592.99 MHz	518598	1 low+1	21.40 dBm
  · mid	2592.99 MHz	518598	1 high-1	21.68 dBm
  · mid	2592.99 MHz	518598	1 high	21.44 dBm
  · mid	2592.99 MHz	518598	50 % mid	21.56 dBm
  · mid	2592.99 MHz	518598	100 %	19.60 dBm
  · high	2685 MHz	537000	1 low	21.40 dBm
  · high	2685 MHz	537000	1 low+1	21.28 dBm
  · high	2685 MHz	537000	1 high-1	21.54 dBm
  · high	2685 MHz	537000	1 high	21.55 dBm
  · high	2685 MHz	537000	50 % mid	21.51 dBm
  · high	2685 MHz	537000	100 %	19.55 dBm

NR, BPSK, 15 MHz

Max: **21.98 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2503.5 MHz	500700	1 low	19.82 dBm
  · low	2503.5 MHz	500700	1 low+1	21.66 dBm
  · low	2503.5 MHz	500700	1 high-1	21.98 dBm
  · low	2503.5 MHz	500700	1 high	21.93 dBm
  · low	2503.5 MHz	500700	50 % mid	21.76 dBm
  · low	2503.5 MHz	500700	100 %	19.86 dBm
  · mid	2592.99 MHz	518598	1 low	21.73 dBm
  · mid	2592.99 MHz	518598	1 low+1	21.67 dBm
  · mid	2592.99 MHz	518598	1 high-1	21.83 dBm
  · mid	2592.99 MHz	518598	1 high	21.86 dBm
  · mid	2592.99 MHz	518598	50 % mid	21.63 dBm
  · mid	2592.99 MHz	518598	100 %	19.73 dBm
  · high	2682.48 MHz	536496	1 low	21.53 dBm
  · high	2682.48 MHz	536496	1 low+1	21.75 dBm
  · high	2682.48 MHz	536496	1 high-1	21.76 dBm
  · high	2682.48 MHz	536496	1 high	21.70 dBm
  · high	2682.48 MHz	536496	50 % mid	21.52 dBm
  · high	2682.48 MHz	536496	100 %	19.67 dBm

NR, BPSK, 20 MHz

Max: **22.08 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2506.02 MHz	501204	1 low	19.86 dBm
 · low	2506.02 MHz	501204	1 low+1	21.59 dBm
 · low	2506.02 MHz	501204	1 high-1	22.02 dBm
 · low	2506.02 MHz	501204	1 high	22.08 dBm
 · low	2506.02 MHz	501204	50 % mid	21.81 dBm
 · low	2506.02 MHz	501204	100 %	19.81 dBm
 · mid	2592.99 MHz	518598	1 low	21.89 dBm
 · mid	2592.99 MHz	518598	1 low+1	21.86 dBm
 · mid	2592.99 MHz	518598	1 high-1	21.49 dBm
 · mid	2592.99 MHz	518598	1 high	21.79 dBm
 · mid	2592.99 MHz	518598	50 % mid	21.62 dBm
 · mid	2592.99 MHz	518598	100 %	19.69 dBm
 · high	2679.99 MHz	535998	1 low	21.40 dBm
 · high	2679.99 MHz	535998	1 low+1	21.40 dBm
 · high	2679.99 MHz	535998	1 high-1	21.54 dBm
 · high	2679.99 MHz	535998	1 high	21.55 dBm
 · high	2679.99 MHz	535998	50 % mid	21.58 dBm
 · high	2679.99 MHz	535998	100 %	19.63 dBm

NR, BPSK, 30 MHz

Max: **22.12 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2511 MHz	502200	1 low	19.90 dBm
 · low	2511 MHz	502200	1 low+1	21.80 dBm
 · low	2511 MHz	502200	1 high-1	22.09 dBm
 · low	2511 MHz	502200	1 high	22.12 dBm
 · low	2511 MHz	502200	50 % mid	21.83 dBm
 · low	2511 MHz	502200	100 %	19.89 dBm
 · mid	2592.99 MHz	518598	1 low	21.98 dBm
 · mid	2592.99 MHz	518598	1 low+1	22.04 dBm
 · mid	2592.99 MHz	518598	1 high-1	21.92 dBm
 · mid	2592.99 MHz	518598	1 high	22.12 dBm
 · mid	2592.99 MHz	518598	50 % mid	21.78 dBm
 · mid	2592.99 MHz	518598	100 %	19.82 dBm
 · high	2674.98 MHz	534996	1 low	21.51 dBm
 · high	2674.98 MHz	534996	1 low+1	21.54 dBm
 · high	2674.98 MHz	534996	1 high-1	21.65 dBm
 · high	2674.98 MHz	534996	1 high	21.88 dBm
 · high	2674.98 MHz	534996	50 % mid	21.54 dBm
 · high	2674.98 MHz	534996	100 %	19.62 dBm

NR, BPSK, 40 MHz

Max: **22.19 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2516.01 MHz	503202	1 low	19.78 dBm
 · low	2516.01 MHz	503202	1 low+1	21.90 dBm
 · low	2516.01 MHz	503202	1 high-1	22.13 dBm
 · low	2516.01 MHz	503202	1 high	22.10 dBm
 · low	2516.01 MHz	503202	50 % mid	21.90 dBm
 · low	2516.01 MHz	503202	100 %	19.96 dBm
 · mid	2592.99 MHz	518598	1 low	22.19 dBm
 · mid	2592.99 MHz	518598	1 low+1	22.01 dBm
 · mid	2592.99 MHz	518598	1 high-1	21.89 dBm
 · mid	2592.99 MHz	518598	1 high	21.90 dBm
 · mid	2592.99 MHz	518598	50 % mid	21.68 dBm
 · mid	2592.99 MHz	518598	100 %	19.85 dBm
 · high	2670 MHz	534000	1 low	21.86 dBm
 · high	2670 MHz	534000	1 low+1	21.79 dBm
 · high	2670 MHz	534000	1 high-1	21.82 dBm
 · high	2670 MHz	534000	1 high	21.61 dBm
 · high	2670 MHz	534000	50 % mid	21.50 dBm
 · high	2670 MHz	534000	100 %	19.66 dBm

NR, BPSK, 50 MHz

Max: **21.93 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2521.02 MHz	504204	1 low	19.85 dBm
 · low	2521.02 MHz	504204	1 low+1	21.64 dBm
 · low	2521.02 MHz	504204	1 high-1	21.68 dBm
 · low	2521.02 MHz	504204	1 high	21.53 dBm
 · low	2521.02 MHz	504204	50 % mid	21.84 dBm
 · low	2521.02 MHz	504204	100 %	19.85 dBm
 · mid	2592.99 MHz	518598	1 low	21.93 dBm
 · mid	2592.99 MHz	518598	1 low+1	21.83 dBm
 · mid	2592.99 MHz	518598	1 high-1	21.54 dBm
 · mid	2592.99 MHz	518598	1 high	21.35 dBm
 · mid	2592.99 MHz	518598	50 % mid	21.69 dBm
 · mid	2592.99 MHz	518598	100 %	19.76 dBm
 · high	2664.99 MHz	532998	1 low	21.48 dBm
 · high	2664.99 MHz	532998	1 low+1	21.59 dBm
 · high	2664.99 MHz	532998	1 high-1	21.62 dBm
 · high	2664.99 MHz	532998	1 high	21.69 dBm
 · high	2664.99 MHz	532998	50 % mid	21.37 dBm
 · high	2664.99 MHz	532998	100 %	19.55 dBm

NR, BPSK, 60 MHz

Max: **22.02 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2526 MHz	505200	1 low	19.80 dBm
 · low	2526 MHz	505200	1 low+1	21.71 dBm
 · low	2526 MHz	505200	1 high-1	21.83 dBm
 · low	2526 MHz	505200	1 high	21.86 dBm
 · low	2526 MHz	505200	50 % mid	21.81 dBm
 · low	2526 MHz	505200	100 %	19.83 dBm
 · mid	2592.99 MHz	518598	1 low	22.02 dBm
 · mid	2592.99 MHz	518598	1 low+1	21.73 dBm
 · mid	2592.99 MHz	518598	1 high-1	21.72 dBm
 · mid	2592.99 MHz	518598	1 high	21.64 dBm
 · mid	2592.99 MHz	518598	50 % mid	21.65 dBm
 · mid	2592.99 MHz	518598	100 %	19.69 dBm
 · high	2659.98 MHz	531996	1 low	21.81 dBm
 · high	2659.98 MHz	531996	1 low+1	21.77 dBm
 · high	2659.98 MHz	531996	1 high-1	21.42 dBm
 · high	2659.98 MHz	531996	1 high	21.56 dBm
 · high	2659.98 MHz	531996	50 % mid	21.47 dBm
 · high	2659.98 MHz	531996	100 %	19.51 dBm

NR, BPSK, 70 MHz

Max: **21.84 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2531.01 MHz	506202	1 low	19.50 dBm
  · low	2531.01 MHz	506202	1 low+1	21.49 dBm
  · low	2531.01 MHz	506202	1 high-1	21.50 dBm
  · low	2531.01 MHz	506202	1 high	21.83 dBm
  · low	2531.01 MHz	506202	50 % mid	21.59 dBm
  · low	2531.01 MHz	506202	100 %	19.52 dBm
  · mid	2592.99 MHz	518598	1 low	21.72 dBm
  · mid	2592.99 MHz	518598	1 low+1	21.84 dBm
  · mid	2592.99 MHz	518598	1 high-1	21.21 dBm
  · mid	2592.99 MHz	518598	1 high	21.37 dBm
  · mid	2592.99 MHz	518598	50 % mid	21.48 dBm
  · mid	2592.99 MHz	518598	100 %	19.47 dBm
  · high	2655 MHz	531000	1 low	21.67 dBm
  · high	2655 MHz	531000	1 low+1	21.58 dBm
  · high	2655 MHz	531000	1 high-1	21.17 dBm
  · high	2655 MHz	531000	1 high	21.18 dBm
  · high	2655 MHz	531000	50 % mid	21.23 dBm
  · high	2655 MHz	531000	100 %	19.38 dBm

NR, BPSK, 80 MHz

Max: **21.82 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2536.02 MHz	507204	1 low	19.60 dBm
 · low	2536.02 MHz	507204	1 low+1	21.56 dBm
 · low	2536.02 MHz	507204	1 high-1	21.51 dBm
 · low	2536.02 MHz	507204	1 high	21.72 dBm
 · low	2536.02 MHz	507204	50 % mid	21.52 dBm
 · low	2536.02 MHz	507204	100 %	19.59 dBm
 · mid	2592.99 MHz	518598	1 low	21.82 dBm
 · mid	2592.99 MHz	518598	1 low+1	21.52 dBm
 · mid	2592.99 MHz	518598	1 high-1	21.22 dBm
 · mid	2592.99 MHz	518598	1 high	21.14 dBm
 · mid	2592.99 MHz	518598	50 % mid	21.50 dBm
 · mid	2592.99 MHz	518598	100 %	19.51 dBm
 · high	2649.99 MHz	529998	1 low	21.54 dBm
 · high	2649.99 MHz	529998	1 low+1	21.60 dBm
 · high	2649.99 MHz	529998	1 high-1	21.35 dBm
 · high	2649.99 MHz	529998	1 high	21.25 dBm
 · high	2649.99 MHz	529998	50 % mid	21.37 dBm
 · high	2649.99 MHz	529998	100 %	19.41 dBm

NR, BPSK, 90 MHz

Max: **21.71 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2541 MHz	508200	1 low	19.51 dBm
  · low	2541 MHz	508200	1 low+1	21.43 dBm
  · low	2541 MHz	508200	1 high-1	21.54 dBm
  · low	2541 MHz	508200	1 high	21.56 dBm
  · low	2541 MHz	508200	50 % mid	21.57 dBm
  · low	2541 MHz	508200	100 %	19.54 dBm
  · mid	2592.99 MHz	518598	1 low	21.63 dBm
  · mid	2592.99 MHz	518598	1 low+1	21.45 dBm
  · mid	2592.99 MHz	518598	1 high-1	21.40 dBm
  · mid	2592.99 MHz	518598	1 high	21.54 dBm
  · mid	2592.99 MHz	518598	50 % mid	21.47 dBm
  · mid	2592.99 MHz	518598	100 %	19.53 dBm
  · high	2644.98 MHz	528996	1 low	21.71 dBm
  · high	2644.98 MHz	528996	1 low+1	21.47 dBm
  · high	2644.98 MHz	528996	1 high-1	21.32 dBm
  · high	2644.98 MHz	528996	1 high	21.50 dBm
  · high	2644.98 MHz	528996	50 % mid	21.41 dBm
  · high	2644.98 MHz	528996	100 %	19.38 dBm

NR, BPSK, 100 MHz

Max: **21.62 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2546.01 MHz	509202	1 low	19.60 dBm
  · low	2546.01 MHz	509202	1 low+1	21.45 dBm
  · low	2546.01 MHz	509202	1 high-1	21.50 dBm
  · low	2546.01 MHz	509202	1 high	21.45 dBm
  · low	2546.01 MHz	509202	50 % mid	21.52 dBm
  · low	2546.01 MHz	509202	100 %	19.51 dBm
  · mid	2592.99 MHz	518598	1 low	21.59 dBm
  · mid	2592.99 MHz	518598	1 low+1	21.62 dBm
  · mid	2592.99 MHz	518598	1 high-1	21.08 dBm
  · mid	2592.99 MHz	518598	1 high	21.51 dBm
  · mid	2592.99 MHz	518598	50 % mid	21.48 dBm
  · mid	2592.99 MHz	518598	100 %	19.46 dBm
  · high	2640 MHz	528000	1 low	21.58 dBm
  · high	2640 MHz	528000	1 low+1	21.27 dBm
  · high	2640 MHz	528000	1 high-1	21.46 dBm
  · high	2640 MHz	528000	1 high	21.18 dBm
  · high	2640 MHz	528000	50 % mid	21.40 dBm
  · high	2640 MHz	528000	100 %	19.44 dBm

NR, QPSK, 10 MHz

Max: **23.63 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2501.01 MHz	500202	1 low	21.52 dBm
  · low	2501.01 MHz	500202	1 low+1	23.58 dBm
  · low	2501.01 MHz	500202	1 high-1	23.63 dBm
  · low	2501.01 MHz	500202	1 high	21.49 dBm
  · low	2501.01 MHz	500202	50 % mid	23.61 dBm
  · low	2501.01 MHz	500202	100 %	20.14 dBm
  · mid	2592.99 MHz	518598	1 low	21.46 dBm
  · mid	2592.99 MHz	518598	1 low+1	23.42 dBm
  · mid	2592.99 MHz	518598	1 high-1	23.52 dBm
  · mid	2592.99 MHz	518598	1 high	21.48 dBm
  · mid	2592.99 MHz	518598	50 % mid	23.54 dBm
  · mid	2592.99 MHz	518598	100 %	20.05 dBm
  · high	2685 MHz	537000	1 low	21.33 dBm
  · high	2685 MHz	537000	1 low+1	23.42 dBm
  · high	2685 MHz	537000	1 high-1	23.52 dBm
  · high	2685 MHz	537000	1 high	21.43 dBm
  · high	2685 MHz	537000	50 % mid	23.48 dBm
  · high	2685 MHz	537000	100 %	20.09 dBm

NR, QPSK, 15 MHz

Max: **23.89 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2503.5 MHz	500700	1 low	21.77 dBm
 · low	2503.5 MHz	500700	1 low+1	23.81 dBm
 · low	2503.5 MHz	500700	1 high-1	23.89 dBm
 · low	2503.5 MHz	500700	1 high	21.82 dBm
 · low	2503.5 MHz	500700	50 % mid	23.82 dBm
 · low	2503.5 MHz	500700	100 %	20.35 dBm
 · mid	2592.99 MHz	518598	1 low	21.55 dBm
 · mid	2592.99 MHz	518598	1 low+1	23.66 dBm
 · mid	2592.99 MHz	518598	1 high-1	23.65 dBm
 · mid	2592.99 MHz	518598	1 high	21.65 dBm
 · mid	2592.99 MHz	518598	50 % mid	23.63 dBm
 · mid	2592.99 MHz	518598	100 %	20.22 dBm
 · high	2682.48 MHz	536496	1 low	21.60 dBm
 · high	2682.48 MHz	536496	1 low+1	23.46 dBm
 · high	2682.48 MHz	536496	1 high-1	23.40 dBm
 · high	2682.48 MHz	536496	1 high	21.51 dBm
 · high	2682.48 MHz	536496	50 % mid	23.55 dBm
 · high	2682.48 MHz	536496	100 %	20.08 dBm

NR, QPSK, 20 MHz

Max: **24.00 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2506.02 MHz	501204	1 low	21.72 dBm
  · low	2506.02 MHz	501204	1 low+1	23.72 dBm
  · low	2506.02 MHz	501204	1 high-1	24.00 dBm
  · low	2506.02 MHz	501204	1 high	23.93 dBm
  · low	2506.02 MHz	501204	50 % mid	23.86 dBm
  · low	2506.02 MHz	501204	100 %	20.39 dBm
  · mid	2592.99 MHz	518598	1 low	21.66 dBm
  · mid	2592.99 MHz	518598	1 low+1	23.72 dBm
  · mid	2592.99 MHz	518598	1 high-1	23.64 dBm
  · mid	2592.99 MHz	518598	1 high	23.67 dBm
  · mid	2592.99 MHz	518598	50 % mid	23.65 dBm
  · mid	2592.99 MHz	518598	100 %	20.18 dBm
  · high	2679.99 MHz	535998	1 low	21.43 dBm
  · high	2679.99 MHz	535998	1 low+1	23.37 dBm
  · high	2679.99 MHz	535998	1 high-1	23.57 dBm
  · high	2679.99 MHz	535998	1 high	23.53 dBm
  · high	2679.99 MHz	535998	50 % mid	23.59 dBm
  · high	2679.99 MHz	535998	100 %	20.08 dBm

NR, QPSK, 30 MHz

Max: **23.96 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2511 MHz	502200	1 low	21.82 dBm
 · low	2511 MHz	502200	1 low+1	23.81 dBm
 · low	2511 MHz	502200	1 high-1	23.94 dBm
 · low	2511 MHz	502200	1 high	23.93 dBm
 · low	2511 MHz	502200	50 % mid	23.84 dBm
 · low	2511 MHz	502200	100 %	20.39 dBm
 · mid	2592.99 MHz	518598	1 low	22.03 dBm
 · mid	2592.99 MHz	518598	1 low+1	23.96 dBm
 · mid	2592.99 MHz	518598	1 high-1	23.91 dBm
 · mid	2592.99 MHz	518598	1 high	23.87 dBm
 · mid	2592.99 MHz	518598	50 % mid	23.71 dBm
 · mid	2592.99 MHz	518598	100 %	20.31 dBm
 · high	2674.98 MHz	534996	1 low	21.58 dBm
 · high	2674.98 MHz	534996	1 low+1	23.50 dBm
 · high	2674.98 MHz	534996	1 high-1	23.81 dBm
 · high	2674.98 MHz	534996	1 high	23.70 dBm
 · high	2674.98 MHz	534996	50 % mid	23.54 dBm
 · high	2674.98 MHz	534996	100 %	20.14 dBm

NR, QPSK, 40 MHz

Max: **24.03 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2516.01 MHz	503202	1 low	21.72 dBm
  · low	2516.01 MHz	503202	1 low+1	23.90 dBm
  · low	2516.01 MHz	503202	1 high-1	23.96 dBm
  · low	2516.01 MHz	503202	1 high	24.03 dBm
  · low	2516.01 MHz	503202	50 % mid	23.90 dBm
  · low	2516.01 MHz	503202	100 %	20.46 dBm
  · mid	2592.99 MHz	518598	1 low	21.99 dBm
  · mid	2592.99 MHz	518598	1 low+1	23.92 dBm
  · mid	2592.99 MHz	518598	1 high-1	23.94 dBm
  · mid	2592.99 MHz	518598	1 high	23.81 dBm
  · mid	2592.99 MHz	518598	50 % mid	23.76 dBm
  · mid	2592.99 MHz	518598	100 %	20.36 dBm
  · high	2670 MHz	534000	1 low	21.77 dBm
  · high	2670 MHz	534000	1 low+1	23.65 dBm
  · high	2670 MHz	534000	1 high-1	23.58 dBm
  · high	2670 MHz	534000	1 high	23.67 dBm
  · high	2670 MHz	534000	50 % mid	23.44 dBm
  · high	2670 MHz	534000	100 %	20.13 dBm

NR, QPSK, 50 MHz

Max: **23.82 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2521.02 MHz	504204	1 low	21.65 dBm
  · low	2521.02 MHz	504204	1 low+1	23.60 dBm
  · low	2521.02 MHz	504204	1 high-1	23.70 dBm
  · low	2521.02 MHz	504204	1 high	23.71 dBm
  · low	2521.02 MHz	504204	50 % mid	23.82 dBm
  · low	2521.02 MHz	504204	100 %	20.33 dBm
  · mid	2592.99 MHz	518598	1 low	21.89 dBm
  · mid	2592.99 MHz	518598	1 low+1	23.74 dBm
  · mid	2592.99 MHz	518598	1 high-1	23.72 dBm
  · mid	2592.99 MHz	518598	1 high	23.52 dBm
  · mid	2592.99 MHz	518598	50 % mid	23.67 dBm
  · mid	2592.99 MHz	518598	100 %	20.25 dBm
  · high	2664.99 MHz	532998	1 low	21.52 dBm
  · high	2664.99 MHz	532998	1 low+1	23.45 dBm
  · high	2664.99 MHz	532998	1 high-1	23.47 dBm
  · high	2664.99 MHz	532998	1 high	23.55 dBm
  · high	2664.99 MHz	532998	50 % mid	23.37 dBm
  · high	2664.99 MHz	532998	100 %	19.99 dBm

NR, QPSK, 60 MHz

Max: **23.86 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2526 MHz	505200	1 low	21.60 dBm
 · low	2526 MHz	505200	1 low+1	23.76 dBm
 · low	2526 MHz	505200	1 high-1	23.83 dBm
 · low	2526 MHz	505200	1 high	21.70 dBm
 · low	2526 MHz	505200	50 % mid	23.86 dBm
 · low	2526 MHz	505200	100 %	20.31 dBm
 · mid	2592.99 MHz	518598	1 low	21.78 dBm
 · mid	2592.99 MHz	518598	1 low+1	23.65 dBm
 · mid	2592.99 MHz	518598	1 high-1	23.60 dBm
 · mid	2592.99 MHz	518598	1 high	21.51 dBm
 · mid	2592.99 MHz	518598	50 % mid	23.67 dBm
 · mid	2592.99 MHz	518598	100 %	20.18 dBm
 · high	2659.98 MHz	531996	1 low	21.61 dBm
 · high	2659.98 MHz	531996	1 low+1	23.60 dBm
 · high	2659.98 MHz	531996	1 high-1	23.44 dBm
 · high	2659.98 MHz	531996	1 high	21.46 dBm
 · high	2659.98 MHz	531996	50 % mid	23.46 dBm
 · high	2659.98 MHz	531996	100 %	20.05 dBm

NR, QPSK, 70 MHz

Max: **23.72 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2531.01 MHz	506202	1 low	21.41 dBm
 · low	2531.01 MHz	506202	1 low+1	23.38 dBm
 · low	2531.01 MHz	506202	1 high-1	23.53 dBm
 · low	2531.01 MHz	506202	1 high	23.54 dBm
 · low	2531.01 MHz	506202	50 % mid	23.54 dBm
 · low	2531.01 MHz	506202	100 %	20.11 dBm
 · mid	2592.99 MHz	518598	1 low	21.64 dBm
 · mid	2592.99 MHz	518598	1 low+1	23.72 dBm
 · mid	2592.99 MHz	518598	1 high-1	23.28 dBm
 · mid	2592.99 MHz	518598	1 high	23.60 dBm
 · mid	2592.99 MHz	518598	50 % mid	23.51 dBm
 · mid	2592.99 MHz	518598	100 %	20.02 dBm
 · high	2655 MHz	531000	1 low	21.73 dBm
 · high	2655 MHz	531000	1 low+1	23.36 dBm
 · high	2655 MHz	531000	1 high-1	23.26 dBm
 · high	2655 MHz	531000	1 high	23.27 dBm
 · high	2655 MHz	531000	50 % mid	23.33 dBm
 · high	2655 MHz	531000	100 %	19.90 dBm

NR, QPSK, 80 MHz

Max: **23.60 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2536.02 MHz	507204	1 low	21.40 dBm
 · low	2536.02 MHz	507204	1 low+1	23.35 dBm
 · low	2536.02 MHz	507204	1 high-1	23.55 dBm
 · low	2536.02 MHz	507204	1 high	23.60 dBm
 · low	2536.02 MHz	507204	50 % mid	23.56 dBm
 · low	2536.02 MHz	507204	100 %	20.10 dBm
 · mid	2592.99 MHz	518598	1 low	21.53 dBm
 · mid	2592.99 MHz	518598	1 low+1	23.52 dBm
 · mid	2592.99 MHz	518598	1 high-1	23.47 dBm
 · mid	2592.99 MHz	518598	1 high	23.41 dBm
 · mid	2592.99 MHz	518598	50 % mid	23.48 dBm
 · mid	2592.99 MHz	518598	100 %	20.06 dBm
 · high	2649.99 MHz	529998	1 low	21.53 dBm
 · high	2649.99 MHz	529998	1 low+1	23.31 dBm
 · high	2649.99 MHz	529998	1 high-1	23.33 dBm
 · high	2649.99 MHz	529998	1 high	23.33 dBm
 · high	2649.99 MHz	529998	50 % mid	23.40 dBm
 · high	2649.99 MHz	529998	100 %	19.95 dBm

NR, QPSK, 90 MHz

Max: **23.50 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2541 MHz	508200	1 low	21.31 dBm
 · low	2541 MHz	508200	1 low+1	23.38 dBm
 · low	2541 MHz	508200	1 high-1	23.49 dBm
 · low	2541 MHz	508200	1 high	23.50 dBm
 · low	2541 MHz	508200	50 % mid	23.48 dBm
 · low	2541 MHz	508200	100 %	20.10 dBm
 · mid	2592.99 MHz	518598	1 low	21.44 dBm
 · mid	2592.99 MHz	518598	1 low+1	23.37 dBm
 · mid	2592.99 MHz	518598	1 high-1	23.44 dBm
 · mid	2592.99 MHz	518598	1 high	23.44 dBm
 · mid	2592.99 MHz	518598	50 % mid	23.50 dBm
 · mid	2592.99 MHz	518598	100 %	20.00 dBm
 · high	2644.98 MHz	528996	1 low	21.57 dBm
 · high	2644.98 MHz	528996	1 low+1	23.46 dBm
 · high	2644.98 MHz	528996	1 high-1	23.38 dBm
 · high	2644.98 MHz	528996	1 high	23.28 dBm
 · high	2644.98 MHz	528996	50 % mid	23.42 dBm
 · high	2644.98 MHz	528996	100 %	19.90 dBm

NR, QPSK, 100 MHz

Max: **23.54 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2546.01 MHz	509202	1 low	21.32 dBm
  · low	2546.01 MHz	509202	1 low+1	23.26 dBm
  · low	2546.01 MHz	509202	1 high-1	23.27 dBm
  · low	2546.01 MHz	509202	1 high	23.21 dBm
  · low	2546.01 MHz	509202	50 % mid	23.54 dBm
  · low	2546.01 MHz	509202	100 %	20.04 dBm
  · mid	2592.99 MHz	518598	1 low	21.33 dBm
  · mid	2592.99 MHz	518598	1 low+1	23.32 dBm
  · mid	2592.99 MHz	518598	1 high-1	23.32 dBm
  · mid	2592.99 MHz	518598	1 high	23.26 dBm
  · mid	2592.99 MHz	518598	50 % mid	23.54 dBm
  · mid	2592.99 MHz	518598	100 %	20.07 dBm
  · high	2640 MHz	528000	1 low	21.53 dBm
  · high	2640 MHz	528000	1 low+1	23.25 dBm
  · high	2640 MHz	528000	1 high-1	23.35 dBm
  · high	2640 MHz	528000	1 high	23.20 dBm
  · high	2640 MHz	528000	50 % mid	23.40 dBm
  · high	2640 MHz	528000	100 %	20.02 dBm

NR, 16QAM, 10 MHz

Max: **23.14 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2501.01 MHz	500202	1 low	21.59 dBm
  · low	2501.01 MHz	500202	1 low+1	23.07 dBm
  · low	2501.01 MHz	500202	1 high-1	23.13 dBm
  · low	2501.01 MHz	500202	1 high	21.50 dBm
  · low	2501.01 MHz	500202	50 % mid	23.14 dBm
  · low	2501.01 MHz	500202	100 %	20.14 dBm
  · mid	2592.99 MHz	518598	1 low	21.49 dBm
  · mid	2592.99 MHz	518598	1 low+1	22.95 dBm
  · mid	2592.99 MHz	518598	1 high-1	23.05 dBm
  · mid	2592.99 MHz	518598	1 high	21.48 dBm
  · mid	2592.99 MHz	518598	50 % mid	22.96 dBm
  · mid	2592.99 MHz	518598	100 %	20.06 dBm
  · high	2685 MHz	537000	1 low	21.50 dBm
  · high	2685 MHz	537000	1 low+1	22.97 dBm
  · high	2685 MHz	537000	1 high-1	22.82 dBm
  · high	2685 MHz	537000	1 high	21.39 dBm
  · high	2685 MHz	537000	50 % mid	22.98 dBm
  · high	2685 MHz	537000	100 %	20.03 dBm

NR, 16QAM, 15 MHz

Max: **23.38 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2503.5 MHz	500700	1 low	21.77 dBm
 · low	2503.5 MHz	500700	1 low+1	23.38 dBm
 · low	2503.5 MHz	500700	1 high-1	23.27 dBm
 · low	2503.5 MHz	500700	1 high	21.82 dBm
 · low	2503.5 MHz	500700	50 % mid	23.31 dBm
 · low	2503.5 MHz	500700	100 %	20.38 dBm
 · mid	2592.99 MHz	518598	1 low	21.58 dBm
 · mid	2592.99 MHz	518598	1 low+1	23.23 dBm
 · mid	2592.99 MHz	518598	1 high-1	23.22 dBm
 · mid	2592.99 MHz	518598	1 high	21.61 dBm
 · mid	2592.99 MHz	518598	50 % mid	23.19 dBm
 · mid	2592.99 MHz	518598	100 %	20.19 dBm
 · high	2682.48 MHz	536496	1 low	21.45 dBm
 · high	2682.48 MHz	536496	1 low+1	23.03 dBm
 · high	2682.48 MHz	536496	1 high-1	23.17 dBm
 · high	2682.48 MHz	536496	1 high	21.59 dBm
 · high	2682.48 MHz	536496	50 % mid	23.03 dBm
 · high	2682.48 MHz	536496	100 %	20.09 dBm

NR, 16QAM, 20 MHz

Max: **23.51 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2506.02 MHz	501204	1 low	21.68 dBm
  · low	2506.02 MHz	501204	1 low+1	23.26 dBm
  · low	2506.02 MHz	501204	1 high-1	23.51 dBm
  · low	2506.02 MHz	501204	1 high	23.34 dBm
  · low	2506.02 MHz	501204	50 % mid	23.41 dBm
  · low	2506.02 MHz	501204	100 %	20.35 dBm
  · mid	2592.99 MHz	518598	1 low	21.63 dBm
  · mid	2592.99 MHz	518598	1 low+1	23.23 dBm
  · mid	2592.99 MHz	518598	1 high-1	23.29 dBm
  · mid	2592.99 MHz	518598	1 high	23.28 dBm
  · mid	2592.99 MHz	518598	50 % mid	23.24 dBm
  · mid	2592.99 MHz	518598	100 %	20.24 dBm
  · high	2679.99 MHz	535998	1 low	21.36 dBm
  · high	2679.99 MHz	535998	1 low+1	22.93 dBm
  · high	2679.99 MHz	535998	1 high-1	23.21 dBm
  · high	2679.99 MHz	535998	1 high	23.15 dBm
  · high	2679.99 MHz	535998	50 % mid	23.16 dBm
  · high	2679.99 MHz	535998	100 %	20.10 dBm

NR, 16QAM, 30 MHz

Max: **23.43 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2511 MHz	502200	1 low	21.73 dBm
 · low	2511 MHz	502200	1 low+1	23.26 dBm
 · low	2511 MHz	502200	1 high-1	23.43 dBm
 · low	2511 MHz	502200	1 high	23.41 dBm
 · low	2511 MHz	502200	50 % mid	23.40 dBm
 · low	2511 MHz	502200	100 %	20.41 dBm
 · mid	2592.99 MHz	518598	1 low	21.92 dBm
 · mid	2592.99 MHz	518598	1 low+1	23.37 dBm
 · mid	2592.99 MHz	518598	1 high-1	23.38 dBm
 · mid	2592.99 MHz	518598	1 high	23.33 dBm
 · mid	2592.99 MHz	518598	50 % mid	23.32 dBm
 · mid	2592.99 MHz	518598	100 %	20.35 dBm
 · high	2674.98 MHz	534996	1 low	21.63 dBm
 · high	2674.98 MHz	534996	1 low+1	23.02 dBm
 · high	2674.98 MHz	534996	1 high-1	23.20 dBm
 · high	2674.98 MHz	534996	1 high	23.28 dBm
 · high	2674.98 MHz	534996	50 % mid	23.08 dBm
 · high	2674.98 MHz	534996	100 %	20.08 dBm

NR, 16QAM, 40 MHz

Max: **23.65 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2516.01 MHz	503202	1 low	21.86 dBm
  · low	2516.01 MHz	503202	1 low+1	23.31 dBm
  · low	2516.01 MHz	503202	1 high-1	23.57 dBm
  · low	2516.01 MHz	503202	1 high	23.65 dBm
  · low	2516.01 MHz	503202	50 % mid	23.40 dBm
  · low	2516.01 MHz	503202	100 %	20.41 dBm
  · mid	2592.99 MHz	518598	1 low	21.91 dBm
  · mid	2592.99 MHz	518598	1 low+1	23.56 dBm
  · mid	2592.99 MHz	518598	1 high-1	23.25 dBm
  · mid	2592.99 MHz	518598	1 high	23.29 dBm
  · mid	2592.99 MHz	518598	50 % mid	23.26 dBm
  · mid	2592.99 MHz	518598	100 %	20.37 dBm
  · high	2670 MHz	534000	1 low	21.74 dBm
  · high	2670 MHz	534000	1 low+1	23.25 dBm
  · high	2670 MHz	534000	1 high-1	23.20 dBm
  · high	2670 MHz	534000	1 high	23.17 dBm
  · high	2670 MHz	534000	50 % mid	23.00 dBm
  · high	2670 MHz	534000	100 %	20.16 dBm

NR, 16QAM, 50 MHz

Max: **23.22 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2521.02 MHz	504204	1 low	21.62 dBm
  · low	2521.02 MHz	504204	1 low+1	23.21 dBm
  · low	2521.02 MHz	504204	1 high-1	23.09 dBm
  · low	2521.02 MHz	504204	1 high	23.11 dBm
  · low	2521.02 MHz	504204	50 % mid	23.22 dBm
  · low	2521.02 MHz	504204	100 %	20.39 dBm
  · mid	2592.99 MHz	518598	1 low	21.77 dBm
  · mid	2592.99 MHz	518598	1 low+1	23.22 dBm
  · mid	2592.99 MHz	518598	1 high-1	23.05 dBm
  · mid	2592.99 MHz	518598	1 high	23.10 dBm
  · mid	2592.99 MHz	518598	50 % mid	23.12 dBm
  · mid	2592.99 MHz	518598	100 %	20.25 dBm
  · high	2664.99 MHz	532998	1 low	21.44 dBm
  · high	2664.99 MHz	532998	1 low+1	22.91 dBm
  · high	2664.99 MHz	532998	1 high-1	23.10 dBm
  · high	2664.99 MHz	532998	1 high	23.13 dBm
  · high	2664.99 MHz	532998	50 % mid	22.85 dBm
  · high	2664.99 MHz	532998	100 %	20.01 dBm

NR, 16QAM, 60 MHz

Max: **23.34 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2526 MHz	505200	1 low	21.61 dBm
  · low	2526 MHz	505200	1 low+1	23.06 dBm
  · low	2526 MHz	505200	1 high-1	23.26 dBm
  · low	2526 MHz	505200	1 high	21.74 dBm
  · low	2526 MHz	505200	50 % mid	23.34 dBm
  · low	2526 MHz	505200	100 %	20.35 dBm
  · mid	2592.99 MHz	518598	1 low	21.61 dBm
  · mid	2592.99 MHz	518598	1 low+1	23.24 dBm
  · mid	2592.99 MHz	518598	1 high-1	22.95 dBm
  · mid	2592.99 MHz	518598	1 high	21.60 dBm
  · mid	2592.99 MHz	518598	50 % mid	23.14 dBm
  · mid	2592.99 MHz	518598	100 %	20.19 dBm
  · high	2659.98 MHz	531996	1 low	21.72 dBm
  · high	2659.98 MHz	531996	1 low+1	23.17 dBm
  · high	2659.98 MHz	531996	1 high-1	22.97 dBm
  · high	2659.98 MHz	531996	1 high	21.33 dBm
  · high	2659.98 MHz	531996	50 % mid	22.93 dBm
  · high	2659.98 MHz	531996	100 %	20.01 dBm

NR, 16QAM, 70 MHz

Max: **23.16 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2531.01 MHz	506202	1 low	21.29 dBm
 · low	2531.01 MHz	506202	1 low+1	22.88 dBm
 · low	2531.01 MHz	506202	1 high-1	22.92 dBm
 · low	2531.01 MHz	506202	1 high	23.04 dBm
 · low	2531.01 MHz	506202	50 % mid	23.05 dBm
 · low	2531.01 MHz	506202	100 %	20.13 dBm
 · mid	2592.99 MHz	518598	1 low	21.55 dBm
 · mid	2592.99 MHz	518598	1 low+1	23.16 dBm
 · mid	2592.99 MHz	518598	1 high-1	22.79 dBm
 · mid	2592.99 MHz	518598	1 high	22.82 dBm
 · mid	2592.99 MHz	518598	50 % mid	23.03 dBm
 · mid	2592.99 MHz	518598	100 %	20.02 dBm
 · high	2655 MHz	531000	1 low	21.49 dBm
 · high	2655 MHz	531000	1 low+1	22.80 dBm
 · high	2655 MHz	531000	1 high-1	22.74 dBm
 · high	2655 MHz	531000	1 high	22.86 dBm
 · high	2655 MHz	531000	50 % mid	22.76 dBm
 · high	2655 MHz	531000	100 %	19.90 dBm

NR, 16QAM, 80 MHz

Max: **23.08 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2536.02 MHz	507204	1 low	21.45 dBm
  · low	2536.02 MHz	507204	1 low+1	22.87 dBm
  · low	2536.02 MHz	507204	1 high-1	23.04 dBm
  · low	2536.02 MHz	507204	1 high	23.07 dBm
  · low	2536.02 MHz	507204	50 % mid	23.08 dBm
  · low	2536.02 MHz	507204	100 %	20.10 dBm
  · mid	2592.99 MHz	518598	1 low	21.59 dBm
  · mid	2592.99 MHz	518598	1 low+1	23.02 dBm
  · mid	2592.99 MHz	518598	1 high-1	22.84 dBm
  · mid	2592.99 MHz	518598	1 high	22.89 dBm
  · mid	2592.99 MHz	518598	50 % mid	23.03 dBm
  · mid	2592.99 MHz	518598	100 %	20.01 dBm
  · high	2649.99 MHz	529998	1 low	21.47 dBm
  · high	2649.99 MHz	529998	1 low+1	22.86 dBm
  · high	2649.99 MHz	529998	1 high-1	22.79 dBm
  · high	2649.99 MHz	529998	1 high	22.87 dBm
  · high	2649.99 MHz	529998	50 % mid	22.89 dBm
  · high	2649.99 MHz	529998	100 %	19.97 dBm

NR, 16QAM, 90 MHz

Max: **23.03 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2541 MHz	508200	1 low	21.39 dBm
 · low	2541 MHz	508200	1 low+1	22.74 dBm
 · low	2541 MHz	508200	1 high-1	22.90 dBm
 · low	2541 MHz	508200	1 high	22.94 dBm
 · low	2541 MHz	508200	50 % mid	23.02 dBm
 · low	2541 MHz	508200	100 %	20.05 dBm
 · mid	2592.99 MHz	518598	1 low	21.43 dBm
 · mid	2592.99 MHz	518598	1 low+1	22.80 dBm
 · mid	2592.99 MHz	518598	1 high-1	22.86 dBm
 · mid	2592.99 MHz	518598	1 high	22.84 dBm
 · mid	2592.99 MHz	518598	50 % mid	23.03 dBm
 · mid	2592.99 MHz	518598	100 %	20.02 dBm
 · high	2644.98 MHz	528996	1 low	21.70 dBm
 · high	2644.98 MHz	528996	1 low+1	22.91 dBm
 · high	2644.98 MHz	528996	1 high-1	22.84 dBm
 · high	2644.98 MHz	528996	1 high	22.84 dBm
 · high	2644.98 MHz	528996	50 % mid	22.87 dBm
 · high	2644.98 MHz	528996	100 %	19.93 dBm

NR, 16QAM, 100 MHz

Max: **23.04 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2546.01 MHz	509202	1 low	21.34 dBm
 · low	2546.01 MHz	509202	1 low+1	22.75 dBm
 · low	2546.01 MHz	509202	1 high-1	22.87 dBm
 · low	2546.01 MHz	509202	1 high	22.91 dBm
 · low	2546.01 MHz	509202	50 % mid	22.99 dBm
 · low	2546.01 MHz	509202	100 %	20.01 dBm
 · mid	2592.99 MHz	518598	1 low	21.35 dBm
 · mid	2592.99 MHz	518598	1 low+1	22.86 dBm
 · mid	2592.99 MHz	518598	1 high-1	22.81 dBm
 · mid	2592.99 MHz	518598	1 high	22.84 dBm
 · mid	2592.99 MHz	518598	50 % mid	23.04 dBm
 · mid	2592.99 MHz	518598	100 %	20.04 dBm
 · high	2640 MHz	528000	1 low	21.52 dBm
 · high	2640 MHz	528000	1 low+1	23.00 dBm
 · high	2640 MHz	528000	1 high-1	22.86 dBm
 · high	2640 MHz	528000	1 high	22.82 dBm
 · high	2640 MHz	528000	50 % mid	22.94 dBm
 · high	2640 MHz	528000	100 %	19.95 dBm

NR, 64QAM, 10 MHz

Max: **21.66 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2501.01 MHz	500202	1 low	21.53 dBm
  · low	2501.01 MHz	500202	1 low+1	21.59 dBm
  · low	2501.01 MHz	500202	1 high-1	21.53 dBm
  · low	2501.01 MHz	500202	1 high	21.53 dBm
  · low	2501.01 MHz	500202	50 % mid	21.66 dBm
  · low	2501.01 MHz	500202	100 %	19.67 dBm
  · mid	2592.99 MHz	518598	1 low	21.54 dBm
  · mid	2592.99 MHz	518598	1 low+1	21.43 dBm
  · mid	2592.99 MHz	518598	1 high-1	21.49 dBm
  · mid	2592.99 MHz	518598	1 high	21.46 dBm
  · mid	2592.99 MHz	518598	50 % mid	21.62 dBm
  · mid	2592.99 MHz	518598	100 %	19.59 dBm
  · high	2685 MHz	537000	1 low	21.33 dBm
  · high	2685 MHz	537000	1 low+1	21.43 dBm
  · high	2685 MHz	537000	1 high-1	21.43 dBm
  · high	2685 MHz	537000	1 high	21.36 dBm
  · high	2685 MHz	537000	50 % mid	21.55 dBm
  · high	2685 MHz	537000	100 %	19.56 dBm

NR, 64QAM, 15 MHz

Max: **21.84 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2503.5 MHz	500700	1 low	21.49 dBm
 · low	2503.5 MHz	500700	1 low+1	21.64 dBm
 · low	2503.5 MHz	500700	1 high-1	21.84 dBm
 · low	2503.5 MHz	500700	1 high	21.66 dBm
 · low	2503.5 MHz	500700	50 % mid	21.79 dBm
 · low	2503.5 MHz	500700	100 %	19.83 dBm
 · mid	2592.99 MHz	518598	1 low	21.54 dBm
 · mid	2592.99 MHz	518598	1 low+1	21.65 dBm
 · mid	2592.99 MHz	518598	1 high-1	21.63 dBm
 · mid	2592.99 MHz	518598	1 high	21.46 dBm
 · mid	2592.99 MHz	518598	50 % mid	21.63 dBm
 · mid	2592.99 MHz	518598	100 %	19.69 dBm
 · high	2682.48 MHz	536496	1 low	21.47 dBm
 · high	2682.48 MHz	536496	1 low+1	21.48 dBm
 · high	2682.48 MHz	536496	1 high-1	21.40 dBm
 · high	2682.48 MHz	536496	1 high	21.52 dBm
 · high	2682.48 MHz	536496	50 % mid	21.67 dBm
 · high	2682.48 MHz	536496	100 %	19.58 dBm

NR, 64QAM, 20 MHz

Max: **21.82 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2506.02 MHz	501204	1 low	21.51 dBm
  · low	2506.02 MHz	501204	1 low+1	21.65 dBm
  · low	2506.02 MHz	501204	1 high-1	21.81 dBm
  · low	2506.02 MHz	501204	1 high	21.81 dBm
  · low	2506.02 MHz	501204	50 % mid	21.82 dBm
  · low	2506.02 MHz	501204	100 %	19.87 dBm
  · mid	2592.99 MHz	518598	1 low	21.70 dBm
  · mid	2592.99 MHz	518598	1 low+1	21.68 dBm
  · mid	2592.99 MHz	518598	1 high-1	21.68 dBm
  · mid	2592.99 MHz	518598	1 high	21.63 dBm
  · mid	2592.99 MHz	518598	50 % mid	21.64 dBm
  · mid	2592.99 MHz	518598	100 %	19.80 dBm
  · high	2679.99 MHz	535998	1 low	21.33 dBm
  · high	2679.99 MHz	535998	1 low+1	21.35 dBm
  · high	2679.99 MHz	535998	1 high-1	21.58 dBm
  · high	2679.99 MHz	535998	1 high	21.56 dBm
  · high	2679.99 MHz	535998	50 % mid	21.56 dBm
  · high	2679.99 MHz	535998	100 %	19.58 dBm

NR, 64QAM, 30 MHz

Max: **21.94 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2511 MHz	502200	1 low	21.56 dBm
 · low	2511 MHz	502200	1 low+1	21.78 dBm
 · low	2511 MHz	502200	1 high-1	21.90 dBm
 · low	2511 MHz	502200	1 high	21.83 dBm
 · low	2511 MHz	502200	50 % mid	21.89 dBm
 · low	2511 MHz	502200	100 %	19.93 dBm
 · mid	2592.99 MHz	518598	1 low	21.91 dBm
 · mid	2592.99 MHz	518598	1 low+1	21.87 dBm
 · mid	2592.99 MHz	518598	1 high-1	21.80 dBm
 · mid	2592.99 MHz	518598	1 high	21.94 dBm
 · mid	2592.99 MHz	518598	50 % mid	21.78 dBm
 · mid	2592.99 MHz	518598	100 %	19.90 dBm
 · high	2674.98 MHz	534996	1 low	21.38 dBm
 · high	2674.98 MHz	534996	1 low+1	21.33 dBm
 · high	2674.98 MHz	534996	1 high-1	21.69 dBm
 · high	2674.98 MHz	534996	1 high	21.67 dBm
 · high	2674.98 MHz	534996	50 % mid	21.61 dBm
 · high	2674.98 MHz	534996	100 %	19.61 dBm

NR, 64QAM, 40 MHz

Max: **22.07 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2516.01 MHz	503202	1 low	21.72 dBm
  · low	2516.01 MHz	503202	1 low+1	21.76 dBm
  · low	2516.01 MHz	503202	1 high-1	22.07 dBm
  · low	2516.01 MHz	503202	1 high	22.05 dBm
  · low	2516.01 MHz	503202	50 % mid	21.95 dBm
  · low	2516.01 MHz	503202	100 %	19.95 dBm
  · mid	2592.99 MHz	518598	1 low	22.03 dBm
  · mid	2592.99 MHz	518598	1 low+1	21.91 dBm
  · mid	2592.99 MHz	518598	1 high-1	21.77 dBm
  · mid	2592.99 MHz	518598	1 high	21.60 dBm
  · mid	2592.99 MHz	518598	50 % mid	21.84 dBm
  · mid	2592.99 MHz	518598	100 %	19.86 dBm
  · high	2670 MHz	534000	1 low	21.61 dBm
  · high	2670 MHz	534000	1 low+1	21.58 dBm
  · high	2670 MHz	534000	1 high-1	21.61 dBm
  · high	2670 MHz	534000	1 high	21.60 dBm
  · high	2670 MHz	534000	50 % mid	21.47 dBm
  · high	2670 MHz	534000	100 %	19.61 dBm

NR, 64QAM, 50 MHz

Max: **21.80 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2521.02 MHz	504204	1 low	21.68 dBm
 · low	2521.02 MHz	504204	1 low+1	21.59 dBm
 · low	2521.02 MHz	504204	1 high-1	21.56 dBm
 · low	2521.02 MHz	504204	1 high	21.55 dBm
 · low	2521.02 MHz	504204	50 % mid	21.78 dBm
 · low	2521.02 MHz	504204	100 %	19.80 dBm
 · mid	2592.99 MHz	518598	1 low	21.80 dBm
 · mid	2592.99 MHz	518598	1 low+1	21.73 dBm
 · mid	2592.99 MHz	518598	1 high-1	21.36 dBm
 · mid	2592.99 MHz	518598	1 high	21.46 dBm
 · mid	2592.99 MHz	518598	50 % mid	21.69 dBm
 · mid	2592.99 MHz	518598	100 %	19.74 dBm
 · high	2664.99 MHz	532998	1 low	21.50 dBm
 · high	2664.99 MHz	532998	1 low+1	21.51 dBm
 · high	2664.99 MHz	532998	1 high-1	21.40 dBm
 · high	2664.99 MHz	532998	1 high	21.42 dBm
 · high	2664.99 MHz	532998	50 % mid	21.41 dBm
 · high	2664.99 MHz	532998	100 %	19.51 dBm

NR, 64QAM, 60 MHz

Max: **21.89 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2526 MHz	505200	1 low	21.72 dBm
 · low	2526 MHz	505200	1 low+1	21.57 dBm
 · low	2526 MHz	505200	1 high-1	21.72 dBm
 · low	2526 MHz	505200	1 high	21.65 dBm
 · low	2526 MHz	505200	50 % mid	21.89 dBm
 · low	2526 MHz	505200	100 %	19.85 dBm
 · mid	2592.99 MHz	518598	1 low	21.70 dBm
 · mid	2592.99 MHz	518598	1 low+1	21.71 dBm
 · mid	2592.99 MHz	518598	1 high-1	21.35 dBm
 · mid	2592.99 MHz	518598	1 high	21.44 dBm
 · mid	2592.99 MHz	518598	50 % mid	21.65 dBm
 · mid	2592.99 MHz	518598	100 %	19.72 dBm
 · high	2659.98 MHz	531996	1 low	21.51 dBm
 · high	2659.98 MHz	531996	1 low+1	21.61 dBm
 · high	2659.98 MHz	531996	1 high-1	21.40 dBm
 · high	2659.98 MHz	531996	1 high	21.39 dBm
 · high	2659.98 MHz	531996	50 % mid	21.46 dBm
 · high	2659.98 MHz	531996	100 %	19.53 dBm

NR, 64QAM, 70 MHz

Max: **21.60 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2531.01 MHz	506202	1 low	21.42 dBm
  · low	2531.01 MHz	506202	1 low+1	21.37 dBm
  · low	2531.01 MHz	506202	1 high-1	21.46 dBm
  · low	2531.01 MHz	506202	1 high	21.46 dBm
  · low	2531.01 MHz	506202	50 % mid	21.60 dBm
  · low	2531.01 MHz	506202	100 %	19.61 dBm
  · mid	2592.99 MHz	518598	1 low	21.48 dBm
  · mid	2592.99 MHz	518598	1 low+1	21.44 dBm
  · mid	2592.99 MHz	518598	1 high-1	21.30 dBm
  · mid	2592.99 MHz	518598	1 high	21.27 dBm
  · mid	2592.99 MHz	518598	50 % mid	21.47 dBm
  · mid	2592.99 MHz	518598	100 %	19.52 dBm
  · high	2655 MHz	531000	1 low	21.47 dBm
  · high	2655 MHz	531000	1 low+1	21.32 dBm
  · high	2655 MHz	531000	1 high-1	21.19 dBm
  · high	2655 MHz	531000	1 high	21.20 dBm
  · high	2655 MHz	531000	50 % mid	21.34 dBm
  · high	2655 MHz	531000	100 %	19.36 dBm

NR, 64QAM, 80 MHz

Max: **21.60 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2536.02 MHz	507204	1 low	21.40 dBm
  · low	2536.02 MHz	507204	1 low+1	21.31 dBm
  · low	2536.02 MHz	507204	1 high-1	21.46 dBm
  · low	2536.02 MHz	507204	1 high	21.53 dBm
  · low	2536.02 MHz	507204	50 % mid	21.57 dBm
  · low	2536.02 MHz	507204	100 %	19.61 dBm
  · mid	2592.99 MHz	518598	1 low	21.60 dBm
  · mid	2592.99 MHz	518598	1 low+1	21.44 dBm
  · mid	2592.99 MHz	518598	1 high-1	21.33 dBm
  · mid	2592.99 MHz	518598	1 high	21.27 dBm
  · mid	2592.99 MHz	518598	50 % mid	21.56 dBm
  · mid	2592.99 MHz	518598	100 %	19.51 dBm
  · high	2649.99 MHz	529998	1 low	21.59 dBm
  · high	2649.99 MHz	529998	1 low+1	21.32 dBm
  · high	2649.99 MHz	529998	1 high-1	21.18 dBm
  · high	2649.99 MHz	529998	1 high	21.18 dBm
  · high	2649.99 MHz	529998	50 % mid	21.39 dBm
  · high	2649.99 MHz	529998	100 %	19.41 dBm

NR, 64QAM, 90 MHz

Max: **21.61 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2541 MHz	508200	1 low	21.32 dBm
  · low	2541 MHz	508200	1 low+1	21.11 dBm
  · low	2541 MHz	508200	1 high-1	21.33 dBm
  · low	2541 MHz	508200	1 high	21.33 dBm
  · low	2541 MHz	508200	50 % mid	21.57 dBm
  · low	2541 MHz	508200	100 %	19.49 dBm
  · mid	2592.99 MHz	518598	1 low	21.24 dBm
  · mid	2592.99 MHz	518598	1 low+1	21.34 dBm
  · mid	2592.99 MHz	518598	1 high-1	21.33 dBm
  · mid	2592.99 MHz	518598	1 high	21.35 dBm
  · mid	2592.99 MHz	518598	50 % mid	21.49 dBm
  · mid	2592.99 MHz	518598	100 %	19.52 dBm
  · high	2644.98 MHz	528996	1 low	21.61 dBm
  · high	2644.98 MHz	528996	1 low+1	21.34 dBm
  · high	2644.98 MHz	528996	1 high-1	21.11 dBm
  · high	2644.98 MHz	528996	1 high	21.08 dBm
  · high	2644.98 MHz	528996	50 % mid	21.44 dBm
  · high	2644.98 MHz	528996	100 %	19.41 dBm

NR, 64QAM, 100 MHz

Max: **21.61 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2546.01 MHz	509202	1 low	21.17 dBm
  · low	2546.01 MHz	509202	1 low+1	21.22 dBm
  · low	2546.01 MHz	509202	1 high-1	21.26 dBm
  · low	2546.01 MHz	509202	1 high	21.13 dBm
  · low	2546.01 MHz	509202	50 % mid	21.61 dBm
  · low	2546.01 MHz	509202	100 %	19.52 dBm
  · mid	2592.99 MHz	518598	1 low	21.38 dBm
  · mid	2592.99 MHz	518598	1 low+1	21.22 dBm
  · mid	2592.99 MHz	518598	1 high-1	21.24 dBm
  · mid	2592.99 MHz	518598	1 high	21.16 dBm
  · mid	2592.99 MHz	518598	50 % mid	21.55 dBm
  · mid	2592.99 MHz	518598	100 %	19.49 dBm
  · high	2640 MHz	528000	1 low	21.47 dBm
  · high	2640 MHz	528000	1 low+1	21.35 dBm
  · high	2640 MHz	528000	1 high-1	21.20 dBm
  · high	2640 MHz	528000	1 high	21.11 dBm
  · high	2640 MHz	528000	50 % mid	21.42 dBm
  · high	2640 MHz	528000	100 %	19.45 dBm

NR, 256QAM, 10 MHz

Max: **18.74 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2501.01 MHz	500202	1 low	18.29 dBm
  · low	2501.01 MHz	500202	1 low+1	18.45 dBm
  · low	2501.01 MHz	500202	1 high-1	18.50 dBm
  · low	2501.01 MHz	500202	1 high	18.47 dBm
  · low	2501.01 MHz	500202	50 % mid	18.74 dBm
  · low	2501.01 MHz	500202	100 %	16.21 dBm
  · mid	2592.99 MHz	518598	1 low	18.31 dBm
  · mid	2592.99 MHz	518598	1 low+1	18.39 dBm
  · mid	2592.99 MHz	518598	1 high-1	18.31 dBm
  · mid	2592.99 MHz	518598	1 high	18.30 dBm
  · mid	2592.99 MHz	518598	50 % mid	18.64 dBm
  · mid	2592.99 MHz	518598	100 %	15.67 dBm
  · high	2685 MHz	537000	1 low	18.22 dBm
  · high	2685 MHz	537000	1 low+1	18.32 dBm
  · high	2685 MHz	537000	1 high-1	18.35 dBm
  · high	2685 MHz	537000	1 high	18.21 dBm
  · high	2685 MHz	537000	50 % mid	18.62 dBm
  · high	2685 MHz	537000	100 %	15.67 dBm

NR, 256QAM, 15 MHz

Max: **18.88 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2503.5 MHz	500700	1 low	18.55 dBm
  · low	2503.5 MHz	500700	1 low+1	18.39 dBm
  · low	2503.5 MHz	500700	1 high-1	18.76 dBm
  · low	2503.5 MHz	500700	1 high	18.88 dBm
  · low	2503.5 MHz	500700	50 % mid	18.83 dBm
  · low	2503.5 MHz	500700	100 %	16.33 dBm
  · mid	2592.99 MHz	518598	1 low	18.55 dBm
  · mid	2592.99 MHz	518598	1 low+1	18.51 dBm
  · mid	2592.99 MHz	518598	1 high-1	18.49 dBm
  · mid	2592.99 MHz	518598	1 high	18.58 dBm
  · mid	2592.99 MHz	518598	50 % mid	18.66 dBm
  · mid	2592.99 MHz	518598	100 %	15.81 dBm
  · high	2682.48 MHz	536496	1 low	18.40 dBm
  · high	2682.48 MHz	536496	1 low+1	18.41 dBm
  · high	2682.48 MHz	536496	1 high-1	18.47 dBm
  · high	2682.48 MHz	536496	1 high	18.48 dBm
  · high	2682.48 MHz	536496	50 % mid	18.65 dBm
  · high	2682.48 MHz	536496	100 %	15.64 dBm

NR, 256QAM, 20 MHz

Max: **18.92 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2506.02 MHz	501204	1 low	18.49 dBm
  · low	2506.02 MHz	501204	1 low+1	18.63 dBm
  · low	2506.02 MHz	501204	1 high-1	18.54 dBm
  · low	2506.02 MHz	501204	1 high	18.75 dBm
  · low	2506.02 MHz	501204	50 % mid	18.92 dBm
  · low	2506.02 MHz	501204	100 %	16.47 dBm
  · mid	2592.99 MHz	518598	1 low	18.52 dBm
  · mid	2592.99 MHz	518598	1 low+1	18.46 dBm
  · mid	2592.99 MHz	518598	1 high-1	18.34 dBm
  · mid	2592.99 MHz	518598	1 high	18.47 dBm
  · mid	2592.99 MHz	518598	50 % mid	18.72 dBm
  · mid	2592.99 MHz	518598	100 %	15.87 dBm
  · high	2679.99 MHz	535998	1 low	18.33 dBm
  · high	2679.99 MHz	535998	1 low+1	18.20 dBm
  · high	2679.99 MHz	535998	1 high-1	18.45 dBm
  · high	2679.99 MHz	535998	1 high	18.54 dBm
  · high	2679.99 MHz	535998	50 % mid	18.71 dBm
  · high	2679.99 MHz	535998	100 %	15.81 dBm

NR, 256QAM, 30 MHz

Max: **18.94 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2511 MHz	502200	1 low	18.54 dBm
 · low	2511 MHz	502200	1 low+1	18.48 dBm
 · low	2511 MHz	502200	1 high-1	18.78 dBm
 · low	2511 MHz	502200	1 high	18.59 dBm
 · low	2511 MHz	502200	50 % mid	18.94 dBm
 · low	2511 MHz	502200	100 %	16.45 dBm
 · mid	2592.99 MHz	518598	1 low	18.72 dBm
 · mid	2592.99 MHz	518598	1 low+1	18.77 dBm
 · mid	2592.99 MHz	518598	1 high-1	18.82 dBm
 · mid	2592.99 MHz	518598	1 high	18.63 dBm
 · mid	2592.99 MHz	518598	50 % mid	18.88 dBm
 · mid	2592.99 MHz	518598	100 %	16.00 dBm
 · high	2674.98 MHz	534996	1 low	18.42 dBm
 · high	2674.98 MHz	534996	1 low+1	18.52 dBm
 · high	2674.98 MHz	534996	1 high-1	18.57 dBm
 · high	2674.98 MHz	534996	1 high	18.84 dBm
 · high	2674.98 MHz	534996	50 % mid	18.63 dBm
 · high	2674.98 MHz	534996	100 %	15.79 dBm

NR, 256QAM, 40 MHz

Max: **18.92 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2516.01 MHz	503202	1 low	18.60 dBm
  · low	2516.01 MHz	503202	1 low+1	18.67 dBm
  · low	2516.01 MHz	503202	1 high-1	18.86 dBm
  · low	2516.01 MHz	503202	1 high	18.91 dBm
  · low	2516.01 MHz	503202	50 % mid	18.92 dBm
  · low	2516.01 MHz	503202	100 %	16.49 dBm
  · mid	2592.99 MHz	518598	1 low	18.68 dBm
  · mid	2592.99 MHz	518598	1 low+1	18.85 dBm
  · mid	2592.99 MHz	518598	1 high-1	18.86 dBm
  · mid	2592.99 MHz	518598	1 high	18.57 dBm
  · mid	2592.99 MHz	518598	50 % mid	18.83 dBm
  · mid	2592.99 MHz	518598	100 %	16.04 dBm
  · high	2670 MHz	534000	1 low	18.63 dBm
  · high	2670 MHz	534000	1 low+1	18.68 dBm
  · high	2670 MHz	534000	1 high-1	18.64 dBm
  · high	2670 MHz	534000	1 high	18.46 dBm
  · high	2670 MHz	534000	50 % mid	18.58 dBm
  · high	2670 MHz	534000	100 %	15.71 dBm

NR, 256QAM, 50 MHz

Max: **18.92 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2521.02 MHz	504204	1 low	18.35 dBm
  · low	2521.02 MHz	504204	1 low+1	18.46 dBm
  · low	2521.02 MHz	504204	1 high-1	18.50 dBm
  · low	2521.02 MHz	504204	1 high	18.34 dBm
  · low	2521.02 MHz	504204	50 % mid	18.92 dBm
  · low	2521.02 MHz	504204	100 %	16.37 dBm
  · mid	2592.99 MHz	518598	1 low	18.44 dBm
  · mid	2592.99 MHz	518598	1 low+1	18.44 dBm
  · mid	2592.99 MHz	518598	1 high-1	18.42 dBm
  · mid	2592.99 MHz	518598	1 high	18.23 dBm
  · mid	2592.99 MHz	518598	50 % mid	18.70 dBm
  · mid	2592.99 MHz	518598	100 %	15.84 dBm
  · high	2664.99 MHz	532998	1 low	18.39 dBm
  · high	2664.99 MHz	532998	1 low+1	18.27 dBm
  · high	2664.99 MHz	532998	1 high-1	18.47 dBm
  · high	2664.99 MHz	532998	1 high	18.47 dBm
  · high	2664.99 MHz	532998	50 % mid	18.41 dBm
  · high	2664.99 MHz	532998	100 %	15.55 dBm

NR, 256QAM, 60 MHz

Max: **18.90 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2526 MHz	505200	1 low	18.26 dBm
  · low	2526 MHz	505200	1 low+1	18.32 dBm
  · low	2526 MHz	505200	1 high-1	18.50 dBm
  · low	2526 MHz	505200	1 high	18.60 dBm
  · low	2526 MHz	505200	50 % mid	18.90 dBm
  · low	2526 MHz	505200	100 %	16.47 dBm
  · mid	2592.99 MHz	518598	1 low	18.80 dBm
  · mid	2592.99 MHz	518598	1 low+1	18.71 dBm
  · mid	2592.99 MHz	518598	1 high-1	18.31 dBm
  · mid	2592.99 MHz	518598	1 high	18.27 dBm
  · mid	2592.99 MHz	518598	50 % mid	18.79 dBm
  · mid	2592.99 MHz	518598	100 %	15.80 dBm
  · high	2659.98 MHz	531996	1 low	18.39 dBm
  · high	2659.98 MHz	531996	1 low+1	18.49 dBm
  · high	2659.98 MHz	531996	1 high-1	18.56 dBm
  · high	2659.98 MHz	531996	1 high	18.16 dBm
  · high	2659.98 MHz	531996	50 % mid	18.50 dBm
  · high	2659.98 MHz	531996	100 %	15.63 dBm

NR, 256QAM, 70 MHz

Max: **18.77 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2531.01 MHz	506202	1 low	18.02 dBm
  · low	2531.01 MHz	506202	1 low+1	18.26 dBm
  · low	2531.01 MHz	506202	1 high-1	18.77 dBm
  · low	2531.01 MHz	506202	1 high	18.56 dBm
  · low	2531.01 MHz	506202	50 % mid	18.60 dBm
  · low	2531.01 MHz	506202	100 %	16.11 dBm
  · mid	2592.99 MHz	518598	1 low	18.37 dBm
  · mid	2592.99 MHz	518598	1 low+1	18.56 dBm
  · mid	2592.99 MHz	518598	1 high-1	17.99 dBm
  · mid	2592.99 MHz	518598	1 high	18.17 dBm
  · mid	2592.99 MHz	518598	50 % mid	18.59 dBm
  · mid	2592.99 MHz	518598	100 %	15.63 dBm
  · high	2655 MHz	531000	1 low	18.36 dBm
  · high	2655 MHz	531000	1 low+1	18.13 dBm
  · high	2655 MHz	531000	1 high-1	18.10 dBm
  · high	2655 MHz	531000	1 high	18.04 dBm
  · high	2655 MHz	531000	50 % mid	18.38 dBm
  · high	2655 MHz	531000	100 %	15.42 dBm

NR, 256QAM, 80 MHz

Max: **18.72 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2536.02 MHz	507204	1 low	18.22 dBm
  · low	2536.02 MHz	507204	1 low+1	18.02 dBm
  · low	2536.02 MHz	507204	1 high-1	18.72 dBm
  · low	2536.02 MHz	507204	1 high	18.38 dBm
  · low	2536.02 MHz	507204	50 % mid	18.63 dBm
  · low	2536.02 MHz	507204	100 %	16.08 dBm
  · mid	2592.99 MHz	518598	1 low	18.34 dBm
  · mid	2592.99 MHz	518598	1 low+1	18.40 dBm
  · mid	2592.99 MHz	518598	1 high-1	18.40 dBm
  · mid	2592.99 MHz	518598	1 high	18.36 dBm
  · mid	2592.99 MHz	518598	50 % mid	18.67 dBm
  · mid	2592.99 MHz	518598	100 %	15.68 dBm
  · high	2649.99 MHz	529998	1 low	18.39 dBm
  · high	2649.99 MHz	529998	1 low+1	18.22 dBm
  · high	2649.99 MHz	529998	1 high-1	18.27 dBm
  · high	2649.99 MHz	529998	1 high	18.08 dBm
  · high	2649.99 MHz	529998	50 % mid	18.41 dBm
  · high	2649.99 MHz	529998	100 %	15.52 dBm

NR, 256QAM, 90 MHz

Max: **18.55 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	2541 MHz	508200	1 low	17.98 dBm
 · low	2541 MHz	508200	1 low+1	18.12 dBm
 · low	2541 MHz	508200	1 high-1	18.47 dBm
 · low	2541 MHz	508200	1 high	18.01 dBm
 · low	2541 MHz	508200	50 % mid	18.55 dBm
 · low	2541 MHz	508200	100 %	16.07 dBm
 · mid	2592.99 MHz	518598	1 low	18.25 dBm
 · mid	2592.99 MHz	518598	1 low+1	18.24 dBm
 · mid	2592.99 MHz	518598	1 high-1	18.22 dBm
 · mid	2592.99 MHz	518598	1 high	18.08 dBm
 · mid	2592.99 MHz	518598	50 % mid	18.55 dBm
 · mid	2592.99 MHz	518598	100 %	15.78 dBm
 · high	2644.98 MHz	528996	1 low	18.37 dBm
 · high	2644.98 MHz	528996	1 low+1	18.54 dBm
 · high	2644.98 MHz	528996	1 high-1	17.94 dBm
 · high	2644.98 MHz	528996	1 high	18.31 dBm
 · high	2644.98 MHz	528996	50 % mid	18.55 dBm
 · high	2644.98 MHz	528996	100 %	15.53 dBm

NR, 256QAM, 100 MHz

Max: **18.58 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	2546.01 MHz	509202	1 low	18.27 dBm
  · low	2546.01 MHz	509202	1 low+1	18.11 dBm
  · low	2546.01 MHz	509202	1 high-1	18.14 dBm
  · low	2546.01 MHz	509202	1 high	17.95 dBm
  · low	2546.01 MHz	509202	50 % mid	18.55 dBm
  · low	2546.01 MHz	509202	100 %	16.20 dBm
  · mid	2592.99 MHz	518598	1 low	18.09 dBm
  · mid	2592.99 MHz	518598	1 low+1	18.14 dBm
  · mid	2592.99 MHz	518598	1 high-1	18.12 dBm
  · mid	2592.99 MHz	518598	1 high	18.13 dBm
  · mid	2592.99 MHz	518598	50 % mid	18.58 dBm
  · mid	2592.99 MHz	518598	100 %	15.74 dBm
  · high	2640 MHz	528000	1 low	18.38 dBm
  · high	2640 MHz	528000	1 low+1	18.02 dBm
  · high	2640 MHz	528000	1 high-1	18.22 dBm
  · high	2640 MHz	528000	1 high	18.21 dBm
  · high	2640 MHz	528000	50 % mid	18.47 dBm
  · high	2640 MHz	528000	100 %	15.50 dBm

Output power — Band 48

Maximum P_{avg} per (technology · bandwidth · modulation) for **Band 48** (25 tables)

The max-summary table leads; one measurement table follows per (technology · bandwidth · modulation), with each table's maximum P_{avg} highlighted.

Result rows used

- **NR** — the **TX power Σ** result rows (total transmit power, summed over the TX antennas).
- The per-antenna **TX power 1** / **TX power 2** rows are deliberately not tabulated.

Max summary

Technology	Bandwidth	Modulation	Max P_{avg}	Where
NR	10 MHz	BPSK	18.41 dBm	 · low · ch 637000
NR	15 MHz	BPSK	18.85 dBm	 · low · ch 637168
NR	20 MHz	BPSK	18.56 dBm	 · low · ch 637334
NR	30 MHz	BPSK	18.77 dBm	 · low · ch 637668
NR	40 MHz	BPSK	18.66 dBm	 · low · ch 638000
NR	10 MHz	QPSK	20.36 dBm	 · low · ch 637000
NR	15 MHz	QPSK	20.63 dBm	 · low · ch 637168
NR	20 MHz	QPSK	20.56 dBm	 · low · ch 637334
NR	30 MHz	QPSK	20.69 dBm	 · low · ch 637668
NR	40 MHz	QPSK	20.73 dBm	 · low · ch 638000
NR	10 MHz	16QAM	19.89 dBm	 · low · ch 637000
NR	15 MHz	16QAM	20.08 dBm	 · low · ch 637168
NR	20 MHz	16QAM	20.21 dBm	 · low · ch 637334
NR	30 MHz	16QAM	20.13 dBm	 · low · ch 637668
NR	40 MHz	16QAM	20.26 dBm	 · low · ch 638000
NR	10 MHz	64QAM	18.52 dBm	 · low · ch 637000
NR	15 MHz	64QAM	18.57 dBm	 · low · ch 637168
NR	20 MHz	64QAM	18.57 dBm	 · low · ch 637334
NR	30 MHz	64QAM	18.65 dBm	 · low · ch 637668
NR	40 MHz	64QAM	18.77 dBm	 · low · ch 638000

Technology	Bandwidth	Modulation	Max P _{avg}	Where
NR	10 MHz	256QAM	16.62 dBm	   · high · ch 646332
NR	15 MHz	256QAM	16.72 dBm	   · low · ch 637168
NR	20 MHz	256QAM	16.69 dBm	   · low · ch 637334
NR	30 MHz	256QAM	16.80 dBm	   · low · ch 637668
NR	40 MHz	256QAM	16.84 dBm	   · low · ch 638000

NR, BPSK, 10 MHz

Max: **18.41 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3555 MHz	637000	1 low	16.54 dBm
 · low	3555 MHz	637000	1 low+1	18.41 dBm
 · low	3555 MHz	637000	1 high-1	18.08 dBm
 · low	3555 MHz	637000	1 high	17.92 dBm
 · low	3555 MHz	637000	50 % mid	18.19 dBm
 · low	3555 MHz	637000	100 %	16.47 dBm
 · mid	3624.99 MHz	641666	1 low	18.21 dBm
 · mid	3624.99 MHz	641666	1 low+1	18.13 dBm
 · mid	3624.99 MHz	641666	1 high-1	18.13 dBm
 · mid	3624.99 MHz	641666	1 high	18.21 dBm
 · mid	3624.99 MHz	641666	50 % mid	18.06 dBm
 · mid	3624.99 MHz	641666	100 %	16.43 dBm
 · high	3694.98 MHz	646332	1 low	18.14 dBm
 · high	3694.98 MHz	646332	1 low+1	18.07 dBm
 · high	3694.98 MHz	646332	1 high-1	18.36 dBm
 · high	3694.98 MHz	646332	1 high	18.26 dBm
 · high	3694.98 MHz	646332	50 % mid	18.23 dBm
 · high	3694.98 MHz	646332	100 %	16.45 dBm

NR, BPSK, 15 MHz

Max: **18.85 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3557.52 MHz	637168	1 low	16.67 dBm
  · low	3557.52 MHz	637168	1 low+1	18.85 dBm
  · low	3557.52 MHz	637168	1 high-1	18.54 dBm
  · low	3557.52 MHz	637168	1 high	18.30 dBm
  · low	3557.52 MHz	637168	50 % mid	18.26 dBm
  · low	3557.52 MHz	637168	100 %	16.69 dBm
  · mid	3624.99 MHz	641666	1 low	18.55 dBm
  · mid	3624.99 MHz	641666	1 low+1	18.41 dBm
  · mid	3624.99 MHz	641666	1 high-1	18.22 dBm
  · mid	3624.99 MHz	641666	1 high	18.23 dBm
  · mid	3624.99 MHz	641666	50 % mid	18.15 dBm
  · mid	3624.99 MHz	641666	100 %	16.46 dBm
  · high	3692.49 MHz	646166	1 low	17.87 dBm
  · high	3692.49 MHz	646166	1 low+1	17.79 dBm
  · high	3692.49 MHz	646166	1 high-1	18.23 dBm
  · high	3692.49 MHz	646166	1 high	18.30 dBm
  · high	3692.49 MHz	646166	50 % mid	18.07 dBm
  · high	3692.49 MHz	646166	100 %	16.39 dBm

NR, BPSK, 20 MHz

Max: **18.56 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3560.01 MHz	637334	1 low	16.62 dBm
 · low	3560.01 MHz	637334	1 low+1	18.44 dBm
 · low	3560.01 MHz	637334	1 high-1	18.28 dBm
 · low	3560.01 MHz	637334	1 high	18.56 dBm
 · low	3560.01 MHz	637334	50 % mid	18.30 dBm
 · low	3560.01 MHz	637334	100 %	16.65 dBm
 · mid	3624.99 MHz	641666	1 low	18.48 dBm
 · mid	3624.99 MHz	641666	1 low+1	18.12 dBm
 · mid	3624.99 MHz	641666	1 high-1	18.36 dBm
 · mid	3624.99 MHz	641666	1 high	18.54 dBm
 · mid	3624.99 MHz	641666	50 % mid	18.28 dBm
 · mid	3624.99 MHz	641666	100 %	16.52 dBm
 · high	3690 MHz	646000	1 low	18.38 dBm
 · high	3690 MHz	646000	1 low+1	17.86 dBm
 · high	3690 MHz	646000	1 high-1	18.49 dBm
 · high	3690 MHz	646000	1 high	18.51 dBm
 · high	3690 MHz	646000	50 % mid	17.97 dBm
 · high	3690 MHz	646000	100 %	16.29 dBm

NR, BPSK, 30 MHz

Max: **18.77 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3565.02 MHz	637668	1 low	16.68 dBm
 · low	3565.02 MHz	637668	1 low+1	18.70 dBm
 · low	3565.02 MHz	637668	1 high-1	18.65 dBm
 · low	3565.02 MHz	637668	1 high	18.77 dBm
 · low	3565.02 MHz	637668	50 % mid	18.37 dBm
 · low	3565.02 MHz	637668	100 %	16.75 dBm
 · mid	3624.99 MHz	641666	1 low	18.37 dBm
 · mid	3624.99 MHz	641666	1 low+1	18.23 dBm
 · mid	3624.99 MHz	641666	1 high-1	18.34 dBm
 · mid	3624.99 MHz	641666	1 high	18.35 dBm
 · mid	3624.99 MHz	641666	50 % mid	18.20 dBm
 · mid	3624.99 MHz	641666	100 %	16.58 dBm
 · high	3684.99 MHz	645666	1 low	18.56 dBm
 · high	3684.99 MHz	645666	1 low+1	18.24 dBm
 · high	3684.99 MHz	645666	1 high-1	18.46 dBm
 · high	3684.99 MHz	645666	1 high	18.34 dBm
 · high	3684.99 MHz	645666	50 % mid	18.05 dBm
 · high	3684.99 MHz	645666	100 %	16.45 dBm

NR, BPSK, 40 MHz

Max: **18.66 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3570 MHz	638000	1 low	16.73 dBm
 · low	3570 MHz	638000	1 low+1	18.66 dBm
 · low	3570 MHz	638000	1 high-1	18.54 dBm
 · low	3570 MHz	638000	1 high	18.48 dBm
 · low	3570 MHz	638000	50 % mid	18.55 dBm
 · low	3570 MHz	638000	100 %	16.75 dBm
 · mid	3624.99 MHz	641666	1 low	18.38 dBm
 · mid	3624.99 MHz	641666	1 low+1	18.13 dBm
 · mid	3624.99 MHz	641666	1 high-1	18.29 dBm
 · mid	3624.99 MHz	641666	1 high	18.33 dBm
 · mid	3624.99 MHz	641666	50 % mid	18.25 dBm
 · mid	3624.99 MHz	641666	100 %	16.55 dBm
 · high	3679.98 MHz	645332	1 low	18.29 dBm
 · high	3679.98 MHz	645332	1 low+1	18.19 dBm
 · high	3679.98 MHz	645332	1 high-1	18.30 dBm
 · high	3679.98 MHz	645332	1 high	18.41 dBm
 · high	3679.98 MHz	645332	50 % mid	18.11 dBm
 · high	3679.98 MHz	645332	100 %	16.51 dBm

NR, QPSK, 10 MHz

Max: **20.36 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3555 MHz	637000	1 low	19.00 dBm
 · low	3555 MHz	637000	1 low+1	20.35 dBm
 · low	3555 MHz	637000	1 high-1	20.04 dBm
 · low	3555 MHz	637000	1 high	18.43 dBm
 · low	3555 MHz	637000	50 % mid	20.36 dBm
 · low	3555 MHz	637000	100 %	17.38 dBm
 · mid	3624.99 MHz	641666	1 low	18.66 dBm
 · mid	3624.99 MHz	641666	1 low+1	20.08 dBm
 · mid	3624.99 MHz	641666	1 high-1	20.14 dBm
 · mid	3624.99 MHz	641666	1 high	18.45 dBm
 · mid	3624.99 MHz	641666	50 % mid	20.29 dBm
 · mid	3624.99 MHz	641666	100 %	17.23 dBm
 · high	3694.98 MHz	646332	1 low	18.49 dBm
 · high	3694.98 MHz	646332	1 low+1	19.99 dBm
 · high	3694.98 MHz	646332	1 high-1	20.31 dBm
 · high	3694.98 MHz	646332	1 high	18.68 dBm
 · high	3694.98 MHz	646332	50 % mid	20.35 dBm
 · high	3694.98 MHz	646332	100 %	17.40 dBm

NR, QPSK, 15 MHz

Max: **20.63 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3557.52 MHz	637168	1 low	19.21 dBm
 · low	3557.52 MHz	637168	1 low+1	20.63 dBm
 · low	3557.52 MHz	637168	1 high-1	20.25 dBm
 · low	3557.52 MHz	637168	1 high	18.70 dBm
 · low	3557.52 MHz	637168	50 % mid	20.47 dBm
 · low	3557.52 MHz	637168	100 %	17.60 dBm
 · mid	3624.99 MHz	641666	1 low	18.79 dBm
 · mid	3624.99 MHz	641666	1 low+1	20.22 dBm
 · mid	3624.99 MHz	641666	1 high-1	20.30 dBm
 · mid	3624.99 MHz	641666	1 high	18.71 dBm
 · mid	3624.99 MHz	641666	50 % mid	20.34 dBm
 · mid	3624.99 MHz	641666	100 %	17.48 dBm
 · high	3692.49 MHz	646166	1 low	18.34 dBm
 · high	3692.49 MHz	646166	1 low+1	19.85 dBm
 · high	3692.49 MHz	646166	1 high-1	20.40 dBm
 · high	3692.49 MHz	646166	1 high	18.99 dBm
 · high	3692.49 MHz	646166	50 % mid	20.17 dBm
 · high	3692.49 MHz	646166	100 %	17.29 dBm

NR, QPSK, 20 MHz

Max: **20.56 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3560.01 MHz	637334	1 low	19.21 dBm
 · low	3560.01 MHz	637334	1 low+1	20.49 dBm
 · low	3560.01 MHz	637334	1 high-1	20.56 dBm
 · low	3560.01 MHz	637334	1 high	20.55 dBm
 · low	3560.01 MHz	637334	50 % mid	20.53 dBm
 · low	3560.01 MHz	637334	100 %	17.57 dBm
 · mid	3624.99 MHz	641666	1 low	18.80 dBm
 · mid	3624.99 MHz	641666	1 low+1	20.18 dBm
 · mid	3624.99 MHz	641666	1 high-1	20.32 dBm
 · mid	3624.99 MHz	641666	1 high	20.24 dBm
 · mid	3624.99 MHz	641666	50 % mid	20.35 dBm
 · mid	3624.99 MHz	641666	100 %	17.36 dBm
 · high	3690 MHz	646000	1 low	18.41 dBm
 · high	3690 MHz	646000	1 low+1	19.94 dBm
 · high	3690 MHz	646000	1 high-1	20.41 dBm
 · high	3690 MHz	646000	1 high	20.35 dBm
 · high	3690 MHz	646000	50 % mid	20.16 dBm
 · high	3690 MHz	646000	100 %	17.22 dBm

NR, QPSK, 30 MHz

Max: **20.69 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3565.02 MHz	637668	1 low	19.29 dBm
 · low	3565.02 MHz	637668	1 low+1	20.69 dBm
 · low	3565.02 MHz	637668	1 high-1	20.59 dBm
 · low	3565.02 MHz	637668	1 high	20.59 dBm
 · low	3565.02 MHz	637668	50 % mid	20.57 dBm
 · low	3565.02 MHz	637668	100 %	17.68 dBm
 · mid	3624.99 MHz	641666	1 low	18.81 dBm
 · mid	3624.99 MHz	641666	1 low+1	20.19 dBm
 · mid	3624.99 MHz	641666	1 high-1	20.31 dBm
 · mid	3624.99 MHz	641666	1 high	20.42 dBm
 · mid	3624.99 MHz	641666	50 % mid	20.39 dBm
 · mid	3624.99 MHz	641666	100 %	17.46 dBm
 · high	3684.99 MHz	645666	1 low	18.99 dBm
 · high	3684.99 MHz	645666	1 low+1	20.42 dBm
 · high	3684.99 MHz	645666	1 high-1	20.54 dBm
 · high	3684.99 MHz	645666	1 high	20.49 dBm
 · high	3684.99 MHz	645666	50 % mid	20.16 dBm
 · high	3684.99 MHz	645666	100 %	17.34 dBm

NR, QPSK, 40 MHz

Max: **20.73 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3570 MHz	638000	1 low	19.34 dBm
 · low	3570 MHz	638000	1 low+1	20.67 dBm
 · low	3570 MHz	638000	1 high-1	20.47 dBm
 · low	3570 MHz	638000	1 high	20.53 dBm
 · low	3570 MHz	638000	50 % mid	20.73 dBm
 · low	3570 MHz	638000	100 %	17.74 dBm
 · mid	3624.99 MHz	641666	1 low	18.77 dBm
 · mid	3624.99 MHz	641666	1 low+1	20.12 dBm
 · mid	3624.99 MHz	641666	1 high-1	20.30 dBm
 · mid	3624.99 MHz	641666	1 high	20.44 dBm
 · mid	3624.99 MHz	641666	50 % mid	20.38 dBm
 · mid	3624.99 MHz	641666	100 %	17.49 dBm
 · high	3679.98 MHz	645332	1 low	18.80 dBm
 · high	3679.98 MHz	645332	1 low+1	20.00 dBm
 · high	3679.98 MHz	645332	1 high-1	20.47 dBm
 · high	3679.98 MHz	645332	1 high	20.51 dBm
 · high	3679.98 MHz	645332	50 % mid	20.28 dBm
 · high	3679.98 MHz	645332	100 %	17.40 dBm

NR, 16QAM, 10 MHz

Max: **19.89 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3555 MHz	637000	1 low	18.86 dBm
  · low	3555 MHz	637000	1 low+1	19.80 dBm
  · low	3555 MHz	637000	1 high-1	19.58 dBm
  · low	3555 MHz	637000	1 high	18.35 dBm
  · low	3555 MHz	637000	50 % mid	19.89 dBm
  · low	3555 MHz	637000	100 %	17.38 dBm
  · mid	3624.99 MHz	641666	1 low	18.64 dBm
  · mid	3624.99 MHz	641666	1 low+1	19.60 dBm
  · mid	3624.99 MHz	641666	1 high-1	19.64 dBm
  · mid	3624.99 MHz	641666	1 high	18.51 dBm
  · mid	3624.99 MHz	641666	50 % mid	19.84 dBm
  · mid	3624.99 MHz	641666	100 %	17.35 dBm
  · high	3694.98 MHz	646332	1 low	18.43 dBm
  · high	3694.98 MHz	646332	1 low+1	19.49 dBm
  · high	3694.98 MHz	646332	1 high-1	19.78 dBm
  · high	3694.98 MHz	646332	1 high	18.76 dBm
  · high	3694.98 MHz	646332	50 % mid	19.86 dBm
  · high	3694.98 MHz	646332	100 %	17.36 dBm

NR, 16QAM, 15 MHz

Max: **20.08 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3557.52 MHz	637168	1 low	19.15 dBm
  · low	3557.52 MHz	637168	1 low+1	20.00 dBm
  · low	3557.52 MHz	637168	1 high-1	19.84 dBm
  · low	3557.52 MHz	637168	1 high	18.72 dBm
  · low	3557.52 MHz	637168	50 % mid	20.08 dBm
  · low	3557.52 MHz	637168	100 %	17.67 dBm
  · mid	3624.99 MHz	641666	1 low	18.71 dBm
  · mid	3624.99 MHz	641666	1 low+1	19.73 dBm
  · mid	3624.99 MHz	641666	1 high-1	19.82 dBm
  · mid	3624.99 MHz	641666	1 high	18.68 dBm
  · mid	3624.99 MHz	641666	50 % mid	19.99 dBm
  · mid	3624.99 MHz	641666	100 %	17.45 dBm
  · high	3692.49 MHz	646166	1 low	18.18 dBm
  · high	3692.49 MHz	646166	1 low+1	19.33 dBm
  · high	3692.49 MHz	646166	1 high-1	19.97 dBm
  · high	3692.49 MHz	646166	1 high	18.84 dBm
  · high	3692.49 MHz	646166	50 % mid	19.81 dBm
  · high	3692.49 MHz	646166	100 %	17.30 dBm

NR, 16QAM, 20 MHz

Max: **20.21 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3560.01 MHz	637334	1 low	19.15 dBm
  · low	3560.01 MHz	637334	1 low+1	20.05 dBm
  · low	3560.01 MHz	637334	1 high-1	20.02 dBm
  · low	3560.01 MHz	637334	1 high	19.98 dBm
  · low	3560.01 MHz	637334	50 % mid	20.21 dBm
  · low	3560.01 MHz	637334	100 %	17.58 dBm
  · mid	3624.99 MHz	641666	1 low	18.67 dBm
  · mid	3624.99 MHz	641666	1 low+1	19.68 dBm
  · mid	3624.99 MHz	641666	1 high-1	19.90 dBm
  · mid	3624.99 MHz	641666	1 high	19.87 dBm
  · mid	3624.99 MHz	641666	50 % mid	19.99 dBm
  · mid	3624.99 MHz	641666	100 %	17.41 dBm
  · high	3690 MHz	646000	1 low	18.42 dBm
  · high	3690 MHz	646000	1 low+1	19.40 dBm
  · high	3690 MHz	646000	1 high-1	19.94 dBm
  · high	3690 MHz	646000	1 high	20.04 dBm
  · high	3690 MHz	646000	50 % mid	19.80 dBm
  · high	3690 MHz	646000	100 %	17.18 dBm

NR, 16QAM, 30 MHz

Max: **20.13 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3565.02 MHz	637668	1 low	19.21 dBm
 · low	3565.02 MHz	637668	1 low+1	20.07 dBm
 · low	3565.02 MHz	637668	1 high-1	20.13 dBm
 · low	3565.02 MHz	637668	1 high	20.01 dBm
 · low	3565.02 MHz	637668	50 % mid	20.12 dBm
 · low	3565.02 MHz	637668	100 %	17.68 dBm
 · mid	3624.99 MHz	641666	1 low	18.81 dBm
 · mid	3624.99 MHz	641666	1 low+1	19.68 dBm
 · mid	3624.99 MHz	641666	1 high-1	19.89 dBm
 · mid	3624.99 MHz	641666	1 high	19.92 dBm
 · mid	3624.99 MHz	641666	50 % mid	19.99 dBm
 · mid	3624.99 MHz	641666	100 %	17.42 dBm
 · high	3684.99 MHz	645666	1 low	18.96 dBm
 · high	3684.99 MHz	645666	1 low+1	19.93 dBm
 · high	3684.99 MHz	645666	1 high-1	20.06 dBm
 · high	3684.99 MHz	645666	1 high	20.08 dBm
 · high	3684.99 MHz	645666	50 % mid	19.77 dBm
 · high	3684.99 MHz	645666	100 %	17.36 dBm

NR, 16QAM, 40 MHz

Max: **20.26 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3570 MHz	638000	1 low	19.17 dBm
 · low	3570 MHz	638000	1 low+1	20.22 dBm
 · low	3570 MHz	638000	1 high-1	19.98 dBm
 · low	3570 MHz	638000	1 high	20.08 dBm
 · low	3570 MHz	638000	50 % mid	20.26 dBm
 · low	3570 MHz	638000	100 %	17.70 dBm
 · mid	3624.99 MHz	641666	1 low	18.61 dBm
 · mid	3624.99 MHz	641666	1 low+1	19.68 dBm
 · mid	3624.99 MHz	641666	1 high-1	19.97 dBm
 · mid	3624.99 MHz	641666	1 high	19.90 dBm
 · mid	3624.99 MHz	641666	50 % mid	19.93 dBm
 · mid	3624.99 MHz	641666	100 %	17.47 dBm
 · high	3679.98 MHz	645332	1 low	18.67 dBm
 · high	3679.98 MHz	645332	1 low+1	19.65 dBm
 · high	3679.98 MHz	645332	1 high-1	20.15 dBm
 · high	3679.98 MHz	645332	1 high	20.04 dBm
 · high	3679.98 MHz	645332	50 % mid	19.80 dBm
 · high	3679.98 MHz	645332	100 %	17.34 dBm

NR, 64QAM, 10 MHz

Max: **18.52 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3555 MHz	637000	1 low	18.31 dBm
  · low	3555 MHz	637000	1 low+1	18.29 dBm
  · low	3555 MHz	637000	1 high-1	17.96 dBm
  · low	3555 MHz	637000	1 high	17.83 dBm
  · low	3555 MHz	637000	50 % mid	18.52 dBm
  · low	3555 MHz	637000	100 %	16.44 dBm
  · mid	3624.99 MHz	641666	1 low	17.95 dBm
  · mid	3624.99 MHz	641666	1 low+1	18.03 dBm
  · mid	3624.99 MHz	641666	1 high-1	17.98 dBm
  · mid	3624.99 MHz	641666	1 high	17.93 dBm
  · mid	3624.99 MHz	641666	50 % mid	18.36 dBm
  · mid	3624.99 MHz	641666	100 %	16.40 dBm
  · high	3694.98 MHz	646332	1 low	17.69 dBm
  · high	3694.98 MHz	646332	1 low+1	17.82 dBm
  · high	3694.98 MHz	646332	1 high-1	18.31 dBm
  · high	3694.98 MHz	646332	1 high	18.12 dBm
  · high	3694.98 MHz	646332	50 % mid	18.42 dBm
  · high	3694.98 MHz	646332	100 %	16.49 dBm

NR, 64QAM, 15 MHz

Max: **18.57 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3557.52 MHz	637168	1 low	18.43 dBm
  · low	3557.52 MHz	637168	1 low+1	18.50 dBm
  · low	3557.52 MHz	637168	1 high-1	18.20 dBm
  · low	3557.52 MHz	637168	1 high	18.28 dBm
  · low	3557.52 MHz	637168	50 % mid	18.57 dBm
  · low	3557.52 MHz	637168	100 %	16.56 dBm
  · mid	3624.99 MHz	641666	1 low	18.22 dBm
  · mid	3624.99 MHz	641666	1 low+1	18.08 dBm
  · mid	3624.99 MHz	641666	1 high-1	18.24 dBm
  · mid	3624.99 MHz	641666	1 high	18.11 dBm
  · mid	3624.99 MHz	641666	50 % mid	18.41 dBm
  · mid	3624.99 MHz	641666	100 %	16.46 dBm
  · high	3692.49 MHz	646166	1 low	17.57 dBm
  · high	3692.49 MHz	646166	1 low+1	17.74 dBm
  · high	3692.49 MHz	646166	1 high-1	18.33 dBm
  · high	3692.49 MHz	646166	1 high	18.23 dBm
  · high	3692.49 MHz	646166	50 % mid	18.32 dBm
  · high	3692.49 MHz	646166	100 %	16.31 dBm

NR, 64QAM, 20 MHz

Max: **18.57 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3560.01 MHz	637334	1 low	18.35 dBm
 · low	3560.01 MHz	637334	1 low+1	18.57 dBm
 · low	3560.01 MHz	637334	1 high-1	18.48 dBm
 · low	3560.01 MHz	637334	1 high	18.40 dBm
 · low	3560.01 MHz	637334	50 % mid	18.49 dBm
 · low	3560.01 MHz	637334	100 %	16.62 dBm
 · mid	3624.99 MHz	641666	1 low	18.00 dBm
 · mid	3624.99 MHz	641666	1 low+1	18.06 dBm
 · mid	3624.99 MHz	641666	1 high-1	18.14 dBm
 · mid	3624.99 MHz	641666	1 high	18.13 dBm
 · mid	3624.99 MHz	641666	50 % mid	18.41 dBm
 · mid	3624.99 MHz	641666	100 %	16.42 dBm
 · high	3690 MHz	646000	1 low	17.80 dBm
 · high	3690 MHz	646000	1 low+1	17.73 dBm
 · high	3690 MHz	646000	1 high-1	18.30 dBm
 · high	3690 MHz	646000	1 high	18.27 dBm
 · high	3690 MHz	646000	50 % mid	18.15 dBm
 · high	3690 MHz	646000	100 %	16.23 dBm

NR, 64QAM, 30 MHz

Max: **18.65 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3565.02 MHz	637668	1 low	18.55 dBm
  · low	3565.02 MHz	637668	1 low+1	18.65 dBm
  · low	3565.02 MHz	637668	1 high-1	18.45 dBm
  · low	3565.02 MHz	637668	1 high	18.52 dBm
  · low	3565.02 MHz	637668	50 % mid	18.61 dBm
  · low	3565.02 MHz	637668	100 %	16.74 dBm
  · mid	3624.99 MHz	641666	1 low	18.16 dBm
  · mid	3624.99 MHz	641666	1 low+1	18.18 dBm
  · mid	3624.99 MHz	641666	1 high-1	18.25 dBm
  · mid	3624.99 MHz	641666	1 high	18.23 dBm
  · mid	3624.99 MHz	641666	50 % mid	18.46 dBm
  · mid	3624.99 MHz	641666	100 %	16.54 dBm
  · high	3684.99 MHz	645666	1 low	18.31 dBm
  · high	3684.99 MHz	645666	1 low+1	18.36 dBm
  · high	3684.99 MHz	645666	1 high-1	18.38 dBm
  · high	3684.99 MHz	645666	1 high	18.38 dBm
  · high	3684.99 MHz	645666	50 % mid	18.20 dBm
  · high	3684.99 MHz	645666	100 %	16.39 dBm

NR, 64QAM, 40 MHz

Max: **18.77 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3570 MHz	638000	1 low	18.59 dBm
 · low	3570 MHz	638000	1 low+1	18.57 dBm
 · low	3570 MHz	638000	1 high-1	18.45 dBm
 · low	3570 MHz	638000	1 high	18.48 dBm
 · low	3570 MHz	638000	50 % mid	18.77 dBm
 · low	3570 MHz	638000	100 %	16.79 dBm
 · mid	3624.99 MHz	641666	1 low	18.05 dBm
 · mid	3624.99 MHz	641666	1 low+1	18.12 dBm
 · mid	3624.99 MHz	641666	1 high-1	18.36 dBm
 · mid	3624.99 MHz	641666	1 high	18.27 dBm
 · mid	3624.99 MHz	641666	50 % mid	18.46 dBm
 · mid	3624.99 MHz	641666	100 %	16.54 dBm
 · high	3679.98 MHz	645332	1 low	18.11 dBm
 · high	3679.98 MHz	645332	1 low+1	18.06 dBm
 · high	3679.98 MHz	645332	1 high-1	18.51 dBm
 · high	3679.98 MHz	645332	1 high	18.41 dBm
 · high	3679.98 MHz	645332	50 % mid	18.38 dBm
 · high	3679.98 MHz	645332	100 %	16.46 dBm

NR, 256QAM, 10 MHz

Max: **16.62 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3555 MHz	637000	1 low	16.01 dBm
 · low	3555 MHz	637000	1 low+1	16.19 dBm
 · low	3555 MHz	637000	1 high-1	15.87 dBm
 · low	3555 MHz	637000	1 high	15.81 dBm
 · low	3555 MHz	637000	50 % mid	16.50 dBm
 · low	3555 MHz	637000	100 %	16.52 dBm
 · mid	3624.99 MHz	641666	1 low	16.03 dBm
 · mid	3624.99 MHz	641666	1 low+1	15.93 dBm
 · mid	3624.99 MHz	641666	1 high-1	15.95 dBm
 · mid	3624.99 MHz	641666	1 high	15.89 dBm
 · mid	3624.99 MHz	641666	50 % mid	16.44 dBm
 · mid	3624.99 MHz	641666	100 %	16.39 dBm
 · high	3694.98 MHz	646332	1 low	15.93 dBm
 · high	3694.98 MHz	646332	1 low+1	15.84 dBm
 · high	3694.98 MHz	646332	1 high-1	16.30 dBm
 · high	3694.98 MHz	646332	1 high	16.07 dBm
 · high	3694.98 MHz	646332	50 % mid	16.62 dBm
 · high	3694.98 MHz	646332	100 %	16.44 dBm

NR, 256QAM, 15 MHz

Max: **16.72 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3557.52 MHz	637168	1 low	16.25 dBm
 · low	3557.52 MHz	637168	1 low+1	16.51 dBm
 · low	3557.52 MHz	637168	1 high-1	15.95 dBm
 · low	3557.52 MHz	637168	1 high	16.04 dBm
 · low	3557.52 MHz	637168	50 % mid	16.66 dBm
 · low	3557.52 MHz	637168	100 %	16.72 dBm
 · mid	3624.99 MHz	641666	1 low	16.10 dBm
 · mid	3624.99 MHz	641666	1 low+1	16.04 dBm
 · mid	3624.99 MHz	641666	1 high-1	16.06 dBm
 · mid	3624.99 MHz	641666	1 high	16.14 dBm
 · mid	3624.99 MHz	641666	50 % mid	16.56 dBm
 · mid	3624.99 MHz	641666	100 %	16.48 dBm
 · high	3692.49 MHz	646166	1 low	15.58 dBm
 · high	3692.49 MHz	646166	1 low+1	15.72 dBm
 · high	3692.49 MHz	646166	1 high-1	16.52 dBm
 · high	3692.49 MHz	646166	1 high	16.37 dBm
 · high	3692.49 MHz	646166	50 % mid	16.47 dBm
 · high	3692.49 MHz	646166	100 %	16.33 dBm

NR, 256QAM, 20 MHz

Max: **16.69 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3560.01 MHz	637334	1 low	16.30 dBm
  · low	3560.01 MHz	637334	1 low+1	16.30 dBm
  · low	3560.01 MHz	637334	1 high-1	16.32 dBm
  · low	3560.01 MHz	637334	1 high	16.37 dBm
  · low	3560.01 MHz	637334	50 % mid	16.69 dBm
  · low	3560.01 MHz	637334	100 %	16.68 dBm
  · mid	3624.99 MHz	641666	1 low	16.11 dBm
  · mid	3624.99 MHz	641666	1 low+1	16.13 dBm
  · mid	3624.99 MHz	641666	1 high-1	16.13 dBm
  · mid	3624.99 MHz	641666	1 high	16.23 dBm
  · mid	3624.99 MHz	641666	50 % mid	16.60 dBm
  · mid	3624.99 MHz	641666	100 %	16.51 dBm
  · high	3690 MHz	646000	1 low	15.73 dBm
  · high	3690 MHz	646000	1 low+1	15.81 dBm
  · high	3690 MHz	646000	1 high-1	16.36 dBm
  · high	3690 MHz	646000	1 high	16.31 dBm
  · high	3690 MHz	646000	50 % mid	16.28 dBm
  · high	3690 MHz	646000	100 %	16.29 dBm

NR, 256QAM, 30 MHz

Max: **16.80 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3565.02 MHz	637668	1 low	16.40 dBm
  · low	3565.02 MHz	637668	1 low+1	16.51 dBm
  · low	3565.02 MHz	637668	1 high-1	16.43 dBm
  · low	3565.02 MHz	637668	1 high	16.40 dBm
  · low	3565.02 MHz	637668	50 % mid	16.64 dBm
  · low	3565.02 MHz	637668	100 %	16.80 dBm
  · mid	3624.99 MHz	641666	1 low	16.15 dBm
  · mid	3624.99 MHz	641666	1 low+1	16.04 dBm
  · mid	3624.99 MHz	641666	1 high-1	16.18 dBm
  · mid	3624.99 MHz	641666	1 high	16.25 dBm
  · mid	3624.99 MHz	641666	50 % mid	16.54 dBm
  · mid	3624.99 MHz	641666	100 %	16.60 dBm
  · high	3684.99 MHz	645666	1 low	16.14 dBm
  · high	3684.99 MHz	645666	1 low+1	16.31 dBm
  · high	3684.99 MHz	645666	1 high-1	16.40 dBm
  · high	3684.99 MHz	645666	1 high	16.39 dBm
  · high	3684.99 MHz	645666	50 % mid	16.30 dBm
  · high	3684.99 MHz	645666	100 %	16.47 dBm

NR, 256QAM, 40 MHz

Max: **16.84 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3570 MHz	638000	1 low	16.41 dBm
  · low	3570 MHz	638000	1 low+1	16.50 dBm
  · low	3570 MHz	638000	1 high-1	16.34 dBm
  · low	3570 MHz	638000	1 high	16.42 dBm
  · low	3570 MHz	638000	50 % mid	16.84 dBm
  · low	3570 MHz	638000	100 %	16.81 dBm
  · mid	3624.99 MHz	641666	1 low	15.87 dBm
  · mid	3624.99 MHz	641666	1 low+1	16.05 dBm
  · mid	3624.99 MHz	641666	1 high-1	16.20 dBm
  · mid	3624.99 MHz	641666	1 high	16.23 dBm
  · mid	3624.99 MHz	641666	50 % mid	16.63 dBm
  · mid	3624.99 MHz	641666	100 %	16.61 dBm
  · high	3679.98 MHz	645332	1 low	16.01 dBm
  · high	3679.98 MHz	645332	1 low+1	16.00 dBm
  · high	3679.98 MHz	645332	1 high-1	16.27 dBm
  · high	3679.98 MHz	645332	1 high	16.44 dBm
  · high	3679.98 MHz	645332	50 % mid	16.44 dBm
  · high	3679.98 MHz	645332	100 %	16.48 dBm

Output power — Band 77 A

Maximum P_{avg} per (technology · bandwidth · modulation) for **Band 77 A** (55 tables)

The max-summary table leads; one measurement table follows per (technology · bandwidth · modulation), with each table's maximum P_{avg} highlighted.

Result rows used

- **NR** — the **TX power Σ** result rows (total transmit power, summed over the TX antennas).
- The per-antenna **TX power 1** / **TX power 2** rows are deliberately not tabulated.

Max summary

Technology	Bandwidth	Modulation	Max P_{avg}	Where
NR	10 MHz	BPSK	21.96 dBm	 · low · ch 630334
NR	15 MHz	BPSK	22.11 dBm	 · low · ch 630500
NR	20 MHz	BPSK	22.09 dBm	 · low · ch 630668
NR	30 MHz	BPSK	22.19 dBm	 · mid · ch 633332
NR	40 MHz	BPSK	22.34 dBm	 · high · ch 635332
NR	50 MHz	BPSK	22.07 dBm	 · mid · ch 633332
NR	60 MHz	BPSK	22.11 dBm	 · low · ch 632000
NR	70 MHz	BPSK	21.90 dBm	 · mid · ch 633332
NR	80 MHz	BPSK	21.91 dBm	 · high · ch 634000
NR	90 MHz	BPSK	21.89 dBm	 · high · ch 633666
NR	100 MHz	BPSK	21.80 dBm	 · mid · ch 633332
NR	10 MHz	QPSK	23.82 dBm	 · low · ch 630334
NR	15 MHz	QPSK	23.93 dBm	 · low · ch 630500
NR	20 MHz	QPSK	24.01 dBm	 · low · ch 630668
NR	30 MHz	QPSK	24.12 dBm	 · low · ch 631000
NR	40 MHz	QPSK	24.10 dBm	 · low · ch 631334
NR	50 MHz	QPSK	23.88 dBm	 · low · ch 631668
NR	60 MHz	QPSK	23.89 dBm	 · low · ch 632000
NR	70 MHz	QPSK	23.80 dBm	 · low · ch 632334
NR	80 MHz	QPSK	23.81 dBm	 · mid · ch 633332

Technology	Bandwidth	Modulation	Max P _{avg}	Where
NR	90 MHz	QPSK	23.78 dBm	 · low · ch 633000
NR	100 MHz	QPSK	23.69 dBm	 · mid · ch 633332
NR	10 MHz	16QAM	23.36 dBm	 · low · ch 630334
NR	15 MHz	16QAM	23.44 dBm	 · low · ch 630500
NR	20 MHz	16QAM	23.52 dBm	 · mid · ch 633332
NR	30 MHz	16QAM	23.65 dBm	 · low · ch 631000
NR	40 MHz	16QAM	23.73 dBm	 · high · ch 635332
NR	50 MHz	16QAM	23.49 dBm	 · mid · ch 633332
NR	60 MHz	16QAM	23.35 dBm	 · low · ch 632000
NR	70 MHz	16QAM	23.26 dBm	 · low · ch 632334
NR	80 MHz	16QAM	23.28 dBm	 · low · ch 632668
NR	90 MHz	16QAM	23.29 dBm	 · mid · ch 633332
NR	100 MHz	16QAM	23.27 dBm	 · mid · ch 633332
NR	10 MHz	64QAM	21.93 dBm	 · low · ch 630334
NR	15 MHz	64QAM	21.93 dBm	 · low · ch 630500
NR	20 MHz	64QAM	21.91 dBm	 · low · ch 630668
NR	30 MHz	64QAM	22.18 dBm	 · low · ch 631000
NR	40 MHz	64QAM	22.25 dBm	 · low · ch 631334
NR	50 MHz	64QAM	21.93 dBm	 · low · ch 631668
NR	60 MHz	64QAM	21.92 dBm	 · mid · ch 633332
NR	70 MHz	64QAM	21.82 dBm	 · low · ch 632334
NR	80 MHz	64QAM	21.78 dBm	 · low · ch 632668
NR	90 MHz	64QAM	21.81 dBm	 · low · ch 633000
NR	100 MHz	64QAM	21.65 dBm	 · mid · ch 633332
NR	10 MHz	256QAM	18.93 dBm	 · low · ch 630334
NR	15 MHz	256QAM	19.00 dBm	 · low · ch 630500
NR	20 MHz	256QAM	19.02 dBm	 · low · ch 630668
NR	30 MHz	256QAM	19.06 dBm	 · low · ch 631000
NR	40 MHz	256QAM	19.12 dBm	 · low · ch 631334
NR	50 MHz	256QAM	18.73 dBm	 · low · ch 631668
NR	60 MHz	256QAM	18.81 dBm	 · low · ch 632000

Technology	Bandwidth	Modulation	Max P _{avg}	Where
NR	70 MHz	256QAM	18.74 dBm	   · low · ch 632334
NR	80 MHz	256QAM	18.67 dBm	   · low · ch 632668
NR	90 MHz	256QAM	18.70 dBm	   · low · ch 633000
NR	100 MHz	256QAM	18.74 dBm	   · mid · ch 633332

NR, BPSK, 10 MHz

Max: **21.96 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3455.01 MHz	630334	1 low	21.88 dBm
 · low	3455.01 MHz	630334	1 low+1	21.96 dBm
 · low	3455.01 MHz	630334	1 high-1	21.92 dBm
 · low	3455.01 MHz	630334	1 high	21.78 dBm
 · low	3455.01 MHz	630334	50 % mid	21.88 dBm
 · low	3455.01 MHz	630334	100 %	21.95 dBm
 · mid	3499.98 MHz	633332	1 low	21.77 dBm
 · mid	3499.98 MHz	633332	1 low+1	21.65 dBm
 · mid	3499.98 MHz	633332	1 high-1	21.81 dBm
 · mid	3499.98 MHz	633332	1 high	21.80 dBm
 · mid	3499.98 MHz	633332	50 % mid	21.71 dBm
 · mid	3499.98 MHz	633332	100 %	21.73 dBm
 · high	3544.98 MHz	636332	1 low	21.77 dBm
 · high	3544.98 MHz	636332	1 low+1	21.58 dBm
 · high	3544.98 MHz	636332	1 high-1	21.87 dBm
 · high	3544.98 MHz	636332	1 high	21.80 dBm
 · high	3544.98 MHz	636332	50 % mid	21.73 dBm
 · high	3544.98 MHz	636332	100 %	21.80 dBm

NR, BPSK, 15 MHz

Max: **22.11 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3457.5 MHz	630500	1 low	21.98 dBm
 · low	3457.5 MHz	630500	1 low+1	22.11 dBm
 · low	3457.5 MHz	630500	1 high-1	22.06 dBm
 · low	3457.5 MHz	630500	1 high	22.00 dBm
 · low	3457.5 MHz	630500	50 % mid	21.87 dBm
 · low	3457.5 MHz	630500	100 %	21.95 dBm
 · mid	3499.98 MHz	633332	1 low	21.87 dBm
 · mid	3499.98 MHz	633332	1 low+1	21.82 dBm
 · mid	3499.98 MHz	633332	1 high-1	21.98 dBm
 · mid	3499.98 MHz	633332	1 high	21.89 dBm
 · mid	3499.98 MHz	633332	50 % mid	21.72 dBm
 · mid	3499.98 MHz	633332	100 %	21.81 dBm
 · high	3542.49 MHz	636166	1 low	21.96 dBm
 · high	3542.49 MHz	636166	1 low+1	21.95 dBm
 · high	3542.49 MHz	636166	1 high-1	21.95 dBm
 · high	3542.49 MHz	636166	1 high	21.95 dBm
 · high	3542.49 MHz	636166	50 % mid	21.77 dBm
 · high	3542.49 MHz	636166	100 %	21.84 dBm

NR, BPSK, 20 MHz

Max: **22.09 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3460.02 MHz	630668	1 low	21.91 dBm
 · low	3460.02 MHz	630668	1 low+1	22.09 dBm
 · low	3460.02 MHz	630668	1 high-1	21.92 dBm
 · low	3460.02 MHz	630668	1 high	21.98 dBm
 · low	3460.02 MHz	630668	50 % mid	21.86 dBm
 · low	3460.02 MHz	630668	100 %	21.88 dBm
 · mid	3499.98 MHz	633332	1 low	22.00 dBm
 · mid	3499.98 MHz	633332	1 low+1	21.83 dBm
 · mid	3499.98 MHz	633332	1 high-1	21.78 dBm
 · mid	3499.98 MHz	633332	1 high	22.01 dBm
 · mid	3499.98 MHz	633332	50 % mid	21.78 dBm
 · mid	3499.98 MHz	633332	100 %	21.82 dBm
 · high	3540 MHz	636000	1 low	21.90 dBm
 · high	3540 MHz	636000	1 low+1	22.04 dBm
 · high	3540 MHz	636000	1 high-1	21.95 dBm
 · high	3540 MHz	636000	1 high	21.95 dBm
 · high	3540 MHz	636000	50 % mid	21.85 dBm
 · high	3540 MHz	636000	100 %	21.88 dBm

NR, BPSK, 30 MHz

Max: **22.19 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3465 MHz	631000	1 low	22.03 dBm
 · low	3465 MHz	631000	1 low+1	22.18 dBm
 · low	3465 MHz	631000	1 high-1	21.96 dBm
 · low	3465 MHz	631000	1 high	22.03 dBm
 · low	3465 MHz	631000	50 % mid	21.95 dBm
 · low	3465 MHz	631000	100 %	22.05 dBm
 · mid	3499.98 MHz	633332	1 low	22.19 dBm
 · mid	3499.98 MHz	633332	1 low+1	22.06 dBm
 · mid	3499.98 MHz	633332	1 high-1	22.19 dBm
 · mid	3499.98 MHz	633332	1 high	22.02 dBm
 · mid	3499.98 MHz	633332	50 % mid	21.78 dBm
 · mid	3499.98 MHz	633332	100 %	21.93 dBm
 · high	3534.99 MHz	635666	1 low	22.09 dBm
 · high	3534.99 MHz	635666	1 low+1	22.13 dBm
 · high	3534.99 MHz	635666	1 high-1	22.04 dBm
 · high	3534.99 MHz	635666	1 high	21.95 dBm
 · high	3534.99 MHz	635666	50 % mid	21.82 dBm
 · high	3534.99 MHz	635666	100 %	21.91 dBm

NR, BPSK, 40 MHz

Max: **22.34 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3470.01 MHz	631334	1 low	22.01 dBm
  · low	3470.01 MHz	631334	1 low+1	22.19 dBm
  · low	3470.01 MHz	631334	1 high-1	21.95 dBm
  · low	3470.01 MHz	631334	1 high	21.82 dBm
  · low	3470.01 MHz	631334	50 % mid	22.03 dBm
  · low	3470.01 MHz	631334	100 %	22.06 dBm
  · mid	3499.98 MHz	633332	1 low	22.09 dBm
  · mid	3499.98 MHz	633332	1 low+1	22.16 dBm
  · mid	3499.98 MHz	633332	1 high-1	22.04 dBm
  · mid	3499.98 MHz	633332	1 high	22.03 dBm
  · mid	3499.98 MHz	633332	50 % mid	21.82 dBm
  · mid	3499.98 MHz	633332	100 %	21.94 dBm
  · high	3529.98 MHz	635332	1 low	22.18 dBm
  · high	3529.98 MHz	635332	1 low+1	22.29 dBm
  · high	3529.98 MHz	635332	1 high-1	22.34 dBm
  · high	3529.98 MHz	635332	1 high	22.29 dBm
  · high	3529.98 MHz	635332	50 % mid	21.88 dBm
  · high	3529.98 MHz	635332	100 %	21.94 dBm

NR, BPSK, 50 MHz

Max: **22.07 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3475.02 MHz	631668	1 low	21.71 dBm
 · low	3475.02 MHz	631668	1 low+1	21.99 dBm
 · low	3475.02 MHz	631668	1 high-1	21.56 dBm
 · low	3475.02 MHz	631668	1 high	21.42 dBm
 · low	3475.02 MHz	631668	50 % mid	21.65 dBm
 · low	3475.02 MHz	631668	100 %	21.73 dBm
 · mid	3499.98 MHz	633332	1 low	22.07 dBm
 · mid	3499.98 MHz	633332	1 low+1	21.87 dBm
 · mid	3499.98 MHz	633332	1 high-1	21.69 dBm
 · mid	3499.98 MHz	633332	1 high	21.56 dBm
 · mid	3499.98 MHz	633332	50 % mid	21.60 dBm
 · mid	3499.98 MHz	633332	100 %	21.69 dBm
 · high	3525 MHz	635000	1 low	21.69 dBm
 · high	3525 MHz	635000	1 low+1	21.74 dBm
 · high	3525 MHz	635000	1 high-1	21.73 dBm
 · high	3525 MHz	635000	1 high	21.70 dBm
 · high	3525 MHz	635000	50 % mid	21.62 dBm
 · high	3525 MHz	635000	100 %	21.67 dBm

NR, BPSK, 60 MHz

Max: **22.11 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3480 MHz	632000	1 low	21.70 dBm
 · low	3480 MHz	632000	1 low+1	22.11 dBm
 · low	3480 MHz	632000	1 high-1	21.78 dBm
 · low	3480 MHz	632000	1 high	21.55 dBm
 · low	3480 MHz	632000	50 % mid	21.78 dBm
 · low	3480 MHz	632000	100 %	21.74 dBm
 · mid	3499.98 MHz	633332	1 low	22.11 dBm
 · mid	3499.98 MHz	633332	1 low+1	21.99 dBm
 · mid	3499.98 MHz	633332	1 high-1	21.53 dBm
 · mid	3499.98 MHz	633332	1 high	21.73 dBm
 · mid	3499.98 MHz	633332	50 % mid	21.61 dBm
 · mid	3499.98 MHz	633332	100 %	21.72 dBm
 · high	3519.99 MHz	634666	1 low	21.60 dBm
 · high	3519.99 MHz	634666	1 low+1	21.73 dBm
 · high	3519.99 MHz	634666	1 high-1	21.74 dBm
 · high	3519.99 MHz	634666	1 high	21.60 dBm
 · high	3519.99 MHz	634666	50 % mid	21.63 dBm
 · high	3519.99 MHz	634666	100 %	21.65 dBm

NR, BPSK, 70 MHz

Max: **21.90 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3485.01 MHz	632334	1 low	21.70 dBm
  · low	3485.01 MHz	632334	1 low+1	21.85 dBm
  · low	3485.01 MHz	632334	1 high-1	21.61 dBm
  · low	3485.01 MHz	632334	1 high	21.68 dBm
  · low	3485.01 MHz	632334	50 % mid	21.61 dBm
  · low	3485.01 MHz	632334	100 %	21.67 dBm
  · mid	3499.98 MHz	633332	1 low	21.90 dBm
  · mid	3499.98 MHz	633332	1 low+1	21.70 dBm
  · mid	3499.98 MHz	633332	1 high-1	21.60 dBm
  · mid	3499.98 MHz	633332	1 high	21.55 dBm
  · mid	3499.98 MHz	633332	50 % mid	21.58 dBm
  · mid	3499.98 MHz	633332	100 %	21.61 dBm
  · high	3514.98 MHz	634332	1 low	21.59 dBm
  · high	3514.98 MHz	634332	1 low+1	21.54 dBm
  · high	3514.98 MHz	634332	1 high-1	21.67 dBm
  · high	3514.98 MHz	634332	1 high	21.58 dBm
  · high	3514.98 MHz	634332	50 % mid	21.56 dBm
  · high	3514.98 MHz	634332	100 %	21.56 dBm

NR, BPSK, 80 MHz

Max: **21.91 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3490.02 MHz	632668	1 low	21.68 dBm
 · low	3490.02 MHz	632668	1 low+1	21.79 dBm
 · low	3490.02 MHz	632668	1 high-1	21.56 dBm
 · low	3490.02 MHz	632668	1 high	21.61 dBm
 · low	3490.02 MHz	632668	50 % mid	21.53 dBm
 · low	3490.02 MHz	632668	100 %	21.65 dBm
 · mid	3499.98 MHz	633332	1 low	21.85 dBm
 · mid	3499.98 MHz	633332	1 low+1	21.67 dBm
 · mid	3499.98 MHz	633332	1 high-1	21.50 dBm
 · mid	3499.98 MHz	633332	1 high	21.53 dBm
 · mid	3499.98 MHz	633332	50 % mid	21.53 dBm
 · mid	3499.98 MHz	633332	100 %	21.64 dBm
 · high	3510 MHz	634000	1 low	21.91 dBm
 · high	3510 MHz	634000	1 low+1	21.65 dBm
 · high	3510 MHz	634000	1 high-1	21.56 dBm
 · high	3510 MHz	634000	1 high	21.63 dBm
 · high	3510 MHz	634000	50 % mid	21.58 dBm
 · high	3510 MHz	634000	100 %	21.56 dBm

NR, BPSK, 90 MHz

Max: **21.89 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3495 MHz	633000	1 low	21.66 dBm
 · low	3495 MHz	633000	1 low+1	21.70 dBm
 · low	3495 MHz	633000	1 high-1	21.36 dBm
 · low	3495 MHz	633000	1 high	21.43 dBm
 · low	3495 MHz	633000	50 % mid	21.56 dBm
 · low	3495 MHz	633000	100 %	21.70 dBm
 · mid	3499.98 MHz	633332	1 low	21.88 dBm
 · mid	3499.98 MHz	633332	1 low+1	21.70 dBm
 · mid	3499.98 MHz	633332	1 high-1	21.62 dBm
 · mid	3499.98 MHz	633332	1 high	21.66 dBm
 · mid	3499.98 MHz	633332	50 % mid	21.60 dBm
 · mid	3499.98 MHz	633332	100 %	21.67 dBm
 · high	3504.99 MHz	633666	1 low	21.89 dBm
 · high	3504.99 MHz	633666	1 low+1	21.73 dBm
 · high	3504.99 MHz	633666	1 high-1	21.68 dBm
 · high	3504.99 MHz	633666	1 high	21.65 dBm
 · high	3504.99 MHz	633666	50 % mid	21.53 dBm
 · high	3504.99 MHz	633666	100 %	21.58 dBm

NR, BPSK, 100 MHz

Max: **21.80 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · mid	3499.98 MHz	633332	1 low	21.58 dBm
 · mid	3499.98 MHz	633332	1 low+1	21.80 dBm
 · mid	3499.98 MHz	633332	1 high-1	21.72 dBm
 · mid	3499.98 MHz	633332	1 high	21.59 dBm
 · mid	3499.98 MHz	633332	50 % mid	21.59 dBm
 · mid	3499.98 MHz	633332	100 %	21.62 dBm

NR, QPSK, 10 MHz

Max: **23.82 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3455.01 MHz	630334	1 low	21.82 dBm
 · low	3455.01 MHz	630334	1 low+1	23.79 dBm
 · low	3455.01 MHz	630334	1 high-1	23.81 dBm
 · low	3455.01 MHz	630334	1 high	21.70 dBm
 · low	3455.01 MHz	630334	50 % mid	23.82 dBm
 · low	3455.01 MHz	630334	100 %	22.38 dBm
 · mid	3499.98 MHz	633332	1 low	21.56 dBm
 · mid	3499.98 MHz	633332	1 low+1	23.55 dBm
 · mid	3499.98 MHz	633332	1 high-1	23.64 dBm
 · mid	3499.98 MHz	633332	1 high	21.70 dBm
 · mid	3499.98 MHz	633332	50 % mid	23.67 dBm
 · mid	3499.98 MHz	633332	100 %	22.26 dBm
 · high	3544.98 MHz	636332	1 low	21.65 dBm
 · high	3544.98 MHz	636332	1 low+1	23.59 dBm
 · high	3544.98 MHz	636332	1 high-1	23.74 dBm
 · high	3544.98 MHz	636332	1 high	21.67 dBm
 · high	3544.98 MHz	636332	50 % mid	23.68 dBm
 · high	3544.98 MHz	636332	100 %	22.32 dBm

NR, QPSK, 15 MHz

Max: **23.93 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3457.5 MHz	630500	1 low	21.93 dBm
 · low	3457.5 MHz	630500	1 low+1	23.90 dBm
 · low	3457.5 MHz	630500	1 high-1	23.88 dBm
 · low	3457.5 MHz	630500	1 high	21.91 dBm
 · low	3457.5 MHz	630500	50 % mid	23.93 dBm
 · low	3457.5 MHz	630500	100 %	22.42 dBm
 · mid	3499.98 MHz	633332	1 low	21.70 dBm
 · mid	3499.98 MHz	633332	1 low+1	23.75 dBm
 · mid	3499.98 MHz	633332	1 high-1	23.85 dBm
 · mid	3499.98 MHz	633332	1 high	21.87 dBm
 · mid	3499.98 MHz	633332	50 % mid	23.79 dBm
 · mid	3499.98 MHz	633332	100 %	22.28 dBm
 · high	3542.49 MHz	636166	1 low	21.85 dBm
 · high	3542.49 MHz	636166	1 low+1	23.70 dBm
 · high	3542.49 MHz	636166	1 high-1	23.84 dBm
 · high	3542.49 MHz	636166	1 high	21.93 dBm
 · high	3542.49 MHz	636166	50 % mid	23.84 dBm
 · high	3542.49 MHz	636166	100 %	22.43 dBm

NR, QPSK, 20 MHz

Max: **24.01 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3460.02 MHz	630668	1 low	22.12 dBm
 · low	3460.02 MHz	630668	1 low+1	23.84 dBm
 · low	3460.02 MHz	630668	1 high-1	24.01 dBm
 · low	3460.02 MHz	630668	1 high	23.92 dBm
 · low	3460.02 MHz	630668	50 % mid	23.94 dBm
 · low	3460.02 MHz	630668	100 %	22.43 dBm
 · mid	3499.98 MHz	633332	1 low	21.74 dBm
 · mid	3499.98 MHz	633332	1 low+1	23.72 dBm
 · mid	3499.98 MHz	633332	1 high-1	23.91 dBm
 · mid	3499.98 MHz	633332	1 high	23.85 dBm
 · mid	3499.98 MHz	633332	50 % mid	23.73 dBm
 · mid	3499.98 MHz	633332	100 %	22.30 dBm
 · high	3540 MHz	636000	1 low	21.94 dBm
 · high	3540 MHz	636000	1 low+1	23.76 dBm
 · high	3540 MHz	636000	1 high-1	23.82 dBm
 · high	3540 MHz	636000	1 high	23.80 dBm
 · high	3540 MHz	636000	50 % mid	23.84 dBm
 · high	3540 MHz	636000	100 %	22.34 dBm

NR, QPSK, 30 MHz

Max: **24.12 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3465 MHz	631000	1 low	22.11 dBm
 · low	3465 MHz	631000	1 low+1	24.12 dBm
 · low	3465 MHz	631000	1 high-1	23.94 dBm
 · low	3465 MHz	631000	1 high	23.89 dBm
 · low	3465 MHz	631000	50 % mid	24.02 dBm
 · low	3465 MHz	631000	100 %	22.54 dBm
 · mid	3499.98 MHz	633332	1 low	21.97 dBm
 · mid	3499.98 MHz	633332	1 low+1	23.96 dBm
 · mid	3499.98 MHz	633332	1 high-1	24.09 dBm
 · mid	3499.98 MHz	633332	1 high	24.03 dBm
 · mid	3499.98 MHz	633332	50 % mid	23.83 dBm
 · mid	3499.98 MHz	633332	100 %	22.38 dBm
 · high	3534.99 MHz	635666	1 low	22.03 dBm
 · high	3534.99 MHz	635666	1 low+1	23.92 dBm
 · high	3534.99 MHz	635666	1 high-1	24.01 dBm
 · high	3534.99 MHz	635666	1 high	24.01 dBm
 · high	3534.99 MHz	635666	50 % mid	23.85 dBm
 · high	3534.99 MHz	635666	100 %	22.46 dBm

NR, QPSK, 40 MHz

Max: **24.10 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3470.01 MHz	631334	1 low	22.16 dBm
 · low	3470.01 MHz	631334	1 low+1	24.10 dBm
 · low	3470.01 MHz	631334	1 high-1	23.88 dBm
 · low	3470.01 MHz	631334	1 high	23.90 dBm
 · low	3470.01 MHz	631334	50 % mid	24.01 dBm
 · low	3470.01 MHz	631334	100 %	22.51 dBm
 · mid	3499.98 MHz	633332	1 low	22.11 dBm
 · mid	3499.98 MHz	633332	1 low+1	23.94 dBm
 · mid	3499.98 MHz	633332	1 high-1	24.06 dBm
 · mid	3499.98 MHz	633332	1 high	23.96 dBm
 · mid	3499.98 MHz	633332	50 % mid	23.86 dBm
 · mid	3499.98 MHz	633332	100 %	22.45 dBm
 · high	3529.98 MHz	635332	1 low	22.11 dBm
 · high	3529.98 MHz	635332	1 low+1	24.10 dBm
 · high	3529.98 MHz	635332	1 high-1	24.04 dBm
 · high	3529.98 MHz	635332	1 high	24.01 dBm
 · high	3529.98 MHz	635332	50 % mid	23.92 dBm
 · high	3529.98 MHz	635332	100 %	22.51 dBm

NR, QPSK, 50 MHz

Max: **23.88 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3475.02 MHz	631668	1 low	21.87 dBm
  · low	3475.02 MHz	631668	1 low+1	23.88 dBm
  · low	3475.02 MHz	631668	1 high-1	23.62 dBm
  · low	3475.02 MHz	631668	1 high	23.59 dBm
  · low	3475.02 MHz	631668	50 % mid	23.67 dBm
  · low	3475.02 MHz	631668	100 %	22.22 dBm
  · mid	3499.98 MHz	633332	1 low	21.81 dBm
  · mid	3499.98 MHz	633332	1 low+1	23.79 dBm
  · mid	3499.98 MHz	633332	1 high-1	23.52 dBm
  · mid	3499.98 MHz	633332	1 high	23.74 dBm
  · mid	3499.98 MHz	633332	50 % mid	23.59 dBm
  · mid	3499.98 MHz	633332	100 %	22.23 dBm
  · high	3525 MHz	635000	1 low	21.57 dBm
  · high	3525 MHz	635000	1 low+1	23.74 dBm
  · high	3525 MHz	635000	1 high-1	23.47 dBm
  · high	3525 MHz	635000	1 high	23.65 dBm
  · high	3525 MHz	635000	50 % mid	23.66 dBm
  · high	3525 MHz	635000	100 %	22.16 dBm

NR, QPSK, 60 MHz

Max: **23.89 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3480 MHz	632000	1 low	21.94 dBm
 · low	3480 MHz	632000	1 low+1	23.89 dBm
 · low	3480 MHz	632000	1 high-1	23.56 dBm
 · low	3480 MHz	632000	1 high	21.59 dBm
 · low	3480 MHz	632000	50 % mid	23.75 dBm
 · low	3480 MHz	632000	100 %	22.25 dBm
 · mid	3499.98 MHz	633332	1 low	21.88 dBm
 · mid	3499.98 MHz	633332	1 low+1	23.75 dBm
 · mid	3499.98 MHz	633332	1 high-1	23.58 dBm
 · mid	3499.98 MHz	633332	1 high	21.63 dBm
 · mid	3499.98 MHz	633332	50 % mid	23.65 dBm
 · mid	3499.98 MHz	633332	100 %	22.25 dBm
 · high	3519.99 MHz	634666	1 low	21.59 dBm
 · high	3519.99 MHz	634666	1 low+1	23.60 dBm
 · high	3519.99 MHz	634666	1 high-1	23.60 dBm
 · high	3519.99 MHz	634666	1 high	21.53 dBm
 · high	3519.99 MHz	634666	50 % mid	23.71 dBm
 · high	3519.99 MHz	634666	100 %	22.15 dBm

NR, QPSK, 70 MHz

Max: **23.80 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3485.01 MHz	632334	1 low	21.88 dBm
 · low	3485.01 MHz	632334	1 low+1	23.80 dBm
 · low	3485.01 MHz	632334	1 high-1	23.69 dBm
 · low	3485.01 MHz	632334	1 high	23.73 dBm
 · low	3485.01 MHz	632334	50 % mid	23.67 dBm
 · low	3485.01 MHz	632334	100 %	22.19 dBm
 · mid	3499.98 MHz	633332	1 low	21.82 dBm
 · mid	3499.98 MHz	633332	1 low+1	23.60 dBm
 · mid	3499.98 MHz	633332	1 high-1	23.45 dBm
 · mid	3499.98 MHz	633332	1 high	23.65 dBm
 · mid	3499.98 MHz	633332	50 % mid	23.60 dBm
 · mid	3499.98 MHz	633332	100 %	22.11 dBm
 · high	3514.98 MHz	634332	1 low	21.86 dBm
 · high	3514.98 MHz	634332	1 low+1	23.56 dBm
 · high	3514.98 MHz	634332	1 high-1	23.72 dBm
 · high	3514.98 MHz	634332	1 high	23.60 dBm
 · high	3514.98 MHz	634332	50 % mid	23.65 dBm
 · high	3514.98 MHz	634332	100 %	22.09 dBm

NR, QPSK, 80 MHz

Max: **23.81 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3490.02 MHz	632668	1 low	21.84 dBm
 · low	3490.02 MHz	632668	1 low+1	23.74 dBm
 · low	3490.02 MHz	632668	1 high-1	23.63 dBm
 · low	3490.02 MHz	632668	1 high	23.47 dBm
 · low	3490.02 MHz	632668	50 % mid	23.55 dBm
 · low	3490.02 MHz	632668	100 %	22.14 dBm
 · mid	3499.98 MHz	633332	1 low	21.77 dBm
 · mid	3499.98 MHz	633332	1 low+1	23.60 dBm
 · mid	3499.98 MHz	633332	1 high-1	23.52 dBm
 · mid	3499.98 MHz	633332	1 high	23.81 dBm
 · mid	3499.98 MHz	633332	50 % mid	23.58 dBm
 · mid	3499.98 MHz	633332	100 %	22.12 dBm
 · high	3510 MHz	634000	1 low	21.79 dBm
 · high	3510 MHz	634000	1 low+1	23.66 dBm
 · high	3510 MHz	634000	1 high-1	23.46 dBm
 · high	3510 MHz	634000	1 high	23.49 dBm
 · high	3510 MHz	634000	50 % mid	23.51 dBm
 · high	3510 MHz	634000	100 %	22.13 dBm

NR, QPSK, 90 MHz

Max: **23.78 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3495 MHz	633000	1 low	21.83 dBm
 · low	3495 MHz	633000	1 low+1	23.69 dBm
 · low	3495 MHz	633000	1 high-1	23.78 dBm
 · low	3495 MHz	633000	1 high	23.56 dBm
 · low	3495 MHz	633000	50 % mid	23.60 dBm
 · low	3495 MHz	633000	100 %	22.15 dBm
 · mid	3499.98 MHz	633332	1 low	21.68 dBm
 · mid	3499.98 MHz	633332	1 low+1	23.69 dBm
 · mid	3499.98 MHz	633332	1 high-1	23.63 dBm
 · mid	3499.98 MHz	633332	1 high	23.61 dBm
 · mid	3499.98 MHz	633332	50 % mid	23.59 dBm
 · mid	3499.98 MHz	633332	100 %	22.12 dBm
 · high	3504.99 MHz	633666	1 low	21.82 dBm
 · high	3504.99 MHz	633666	1 low+1	23.51 dBm
 · high	3504.99 MHz	633666	1 high-1	23.60 dBm
 · high	3504.99 MHz	633666	1 high	23.51 dBm
 · high	3504.99 MHz	633666	50 % mid	23.61 dBm
 · high	3504.99 MHz	633666	100 %	22.10 dBm

NR, QPSK, 100 MHz

Max: **23.69 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · mid	3499.98 MHz	633332	1 low	21.87 dBm
 · mid	3499.98 MHz	633332	1 low+1	23.69 dBm
 · mid	3499.98 MHz	633332	1 high-1	23.62 dBm
 · mid	3499.98 MHz	633332	1 high	23.55 dBm
 · mid	3499.98 MHz	633332	50 % mid	23.57 dBm
 · mid	3499.98 MHz	633332	100 %	22.11 dBm

NR, 16QAM, 10 MHz

Max: **23.36 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3455.01 MHz	630334	1 low	21.78 dBm
  · low	3455.01 MHz	630334	1 low+1	23.26 dBm
  · low	3455.01 MHz	630334	1 high-1	23.25 dBm
  · low	3455.01 MHz	630334	1 high	21.69 dBm
  · low	3455.01 MHz	630334	50 % mid	23.36 dBm
  · low	3455.01 MHz	630334	100 %	22.38 dBm
  · mid	3499.98 MHz	633332	1 low	21.52 dBm
  · mid	3499.98 MHz	633332	1 low+1	23.07 dBm
  · mid	3499.98 MHz	633332	1 high-1	23.12 dBm
  · mid	3499.98 MHz	633332	1 high	21.71 dBm
  · mid	3499.98 MHz	633332	50 % mid	23.23 dBm
  · mid	3499.98 MHz	633332	100 %	22.25 dBm
  · high	3544.98 MHz	636332	1 low	21.79 dBm
  · high	3544.98 MHz	636332	1 low+1	23.15 dBm
  · high	3544.98 MHz	636332	1 high-1	23.19 dBm
  · high	3544.98 MHz	636332	1 high	21.67 dBm
  · high	3544.98 MHz	636332	50 % mid	23.29 dBm
  · high	3544.98 MHz	636332	100 %	22.27 dBm

NR, 16QAM, 15 MHz

Max: **23.44 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3457.5 MHz	630500	1 low	21.95 dBm
 · low	3457.5 MHz	630500	1 low+1	23.44 dBm
 · low	3457.5 MHz	630500	1 high-1	23.38 dBm
 · low	3457.5 MHz	630500	1 high	21.78 dBm
 · low	3457.5 MHz	630500	50 % mid	23.40 dBm
 · low	3457.5 MHz	630500	100 %	22.45 dBm
 · mid	3499.98 MHz	633332	1 low	21.76 dBm
 · mid	3499.98 MHz	633332	1 low+1	23.25 dBm
 · mid	3499.98 MHz	633332	1 high-1	23.37 dBm
 · mid	3499.98 MHz	633332	1 high	21.69 dBm
 · mid	3499.98 MHz	633332	50 % mid	23.27 dBm
 · mid	3499.98 MHz	633332	100 %	22.31 dBm
 · high	3542.49 MHz	636166	1 low	21.86 dBm
 · high	3542.49 MHz	636166	1 low+1	23.39 dBm
 · high	3542.49 MHz	636166	1 high-1	23.32 dBm
 · high	3542.49 MHz	636166	1 high	21.80 dBm
 · high	3542.49 MHz	636166	50 % mid	23.33 dBm
 · high	3542.49 MHz	636166	100 %	22.41 dBm

NR, 16QAM, 20 MHz

Max: **23.52 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3460.02 MHz	630668	1 low	22.02 dBm
  · low	3460.02 MHz	630668	1 low+1	23.50 dBm
  · low	3460.02 MHz	630668	1 high-1	23.44 dBm
  · low	3460.02 MHz	630668	1 high	23.39 dBm
  · low	3460.02 MHz	630668	50 % mid	23.45 dBm
  · low	3460.02 MHz	630668	100 %	22.47 dBm
  · mid	3499.98 MHz	633332	1 low	21.84 dBm
  · mid	3499.98 MHz	633332	1 low+1	23.34 dBm
  · mid	3499.98 MHz	633332	1 high-1	23.36 dBm
  · mid	3499.98 MHz	633332	1 high	23.52 dBm
  · mid	3499.98 MHz	633332	50 % mid	23.29 dBm
  · mid	3499.98 MHz	633332	100 %	22.30 dBm
  · high	3540 MHz	636000	1 low	21.96 dBm
  · high	3540 MHz	636000	1 low+1	23.47 dBm
  · high	3540 MHz	636000	1 high-1	23.35 dBm
  · high	3540 MHz	636000	1 high	23.37 dBm
  · high	3540 MHz	636000	50 % mid	23.43 dBm
  · high	3540 MHz	636000	100 %	22.40 dBm

NR, 16QAM, 30 MHz

Max: **23.65 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3465 MHz	631000	1 low	22.14 dBm
 · low	3465 MHz	631000	1 low+1	23.65 dBm
 · low	3465 MHz	631000	1 high-1	23.41 dBm
 · low	3465 MHz	631000	1 high	23.40 dBm
 · low	3465 MHz	631000	50 % mid	23.51 dBm
 · low	3465 MHz	631000	100 %	22.49 dBm
 · mid	3499.98 MHz	633332	1 low	21.90 dBm
 · mid	3499.98 MHz	633332	1 low+1	23.43 dBm
 · mid	3499.98 MHz	633332	1 high-1	23.55 dBm
 · mid	3499.98 MHz	633332	1 high	23.61 dBm
 · mid	3499.98 MHz	633332	50 % mid	23.33 dBm
 · mid	3499.98 MHz	633332	100 %	22.40 dBm
 · high	3534.99 MHz	635666	1 low	22.16 dBm
 · high	3534.99 MHz	635666	1 low+1	23.58 dBm
 · high	3534.99 MHz	635666	1 high-1	23.42 dBm
 · high	3534.99 MHz	635666	1 high	23.51 dBm
 · high	3534.99 MHz	635666	50 % mid	23.40 dBm
 · high	3534.99 MHz	635666	100 %	22.45 dBm

NR, 16QAM, 40 MHz

Max: **23.73 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3470.01 MHz	631334	1 low	22.23 dBm
  · low	3470.01 MHz	631334	1 low+1	23.72 dBm
  · low	3470.01 MHz	631334	1 high-1	23.34 dBm
  · low	3470.01 MHz	631334	1 high	23.48 dBm
  · low	3470.01 MHz	631334	50 % mid	23.49 dBm
  · low	3470.01 MHz	631334	100 %	22.55 dBm
  · mid	3499.98 MHz	633332	1 low	22.07 dBm
  · mid	3499.98 MHz	633332	1 low+1	23.59 dBm
  · mid	3499.98 MHz	633332	1 high-1	23.61 dBm
  · mid	3499.98 MHz	633332	1 high	23.70 dBm
  · mid	3499.98 MHz	633332	50 % mid	23.38 dBm
  · mid	3499.98 MHz	633332	100 %	22.47 dBm
  · high	3529.98 MHz	635332	1 low	22.13 dBm
  · high	3529.98 MHz	635332	1 low+1	23.73 dBm
  · high	3529.98 MHz	635332	1 high-1	23.61 dBm
  · high	3529.98 MHz	635332	1 high	23.53 dBm
  · high	3529.98 MHz	635332	50 % mid	23.41 dBm
  · high	3529.98 MHz	635332	100 %	22.47 dBm

NR, 16QAM, 50 MHz

Max: **23.49 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3475.02 MHz	631668	1 low	21.89 dBm
  · low	3475.02 MHz	631668	1 low+1	23.40 dBm
  · low	3475.02 MHz	631668	1 high-1	22.97 dBm
  · low	3475.02 MHz	631668	1 high	22.87 dBm
  · low	3475.02 MHz	631668	50 % mid	23.24 dBm
  · low	3475.02 MHz	631668	100 %	22.22 dBm
  · mid	3499.98 MHz	633332	1 low	21.82 dBm
  · mid	3499.98 MHz	633332	1 low+1	23.49 dBm
  · mid	3499.98 MHz	633332	1 high-1	23.01 dBm
  · mid	3499.98 MHz	633332	1 high	23.10 dBm
  · mid	3499.98 MHz	633332	50 % mid	23.14 dBm
  · mid	3499.98 MHz	633332	100 %	22.19 dBm
  · high	3525 MHz	635000	1 low	21.57 dBm
  · high	3525 MHz	635000	1 low+1	23.18 dBm
  · high	3525 MHz	635000	1 high-1	23.09 dBm
  · high	3525 MHz	635000	1 high	23.08 dBm
  · high	3525 MHz	635000	50 % mid	23.18 dBm
  · high	3525 MHz	635000	100 %	22.20 dBm

NR, 16QAM, 60 MHz

Max: **23.35 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3480 MHz	632000	1 low	21.91 dBm
 · low	3480 MHz	632000	1 low+1	23.35 dBm
 · low	3480 MHz	632000	1 high-1	23.17 dBm
 · low	3480 MHz	632000	1 high	21.59 dBm
 · low	3480 MHz	632000	50 % mid	23.28 dBm
 · low	3480 MHz	632000	100 %	22.24 dBm
 · mid	3499.98 MHz	633332	1 low	21.90 dBm
 · mid	3499.98 MHz	633332	1 low+1	23.35 dBm
 · mid	3499.98 MHz	633332	1 high-1	23.15 dBm
 · mid	3499.98 MHz	633332	1 high	21.64 dBm
 · mid	3499.98 MHz	633332	50 % mid	23.16 dBm
 · mid	3499.98 MHz	633332	100 %	22.16 dBm
 · high	3519.99 MHz	634666	1 low	21.60 dBm
 · high	3519.99 MHz	634666	1 low+1	23.13 dBm
 · high	3519.99 MHz	634666	1 high-1	23.09 dBm
 · high	3519.99 MHz	634666	1 high	21.59 dBm
 · high	3519.99 MHz	634666	50 % mid	23.18 dBm
 · high	3519.99 MHz	634666	100 %	22.11 dBm

NR, 16QAM, 70 MHz

Max: **23.26 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3485.01 MHz	632334	1 low	21.82 dBm
  · low	3485.01 MHz	632334	1 low+1	23.26 dBm
  · low	3485.01 MHz	632334	1 high-1	23.07 dBm
  · low	3485.01 MHz	632334	1 high	23.10 dBm
  · low	3485.01 MHz	632334	50 % mid	23.09 dBm
  · low	3485.01 MHz	632334	100 %	22.19 dBm
  · mid	3499.98 MHz	633332	1 low	21.71 dBm
  · mid	3499.98 MHz	633332	1 low+1	23.20 dBm
  · mid	3499.98 MHz	633332	1 high-1	23.06 dBm
  · mid	3499.98 MHz	633332	1 high	23.06 dBm
  · mid	3499.98 MHz	633332	50 % mid	23.04 dBm
  · mid	3499.98 MHz	633332	100 %	22.13 dBm
  · high	3514.98 MHz	634332	1 low	21.57 dBm
  · high	3514.98 MHz	634332	1 low+1	23.04 dBm
  · high	3514.98 MHz	634332	1 high-1	22.97 dBm
  · high	3514.98 MHz	634332	1 high	23.07 dBm
  · high	3514.98 MHz	634332	50 % mid	23.15 dBm
  · high	3514.98 MHz	634332	100 %	22.07 dBm

NR, 16QAM, 80 MHz

Max: **23.28 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3490.02 MHz	632668	1 low	21.79 dBm
  · low	3490.02 MHz	632668	1 low+1	23.28 dBm
  · low	3490.02 MHz	632668	1 high-1	23.01 dBm
  · low	3490.02 MHz	632668	1 high	22.97 dBm
  · low	3490.02 MHz	632668	50 % mid	23.11 dBm
  · low	3490.02 MHz	632668	100 %	22.11 dBm
  · mid	3499.98 MHz	633332	1 low	21.75 dBm
  · mid	3499.98 MHz	633332	1 low+1	23.18 dBm
  · mid	3499.98 MHz	633332	1 high-1	22.95 dBm
  · mid	3499.98 MHz	633332	1 high	23.10 dBm
  · mid	3499.98 MHz	633332	50 % mid	23.12 dBm
  · mid	3499.98 MHz	633332	100 %	22.12 dBm
  · high	3510 MHz	634000	1 low	21.90 dBm
  · high	3510 MHz	634000	1 low+1	23.14 dBm
  · high	3510 MHz	634000	1 high-1	22.98 dBm
  · high	3510 MHz	634000	1 high	23.03 dBm
  · high	3510 MHz	634000	50 % mid	23.12 dBm
  · high	3510 MHz	634000	100 %	22.11 dBm

NR, 16QAM, 90 MHz

Max: **23.29 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3495 MHz	633000	1 low	21.84 dBm
  · low	3495 MHz	633000	1 low+1	23.25 dBm
  · low	3495 MHz	633000	1 high-1	23.06 dBm
  · low	3495 MHz	633000	1 high	23.05 dBm
  · low	3495 MHz	633000	50 % mid	23.08 dBm
  · low	3495 MHz	633000	100 %	22.17 dBm
  · mid	3499.98 MHz	633332	1 low	21.75 dBm
  · mid	3499.98 MHz	633332	1 low+1	23.14 dBm
  · mid	3499.98 MHz	633332	1 high-1	23.11 dBm
  · mid	3499.98 MHz	633332	1 high	23.29 dBm
  · mid	3499.98 MHz	633332	50 % mid	23.10 dBm
  · mid	3499.98 MHz	633332	100 %	22.17 dBm
  · high	3504.99 MHz	633666	1 low	21.63 dBm
  · high	3504.99 MHz	633666	1 low+1	23.23 dBm
  · high	3504.99 MHz	633666	1 high-1	23.19 dBm
  · high	3504.99 MHz	633666	1 high	23.15 dBm
  · high	3504.99 MHz	633666	50 % mid	23.00 dBm
  · high	3504.99 MHz	633666	100 %	22.07 dBm

NR, 16QAM, 100 MHz

Max: **23.27 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · mid	3499.98 MHz	633332	1 low	21.76 dBm
 · mid	3499.98 MHz	633332	1 low+1	23.27 dBm
 · mid	3499.98 MHz	633332	1 high-1	23.20 dBm
 · mid	3499.98 MHz	633332	1 high	23.18 dBm
 · mid	3499.98 MHz	633332	50 % mid	23.13 dBm
 · mid	3499.98 MHz	633332	100 %	22.12 dBm

NR, 64QAM, 10 MHz

Max: **21.93 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3455.01 MHz	630334	1 low	21.82 dBm
  · low	3455.01 MHz	630334	1 low+1	21.72 dBm
  · low	3455.01 MHz	630334	1 high-1	21.74 dBm
  · low	3455.01 MHz	630334	1 high	21.64 dBm
  · low	3455.01 MHz	630334	50 % mid	21.93 dBm
  · low	3455.01 MHz	630334	100 %	21.92 dBm
  · mid	3499.98 MHz	633332	1 low	21.50 dBm
  · mid	3499.98 MHz	633332	1 low+1	21.52 dBm
  · mid	3499.98 MHz	633332	1 high-1	21.63 dBm
  · mid	3499.98 MHz	633332	1 high	21.57 dBm
  · mid	3499.98 MHz	633332	50 % mid	21.70 dBm
  · mid	3499.98 MHz	633332	100 %	21.76 dBm
  · high	3544.98 MHz	636332	1 low	21.65 dBm
  · high	3544.98 MHz	636332	1 low+1	21.58 dBm
  · high	3544.98 MHz	636332	1 high-1	21.55 dBm
  · high	3544.98 MHz	636332	1 high	21.62 dBm
  · high	3544.98 MHz	636332	50 % mid	21.81 dBm
  · high	3544.98 MHz	636332	100 %	21.75 dBm

NR, 64QAM, 15 MHz

Max: **21.93 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3457.5 MHz	630500	1 low	21.81 dBm
  · low	3457.5 MHz	630500	1 low+1	21.93 dBm
  · low	3457.5 MHz	630500	1 high-1	21.85 dBm
  · low	3457.5 MHz	630500	1 high	21.70 dBm
  · low	3457.5 MHz	630500	50 % mid	21.82 dBm
  · low	3457.5 MHz	630500	100 %	21.92 dBm
  · mid	3499.98 MHz	633332	1 low	21.66 dBm
  · mid	3499.98 MHz	633332	1 low+1	21.63 dBm
  · mid	3499.98 MHz	633332	1 high-1	21.68 dBm
  · mid	3499.98 MHz	633332	1 high	21.84 dBm
  · mid	3499.98 MHz	633332	50 % mid	21.76 dBm
  · mid	3499.98 MHz	633332	100 %	21.82 dBm
  · high	3542.49 MHz	636166	1 low	21.74 dBm
  · high	3542.49 MHz	636166	1 low+1	21.74 dBm
  · high	3542.49 MHz	636166	1 high-1	21.71 dBm
  · high	3542.49 MHz	636166	1 high	21.68 dBm
  · high	3542.49 MHz	636166	50 % mid	21.84 dBm
  · high	3542.49 MHz	636166	100 %	21.85 dBm

NR, 64QAM, 20 MHz

Max: **21.91 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3460.02 MHz	630668	1 low	21.87 dBm
  · low	3460.02 MHz	630668	1 low+1	21.87 dBm
  · low	3460.02 MHz	630668	1 high-1	21.78 dBm
  · low	3460.02 MHz	630668	1 high	21.80 dBm
  · low	3460.02 MHz	630668	50 % mid	21.84 dBm
  · low	3460.02 MHz	630668	100 %	21.91 dBm
  · mid	3499.98 MHz	633332	1 low	21.64 dBm
  · mid	3499.98 MHz	633332	1 low+1	21.69 dBm
  · mid	3499.98 MHz	633332	1 high-1	21.85 dBm
  · mid	3499.98 MHz	633332	1 high	21.75 dBm
  · mid	3499.98 MHz	633332	50 % mid	21.74 dBm
  · mid	3499.98 MHz	633332	100 %	21.85 dBm
  · high	3540 MHz	636000	1 low	21.73 dBm
  · high	3540 MHz	636000	1 low+1	21.83 dBm
  · high	3540 MHz	636000	1 high-1	21.80 dBm
  · high	3540 MHz	636000	1 high	21.60 dBm
  · high	3540 MHz	636000	50 % mid	21.80 dBm
  · high	3540 MHz	636000	100 %	21.87 dBm

NR, 64QAM, 30 MHz

Max: **22.18 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3465 MHz	631000	1 low	22.18 dBm
  · low	3465 MHz	631000	1 low+1	22.08 dBm
  · low	3465 MHz	631000	1 high-1	21.73 dBm
  · low	3465 MHz	631000	1 high	21.83 dBm
  · low	3465 MHz	631000	50 % mid	22.07 dBm
  · low	3465 MHz	631000	100 %	22.02 dBm
  · mid	3499.98 MHz	633332	1 low	21.78 dBm
  · mid	3499.98 MHz	633332	1 low+1	21.93 dBm
  · mid	3499.98 MHz	633332	1 high-1	21.98 dBm
  · mid	3499.98 MHz	633332	1 high	22.07 dBm
  · mid	3499.98 MHz	633332	50 % mid	21.88 dBm
  · mid	3499.98 MHz	633332	100 %	21.91 dBm
  · high	3534.99 MHz	635666	1 low	21.89 dBm
  · high	3534.99 MHz	635666	1 low+1	22.04 dBm
  · high	3534.99 MHz	635666	1 high-1	21.86 dBm
  · high	3534.99 MHz	635666	1 high	21.88 dBm
  · high	3534.99 MHz	635666	50 % mid	21.93 dBm
  · high	3534.99 MHz	635666	100 %	21.86 dBm

NR, 64QAM, 40 MHz

Max: **22.25 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3470.01 MHz	631334	1 low	22.25 dBm
  · low	3470.01 MHz	631334	1 low+1	22.01 dBm
  · low	3470.01 MHz	631334	1 high-1	21.77 dBm
  · low	3470.01 MHz	631334	1 high	21.82 dBm
  · low	3470.01 MHz	631334	50 % mid	22.06 dBm
  · low	3470.01 MHz	631334	100 %	22.00 dBm
  · mid	3499.98 MHz	633332	1 low	22.09 dBm
  · mid	3499.98 MHz	633332	1 low+1	21.90 dBm
  · mid	3499.98 MHz	633332	1 high-1	22.01 dBm
  · mid	3499.98 MHz	633332	1 high	22.01 dBm
  · mid	3499.98 MHz	633332	50 % mid	21.92 dBm
  · mid	3499.98 MHz	633332	100 %	21.92 dBm
  · high	3529.98 MHz	635332	1 low	22.09 dBm
  · high	3529.98 MHz	635332	1 low+1	21.97 dBm
  · high	3529.98 MHz	635332	1 high-1	21.98 dBm
  · high	3529.98 MHz	635332	1 high	21.95 dBm
  · high	3529.98 MHz	635332	50 % mid	21.89 dBm
  · high	3529.98 MHz	635332	100 %	21.92 dBm

NR, 64QAM, 50 MHz

Max: **21.93 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3475.02 MHz	631668	1 low	21.90 dBm
  · low	3475.02 MHz	631668	1 low+1	21.93 dBm
  · low	3475.02 MHz	631668	1 high-1	21.34 dBm
  · low	3475.02 MHz	631668	1 high	21.42 dBm
  · low	3475.02 MHz	631668	50 % mid	21.71 dBm
  · low	3475.02 MHz	631668	100 %	21.70 dBm
  · mid	3499.98 MHz	633332	1 low	21.82 dBm
  · mid	3499.98 MHz	633332	1 low+1	21.68 dBm
  · mid	3499.98 MHz	633332	1 high-1	21.48 dBm
  · mid	3499.98 MHz	633332	1 high	21.49 dBm
  · mid	3499.98 MHz	633332	50 % mid	21.57 dBm
  · mid	3499.98 MHz	633332	100 %	21.68 dBm
  · high	3525 MHz	635000	1 low	21.48 dBm
  · high	3525 MHz	635000	1 low+1	21.48 dBm
  · high	3525 MHz	635000	1 high-1	21.58 dBm
  · high	3525 MHz	635000	1 high	21.54 dBm
  · high	3525 MHz	635000	50 % mid	21.62 dBm
  · high	3525 MHz	635000	100 %	21.67 dBm

NR, 64QAM, 60 MHz

Max: **21.92 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3480 MHz	632000	1 low	21.76 dBm
  · low	3480 MHz	632000	1 low+1	21.77 dBm
  · low	3480 MHz	632000	1 high-1	21.48 dBm
  · low	3480 MHz	632000	1 high	21.47 dBm
  · low	3480 MHz	632000	50 % mid	21.78 dBm
  · low	3480 MHz	632000	100 %	21.75 dBm
  · mid	3499.98 MHz	633332	1 low	21.92 dBm
  · mid	3499.98 MHz	633332	1 low+1	21.78 dBm
  · mid	3499.98 MHz	633332	1 high-1	21.57 dBm
  · mid	3499.98 MHz	633332	1 high	21.53 dBm
  · mid	3499.98 MHz	633332	50 % mid	21.65 dBm
  · mid	3499.98 MHz	633332	100 %	21.72 dBm
  · high	3519.99 MHz	634666	1 low	21.45 dBm
  · high	3519.99 MHz	634666	1 low+1	21.57 dBm
  · high	3519.99 MHz	634666	1 high-1	21.48 dBm
  · high	3519.99 MHz	634666	1 high	21.49 dBm
  · high	3519.99 MHz	634666	50 % mid	21.69 dBm
  · high	3519.99 MHz	634666	100 %	21.66 dBm

NR, 64QAM, 70 MHz

Max: **21.82 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3485.01 MHz	632334	1 low	21.82 dBm
 · low	3485.01 MHz	632334	1 low+1	21.62 dBm
 · low	3485.01 MHz	632334	1 high-1	21.45 dBm
 · low	3485.01 MHz	632334	1 high	21.54 dBm
 · low	3485.01 MHz	632334	50 % mid	21.68 dBm
 · low	3485.01 MHz	632334	100 %	21.72 dBm
 · mid	3499.98 MHz	633332	1 low	21.77 dBm
 · mid	3499.98 MHz	633332	1 low+1	21.66 dBm
 · mid	3499.98 MHz	633332	1 high-1	21.50 dBm
 · mid	3499.98 MHz	633332	1 high	21.35 dBm
 · mid	3499.98 MHz	633332	50 % mid	21.60 dBm
 · mid	3499.98 MHz	633332	100 %	21.61 dBm
 · high	3514.98 MHz	634332	1 low	21.55 dBm
 · high	3514.98 MHz	634332	1 low+1	21.46 dBm
 · high	3514.98 MHz	634332	1 high-1	21.35 dBm
 · high	3514.98 MHz	634332	1 high	21.32 dBm
 · high	3514.98 MHz	634332	50 % mid	21.54 dBm
 · high	3514.98 MHz	634332	100 %	21.58 dBm

NR, 64QAM, 80 MHz

Max: **21.78 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3490.02 MHz	632668	1 low	21.64 dBm
  · low	3490.02 MHz	632668	1 low+1	21.78 dBm
  · low	3490.02 MHz	632668	1 high-1	21.43 dBm
  · low	3490.02 MHz	632668	1 high	21.29 dBm
  · low	3490.02 MHz	632668	50 % mid	21.55 dBm
  · low	3490.02 MHz	632668	100 %	21.62 dBm
  · mid	3499.98 MHz	633332	1 low	21.69 dBm
  · mid	3499.98 MHz	633332	1 low+1	21.52 dBm
  · mid	3499.98 MHz	633332	1 high-1	21.33 dBm
  · mid	3499.98 MHz	633332	1 high	21.39 dBm
  · mid	3499.98 MHz	633332	50 % mid	21.60 dBm
  · mid	3499.98 MHz	633332	100 %	21.62 dBm
  · high	3510 MHz	634000	1 low	21.66 dBm
  · high	3510 MHz	634000	1 low+1	21.61 dBm
  · high	3510 MHz	634000	1 high-1	21.39 dBm
  · high	3510 MHz	634000	1 high	21.46 dBm
  · high	3510 MHz	634000	50 % mid	21.62 dBm
  · high	3510 MHz	634000	100 %	21.54 dBm

NR, 64QAM, 90 MHz

Max: **21.81 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3495 MHz	633000	1 low	21.81 dBm
  · low	3495 MHz	633000	1 low+1	21.48 dBm
  · low	3495 MHz	633000	1 high-1	21.48 dBm
  · low	3495 MHz	633000	1 high	21.37 dBm
  · low	3495 MHz	633000	50 % mid	21.66 dBm
  · low	3495 MHz	633000	100 %	21.68 dBm
  · mid	3499.98 MHz	633332	1 low	21.58 dBm
  · mid	3499.98 MHz	633332	1 low+1	21.57 dBm
  · mid	3499.98 MHz	633332	1 high-1	21.53 dBm
  · mid	3499.98 MHz	633332	1 high	21.38 dBm
  · mid	3499.98 MHz	633332	50 % mid	21.63 dBm
  · mid	3499.98 MHz	633332	100 %	21.63 dBm
  · high	3504.99 MHz	633666	1 low	21.67 dBm
  · high	3504.99 MHz	633666	1 low+1	21.45 dBm
  · high	3504.99 MHz	633666	1 high-1	21.52 dBm
  · high	3504.99 MHz	633666	1 high	21.41 dBm
  · high	3504.99 MHz	633666	50 % mid	21.55 dBm
  · high	3504.99 MHz	633666	100 %	21.58 dBm

NR, 64QAM, 100 MHz

Max: **21.65 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · mid	3499.98 MHz	633332	1 low	21.62 dBm
 · mid	3499.98 MHz	633332	1 low+1	21.65 dBm
 · mid	3499.98 MHz	633332	1 high-1	21.52 dBm
 · mid	3499.98 MHz	633332	1 high	21.53 dBm
 · mid	3499.98 MHz	633332	50 % mid	21.62 dBm
 · mid	3499.98 MHz	633332	100 %	21.64 dBm

NR, 256QAM, 10 MHz

Max: **18.93 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3455.01 MHz	630334	1 low	18.69 dBm
  · low	3455.01 MHz	630334	1 low+1	18.60 dBm
  · low	3455.01 MHz	630334	1 high-1	18.49 dBm
  · low	3455.01 MHz	630334	1 high	18.59 dBm
  · low	3455.01 MHz	630334	50 % mid	18.93 dBm
  · low	3455.01 MHz	630334	100 %	18.87 dBm
  · mid	3499.98 MHz	633332	1 low	18.51 dBm
  · mid	3499.98 MHz	633332	1 low+1	18.43 dBm
  · mid	3499.98 MHz	633332	1 high-1	18.48 dBm
  · mid	3499.98 MHz	633332	1 high	18.47 dBm
  · mid	3499.98 MHz	633332	50 % mid	18.70 dBm
  · mid	3499.98 MHz	633332	100 %	18.77 dBm
  · high	3544.98 MHz	636332	1 low	18.62 dBm
  · high	3544.98 MHz	636332	1 low+1	18.44 dBm
  · high	3544.98 MHz	636332	1 high-1	18.51 dBm
  · high	3544.98 MHz	636332	1 high	18.45 dBm
  · high	3544.98 MHz	636332	50 % mid	18.80 dBm
  · high	3544.98 MHz	636332	100 %	18.83 dBm

NR, 256QAM, 15 MHz

Max: **19.00 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3457.5 MHz	630500	1 low	18.77 dBm
 · low	3457.5 MHz	630500	1 low+1	18.72 dBm
 · low	3457.5 MHz	630500	1 high-1	18.67 dBm
 · low	3457.5 MHz	630500	1 high	18.66 dBm
 · low	3457.5 MHz	630500	50 % mid	18.97 dBm
 · low	3457.5 MHz	630500	100 %	19.00 dBm
 · mid	3499.98 MHz	633332	1 low	18.64 dBm
 · mid	3499.98 MHz	633332	1 low+1	18.49 dBm
 · mid	3499.98 MHz	633332	1 high-1	18.65 dBm
 · mid	3499.98 MHz	633332	1 high	18.56 dBm
 · mid	3499.98 MHz	633332	50 % mid	18.72 dBm
 · mid	3499.98 MHz	633332	100 %	18.83 dBm
 · high	3542.49 MHz	636166	1 low	18.60 dBm
 · high	3542.49 MHz	636166	1 low+1	18.69 dBm
 · high	3542.49 MHz	636166	1 high-1	18.63 dBm
 · high	3542.49 MHz	636166	1 high	18.60 dBm
 · high	3542.49 MHz	636166	50 % mid	18.87 dBm
 · high	3542.49 MHz	636166	100 %	18.92 dBm

NR, 256QAM, 20 MHz

Max: **19.02 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3460.02 MHz	630668	1 low	18.80 dBm
  · low	3460.02 MHz	630668	1 low+1	18.66 dBm
  · low	3460.02 MHz	630668	1 high-1	18.69 dBm
  · low	3460.02 MHz	630668	1 high	18.69 dBm
  · low	3460.02 MHz	630668	50 % mid	19.02 dBm
  · low	3460.02 MHz	630668	100 %	18.95 dBm
  · mid	3499.98 MHz	633332	1 low	18.61 dBm
  · mid	3499.98 MHz	633332	1 low+1	18.59 dBm
  · mid	3499.98 MHz	633332	1 high-1	18.66 dBm
  · mid	3499.98 MHz	633332	1 high	18.47 dBm
  · mid	3499.98 MHz	633332	50 % mid	18.78 dBm
  · mid	3499.98 MHz	633332	100 %	18.85 dBm
  · high	3540 MHz	636000	1 low	18.77 dBm
  · high	3540 MHz	636000	1 low+1	18.65 dBm
  · high	3540 MHz	636000	1 high-1	18.57 dBm
  · high	3540 MHz	636000	1 high	18.65 dBm
  · high	3540 MHz	636000	50 % mid	18.86 dBm
  · high	3540 MHz	636000	100 %	18.91 dBm

NR, 256QAM, 30 MHz

Max: **19.06 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3465 MHz	631000	1 low	18.91 dBm
  · low	3465 MHz	631000	1 low+1	18.99 dBm
  · low	3465 MHz	631000	1 high-1	18.65 dBm
  · low	3465 MHz	631000	1 high	18.76 dBm
  · low	3465 MHz	631000	50 % mid	19.06 dBm
  · low	3465 MHz	631000	100 %	19.03 dBm
  · mid	3499.98 MHz	633332	1 low	18.87 dBm
  · mid	3499.98 MHz	633332	1 low+1	18.88 dBm
  · mid	3499.98 MHz	633332	1 high-1	18.78 dBm
  · mid	3499.98 MHz	633332	1 high	18.73 dBm
  · mid	3499.98 MHz	633332	50 % mid	18.87 dBm
  · mid	3499.98 MHz	633332	100 %	18.98 dBm
  · high	3534.99 MHz	635666	1 low	18.82 dBm
  · high	3534.99 MHz	635666	1 low+1	18.62 dBm
  · high	3534.99 MHz	635666	1 high-1	18.75 dBm
  · high	3534.99 MHz	635666	1 high	18.76 dBm
  · high	3534.99 MHz	635666	50 % mid	18.94 dBm
  · high	3534.99 MHz	635666	100 %	18.95 dBm

NR, 256QAM, 40 MHz

Max: **19.12 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3470.01 MHz	631334	1 low	18.84 dBm
  · low	3470.01 MHz	631334	1 low+1	18.89 dBm
  · low	3470.01 MHz	631334	1 high-1	18.67 dBm
  · low	3470.01 MHz	631334	1 high	18.61 dBm
  · low	3470.01 MHz	631334	50 % mid	19.12 dBm
  · low	3470.01 MHz	631334	100 %	19.08 dBm
  · mid	3499.98 MHz	633332	1 low	19.01 dBm
  · mid	3499.98 MHz	633332	1 low+1	18.84 dBm
  · mid	3499.98 MHz	633332	1 high-1	18.97 dBm
  · mid	3499.98 MHz	633332	1 high	18.89 dBm
  · mid	3499.98 MHz	633332	50 % mid	18.86 dBm
  · mid	3499.98 MHz	633332	100 %	18.98 dBm
  · high	3529.98 MHz	635332	1 low	18.96 dBm
  · high	3529.98 MHz	635332	1 low+1	18.91 dBm
  · high	3529.98 MHz	635332	1 high-1	18.84 dBm
  · high	3529.98 MHz	635332	1 high	18.92 dBm
  · high	3529.98 MHz	635332	50 % mid	18.93 dBm
  · high	3529.98 MHz	635332	100 %	19.03 dBm

NR, 256QAM, 50 MHz

Max: **18.73 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3475.02 MHz	631668	1 low	18.57 dBm
  · low	3475.02 MHz	631668	1 low+1	18.62 dBm
  · low	3475.02 MHz	631668	1 high-1	18.22 dBm
  · low	3475.02 MHz	631668	1 high	18.29 dBm
  · low	3475.02 MHz	631668	50 % mid	18.71 dBm
  · low	3475.02 MHz	631668	100 %	18.73 dBm
  · mid	3499.98 MHz	633332	1 low	18.49 dBm
  · mid	3499.98 MHz	633332	1 low+1	18.57 dBm
  · mid	3499.98 MHz	633332	1 high-1	18.31 dBm
  · mid	3499.98 MHz	633332	1 high	18.30 dBm
  · mid	3499.98 MHz	633332	50 % mid	18.63 dBm
  · mid	3499.98 MHz	633332	100 %	18.63 dBm
  · high	3525 MHz	635000	1 low	18.49 dBm
  · high	3525 MHz	635000	1 low+1	18.35 dBm
  · high	3525 MHz	635000	1 high-1	18.36 dBm
  · high	3525 MHz	635000	1 high	18.38 dBm
  · high	3525 MHz	635000	50 % mid	18.69 dBm
  · high	3525 MHz	635000	100 %	18.67 dBm

NR, 256QAM, 60 MHz

Max: **18.81 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3480 MHz	632000	1 low	18.72 dBm
  · low	3480 MHz	632000	1 low+1	18.70 dBm
  · low	3480 MHz	632000	1 high-1	18.49 dBm
  · low	3480 MHz	632000	1 high	18.30 dBm
  · low	3480 MHz	632000	50 % mid	18.81 dBm
  · low	3480 MHz	632000	100 %	18.77 dBm
  · mid	3499.98 MHz	633332	1 low	18.52 dBm
  · mid	3499.98 MHz	633332	1 low+1	18.59 dBm
  · mid	3499.98 MHz	633332	1 high-1	18.42 dBm
  · mid	3499.98 MHz	633332	1 high	18.48 dBm
  · mid	3499.98 MHz	633332	50 % mid	18.73 dBm
  · mid	3499.98 MHz	633332	100 %	18.74 dBm
  · high	3519.99 MHz	634666	1 low	18.34 dBm
  · high	3519.99 MHz	634666	1 low+1	18.37 dBm
  · high	3519.99 MHz	634666	1 high-1	18.42 dBm
  · high	3519.99 MHz	634666	1 high	18.37 dBm
  · high	3519.99 MHz	634666	50 % mid	18.73 dBm
  · high	3519.99 MHz	634666	100 %	18.59 dBm

NR, 256QAM, 70 MHz

Max: **18.74 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3485.01 MHz	632334	1 low	18.60 dBm
  · low	3485.01 MHz	632334	1 low+1	18.44 dBm
  · low	3485.01 MHz	632334	1 high-1	18.30 dBm
  · low	3485.01 MHz	632334	1 high	18.31 dBm
  · low	3485.01 MHz	632334	50 % mid	18.74 dBm
  · low	3485.01 MHz	632334	100 %	18.69 dBm
  · mid	3499.98 MHz	633332	1 low	18.59 dBm
  · mid	3499.98 MHz	633332	1 low+1	18.61 dBm
  · mid	3499.98 MHz	633332	1 high-1	18.42 dBm
  · mid	3499.98 MHz	633332	1 high	18.34 dBm
  · mid	3499.98 MHz	633332	50 % mid	18.63 dBm
  · mid	3499.98 MHz	633332	100 %	18.65 dBm
  · high	3514.98 MHz	634332	1 low	18.50 dBm
  · high	3514.98 MHz	634332	1 low+1	18.45 dBm
  · high	3514.98 MHz	634332	1 high-1	18.20 dBm
  · high	3514.98 MHz	634332	1 high	18.36 dBm
  · high	3514.98 MHz	634332	50 % mid	18.60 dBm
  · high	3514.98 MHz	634332	100 %	18.61 dBm

NR, 256QAM, 80 MHz

Max: **18.67 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3490.02 MHz	632668	1 low	18.55 dBm
  · low	3490.02 MHz	632668	1 low+1	18.34 dBm
  · low	3490.02 MHz	632668	1 high-1	18.35 dBm
  · low	3490.02 MHz	632668	1 high	18.13 dBm
  · low	3490.02 MHz	632668	50 % mid	18.61 dBm
  · low	3490.02 MHz	632668	100 %	18.67 dBm
  · mid	3499.98 MHz	633332	1 low	18.37 dBm
  · mid	3499.98 MHz	633332	1 low+1	18.26 dBm
  · mid	3499.98 MHz	633332	1 high-1	18.36 dBm
  · mid	3499.98 MHz	633332	1 high	18.35 dBm
  · mid	3499.98 MHz	633332	50 % mid	18.61 dBm
  · mid	3499.98 MHz	633332	100 %	18.67 dBm
  · high	3510 MHz	634000	1 low	18.66 dBm
  · high	3510 MHz	634000	1 low+1	18.34 dBm
  · high	3510 MHz	634000	1 high-1	18.36 dBm
  · high	3510 MHz	634000	1 high	18.13 dBm
  · high	3510 MHz	634000	50 % mid	18.59 dBm
  · high	3510 MHz	634000	100 %	18.59 dBm

NR, 256QAM, 90 MHz

Max: **18.70 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3495 MHz	633000	1 low	18.60 dBm
  · low	3495 MHz	633000	1 low+1	18.34 dBm
  · low	3495 MHz	633000	1 high-1	18.30 dBm
  · low	3495 MHz	633000	1 high	18.40 dBm
  · low	3495 MHz	633000	50 % mid	18.60 dBm
  · low	3495 MHz	633000	100 %	18.70 dBm
  · mid	3499.98 MHz	633332	1 low	18.37 dBm
  · mid	3499.98 MHz	633332	1 low+1	18.49 dBm
  · mid	3499.98 MHz	633332	1 high-1	18.44 dBm
  · mid	3499.98 MHz	633332	1 high	18.25 dBm
  · mid	3499.98 MHz	633332	50 % mid	18.59 dBm
  · mid	3499.98 MHz	633332	100 %	18.69 dBm
  · high	3504.99 MHz	633666	1 low	18.35 dBm
  · high	3504.99 MHz	633666	1 low+1	18.53 dBm
  · high	3504.99 MHz	633666	1 high-1	18.42 dBm
  · high	3504.99 MHz	633666	1 high	18.48 dBm
  · high	3504.99 MHz	633666	50 % mid	18.59 dBm
  · high	3504.99 MHz	633666	100 %	18.65 dBm

NR, 256QAM, 100 MHz

Max: **18.74 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · mid	3499.98 MHz	633332	1 low	18.59 dBm
 · mid	3499.98 MHz	633332	1 low+1	18.48 dBm
 · mid	3499.98 MHz	633332	1 high-1	18.26 dBm
 · mid	3499.98 MHz	633332	1 high	18.22 dBm
 · mid	3499.98 MHz	633332	50 % mid	18.63 dBm
 · mid	3499.98 MHz	633332	100 %	18.74 dBm

Output power — Band 77 B

Maximum P_{avg} per (technology · bandwidth · modulation) for **Band 77 B** (55 tables)

The max-summary table leads; one measurement table follows per (technology · bandwidth · modulation), with each table's maximum P_{avg} highlighted.

Result rows used

- **NR** — the **TX power Σ** result rows (total transmit power, summed over the TX antennas).
- The per-antenna **TX power 1** / **TX power 2** rows are deliberately not tabulated.

Max summary

Technology	Bandwidth	Modulation	Max P_{avg}	Where
NR	10 MHz	BPSK	21.73 dBm	 · mid · ch 656000
NR	15 MHz	BPSK	22.21 dBm	 · high · ch 664832
NR	20 MHz	BPSK	22.07 dBm	 · high · ch 664666
NR	30 MHz	BPSK	22.25 dBm	 · high · ch 664332
NR	40 MHz	BPSK	22.32 dBm	 · high · ch 664000
NR	50 MHz	BPSK	22.10 dBm	 · high · ch 663666
NR	60 MHz	BPSK	21.69 dBm	 · low · ch 648668
NR	70 MHz	BPSK	21.65 dBm	 · low · ch 649000
NR	80 MHz	BPSK	21.81 dBm	 · high · ch 662666
NR	90 MHz	BPSK	21.73 dBm	 · mid · ch 656000
NR	100 MHz	BPSK	21.63 dBm	 · high · ch 662000
NR	10 MHz	QPSK	23.70 dBm	 · mid · ch 656000
NR	15 MHz	QPSK	23.94 dBm	 · high · ch 664832
NR	20 MHz	QPSK	23.91 dBm	 · high · ch 664666
NR	30 MHz	QPSK	24.10 dBm	 · high · ch 664332
NR	40 MHz	QPSK	24.07 dBm	 · mid · ch 656000
NR	50 MHz	QPSK	23.78 dBm	 · high · ch 663666
NR	60 MHz	QPSK	23.64 dBm	 · high · ch 663332
NR	70 MHz	QPSK	23.60 dBm	 · high · ch 663000
NR	80 MHz	QPSK	23.58 dBm	 · high · ch 662666

Technology	Bandwidth	Modulation	Max P _{avg}	Where
NR	90 MHz	QPSK	23.62 dBm	   · mid · ch 656000
NR	100 MHz	QPSK	23.54 dBm	   · high · ch 662000
NR	10 MHz	16QAM	23.22 dBm	   · mid · ch 656000
NR	15 MHz	16QAM	23.46 dBm	   · high · ch 664832
NR	20 MHz	16QAM	23.48 dBm	   · high · ch 664666
NR	30 MHz	16QAM	23.49 dBm	   · high · ch 664332
NR	40 MHz	16QAM	23.69 dBm	   · high · ch 664000
NR	50 MHz	16QAM	23.33 dBm	   · high · ch 663666
NR	60 MHz	16QAM	23.16 dBm	   · high · ch 663332
NR	70 MHz	16QAM	23.08 dBm	   · high · ch 663000
NR	80 MHz	16QAM	23.03 dBm	   · mid · ch 656000
NR	90 MHz	16QAM	23.13 dBm	   · mid · ch 656000
NR	100 MHz	16QAM	23.09 dBm	   · mid · ch 656000
NR	10 MHz	64QAM	21.74 dBm	   · mid · ch 656000
NR	15 MHz	64QAM	21.86 dBm	   · high · ch 664832
NR	20 MHz	64QAM	21.91 dBm	   · high · ch 664666
NR	30 MHz	64QAM	21.96 dBm	   · high · ch 664332
NR	40 MHz	64QAM	22.11 dBm	   · low · ch 648000
NR	50 MHz	64QAM	21.81 dBm	   · high · ch 663666
NR	60 MHz	64QAM	21.64 dBm	   · low · ch 648668
NR	70 MHz	64QAM	21.58 dBm	   · high · ch 663000
NR	80 MHz	64QAM	21.59 dBm	   · high · ch 662666
NR	90 MHz	64QAM	21.54 dBm	   · high · ch 662332
NR	100 MHz	64QAM	21.53 dBm	   · high · ch 662000
NR	10 MHz	256QAM	18.77 dBm	   · mid · ch 656000
NR	15 MHz	256QAM	18.89 dBm	   · high · ch 664832
NR	20 MHz	256QAM	18.91 dBm	   · high · ch 664666
NR	30 MHz	256QAM	18.95 dBm	   · high · ch 664332
NR	40 MHz	256QAM	18.99 dBm	   · low · ch 648000
NR	50 MHz	256QAM	18.75 dBm	   · high · ch 663666
NR	60 MHz	256QAM	18.61 dBm	   · high · ch 663332

Technology	Bandwidth	Modulation	Max P _{avg}	Where
NR	70 MHz	256QAM	18.60 dBm	   · high · ch 663000
NR	80 MHz	256QAM	18.63 dBm	   · high · ch 662666
NR	90 MHz	256QAM	18.60 dBm	   · high · ch 662332
NR	100 MHz	256QAM	18.54 dBm	   · high · ch 662000

NR, BPSK, 10 MHz

Max: **21.73 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3705 MHz	647000	1 low	21.55 dBm
 · low	3705 MHz	647000	1 low+1	21.56 dBm
 · low	3705 MHz	647000	1 high-1	21.54 dBm
 · low	3705 MHz	647000	1 high	21.35 dBm
 · low	3705 MHz	647000	50 % mid	21.59 dBm
 · low	3705 MHz	647000	100 %	21.57 dBm
 · mid	3840 MHz	656000	1 low	21.48 dBm
 · mid	3840 MHz	656000	1 low+1	21.62 dBm
 · mid	3840 MHz	656000	1 high-1	21.73 dBm
 · mid	3840 MHz	656000	1 high	21.68 dBm
 · mid	3840 MHz	656000	50 % mid	21.66 dBm
 · mid	3840 MHz	656000	100 %	21.68 dBm
 · high	3975 MHz	665000	1 low	21.58 dBm
 · high	3975 MHz	665000	1 low+1	21.49 dBm
 · high	3975 MHz	665000	1 high-1	21.59 dBm
 · high	3975 MHz	665000	1 high	21.60 dBm
 · high	3975 MHz	665000	50 % mid	21.55 dBm
 · high	3975 MHz	665000	100 %	21.59 dBm

NR, BPSK, 15 MHz

Max: **22.21 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3707.52 MHz	647168	1 low	21.72 dBm
  · low	3707.52 MHz	647168	1 low+1	21.87 dBm
  · low	3707.52 MHz	647168	1 high-1	21.82 dBm
  · low	3707.52 MHz	647168	1 high	21.72 dBm
  · low	3707.52 MHz	647168	50 % mid	21.59 dBm
  · low	3707.52 MHz	647168	100 %	21.69 dBm
  · mid	3840 MHz	656000	1 low	21.65 dBm
  · mid	3840 MHz	656000	1 low+1	21.77 dBm
  · mid	3840 MHz	656000	1 high-1	21.81 dBm
  · mid	3840 MHz	656000	1 high	21.78 dBm
  · mid	3840 MHz	656000	50 % mid	21.68 dBm
  · mid	3840 MHz	656000	100 %	21.76 dBm
  · high	3972.48 MHz	664832	1 low	22.21 dBm
  · high	3972.48 MHz	664832	1 low+1	22.03 dBm
  · high	3972.48 MHz	664832	1 high-1	21.79 dBm
  · high	3972.48 MHz	664832	1 high	21.76 dBm
  · high	3972.48 MHz	664832	50 % mid	21.71 dBm
  · high	3972.48 MHz	664832	100 %	21.79 dBm

NR, BPSK, 20 MHz

Max: **22.07 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3710.01 MHz	647334	1 low	21.72 dBm
 · low	3710.01 MHz	647334	1 low+1	21.92 dBm
 · low	3710.01 MHz	647334	1 high-1	21.85 dBm
 · low	3710.01 MHz	647334	1 high	21.89 dBm
 · low	3710.01 MHz	647334	50 % mid	21.63 dBm
 · low	3710.01 MHz	647334	100 %	21.73 dBm
 · mid	3840 MHz	656000	1 low	21.70 dBm
 · mid	3840 MHz	656000	1 low+1	21.61 dBm
 · mid	3840 MHz	656000	1 high-1	21.73 dBm
 · mid	3840 MHz	656000	1 high	21.73 dBm
 · mid	3840 MHz	656000	50 % mid	21.77 dBm
 · mid	3840 MHz	656000	100 %	21.77 dBm
 · high	3969.99 MHz	664666	1 low	22.07 dBm
 · high	3969.99 MHz	664666	1 low+1	22.01 dBm
 · high	3969.99 MHz	664666	1 high-1	21.84 dBm
 · high	3969.99 MHz	664666	1 high	21.83 dBm
 · high	3969.99 MHz	664666	50 % mid	21.83 dBm
 · high	3969.99 MHz	664666	100 %	21.88 dBm

NR, BPSK, 30 MHz

Max: **22.25 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3715.02 MHz	647668	1 low	21.79 dBm
 · low	3715.02 MHz	647668	1 low+1	21.91 dBm
 · low	3715.02 MHz	647668	1 high-1	21.70 dBm
 · low	3715.02 MHz	647668	1 high	21.78 dBm
 · low	3715.02 MHz	647668	50 % mid	21.73 dBm
 · low	3715.02 MHz	647668	100 %	21.78 dBm
 · mid	3840 MHz	656000	1 low	21.81 dBm
 · mid	3840 MHz	656000	1 low+1	21.90 dBm
 · mid	3840 MHz	656000	1 high-1	21.55 dBm
 · mid	3840 MHz	656000	1 high	21.52 dBm
 · mid	3840 MHz	656000	50 % mid	21.77 dBm
 · mid	3840 MHz	656000	100 %	21.81 dBm
 · high	3964.98 MHz	664332	1 low	22.25 dBm
 · high	3964.98 MHz	664332	1 low+1	22.17 dBm
 · high	3964.98 MHz	664332	1 high-1	21.78 dBm
 · high	3964.98 MHz	664332	1 high	21.90 dBm
 · high	3964.98 MHz	664332	50 % mid	21.90 dBm
 · high	3964.98 MHz	664332	100 %	21.94 dBm

NR, BPSK, 40 MHz

Max: **22.32 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3720 MHz	648000	1 low	21.79 dBm
 · low	3720 MHz	648000	1 low+1	22.08 dBm
 · low	3720 MHz	648000	1 high-1	21.74 dBm
 · low	3720 MHz	648000	1 high	21.93 dBm
 · low	3720 MHz	648000	50 % mid	21.82 dBm
 · low	3720 MHz	648000	100 %	21.82 dBm
 · mid	3840 MHz	656000	1 low	22.22 dBm
 · mid	3840 MHz	656000	1 low+1	22.13 dBm
 · mid	3840 MHz	656000	1 high-1	21.48 dBm
 · mid	3840 MHz	656000	1 high	21.64 dBm
 · mid	3840 MHz	656000	50 % mid	21.80 dBm
 · mid	3840 MHz	656000	100 %	21.86 dBm
 · high	3960 MHz	664000	1 low	22.32 dBm
 · high	3960 MHz	664000	1 low+1	22.13 dBm
 · high	3960 MHz	664000	1 high-1	21.75 dBm
 · high	3960 MHz	664000	1 high	21.82 dBm
 · high	3960 MHz	664000	50 % mid	21.94 dBm
 · high	3960 MHz	664000	100 %	21.95 dBm

NR, BPSK, 50 MHz

Max: **22.10 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3725.01 MHz	648334	1 low	21.50 dBm
 · low	3725.01 MHz	648334	1 low+1	21.64 dBm
 · low	3725.01 MHz	648334	1 high-1	21.45 dBm
 · low	3725.01 MHz	648334	1 high	21.55 dBm
 · low	3725.01 MHz	648334	50 % mid	21.48 dBm
 · low	3725.01 MHz	648334	100 %	21.53 dBm
 · mid	3840 MHz	656000	1 low	21.47 dBm
 · mid	3840 MHz	656000	1 low+1	21.65 dBm
 · mid	3840 MHz	656000	1 high-1	21.26 dBm
 · mid	3840 MHz	656000	1 high	21.41 dBm
 · mid	3840 MHz	656000	50 % mid	21.59 dBm
 · mid	3840 MHz	656000	100 %	21.58 dBm
 · high	3954.99 MHz	663666	1 low	22.10 dBm
 · high	3954.99 MHz	663666	1 low+1	21.85 dBm
 · high	3954.99 MHz	663666	1 high-1	21.48 dBm
 · high	3954.99 MHz	663666	1 high	21.49 dBm
 · high	3954.99 MHz	663666	50 % mid	21.75 dBm
 · high	3954.99 MHz	663666	100 %	21.74 dBm

NR, BPSK, 60 MHz

Max: **21.69 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3730.02 MHz	648668	1 low	21.50 dBm
  · low	3730.02 MHz	648668	1 low+1	21.50 dBm
  · low	3730.02 MHz	648668	1 high-1	21.69 dBm
  · low	3730.02 MHz	648668	1 high	21.58 dBm
  · low	3730.02 MHz	648668	50 % mid	21.49 dBm
  · low	3730.02 MHz	648668	100 %	21.53 dBm
  · mid	3840 MHz	656000	1 low	21.63 dBm
  · mid	3840 MHz	656000	1 low+1	21.42 dBm
  · mid	3840 MHz	656000	1 high-1	21.59 dBm
  · mid	3840 MHz	656000	1 high	21.36 dBm
  · mid	3840 MHz	656000	50 % mid	21.50 dBm
  · mid	3840 MHz	656000	100 %	21.53 dBm
  · high	3949.98 MHz	663332	1 low	21.51 dBm
  · high	3949.98 MHz	663332	1 low+1	21.57 dBm
  · high	3949.98 MHz	663332	1 high-1	21.32 dBm
  · high	3949.98 MHz	663332	1 high	21.32 dBm
  · high	3949.98 MHz	663332	50 % mid	21.55 dBm
  · high	3949.98 MHz	663332	100 %	21.58 dBm

NR, BPSK, 70 MHz

Max: **21.65 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3735 MHz	649000	1 low	21.65 dBm
 · low	3735 MHz	649000	1 low+1	21.51 dBm
 · low	3735 MHz	649000	1 high-1	21.33 dBm
 · low	3735 MHz	649000	1 high	21.26 dBm
 · low	3735 MHz	649000	50 % mid	21.42 dBm
 · low	3735 MHz	649000	100 %	21.47 dBm
 · mid	3840 MHz	656000	1 low	21.44 dBm
 · mid	3840 MHz	656000	1 low+1	21.42 dBm
 · mid	3840 MHz	656000	1 high-1	21.24 dBm
 · mid	3840 MHz	656000	1 high	21.43 dBm
 · mid	3840 MHz	656000	50 % mid	21.36 dBm
 · mid	3840 MHz	656000	100 %	21.42 dBm
 · high	3945 MHz	663000	1 low	21.62 dBm
 · high	3945 MHz	663000	1 low+1	21.28 dBm
 · high	3945 MHz	663000	1 high-1	21.25 dBm
 · high	3945 MHz	663000	1 high	21.10 dBm
 · high	3945 MHz	663000	50 % mid	21.53 dBm
 · high	3945 MHz	663000	100 %	21.46 dBm

NR, BPSK, 80 MHz

Max: **21.81 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3740.01 MHz	649334	1 low	21.44 dBm
  · low	3740.01 MHz	649334	1 low+1	21.41 dBm
  · low	3740.01 MHz	649334	1 high-1	21.41 dBm
  · low	3740.01 MHz	649334	1 high	21.30 dBm
  · low	3740.01 MHz	649334	50 % mid	21.44 dBm
  · low	3740.01 MHz	649334	100 %	21.45 dBm
  · mid	3840 MHz	656000	1 low	21.61 dBm
  · mid	3840 MHz	656000	1 low+1	21.48 dBm
  · mid	3840 MHz	656000	1 high-1	21.44 dBm
  · mid	3840 MHz	656000	1 high	21.45 dBm
  · mid	3840 MHz	656000	50 % mid	21.34 dBm
  · mid	3840 MHz	656000	100 %	21.34 dBm
  · high	3939.99 MHz	662666	1 low	21.81 dBm
  · high	3939.99 MHz	662666	1 low+1	21.58 dBm
  · high	3939.99 MHz	662666	1 high-1	21.12 dBm
  · high	3939.99 MHz	662666	1 high	21.24 dBm
  · high	3939.99 MHz	662666	50 % mid	21.48 dBm
  · high	3939.99 MHz	662666	100 %	21.49 dBm

NR, BPSK, 90 MHz

Max: **21.73 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3745.02 MHz	649668	1 low	21.44 dBm
  · low	3745.02 MHz	649668	1 low+1	21.41 dBm
  · low	3745.02 MHz	649668	1 high-1	21.17 dBm
  · low	3745.02 MHz	649668	1 high	21.28 dBm
  · low	3745.02 MHz	649668	50 % mid	21.39 dBm
  · low	3745.02 MHz	649668	100 %	21.39 dBm
  · mid	3840 MHz	656000	1 low	21.62 dBm
  · mid	3840 MHz	656000	1 low+1	21.45 dBm
  · mid	3840 MHz	656000	1 high-1	21.73 dBm
  · mid	3840 MHz	656000	1 high	21.59 dBm
  · mid	3840 MHz	656000	50 % mid	21.36 dBm
  · mid	3840 MHz	656000	100 %	21.43 dBm
  · high	3934.98 MHz	662332	1 low	21.69 dBm
  · high	3934.98 MHz	662332	1 low+1	21.59 dBm
  · high	3934.98 MHz	662332	1 high-1	21.19 dBm
  · high	3934.98 MHz	662332	1 high	21.23 dBm
  · high	3934.98 MHz	662332	50 % mid	21.51 dBm
  · high	3934.98 MHz	662332	100 %	21.53 dBm

NR, BPSK, 100 MHz

Max: **21.63 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3750 MHz	650000	1 low	21.35 dBm
 · low	3750 MHz	650000	1 low+1	21.41 dBm
 · low	3750 MHz	650000	1 high-1	21.53 dBm
 · low	3750 MHz	650000	1 high	21.52 dBm
 · low	3750 MHz	650000	50 % mid	21.44 dBm
 · low	3750 MHz	650000	100 %	21.43 dBm
 · mid	3840 MHz	656000	1 low	21.26 dBm
 · mid	3840 MHz	656000	1 low+1	21.25 dBm
 · mid	3840 MHz	656000	1 high-1	21.62 dBm
 · mid	3840 MHz	656000	1 high	21.50 dBm
 · mid	3840 MHz	656000	50 % mid	21.36 dBm
 · mid	3840 MHz	656000	100 %	21.38 dBm
 · high	3930 MHz	662000	1 low	21.63 dBm
 · high	3930 MHz	662000	1 low+1	21.41 dBm
 · high	3930 MHz	662000	1 high-1	21.15 dBm
 · high	3930 MHz	662000	1 high	21.23 dBm
 · high	3930 MHz	662000	50 % mid	21.52 dBm
 · high	3930 MHz	662000	100 %	21.52 dBm

NR, QPSK, 10 MHz

Max: **23.70 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3705 MHz	647000	1 low	21.51 dBm
 · low	3705 MHz	647000	1 low+1	23.65 dBm
 · low	3705 MHz	647000	1 high-1	23.40 dBm
 · low	3705 MHz	647000	1 high	21.34 dBm
 · low	3705 MHz	647000	50 % mid	23.52 dBm
 · low	3705 MHz	647000	100 %	22.11 dBm
 · mid	3840 MHz	656000	1 low	21.39 dBm
 · mid	3840 MHz	656000	1 low+1	23.58 dBm
 · mid	3840 MHz	656000	1 high-1	23.51 dBm
 · mid	3840 MHz	656000	1 high	21.51 dBm
 · mid	3840 MHz	656000	50 % mid	23.70 dBm
 · mid	3840 MHz	656000	100 %	22.16 dBm
 · high	3975 MHz	665000	1 low	21.63 dBm
 · high	3975 MHz	665000	1 low+1	23.58 dBm
 · high	3975 MHz	665000	1 high-1	23.61 dBm
 · high	3975 MHz	665000	1 high	21.40 dBm
 · high	3975 MHz	665000	50 % mid	23.54 dBm
 · high	3975 MHz	665000	100 %	22.05 dBm

NR, QPSK, 15 MHz

Max: **23.94 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3707.52 MHz	647168	1 low	21.78 dBm
 · low	3707.52 MHz	647168	1 low+1	23.83 dBm
 · low	3707.52 MHz	647168	1 high-1	23.65 dBm
 · low	3707.52 MHz	647168	1 high	21.67 dBm
 · low	3707.52 MHz	647168	50 % mid	23.63 dBm
 · low	3707.52 MHz	647168	100 %	22.19 dBm
 · mid	3840 MHz	656000	1 low	21.64 dBm
 · mid	3840 MHz	656000	1 low+1	23.68 dBm
 · mid	3840 MHz	656000	1 high-1	23.74 dBm
 · mid	3840 MHz	656000	1 high	21.70 dBm
 · mid	3840 MHz	656000	50 % mid	23.82 dBm
 · mid	3840 MHz	656000	100 %	22.24 dBm
 · high	3972.48 MHz	664832	1 low	22.03 dBm
 · high	3972.48 MHz	664832	1 low+1	23.94 dBm
 · high	3972.48 MHz	664832	1 high-1	23.70 dBm
 · high	3972.48 MHz	664832	1 high	21.57 dBm
 · high	3972.48 MHz	664832	50 % mid	23.80 dBm
 · high	3972.48 MHz	664832	100 %	22.33 dBm

NR, QPSK, 20 MHz

Max: **23.91 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3710.01 MHz	647334	1 low	21.76 dBm
 · low	3710.01 MHz	647334	1 low+1	23.77 dBm
 · low	3710.01 MHz	647334	1 high-1	23.78 dBm
 · low	3710.01 MHz	647334	1 high	23.86 dBm
 · low	3710.01 MHz	647334	50 % mid	23.67 dBm
 · low	3710.01 MHz	647334	100 %	22.22 dBm
 · mid	3840 MHz	656000	1 low	21.62 dBm
 · mid	3840 MHz	656000	1 low+1	23.73 dBm
 · mid	3840 MHz	656000	1 high-1	23.45 dBm
 · mid	3840 MHz	656000	1 high	23.67 dBm
 · mid	3840 MHz	656000	50 % mid	23.72 dBm
 · mid	3840 MHz	656000	100 %	22.25 dBm
 · high	3969.99 MHz	664666	1 low	21.96 dBm
 · high	3969.99 MHz	664666	1 low+1	23.91 dBm
 · high	3969.99 MHz	664666	1 high-1	23.68 dBm
 · high	3969.99 MHz	664666	1 high	23.67 dBm
 · high	3969.99 MHz	664666	50 % mid	23.87 dBm
 · high	3969.99 MHz	664666	100 %	22.35 dBm

NR, QPSK, 30 MHz

Max: **24.10 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3715.02 MHz	647668	1 low	21.86 dBm
 · low	3715.02 MHz	647668	1 low+1	23.84 dBm
 · low	3715.02 MHz	647668	1 high-1	23.82 dBm
 · low	3715.02 MHz	647668	1 high	23.55 dBm
 · low	3715.02 MHz	647668	50 % mid	23.76 dBm
 · low	3715.02 MHz	647668	100 %	22.27 dBm
 · mid	3840 MHz	656000	1 low	21.86 dBm
 · mid	3840 MHz	656000	1 low+1	23.88 dBm
 · mid	3840 MHz	656000	1 high-1	23.56 dBm
 · mid	3840 MHz	656000	1 high	23.58 dBm
 · mid	3840 MHz	656000	50 % mid	23.87 dBm
 · mid	3840 MHz	656000	100 %	22.29 dBm
 · high	3964.98 MHz	664332	1 low	22.19 dBm
 · high	3964.98 MHz	664332	1 low+1	24.10 dBm
 · high	3964.98 MHz	664332	1 high-1	23.77 dBm
 · high	3964.98 MHz	664332	1 high	23.76 dBm
 · high	3964.98 MHz	664332	50 % mid	23.92 dBm
 · high	3964.98 MHz	664332	100 %	22.40 dBm

NR, QPSK, 40 MHz

Max: **24.07 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3720 MHz	648000	1 low	22.09 dBm
  · low	3720 MHz	648000	1 low+1	23.99 dBm
  · low	3720 MHz	648000	1 high-1	23.81 dBm
  · low	3720 MHz	648000	1 high	23.66 dBm
  · low	3720 MHz	648000	50 % mid	23.86 dBm
  · low	3720 MHz	648000	100 %	22.32 dBm
  · mid	3840 MHz	656000	1 low	21.97 dBm
  · mid	3840 MHz	656000	1 low+1	24.07 dBm
  · mid	3840 MHz	656000	1 high-1	23.51 dBm
  · mid	3840 MHz	656000	1 high	23.55 dBm
  · mid	3840 MHz	656000	50 % mid	23.83 dBm
  · mid	3840 MHz	656000	100 %	22.34 dBm
  · high	3960 MHz	664000	1 low	22.12 dBm
  · high	3960 MHz	664000	1 low+1	24.05 dBm
  · high	3960 MHz	664000	1 high-1	23.71 dBm
  · high	3960 MHz	664000	1 high	23.75 dBm
  · high	3960 MHz	664000	50 % mid	23.97 dBm
  · high	3960 MHz	664000	100 %	22.50 dBm

NR, QPSK, 50 MHz

Max: **23.78 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3725.01 MHz	648334	1 low	21.58 dBm
 · low	3725.01 MHz	648334	1 low+1	23.55 dBm
 · low	3725.01 MHz	648334	1 high-1	23.41 dBm
 · low	3725.01 MHz	648334	1 high	23.40 dBm
 · low	3725.01 MHz	648334	50 % mid	23.50 dBm
 · low	3725.01 MHz	648334	100 %	22.01 dBm
 · mid	3840 MHz	656000	1 low	21.63 dBm
 · mid	3840 MHz	656000	1 low+1	23.64 dBm
 · mid	3840 MHz	656000	1 high-1	23.35 dBm
 · mid	3840 MHz	656000	1 high	23.35 dBm
 · mid	3840 MHz	656000	50 % mid	23.58 dBm
 · mid	3840 MHz	656000	100 %	22.08 dBm
 · high	3954.99 MHz	663666	1 low	21.80 dBm
 · high	3954.99 MHz	663666	1 low+1	23.74 dBm
 · high	3954.99 MHz	663666	1 high-1	23.40 dBm
 · high	3954.99 MHz	663666	1 high	23.48 dBm
 · high	3954.99 MHz	663666	50 % mid	23.78 dBm
 · high	3954.99 MHz	663666	100 %	22.20 dBm

NR, QPSK, 60 MHz

Max: **23.64 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3730.02 MHz	648668	1 low	21.61 dBm
  · low	3730.02 MHz	648668	1 low+1	23.52 dBm
  · low	3730.02 MHz	648668	1 high-1	23.57 dBm
  · low	3730.02 MHz	648668	1 high	21.59 dBm
  · low	3730.02 MHz	648668	50 % mid	23.44 dBm
  · low	3730.02 MHz	648668	100 %	21.94 dBm
  · mid	3840 MHz	656000	1 low	21.37 dBm
  · mid	3840 MHz	656000	1 low+1	23.39 dBm
  · mid	3840 MHz	656000	1 high-1	23.45 dBm
  · mid	3840 MHz	656000	1 high	21.28 dBm
  · mid	3840 MHz	656000	50 % mid	23.56 dBm
  · mid	3840 MHz	656000	100 %	22.10 dBm
  · high	3949.98 MHz	663332	1 low	21.68 dBm
  · high	3949.98 MHz	663332	1 low+1	23.58 dBm
  · high	3949.98 MHz	663332	1 high-1	23.24 dBm
  · high	3949.98 MHz	663332	1 high	21.23 dBm
  · high	3949.98 MHz	663332	50 % mid	23.64 dBm
  · high	3949.98 MHz	663332	100 %	22.09 dBm

NR, QPSK, 70 MHz

Max: **23.60 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3735 MHz	649000	1 low	21.47 dBm
 · low	3735 MHz	649000	1 low+1	23.53 dBm
 · low	3735 MHz	649000	1 high-1	23.41 dBm
 · low	3735 MHz	649000	1 high	23.49 dBm
 · low	3735 MHz	649000	50 % mid	23.37 dBm
 · low	3735 MHz	649000	100 %	21.96 dBm
 · mid	3840 MHz	656000	1 low	21.47 dBm
 · mid	3840 MHz	656000	1 low+1	23.40 dBm
 · mid	3840 MHz	656000	1 high-1	23.25 dBm
 · mid	3840 MHz	656000	1 high	23.25 dBm
 · mid	3840 MHz	656000	50 % mid	23.42 dBm
 · mid	3840 MHz	656000	100 %	21.87 dBm
 · high	3945 MHz	663000	1 low	21.42 dBm
 · high	3945 MHz	663000	1 low+1	23.43 dBm
 · high	3945 MHz	663000	1 high-1	23.10 dBm
 · high	3945 MHz	663000	1 high	23.00 dBm
 · high	3945 MHz	663000	50 % mid	23.60 dBm
 · high	3945 MHz	663000	100 %	21.97 dBm

NR, QPSK, 80 MHz

Max: **23.58 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3740.01 MHz	649334	1 low	21.56 dBm
 · low	3740.01 MHz	649334	1 low+1	23.34 dBm
 · low	3740.01 MHz	649334	1 high-1	23.30 dBm
 · low	3740.01 MHz	649334	1 high	23.28 dBm
 · low	3740.01 MHz	649334	50 % mid	23.46 dBm
 · low	3740.01 MHz	649334	100 %	21.85 dBm
 · mid	3840 MHz	656000	1 low	21.33 dBm
 · mid	3840 MHz	656000	1 low+1	23.30 dBm
 · mid	3840 MHz	656000	1 high-1	23.42 dBm
 · mid	3840 MHz	656000	1 high	23.45 dBm
 · mid	3840 MHz	656000	50 % mid	23.39 dBm
 · mid	3840 MHz	656000	100 %	21.91 dBm
 · high	3939.99 MHz	662666	1 low	21.54 dBm
 · high	3939.99 MHz	662666	1 low+1	23.38 dBm
 · high	3939.99 MHz	662666	1 high-1	23.18 dBm
 · high	3939.99 MHz	662666	1 high	23.17 dBm
 · high	3939.99 MHz	662666	50 % mid	23.58 dBm
 · high	3939.99 MHz	662666	100 %	21.97 dBm

NR, QPSK, 90 MHz

Max: **23.62 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3745.02 MHz	649668	1 low	21.53 dBm
  · low	3745.02 MHz	649668	1 low+1	23.26 dBm
  · low	3745.02 MHz	649668	1 high-1	23.21 dBm
  · low	3745.02 MHz	649668	1 high	23.13 dBm
  · low	3745.02 MHz	649668	50 % mid	23.45 dBm
  · low	3745.02 MHz	649668	100 %	21.90 dBm
  · mid	3840 MHz	656000	1 low	21.41 dBm
  · mid	3840 MHz	656000	1 low+1	23.55 dBm
  · mid	3840 MHz	656000	1 high-1	23.56 dBm
  · mid	3840 MHz	656000	1 high	23.62 dBm
  · mid	3840 MHz	656000	50 % mid	23.40 dBm
  · mid	3840 MHz	656000	100 %	21.93 dBm
  · high	3934.98 MHz	662332	1 low	21.48 dBm
  · high	3934.98 MHz	662332	1 low+1	23.42 dBm
  · high	3934.98 MHz	662332	1 high-1	23.19 dBm
  · high	3934.98 MHz	662332	1 high	23.24 dBm
  · high	3934.98 MHz	662332	50 % mid	23.56 dBm
  · high	3934.98 MHz	662332	100 %	22.02 dBm

NR, QPSK, 100 MHz

Max: **23.54 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3750 MHz	650000	1 low	21.54 dBm
 · low	3750 MHz	650000	1 low+1	23.31 dBm
 · low	3750 MHz	650000	1 high-1	23.51 dBm
 · low	3750 MHz	650000	1 high	23.53 dBm
 · low	3750 MHz	650000	50 % mid	23.42 dBm
 · low	3750 MHz	650000	100 %	21.97 dBm
 · mid	3840 MHz	656000	1 low	21.20 dBm
 · mid	3840 MHz	656000	1 low+1	23.38 dBm
 · mid	3840 MHz	656000	1 high-1	23.49 dBm
 · mid	3840 MHz	656000	1 high	23.53 dBm
 · mid	3840 MHz	656000	50 % mid	23.39 dBm
 · mid	3840 MHz	656000	100 %	21.92 dBm
 · high	3930 MHz	662000	1 low	21.52 dBm
 · high	3930 MHz	662000	1 low+1	23.45 dBm
 · high	3930 MHz	662000	1 high-1	23.14 dBm
 · high	3930 MHz	662000	1 high	23.19 dBm
 · high	3930 MHz	662000	50 % mid	23.54 dBm
 · high	3930 MHz	662000	100 %	22.02 dBm

NR, 16QAM, 10 MHz

Max: **23.22 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3705 MHz	647000	1 low	21.47 dBm
 · low	3705 MHz	647000	1 low+1	23.16 dBm
 · low	3705 MHz	647000	1 high-1	22.85 dBm
 · low	3705 MHz	647000	1 high	21.36 dBm
 · low	3705 MHz	647000	50 % mid	23.07 dBm
 · low	3705 MHz	647000	100 %	22.10 dBm
 · mid	3840 MHz	656000	1 low	21.40 dBm
 · mid	3840 MHz	656000	1 low+1	23.16 dBm
 · mid	3840 MHz	656000	1 high-1	23.06 dBm
 · mid	3840 MHz	656000	1 high	21.58 dBm
 · mid	3840 MHz	656000	50 % mid	23.22 dBm
 · mid	3840 MHz	656000	100 %	22.16 dBm
 · high	3975 MHz	665000	1 low	21.55 dBm
 · high	3975 MHz	665000	1 low+1	23.12 dBm
 · high	3975 MHz	665000	1 high-1	23.04 dBm
 · high	3975 MHz	665000	1 high	21.44 dBm
 · high	3975 MHz	665000	50 % mid	23.01 dBm
 · high	3975 MHz	665000	100 %	22.06 dBm

NR, 16QAM, 15 MHz

Max: **23.46 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3707.52 MHz	647168	1 low	21.82 dBm
 · low	3707.52 MHz	647168	1 low+1	23.34 dBm
 · low	3707.52 MHz	647168	1 high-1	23.24 dBm
 · low	3707.52 MHz	647168	1 high	21.65 dBm
 · low	3707.52 MHz	647168	50 % mid	23.17 dBm
 · low	3707.52 MHz	647168	100 %	22.23 dBm
 · mid	3840 MHz	656000	1 low	21.74 dBm
 · mid	3840 MHz	656000	1 low+1	23.21 dBm
 · mid	3840 MHz	656000	1 high-1	23.16 dBm
 · mid	3840 MHz	656000	1 high	21.56 dBm
 · mid	3840 MHz	656000	50 % mid	23.31 dBm
 · mid	3840 MHz	656000	100 %	22.24 dBm
 · high	3972.48 MHz	664832	1 low	22.04 dBm
 · high	3972.48 MHz	664832	1 low+1	23.46 dBm
 · high	3972.48 MHz	664832	1 high-1	23.24 dBm
 · high	3972.48 MHz	664832	1 high	21.54 dBm
 · high	3972.48 MHz	664832	50 % mid	23.30 dBm
 · high	3972.48 MHz	664832	100 %	22.34 dBm

NR, 16QAM, 20 MHz

Max: **23.48 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3710.01 MHz	647334	1 low	21.71 dBm
 · low	3710.01 MHz	647334	1 low+1	23.44 dBm
 · low	3710.01 MHz	647334	1 high-1	23.29 dBm
 · low	3710.01 MHz	647334	1 high	23.26 dBm
 · low	3710.01 MHz	647334	50 % mid	23.22 dBm
 · low	3710.01 MHz	647334	100 %	22.18 dBm
 · mid	3840 MHz	656000	1 low	21.71 dBm
 · mid	3840 MHz	656000	1 low+1	23.29 dBm
 · mid	3840 MHz	656000	1 high-1	23.16 dBm
 · mid	3840 MHz	656000	1 high	23.20 dBm
 · mid	3840 MHz	656000	50 % mid	23.32 dBm
 · mid	3840 MHz	656000	100 %	22.22 dBm
 · high	3969.99 MHz	664666	1 low	21.88 dBm
 · high	3969.99 MHz	664666	1 low+1	23.48 dBm
 · high	3969.99 MHz	664666	1 high-1	23.21 dBm
 · high	3969.99 MHz	664666	1 high	23.30 dBm
 · high	3969.99 MHz	664666	50 % mid	23.43 dBm
 · high	3969.99 MHz	664666	100 %	22.36 dBm

NR, 16QAM, 30 MHz

Max: **23.49 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3715.02 MHz	647668	1 low	21.87 dBm
  · low	3715.02 MHz	647668	1 low+1	23.35 dBm
  · low	3715.02 MHz	647668	1 high-1	23.22 dBm
  · low	3715.02 MHz	647668	1 high	23.24 dBm
  · low	3715.02 MHz	647668	50 % mid	23.26 dBm
  · low	3715.02 MHz	647668	100 %	22.24 dBm
  · mid	3840 MHz	656000	1 low	21.93 dBm
  · mid	3840 MHz	656000	1 low+1	23.37 dBm
  · mid	3840 MHz	656000	1 high-1	23.10 dBm
  · mid	3840 MHz	656000	1 high	23.13 dBm
  · mid	3840 MHz	656000	50 % mid	23.33 dBm
  · mid	3840 MHz	656000	100 %	22.32 dBm
  · high	3964.98 MHz	664332	1 low	22.03 dBm
  · high	3964.98 MHz	664332	1 low+1	23.49 dBm
  · high	3964.98 MHz	664332	1 high-1	23.24 dBm
  · high	3964.98 MHz	664332	1 high	23.24 dBm
  · high	3964.98 MHz	664332	50 % mid	23.44 dBm
  · high	3964.98 MHz	664332	100 %	22.36 dBm

NR, 16QAM, 40 MHz

Max: **23.69 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3720 MHz	648000	1 low	22.10 dBm
 · low	3720 MHz	648000	1 low+1	23.56 dBm
 · low	3720 MHz	648000	1 high-1	23.29 dBm
 · low	3720 MHz	648000	1 high	23.40 dBm
 · low	3720 MHz	648000	50 % mid	23.34 dBm
 · low	3720 MHz	648000	100 %	22.29 dBm
 · mid	3840 MHz	656000	1 low	22.05 dBm
 · mid	3840 MHz	656000	1 low+1	23.61 dBm
 · mid	3840 MHz	656000	1 high-1	23.04 dBm
 · mid	3840 MHz	656000	1 high	23.08 dBm
 · mid	3840 MHz	656000	50 % mid	23.37 dBm
 · mid	3840 MHz	656000	100 %	22.35 dBm
 · high	3960 MHz	664000	1 low	21.99 dBm
 · high	3960 MHz	664000	1 low+1	23.69 dBm
 · high	3960 MHz	664000	1 high-1	23.21 dBm
 · high	3960 MHz	664000	1 high	23.27 dBm
 · high	3960 MHz	664000	50 % mid	23.49 dBm
 · high	3960 MHz	664000	100 %	22.50 dBm

NR, 16QAM, 50 MHz

Max: **23.33 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3725.01 MHz	648334	1 low	21.58 dBm
 · low	3725.01 MHz	648334	1 low+1	23.01 dBm
 · low	3725.01 MHz	648334	1 high-1	23.00 dBm
 · low	3725.01 MHz	648334	1 high	23.05 dBm
 · low	3725.01 MHz	648334	50 % mid	23.07 dBm
 · low	3725.01 MHz	648334	100 %	22.08 dBm
 · mid	3840 MHz	656000	1 low	21.56 dBm
 · mid	3840 MHz	656000	1 low+1	23.06 dBm
 · mid	3840 MHz	656000	1 high-1	22.84 dBm
 · mid	3840 MHz	656000	1 high	22.84 dBm
 · mid	3840 MHz	656000	50 % mid	23.12 dBm
 · mid	3840 MHz	656000	100 %	22.09 dBm
 · high	3954.99 MHz	663666	1 low	21.74 dBm
 · high	3954.99 MHz	663666	1 low+1	23.23 dBm
 · high	3954.99 MHz	663666	1 high-1	22.88 dBm
 · high	3954.99 MHz	663666	1 high	23.05 dBm
 · high	3954.99 MHz	663666	50 % mid	23.33 dBm
 · high	3954.99 MHz	663666	100 %	22.26 dBm

NR, 16QAM, 60 MHz

Max: **23.16 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3730.02 MHz	648668	1 low	21.47 dBm
 · low	3730.02 MHz	648668	1 low+1	22.98 dBm
 · low	3730.02 MHz	648668	1 high-1	23.07 dBm
 · low	3730.02 MHz	648668	1 high	21.54 dBm
 · low	3730.02 MHz	648668	50 % mid	22.92 dBm
 · low	3730.02 MHz	648668	100 %	21.98 dBm
 · mid	3840 MHz	656000	1 low	21.41 dBm
 · mid	3840 MHz	656000	1 low+1	23.01 dBm
 · mid	3840 MHz	656000	1 high-1	22.96 dBm
 · mid	3840 MHz	656000	1 high	21.30 dBm
 · mid	3840 MHz	656000	50 % mid	23.04 dBm
 · mid	3840 MHz	656000	100 %	22.00 dBm
 · high	3949.98 MHz	663332	1 low	21.71 dBm
 · high	3949.98 MHz	663332	1 low+1	23.16 dBm
 · high	3949.98 MHz	663332	1 high-1	22.74 dBm
 · high	3949.98 MHz	663332	1 high	21.30 dBm
 · high	3949.98 MHz	663332	50 % mid	23.12 dBm
 · high	3949.98 MHz	663332	100 %	22.09 dBm

NR, 16QAM, 70 MHz

Max: **23.08 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3735 MHz	649000	1 low	21.44 dBm
 · low	3735 MHz	649000	1 low+1	22.92 dBm
 · low	3735 MHz	649000	1 high-1	22.97 dBm
 · low	3735 MHz	649000	1 high	22.94 dBm
 · low	3735 MHz	649000	50 % mid	22.98 dBm
 · low	3735 MHz	649000	100 %	21.97 dBm
 · mid	3840 MHz	656000	1 low	21.40 dBm
 · mid	3840 MHz	656000	1 low+1	22.90 dBm
 · mid	3840 MHz	656000	1 high-1	22.88 dBm
 · mid	3840 MHz	656000	1 high	22.93 dBm
 · mid	3840 MHz	656000	50 % mid	22.87 dBm
 · mid	3840 MHz	656000	100 %	21.87 dBm
 · high	3945 MHz	663000	1 low	21.40 dBm
 · high	3945 MHz	663000	1 low+1	22.99 dBm
 · high	3945 MHz	663000	1 high-1	22.64 dBm
 · high	3945 MHz	663000	1 high	22.75 dBm
 · high	3945 MHz	663000	50 % mid	23.08 dBm
 · high	3945 MHz	663000	100 %	22.02 dBm

NR, 16QAM, 80 MHz

Max: **23.03 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3740.01 MHz	649334	1 low	21.41 dBm
  · low	3740.01 MHz	649334	1 low+1	22.93 dBm
  · low	3740.01 MHz	649334	1 high-1	22.84 dBm
  · low	3740.01 MHz	649334	1 high	22.84 dBm
  · low	3740.01 MHz	649334	50 % mid	22.99 dBm
  · low	3740.01 MHz	649334	100 %	21.95 dBm
  · mid	3840 MHz	656000	1 low	21.35 dBm
  · mid	3840 MHz	656000	1 low+1	23.03 dBm
  · mid	3840 MHz	656000	1 high-1	22.84 dBm
  · mid	3840 MHz	656000	1 high	22.94 dBm
  · mid	3840 MHz	656000	50 % mid	22.89 dBm
  · mid	3840 MHz	656000	100 %	21.92 dBm
  · high	3939.99 MHz	662666	1 low	21.60 dBm
  · high	3939.99 MHz	662666	1 low+1	22.99 dBm
  · high	3939.99 MHz	662666	1 high-1	22.56 dBm
  · high	3939.99 MHz	662666	1 high	22.72 dBm
  · high	3939.99 MHz	662666	50 % mid	23.03 dBm
  · high	3939.99 MHz	662666	100 %	21.96 dBm

NR, 16QAM, 90 MHz

Max: **23.13 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3745.02 MHz	649668	1 low	21.43 dBm
  · low	3745.02 MHz	649668	1 low+1	22.99 dBm
  · low	3745.02 MHz	649668	1 high-1	22.72 dBm
  · low	3745.02 MHz	649668	1 high	22.79 dBm
  · low	3745.02 MHz	649668	50 % mid	22.93 dBm
  · low	3745.02 MHz	649668	100 %	21.89 dBm
  · mid	3840 MHz	656000	1 low	21.51 dBm
  · mid	3840 MHz	656000	1 low+1	22.89 dBm
  · mid	3840 MHz	656000	1 high-1	23.13 dBm
  · mid	3840 MHz	656000	1 high	22.96 dBm
  · mid	3840 MHz	656000	50 % mid	22.87 dBm
  · mid	3840 MHz	656000	100 %	21.89 dBm
  · high	3934.98 MHz	662332	1 low	21.52 dBm
  · high	3934.98 MHz	662332	1 low+1	22.96 dBm
  · high	3934.98 MHz	662332	1 high-1	22.70 dBm
  · high	3934.98 MHz	662332	1 high	22.90 dBm
  · high	3934.98 MHz	662332	50 % mid	23.07 dBm
  · high	3934.98 MHz	662332	100 %	22.02 dBm

NR, 16QAM, 100 MHz

Max: **23.09 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3750 MHz	650000	1 low	21.43 dBm
  · low	3750 MHz	650000	1 low+1	22.85 dBm
  · low	3750 MHz	650000	1 high-1	22.99 dBm
  · low	3750 MHz	650000	1 high	22.98 dBm
  · low	3750 MHz	650000	50 % mid	22.97 dBm
  · low	3750 MHz	650000	100 %	21.91 dBm
  · mid	3840 MHz	656000	1 low	21.11 dBm
  · mid	3840 MHz	656000	1 low+1	22.72 dBm
  · mid	3840 MHz	656000	1 high-1	23.09 dBm
  · mid	3840 MHz	656000	1 high	23.01 dBm
  · mid	3840 MHz	656000	50 % mid	22.93 dBm
  · mid	3840 MHz	656000	100 %	21.94 dBm
  · high	3930 MHz	662000	1 low	21.55 dBm
  · high	3930 MHz	662000	1 low+1	23.01 dBm
  · high	3930 MHz	662000	1 high-1	22.63 dBm
  · high	3930 MHz	662000	1 high	22.64 dBm
  · high	3930 MHz	662000	50 % mid	23.05 dBm
  · high	3930 MHz	662000	100 %	22.02 dBm

NR, 64QAM, 10 MHz

Max: **21.74 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3705 MHz	647000	1 low	21.43 dBm
 · low	3705 MHz	647000	1 low+1	21.45 dBm
 · low	3705 MHz	647000	1 high-1	21.37 dBm
 · low	3705 MHz	647000	1 high	21.34 dBm
 · low	3705 MHz	647000	50 % mid	21.60 dBm
 · low	3705 MHz	647000	100 %	21.63 dBm
 · mid	3840 MHz	656000	1 low	21.47 dBm
 · mid	3840 MHz	656000	1 low+1	21.57 dBm
 · mid	3840 MHz	656000	1 high-1	21.55 dBm
 · mid	3840 MHz	656000	1 high	21.49 dBm
 · mid	3840 MHz	656000	50 % mid	21.74 dBm
 · mid	3840 MHz	656000	100 %	21.67 dBm
 · high	3975 MHz	665000	1 low	21.47 dBm
 · high	3975 MHz	665000	1 low+1	21.50 dBm
 · high	3975 MHz	665000	1 high-1	21.51 dBm
 · high	3975 MHz	665000	1 high	21.28 dBm
 · high	3975 MHz	665000	50 % mid	21.59 dBm
 · high	3975 MHz	665000	100 %	21.59 dBm

NR, 64QAM, 15 MHz

Max: **21.86 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3707.52 MHz	647168	1 low	21.70 dBm
  · low	3707.52 MHz	647168	1 low+1	21.75 dBm
  · low	3707.52 MHz	647168	1 high-1	21.64 dBm
  · low	3707.52 MHz	647168	1 high	21.63 dBm
  · low	3707.52 MHz	647168	50 % mid	21.64 dBm
  · low	3707.52 MHz	647168	100 %	21.64 dBm
  · mid	3840 MHz	656000	1 low	21.51 dBm
  · mid	3840 MHz	656000	1 low+1	21.60 dBm
  · mid	3840 MHz	656000	1 high-1	21.58 dBm
  · mid	3840 MHz	656000	1 high	21.51 dBm
  · mid	3840 MHz	656000	50 % mid	21.77 dBm
  · mid	3840 MHz	656000	100 %	21.70 dBm
  · high	3972.48 MHz	664832	1 low	21.86 dBm
  · high	3972.48 MHz	664832	1 low+1	21.85 dBm
  · high	3972.48 MHz	664832	1 high-1	21.65 dBm
  · high	3972.48 MHz	664832	1 high	21.49 dBm
  · high	3972.48 MHz	664832	50 % mid	21.84 dBm
  · high	3972.48 MHz	664832	100 %	21.79 dBm

NR, 64QAM, 20 MHz

Max: **21.91 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3710.01 MHz	647334	1 low	21.78 dBm
  · low	3710.01 MHz	647334	1 low+1	21.75 dBm
  · low	3710.01 MHz	647334	1 high-1	21.71 dBm
  · low	3710.01 MHz	647334	1 high	21.74 dBm
  · low	3710.01 MHz	647334	50 % mid	21.63 dBm
  · low	3710.01 MHz	647334	100 %	21.71 dBm
  · mid	3840 MHz	656000	1 low	21.54 dBm
  · mid	3840 MHz	656000	1 low+1	21.56 dBm
  · mid	3840 MHz	656000	1 high-1	21.49 dBm
  · mid	3840 MHz	656000	1 high	21.41 dBm
  · mid	3840 MHz	656000	50 % mid	21.68 dBm
  · mid	3840 MHz	656000	100 %	21.73 dBm
  · high	3969.99 MHz	664666	1 low	21.91 dBm
  · high	3969.99 MHz	664666	1 low+1	21.85 dBm
  · high	3969.99 MHz	664666	1 high-1	21.54 dBm
  · high	3969.99 MHz	664666	1 high	21.53 dBm
  · high	3969.99 MHz	664666	50 % mid	21.83 dBm
  · high	3969.99 MHz	664666	100 %	21.82 dBm

NR, 64QAM, 30 MHz

Max: **21.96 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3715.02 MHz	647668	1 low	21.87 dBm
  · low	3715.02 MHz	647668	1 low+1	21.70 dBm
  · low	3715.02 MHz	647668	1 high-1	21.58 dBm
  · low	3715.02 MHz	647668	1 high	21.56 dBm
  · low	3715.02 MHz	647668	50 % mid	21.81 dBm
  · low	3715.02 MHz	647668	100 %	21.75 dBm
  · mid	3840 MHz	656000	1 low	21.89 dBm
  · mid	3840 MHz	656000	1 low+1	21.78 dBm
  · mid	3840 MHz	656000	1 high-1	21.47 dBm
  · mid	3840 MHz	656000	1 high	21.50 dBm
  · mid	3840 MHz	656000	50 % mid	21.81 dBm
  · mid	3840 MHz	656000	100 %	21.83 dBm
  · high	3964.98 MHz	664332	1 low	21.96 dBm
  · high	3964.98 MHz	664332	1 low+1	21.86 dBm
  · high	3964.98 MHz	664332	1 high-1	21.55 dBm
  · high	3964.98 MHz	664332	1 high	21.69 dBm
  · high	3964.98 MHz	664332	50 % mid	21.94 dBm
  · high	3964.98 MHz	664332	100 %	21.92 dBm

NR, 64QAM, 40 MHz

Max: **22.11 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3720 MHz	648000	1 low	22.11 dBm
 · low	3720 MHz	648000	1 low+1	21.97 dBm
 · low	3720 MHz	648000	1 high-1	21.65 dBm
 · low	3720 MHz	648000	1 high	21.70 dBm
 · low	3720 MHz	648000	50 % mid	21.87 dBm
 · low	3720 MHz	648000	100 %	21.77 dBm
 · mid	3840 MHz	656000	1 low	21.89 dBm
 · mid	3840 MHz	656000	1 low+1	21.91 dBm
 · mid	3840 MHz	656000	1 high-1	21.50 dBm
 · mid	3840 MHz	656000	1 high	21.44 dBm
 · mid	3840 MHz	656000	50 % mid	21.87 dBm
 · mid	3840 MHz	656000	100 %	21.81 dBm
 · high	3960 MHz	664000	1 low	21.98 dBm
 · high	3960 MHz	664000	1 low+1	22.05 dBm
 · high	3960 MHz	664000	1 high-1	21.71 dBm
 · high	3960 MHz	664000	1 high	21.67 dBm
 · high	3960 MHz	664000	50 % mid	21.96 dBm
 · high	3960 MHz	664000	100 %	21.98 dBm

NR, 64QAM, 50 MHz

Max: **21.81 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3725.01 MHz	648334	1 low	21.48 dBm
 · low	3725.01 MHz	648334	1 low+1	21.49 dBm
 · low	3725.01 MHz	648334	1 high-1	21.38 dBm
 · low	3725.01 MHz	648334	1 high	21.35 dBm
 · low	3725.01 MHz	648334	50 % mid	21.50 dBm
 · low	3725.01 MHz	648334	100 %	21.53 dBm
 · mid	3840 MHz	656000	1 low	21.30 dBm
 · mid	3840 MHz	656000	1 low+1	21.48 dBm
 · mid	3840 MHz	656000	1 high-1	21.22 dBm
 · mid	3840 MHz	656000	1 high	21.27 dBm
 · mid	3840 MHz	656000	50 % mid	21.60 dBm
 · mid	3840 MHz	656000	100 %	21.58 dBm
 · high	3954.99 MHz	663666	1 low	21.75 dBm
 · high	3954.99 MHz	663666	1 low+1	21.67 dBm
 · high	3954.99 MHz	663666	1 high-1	21.25 dBm
 · high	3954.99 MHz	663666	1 high	21.34 dBm
 · high	3954.99 MHz	663666	50 % mid	21.81 dBm
 · high	3954.99 MHz	663666	100 %	21.75 dBm

NR, 64QAM, 60 MHz

Max: **21.64 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3730.02 MHz	648668	1 low	21.64 dBm
  · low	3730.02 MHz	648668	1 low+1	21.43 dBm
  · low	3730.02 MHz	648668	1 high-1	21.51 dBm
  · low	3730.02 MHz	648668	1 high	21.55 dBm
  · low	3730.02 MHz	648668	50 % mid	21.48 dBm
  · low	3730.02 MHz	648668	100 %	21.52 dBm
  · mid	3840 MHz	656000	1 low	21.29 dBm
  · mid	3840 MHz	656000	1 low+1	21.23 dBm
  · mid	3840 MHz	656000	1 high-1	21.29 dBm
  · mid	3840 MHz	656000	1 high	21.40 dBm
  · mid	3840 MHz	656000	50 % mid	21.55 dBm
  · mid	3840 MHz	656000	100 %	21.51 dBm
  · high	3949.98 MHz	663332	1 low	21.61 dBm
  · high	3949.98 MHz	663332	1 low+1	21.57 dBm
  · high	3949.98 MHz	663332	1 high-1	21.05 dBm
  · high	3949.98 MHz	663332	1 high	21.10 dBm
  · high	3949.98 MHz	663332	50 % mid	21.63 dBm
  · high	3949.98 MHz	663332	100 %	21.51 dBm

NR, 64QAM, 70 MHz

Max: **21.58 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3735 MHz	649000	1 low	21.33 dBm
 · low	3735 MHz	649000	1 low+1	21.29 dBm
 · low	3735 MHz	649000	1 high-1	21.23 dBm
 · low	3735 MHz	649000	1 high	21.20 dBm
 · low	3735 MHz	649000	50 % mid	21.42 dBm
 · low	3735 MHz	649000	100 %	21.48 dBm
 · mid	3840 MHz	656000	1 low	21.37 dBm
 · mid	3840 MHz	656000	1 low+1	21.20 dBm
 · mid	3840 MHz	656000	1 high-1	21.28 dBm
 · mid	3840 MHz	656000	1 high	21.38 dBm
 · mid	3840 MHz	656000	50 % mid	21.47 dBm
 · mid	3840 MHz	656000	100 %	21.43 dBm
 · high	3945 MHz	663000	1 low	21.44 dBm
 · high	3945 MHz	663000	1 low+1	21.37 dBm
 · high	3945 MHz	663000	1 high-1	20.93 dBm
 · high	3945 MHz	663000	1 high	20.89 dBm
 · high	3945 MHz	663000	50 % mid	21.57 dBm
 · high	3945 MHz	663000	100 %	21.58 dBm

NR, 64QAM, 80 MHz

Max: **21.59 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3740.01 MHz	649334	1 low	21.47 dBm
  · low	3740.01 MHz	649334	1 low+1	21.44 dBm
  · low	3740.01 MHz	649334	1 high-1	21.13 dBm
  · low	3740.01 MHz	649334	1 high	21.27 dBm
  · low	3740.01 MHz	649334	50 % mid	21.48 dBm
  · low	3740.01 MHz	649334	100 %	21.43 dBm
  · mid	3840 MHz	656000	1 low	21.39 dBm
  · mid	3840 MHz	656000	1 low+1	21.27 dBm
  · mid	3840 MHz	656000	1 high-1	21.21 dBm
  · mid	3840 MHz	656000	1 high	21.29 dBm
  · mid	3840 MHz	656000	50 % mid	21.42 dBm
  · mid	3840 MHz	656000	100 %	21.37 dBm
  · high	3939.99 MHz	662666	1 low	21.38 dBm
  · high	3939.99 MHz	662666	1 low+1	21.41 dBm
  · high	3939.99 MHz	662666	1 high-1	20.99 dBm
  · high	3939.99 MHz	662666	1 high	20.96 dBm
  · high	3939.99 MHz	662666	50 % mid	21.59 dBm
  · high	3939.99 MHz	662666	100 %	21.47 dBm

NR, 64QAM, 90 MHz

Max: **21.54 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3745.02 MHz	649668	1 low	21.33 dBm
  · low	3745.02 MHz	649668	1 low+1	21.13 dBm
  · low	3745.02 MHz	649668	1 high-1	21.10 dBm
  · low	3745.02 MHz	649668	1 high	21.00 dBm
  · low	3745.02 MHz	649668	50 % mid	21.43 dBm
  · low	3745.02 MHz	649668	100 %	21.39 dBm
  · mid	3840 MHz	656000	1 low	21.25 dBm
  · mid	3840 MHz	656000	1 low+1	21.17 dBm
  · mid	3840 MHz	656000	1 high-1	21.40 dBm
  · mid	3840 MHz	656000	1 high	21.44 dBm
  · mid	3840 MHz	656000	50 % mid	21.40 dBm
  · mid	3840 MHz	656000	100 %	21.42 dBm
  · high	3934.98 MHz	662332	1 low	21.32 dBm
  · high	3934.98 MHz	662332	1 low+1	21.41 dBm
  · high	3934.98 MHz	662332	1 high-1	21.03 dBm
  · high	3934.98 MHz	662332	1 high	21.06 dBm
  · high	3934.98 MHz	662332	50 % mid	21.54 dBm
  · high	3934.98 MHz	662332	100 %	21.53 dBm

NR, 64QAM, 100 MHz

Max: **21.53 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3750 MHz	650000	1 low	21.42 dBm
 · low	3750 MHz	650000	1 low+1	21.22 dBm
 · low	3750 MHz	650000	1 high-1	21.32 dBm
 · low	3750 MHz	650000	1 high	21.31 dBm
 · low	3750 MHz	650000	50 % mid	21.50 dBm
 · low	3750 MHz	650000	100 %	21.39 dBm
 · mid	3840 MHz	656000	1 low	21.04 dBm
 · mid	3840 MHz	656000	1 low+1	21.11 dBm
 · mid	3840 MHz	656000	1 high-1	21.48 dBm
 · mid	3840 MHz	656000	1 high	21.32 dBm
 · mid	3840 MHz	656000	50 % mid	21.42 dBm
 · mid	3840 MHz	656000	100 %	21.38 dBm
 · high	3930 MHz	662000	1 low	21.47 dBm
 · high	3930 MHz	662000	1 low+1	21.34 dBm
 · high	3930 MHz	662000	1 high-1	21.04 dBm
 · high	3930 MHz	662000	1 high	21.00 dBm
 · high	3930 MHz	662000	50 % mid	21.53 dBm
 · high	3930 MHz	662000	100 %	21.53 dBm

NR, 256QAM, 10 MHz

Max: **18.77 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3705 MHz	647000	1 low	18.32 dBm
 · low	3705 MHz	647000	1 low+1	18.43 dBm
 · low	3705 MHz	647000	1 high-1	18.22 dBm
 · low	3705 MHz	647000	1 high	18.05 dBm
 · low	3705 MHz	647000	50 % mid	18.68 dBm
 · low	3705 MHz	647000	100 %	18.60 dBm
 · mid	3840 MHz	656000	1 low	18.21 dBm
 · mid	3840 MHz	656000	1 low+1	18.20 dBm
 · mid	3840 MHz	656000	1 high-1	18.27 dBm
 · mid	3840 MHz	656000	1 high	18.41 dBm
 · mid	3840 MHz	656000	50 % mid	18.77 dBm
 · mid	3840 MHz	656000	100 %	18.72 dBm
 · high	3975 MHz	665000	1 low	18.33 dBm
 · high	3975 MHz	665000	1 low+1	18.37 dBm
 · high	3975 MHz	665000	1 high-1	18.23 dBm
 · high	3975 MHz	665000	1 high	18.28 dBm
 · high	3975 MHz	665000	50 % mid	18.62 dBm
 · high	3975 MHz	665000	100 %	18.59 dBm

NR, 256QAM, 15 MHz

Max: **18.89 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3707.52 MHz	647168	1 low	18.47 dBm
  · low	3707.52 MHz	647168	1 low+1	18.60 dBm
  · low	3707.52 MHz	647168	1 high-1	18.42 dBm
  · low	3707.52 MHz	647168	1 high	18.43 dBm
  · low	3707.52 MHz	647168	50 % mid	18.67 dBm
  · low	3707.52 MHz	647168	100 %	18.70 dBm
  · mid	3840 MHz	656000	1 low	18.43 dBm
  · mid	3840 MHz	656000	1 low+1	18.41 dBm
  · mid	3840 MHz	656000	1 high-1	18.53 dBm
  · mid	3840 MHz	656000	1 high	18.52 dBm
  · mid	3840 MHz	656000	50 % mid	18.81 dBm
  · mid	3840 MHz	656000	100 %	18.76 dBm
  · high	3972.48 MHz	664832	1 low	18.89 dBm
  · high	3972.48 MHz	664832	1 low+1	18.73 dBm
  · high	3972.48 MHz	664832	1 high-1	18.42 dBm
  · high	3972.48 MHz	664832	1 high	18.50 dBm
  · high	3972.48 MHz	664832	50 % mid	18.86 dBm
  · high	3972.48 MHz	664832	100 %	18.79 dBm

NR, 256QAM, 20 MHz

Max: **18.91 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3710.01 MHz	647334	1 low	18.57 dBm
 · low	3710.01 MHz	647334	1 low+1	18.51 dBm
 · low	3710.01 MHz	647334	1 high-1	18.59 dBm
 · low	3710.01 MHz	647334	1 high	18.57 dBm
 · low	3710.01 MHz	647334	50 % mid	18.69 dBm
 · low	3710.01 MHz	647334	100 %	18.71 dBm
 · mid	3840 MHz	656000	1 low	18.57 dBm
 · mid	3840 MHz	656000	1 low+1	18.45 dBm
 · mid	3840 MHz	656000	1 high-1	18.43 dBm
 · mid	3840 MHz	656000	1 high	18.40 dBm
 · mid	3840 MHz	656000	50 % mid	18.77 dBm
 · mid	3840 MHz	656000	100 %	18.76 dBm
 · high	3969.99 MHz	664666	1 low	18.81 dBm
 · high	3969.99 MHz	664666	1 low+1	18.64 dBm
 · high	3969.99 MHz	664666	1 high-1	18.52 dBm
 · high	3969.99 MHz	664666	1 high	18.51 dBm
 · high	3969.99 MHz	664666	50 % mid	18.90 dBm
 · high	3969.99 MHz	664666	100 %	18.91 dBm

NR, 256QAM, 30 MHz

Max: **18.95 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3715.02 MHz	647668	1 low	18.57 dBm
 · low	3715.02 MHz	647668	1 low+1	18.63 dBm
 · low	3715.02 MHz	647668	1 high-1	18.47 dBm
 · low	3715.02 MHz	647668	1 high	18.48 dBm
 · low	3715.02 MHz	647668	50 % mid	18.75 dBm
 · low	3715.02 MHz	647668	100 %	18.84 dBm
 · mid	3840 MHz	656000	1 low	18.66 dBm
 · mid	3840 MHz	656000	1 low+1	18.60 dBm
 · mid	3840 MHz	656000	1 high-1	18.32 dBm
 · mid	3840 MHz	656000	1 high	18.29 dBm
 · mid	3840 MHz	656000	50 % mid	18.86 dBm
 · mid	3840 MHz	656000	100 %	18.81 dBm
 · high	3964.98 MHz	664332	1 low	18.89 dBm
 · high	3964.98 MHz	664332	1 low+1	18.79 dBm
 · high	3964.98 MHz	664332	1 high-1	18.50 dBm
 · high	3964.98 MHz	664332	1 high	18.51 dBm
 · high	3964.98 MHz	664332	50 % mid	18.94 dBm
 · high	3964.98 MHz	664332	100 %	18.95 dBm

NR, 256QAM, 40 MHz

Max: **18.99 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3720 MHz	648000	1 low	18.99 dBm
 · low	3720 MHz	648000	1 low+1	18.92 dBm
 · low	3720 MHz	648000	1 high-1	18.65 dBm
 · low	3720 MHz	648000	1 high	18.42 dBm
 · low	3720 MHz	648000	50 % mid	18.85 dBm
 · low	3720 MHz	648000	100 %	18.89 dBm
 · mid	3840 MHz	656000	1 low	18.66 dBm
 · mid	3840 MHz	656000	1 low+1	18.72 dBm
 · mid	3840 MHz	656000	1 high-1	18.17 dBm
 · mid	3840 MHz	656000	1 high	18.31 dBm
 · mid	3840 MHz	656000	50 % mid	18.80 dBm
 · mid	3840 MHz	656000	100 %	18.91 dBm
 · high	3960 MHz	664000	1 low	18.90 dBm
 · high	3960 MHz	664000	1 low+1	18.82 dBm
 · high	3960 MHz	664000	1 high-1	18.49 dBm
 · high	3960 MHz	664000	1 high	18.44 dBm
 · high	3960 MHz	664000	50 % mid	18.94 dBm
 · high	3960 MHz	664000	100 %	18.97 dBm

NR, 256QAM, 50 MHz

Max: **18.75 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3725.01 MHz	648334	1 low	18.43 dBm
 · low	3725.01 MHz	648334	1 low+1	18.34 dBm
 · low	3725.01 MHz	648334	1 high-1	18.31 dBm
 · low	3725.01 MHz	648334	1 high	18.14 dBm
 · low	3725.01 MHz	648334	50 % mid	18.55 dBm
 · low	3725.01 MHz	648334	100 %	18.52 dBm
 · mid	3840 MHz	656000	1 low	18.28 dBm
 · mid	3840 MHz	656000	1 low+1	18.35 dBm
 · mid	3840 MHz	656000	1 high-1	18.16 dBm
 · mid	3840 MHz	656000	1 high	18.18 dBm
 · mid	3840 MHz	656000	50 % mid	18.58 dBm
 · mid	3840 MHz	656000	100 %	18.54 dBm
 · high	3954.99 MHz	663666	1 low	18.45 dBm
 · high	3954.99 MHz	663666	1 low+1	18.47 dBm
 · high	3954.99 MHz	663666	1 high-1	18.12 dBm
 · high	3954.99 MHz	663666	1 high	18.24 dBm
 · high	3954.99 MHz	663666	50 % mid	18.75 dBm
 · high	3954.99 MHz	663666	100 %	18.70 dBm

NR, 256QAM, 60 MHz

Max: **18.61 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3730.02 MHz	648668	1 low	18.31 dBm
  · low	3730.02 MHz	648668	1 low+1	18.28 dBm
  · low	3730.02 MHz	648668	1 high-1	18.43 dBm
  · low	3730.02 MHz	648668	1 high	18.33 dBm
  · low	3730.02 MHz	648668	50 % mid	18.46 dBm
  · low	3730.02 MHz	648668	100 %	18.60 dBm
  · mid	3840 MHz	656000	1 low	18.21 dBm
  · mid	3840 MHz	656000	1 low+1	18.10 dBm
  · mid	3840 MHz	656000	1 high-1	18.19 dBm
  · mid	3840 MHz	656000	1 high	18.13 dBm
  · mid	3840 MHz	656000	50 % mid	18.53 dBm
  · mid	3840 MHz	656000	100 %	18.57 dBm
  · high	3949.98 MHz	663332	1 low	18.57 dBm
  · high	3949.98 MHz	663332	1 low+1	18.45 dBm
  · high	3949.98 MHz	663332	1 high-1	18.15 dBm
  · high	3949.98 MHz	663332	1 high	17.81 dBm
  · high	3949.98 MHz	663332	50 % mid	18.61 dBm
  · high	3949.98 MHz	663332	100 %	18.57 dBm

NR, 256QAM, 70 MHz

Max: **18.60 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3735 MHz	649000	1 low	18.37 dBm
 · low	3735 MHz	649000	1 low+1	18.27 dBm
 · low	3735 MHz	649000	1 high-1	18.24 dBm
 · low	3735 MHz	649000	1 high	18.13 dBm
 · low	3735 MHz	649000	50 % mid	18.46 dBm
 · low	3735 MHz	649000	100 %	18.48 dBm
 · mid	3840 MHz	656000	1 low	18.20 dBm
 · mid	3840 MHz	656000	1 low+1	18.29 dBm
 · mid	3840 MHz	656000	1 high-1	17.94 dBm
 · mid	3840 MHz	656000	1 high	18.09 dBm
 · mid	3840 MHz	656000	50 % mid	18.48 dBm
 · mid	3840 MHz	656000	100 %	18.37 dBm
 · high	3945 MHz	663000	1 low	18.37 dBm
 · high	3945 MHz	663000	1 low+1	18.17 dBm
 · high	3945 MHz	663000	1 high-1	17.98 dBm
 · high	3945 MHz	663000	1 high	17.96 dBm
 · high	3945 MHz	663000	50 % mid	18.60 dBm
 · high	3945 MHz	663000	100 %	18.50 dBm

NR, 256QAM, 80 MHz

Max: **18.63 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3740.01 MHz	649334	1 low	18.28 dBm
  · low	3740.01 MHz	649334	1 low+1	18.04 dBm
  · low	3740.01 MHz	649334	1 high-1	17.98 dBm
  · low	3740.01 MHz	649334	1 high	18.07 dBm
  · low	3740.01 MHz	649334	50 % mid	18.44 dBm
  · low	3740.01 MHz	649334	100 %	18.49 dBm
  · mid	3840 MHz	656000	1 low	18.31 dBm
  · mid	3840 MHz	656000	1 low+1	18.23 dBm
  · mid	3840 MHz	656000	1 high-1	18.23 dBm
  · mid	3840 MHz	656000	1 high	18.03 dBm
  · mid	3840 MHz	656000	50 % mid	18.42 dBm
  · mid	3840 MHz	656000	100 %	18.40 dBm
  · high	3939.99 MHz	662666	1 low	18.25 dBm
  · high	3939.99 MHz	662666	1 low+1	18.21 dBm
  · high	3939.99 MHz	662666	1 high-1	18.01 dBm
  · high	3939.99 MHz	662666	1 high	17.85 dBm
  · high	3939.99 MHz	662666	50 % mid	18.63 dBm
  · high	3939.99 MHz	662666	100 %	18.51 dBm

NR, 256QAM, 90 MHz

Max: **18.60 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3745.02 MHz	649668	1 low	18.27 dBm
  · low	3745.02 MHz	649668	1 low+1	18.11 dBm
  · low	3745.02 MHz	649668	1 high-1	18.03 dBm
  · low	3745.02 MHz	649668	1 high	18.07 dBm
  · low	3745.02 MHz	649668	50 % mid	18.47 dBm
  · low	3745.02 MHz	649668	100 %	18.43 dBm
  · mid	3840 MHz	656000	1 low	18.09 dBm
  · mid	3840 MHz	656000	1 low+1	18.21 dBm
  · mid	3840 MHz	656000	1 high-1	18.05 dBm
  · mid	3840 MHz	656000	1 high	18.23 dBm
  · mid	3840 MHz	656000	50 % mid	18.36 dBm
  · mid	3840 MHz	656000	100 %	18.40 dBm
  · high	3934.98 MHz	662332	1 low	18.23 dBm
  · high	3934.98 MHz	662332	1 low+1	18.21 dBm
  · high	3934.98 MHz	662332	1 high-1	17.97 dBm
  · high	3934.98 MHz	662332	1 high	17.86 dBm
  · high	3934.98 MHz	662332	50 % mid	18.60 dBm
  · high	3934.98 MHz	662332	100 %	18.54 dBm

NR, 256QAM, 100 MHz

Max: **18.54 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3750 MHz	650000	1 low	18.33 dBm
  · low	3750 MHz	650000	1 low+1	18.13 dBm
  · low	3750 MHz	650000	1 high-1	18.38 dBm
  · low	3750 MHz	650000	1 high	18.37 dBm
  · low	3750 MHz	650000	50 % mid	18.48 dBm
  · low	3750 MHz	650000	100 %	18.42 dBm
  · mid	3840 MHz	656000	1 low	17.83 dBm
  · mid	3840 MHz	656000	1 low+1	17.92 dBm
  · mid	3840 MHz	656000	1 high-1	18.10 dBm
  · mid	3840 MHz	656000	1 high	18.27 dBm
  · mid	3840 MHz	656000	50 % mid	18.39 dBm
  · mid	3840 MHz	656000	100 %	18.44 dBm
  · high	3930 MHz	662000	1 low	18.38 dBm
  · high	3930 MHz	662000	1 low+1	18.11 dBm
  · high	3930 MHz	662000	1 high-1	17.79 dBm
  · high	3930 MHz	662000	1 high	17.77 dBm
  · high	3930 MHz	662000	50 % mid	18.54 dBm
  · high	3930 MHz	662000	100 %	18.53 dBm

Output power — Band 78

Maximum P_{avg} per (technology · bandwidth · modulation) for **Band 78** (55 tables)

The max-summary table leads; one measurement table follows per (technology · bandwidth · modulation), with each table's maximum P_{avg} highlighted.

Result rows used

- **NR** — the **TX power Σ** result rows (total transmit power, summed over the TX antennas).
- The per-antenna **TX power 1** / **TX power 2** rows are deliberately not tabulated.

Max summary

Technology	Bandwidth	Modulation	Max P_{avg}	Where
NR	10 MHz	BPSK	21.98 dBm	 · low · ch 620334
NR	15 MHz	BPSK	21.97 dBm	 · low · ch 620500
NR	20 MHz	BPSK	22.03 dBm	 · high · ch 652666
NR	30 MHz	BPSK	22.22 dBm	 · low · ch 621000
NR	40 MHz	BPSK	22.31 dBm	 · high · ch 652000
NR	50 MHz	BPSK	21.87 dBm	 · high · ch 651666
NR	60 MHz	BPSK	21.75 dBm	 · high · ch 651332
NR	70 MHz	BPSK	21.79 dBm	 · mid · ch 636666
NR	80 MHz	BPSK	21.73 dBm	 · low · ch 622668
NR	90 MHz	BPSK	21.71 dBm	 · low · ch 623000
NR	100 MHz	BPSK	21.66 dBm	 · mid · ch 636666
NR	10 MHz	QPSK	23.85 dBm	 · low · ch 620334
NR	15 MHz	QPSK	23.90 dBm	 · low · ch 620500
NR	20 MHz	QPSK	23.97 dBm	 · low · ch 620668
NR	30 MHz	QPSK	24.01 dBm	 · low · ch 621000
NR	40 MHz	QPSK	24.10 dBm	 · high · ch 652000
NR	50 MHz	QPSK	23.80 dBm	 · low · ch 621668
NR	60 MHz	QPSK	23.68 dBm	 · low · ch 622000
NR	70 MHz	QPSK	23.80 dBm	 · low · ch 622334
NR	80 MHz	QPSK	23.59 dBm	 · low · ch 622668

Technology	Bandwidth	Modulation	Max P _{avg}	Where
NR	90 MHz	QPSK	23.66 dBm	 · low · ch 623000
NR	100 MHz	QPSK	23.73 dBm	 · low · ch 623334
NR	10 MHz	16QAM	23.28 dBm	 · high · ch 653000
NR	15 MHz	16QAM	23.42 dBm	 · low · ch 620500
NR	20 MHz	16QAM	23.51 dBm	 · low · ch 620668
NR	30 MHz	16QAM	23.45 dBm	 · low · ch 621000
NR	40 MHz	16QAM	23.57 dBm	 · low · ch 621334
NR	50 MHz	16QAM	23.27 dBm	 · low · ch 621668
NR	60 MHz	16QAM	23.18 dBm	 · low · ch 622000
NR	70 MHz	16QAM	23.10 dBm	 · low · ch 622334
NR	80 MHz	16QAM	23.29 dBm	 · low · ch 622668
NR	90 MHz	16QAM	23.19 dBm	 · low · ch 623000
NR	100 MHz	16QAM	23.09 dBm	 · high · ch 650000
NR	10 MHz	64QAM	21.82 dBm	 · low · ch 620334
NR	15 MHz	64QAM	21.98 dBm	 · low · ch 620500
NR	20 MHz	64QAM	21.97 dBm	 · low · ch 620668
NR	30 MHz	64QAM	21.93 dBm	 · high · ch 652332
NR	40 MHz	64QAM	22.08 dBm	 · high · ch 652000
NR	50 MHz	64QAM	21.75 dBm	 · low · ch 621668
NR	60 MHz	64QAM	21.72 dBm	 · low · ch 622000
NR	70 MHz	64QAM	21.62 dBm	 · low · ch 622334
NR	80 MHz	64QAM	21.59 dBm	 · low · ch 622668
NR	90 MHz	64QAM	21.59 dBm	 · low · ch 623000
NR	100 MHz	64QAM	21.65 dBm	 · low · ch 623334
NR	10 MHz	256QAM	18.87 dBm	 · low · ch 620334
NR	15 MHz	256QAM	18.95 dBm	 · low · ch 620500
NR	20 MHz	256QAM	19.04 dBm	 · low · ch 620668
NR	30 MHz	256QAM	19.00 dBm	 · low · ch 621000
NR	40 MHz	256QAM	19.05 dBm	 · low · ch 621334
NR	50 MHz	256QAM	18.74 dBm	 · low · ch 621668
NR	60 MHz	256QAM	18.76 dBm	 · low · ch 622000

Technology	Bandwidth	Modulation	Max P _{avg}	Where
NR	70 MHz	256QAM	18.65 dBm	   · low · ch 622334
NR	80 MHz	256QAM	18.63 dBm	   · low · ch 622668
NR	90 MHz	256QAM	18.67 dBm	   · low · ch 623000
NR	100 MHz	256QAM	18.64 dBm	   · low · ch 623334

NR, BPSK, 10 MHz

Max: **21.98 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3305.01 MHz	620334	1 low	21.69 dBm
 · low	3305.01 MHz	620334	1 low+1	21.64 dBm
 · low	3305.01 MHz	620334	1 high-1	21.98 dBm
 · low	3305.01 MHz	620334	1 high	21.96 dBm
 · low	3305.01 MHz	620334	50 % mid	21.76 dBm
 · low	3305.01 MHz	620334	100 %	21.78 dBm
 · mid	3549.99 MHz	636666	1 low	21.86 dBm
 · mid	3549.99 MHz	636666	1 low+1	21.51 dBm
 · mid	3549.99 MHz	636666	1 high-1	21.49 dBm
 · mid	3549.99 MHz	636666	1 high	21.69 dBm
 · mid	3549.99 MHz	636666	50 % mid	21.62 dBm
 · mid	3549.99 MHz	636666	100 %	21.65 dBm
 · high	3795 MHz	653000	1 low	21.63 dBm
 · high	3795 MHz	653000	1 low+1	21.68 dBm
 · high	3795 MHz	653000	1 high-1	21.76 dBm
 · high	3795 MHz	653000	1 high	21.74 dBm
 · high	3795 MHz	653000	50 % mid	21.72 dBm
 · high	3795 MHz	653000	100 %	21.69 dBm

NR, BPSK, 15 MHz

Max: **21.97 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3307.5 MHz	620500	1 low	21.86 dBm
 · low	3307.5 MHz	620500	1 low+1	21.97 dBm
 · low	3307.5 MHz	620500	1 high-1	21.93 dBm
 · low	3307.5 MHz	620500	1 high	21.95 dBm
 · low	3307.5 MHz	620500	50 % mid	21.87 dBm
 · low	3307.5 MHz	620500	100 %	21.94 dBm
 · mid	3549.99 MHz	636666	1 low	21.87 dBm
 · mid	3549.99 MHz	636666	1 low+1	21.82 dBm
 · mid	3549.99 MHz	636666	1 high-1	21.58 dBm
 · mid	3549.99 MHz	636666	1 high	21.62 dBm
 · mid	3549.99 MHz	636666	50 % mid	21.79 dBm
 · mid	3549.99 MHz	636666	100 %	21.80 dBm
 · high	3792.48 MHz	652832	1 low	21.61 dBm
 · high	3792.48 MHz	652832	1 low+1	21.82 dBm
 · high	3792.48 MHz	652832	1 high-1	21.87 dBm
 · high	3792.48 MHz	652832	1 high	21.86 dBm
 · high	3792.48 MHz	652832	50 % mid	21.73 dBm
 · high	3792.48 MHz	652832	100 %	21.84 dBm

NR, BPSK, 20 MHz

Max: **22.03 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3310.02 MHz	620668	1 low	21.94 dBm
 · low	3310.02 MHz	620668	1 low+1	22.02 dBm
 · low	3310.02 MHz	620668	1 high-1	22.00 dBm
 · low	3310.02 MHz	620668	1 high	21.72 dBm
 · low	3310.02 MHz	620668	50 % mid	21.96 dBm
 · low	3310.02 MHz	620668	100 %	21.93 dBm
 · mid	3549.99 MHz	636666	1 low	21.84 dBm
 · mid	3549.99 MHz	636666	1 low+1	21.88 dBm
 · mid	3549.99 MHz	636666	1 high-1	21.75 dBm
 · mid	3549.99 MHz	636666	1 high	21.56 dBm
 · mid	3549.99 MHz	636666	50 % mid	21.77 dBm
 · mid	3549.99 MHz	636666	100 %	21.77 dBm
 · high	3789.99 MHz	652666	1 low	21.72 dBm
 · high	3789.99 MHz	652666	1 low+1	21.58 dBm
 · high	3789.99 MHz	652666	1 high-1	21.92 dBm
 · high	3789.99 MHz	652666	1 high	22.03 dBm
 · high	3789.99 MHz	652666	50 % mid	21.71 dBm
 · high	3789.99 MHz	652666	100 %	21.73 dBm

NR, BPSK, 30 MHz

Max: **22.22 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3315 MHz	621000	1 low	21.86 dBm
 · low	3315 MHz	621000	1 low+1	22.22 dBm
 · low	3315 MHz	621000	1 high-1	21.89 dBm
 · low	3315 MHz	621000	1 high	22.00 dBm
 · low	3315 MHz	621000	50 % mid	21.92 dBm
 · low	3315 MHz	621000	100 %	21.87 dBm
 · mid	3549.99 MHz	636666	1 low	22.08 dBm
 · mid	3549.99 MHz	636666	1 low+1	21.75 dBm
 · mid	3549.99 MHz	636666	1 high-1	21.54 dBm
 · mid	3549.99 MHz	636666	1 high	21.53 dBm
 · mid	3549.99 MHz	636666	50 % mid	21.90 dBm
 · mid	3549.99 MHz	636666	100 %	21.83 dBm
 · high	3784.98 MHz	652332	1 low	21.89 dBm
 · high	3784.98 MHz	652332	1 low+1	22.06 dBm
 · high	3784.98 MHz	652332	1 high-1	21.82 dBm
 · high	3784.98 MHz	652332	1 high	22.08 dBm
 · high	3784.98 MHz	652332	50 % mid	21.61 dBm
 · high	3784.98 MHz	652332	100 %	21.77 dBm

NR, BPSK, 40 MHz

Max: **22.31 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3320.01 MHz	621334	1 low	21.97 dBm
 · low	3320.01 MHz	621334	1 low+1	22.08 dBm
 · low	3320.01 MHz	621334	1 high-1	22.03 dBm
 · low	3320.01 MHz	621334	1 high	22.14 dBm
 · low	3320.01 MHz	621334	50 % mid	21.85 dBm
 · low	3320.01 MHz	621334	100 %	21.95 dBm
 · mid	3549.99 MHz	636666	1 low	22.13 dBm
 · mid	3549.99 MHz	636666	1 low+1	22.16 dBm
 · mid	3549.99 MHz	636666	1 high-1	21.81 dBm
 · mid	3549.99 MHz	636666	1 high	21.87 dBm
 · mid	3549.99 MHz	636666	50 % mid	21.85 dBm
 · mid	3549.99 MHz	636666	100 %	21.88 dBm
 · high	3780 MHz	652000	1 low	22.31 dBm
 · high	3780 MHz	652000	1 low+1	22.13 dBm
 · high	3780 MHz	652000	1 high-1	22.06 dBm
 · high	3780 MHz	652000	1 high	21.91 dBm
 · high	3780 MHz	652000	50 % mid	21.67 dBm
 · high	3780 MHz	652000	100 %	21.87 dBm

NR, BPSK, 50 MHz

Max: **21.87 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3325.02 MHz	621668	1 low	21.72 dBm
  · low	3325.02 MHz	621668	1 low+1	21.62 dBm
  · low	3325.02 MHz	621668	1 high-1	21.82 dBm
  · low	3325.02 MHz	621668	1 high	21.85 dBm
  · low	3325.02 MHz	621668	50 % mid	21.66 dBm
  · low	3325.02 MHz	621668	100 %	21.75 dBm
  · mid	3549.99 MHz	636666	1 low	21.61 dBm
  · mid	3549.99 MHz	636666	1 low+1	21.53 dBm
  · mid	3549.99 MHz	636666	1 high-1	21.59 dBm
  · mid	3549.99 MHz	636666	1 high	21.38 dBm
  · mid	3549.99 MHz	636666	50 % mid	21.51 dBm
  · mid	3549.99 MHz	636666	100 %	21.53 dBm
  · high	3774.99 MHz	651666	1 low	21.87 dBm
  · high	3774.99 MHz	651666	1 low+1	21.65 dBm
  · high	3774.99 MHz	651666	1 high-1	21.54 dBm
  · high	3774.99 MHz	651666	1 high	21.58 dBm
  · high	3774.99 MHz	651666	50 % mid	21.50 dBm
  · high	3774.99 MHz	651666	100 %	21.49 dBm

NR, BPSK, 60 MHz

Max: **21.75 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3330 MHz	622000	1 low	21.72 dBm
  · low	3330 MHz	622000	1 low+1	21.58 dBm
  · low	3330 MHz	622000	1 high-1	21.74 dBm
  · low	3330 MHz	622000	1 high	21.69 dBm
  · low	3330 MHz	622000	50 % mid	21.69 dBm
  · low	3330 MHz	622000	100 %	21.72 dBm
  · mid	3549.99 MHz	636666	1 low	21.57 dBm
  · mid	3549.99 MHz	636666	1 low+1	21.73 dBm
  · mid	3549.99 MHz	636666	1 high-1	21.59 dBm
  · mid	3549.99 MHz	636666	1 high	21.36 dBm
  · mid	3549.99 MHz	636666	50 % mid	21.44 dBm
  · mid	3549.99 MHz	636666	100 %	21.56 dBm
  · high	3769.98 MHz	651332	1 low	21.57 dBm
  · high	3769.98 MHz	651332	1 low+1	21.46 dBm
  · high	3769.98 MHz	651332	1 high-1	21.65 dBm
  · high	3769.98 MHz	651332	1 high	21.75 dBm
  · high	3769.98 MHz	651332	50 % mid	21.52 dBm
  · high	3769.98 MHz	651332	100 %	21.52 dBm

NR, BPSK, 70 MHz

Max: **21.79 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3335.01 MHz	622334	1 low	21.57 dBm
  · low	3335.01 MHz	622334	1 low+1	21.54 dBm
  · low	3335.01 MHz	622334	1 high-1	21.60 dBm
  · low	3335.01 MHz	622334	1 high	21.60 dBm
  · low	3335.01 MHz	622334	50 % mid	21.52 dBm
  · low	3335.01 MHz	622334	100 %	21.63 dBm
  · mid	3549.99 MHz	636666	1 low	21.79 dBm
  · mid	3549.99 MHz	636666	1 low+1	21.66 dBm
  · mid	3549.99 MHz	636666	1 high-1	21.24 dBm
  · mid	3549.99 MHz	636666	1 high	21.53 dBm
  · mid	3549.99 MHz	636666	50 % mid	21.47 dBm
  · mid	3549.99 MHz	636666	100 %	21.49 dBm
  · high	3765 MHz	651000	1 low	21.31 dBm
  · high	3765 MHz	651000	1 low+1	21.14 dBm
  · high	3765 MHz	651000	1 high-1	21.30 dBm
  · high	3765 MHz	651000	1 high	21.35 dBm
  · high	3765 MHz	651000	50 % mid	21.44 dBm
  · high	3765 MHz	651000	100 %	21.36 dBm

NR, BPSK, 80 MHz

Max: **21.73 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3340.02 MHz	622668	1 low	21.56 dBm
  · low	3340.02 MHz	622668	1 low+1	21.47 dBm
  · low	3340.02 MHz	622668	1 high-1	21.59 dBm
  · low	3340.02 MHz	622668	1 high	21.73 dBm
  · low	3340.02 MHz	622668	50 % mid	21.56 dBm
  · low	3340.02 MHz	622668	100 %	21.60 dBm
  · mid	3549.99 MHz	636666	1 low	21.70 dBm
  · mid	3549.99 MHz	636666	1 low+1	21.56 dBm
  · mid	3549.99 MHz	636666	1 high-1	21.31 dBm
  · mid	3549.99 MHz	636666	1 high	21.47 dBm
  · mid	3549.99 MHz	636666	50 % mid	21.36 dBm
  · mid	3549.99 MHz	636666	100 %	21.49 dBm
  · high	3759.99 MHz	650666	1 low	21.57 dBm
  · high	3759.99 MHz	650666	1 low+1	21.41 dBm
  · high	3759.99 MHz	650666	1 high-1	21.44 dBm
  · high	3759.99 MHz	650666	1 high	21.45 dBm
  · high	3759.99 MHz	650666	50 % mid	21.38 dBm
  · high	3759.99 MHz	650666	100 %	21.35 dBm

NR, BPSK, 90 MHz

Max: **21.71 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3345 MHz	623000	1 low	21.58 dBm
 · low	3345 MHz	623000	1 low+1	21.61 dBm
 · low	3345 MHz	623000	1 high-1	21.71 dBm
 · low	3345 MHz	623000	1 high	21.66 dBm
 · low	3345 MHz	623000	50 % mid	21.62 dBm
 · low	3345 MHz	623000	100 %	21.66 dBm
 · mid	3549.99 MHz	636666	1 low	21.67 dBm
 · mid	3549.99 MHz	636666	1 low+1	21.47 dBm
 · mid	3549.99 MHz	636666	1 high-1	21.45 dBm
 · mid	3549.99 MHz	636666	1 high	21.28 dBm
 · mid	3549.99 MHz	636666	50 % mid	21.37 dBm
 · mid	3549.99 MHz	636666	100 %	21.45 dBm
 · high	3754.98 MHz	650332	1 low	21.36 dBm
 · high	3754.98 MHz	650332	1 low+1	20.97 dBm
 · high	3754.98 MHz	650332	1 high-1	21.49 dBm
 · high	3754.98 MHz	650332	1 high	21.40 dBm
 · high	3754.98 MHz	650332	50 % mid	21.38 dBm
 · high	3754.98 MHz	650332	100 %	21.37 dBm

NR, BPSK, 100 MHz

Max: **21.66 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3350.01 MHz	623334	1 low	21.63 dBm
  · low	3350.01 MHz	623334	1 low+1	21.49 dBm
  · low	3350.01 MHz	623334	1 high-1	21.58 dBm
  · low	3350.01 MHz	623334	1 high	21.53 dBm
  · low	3350.01 MHz	623334	50 % mid	21.62 dBm
  · low	3350.01 MHz	623334	100 %	21.60 dBm
  · mid	3549.99 MHz	636666	1 low	21.66 dBm
  · mid	3549.99 MHz	636666	1 low+1	21.22 dBm
  · mid	3549.99 MHz	636666	1 high-1	21.41 dBm
  · mid	3549.99 MHz	636666	1 high	21.44 dBm
  · mid	3549.99 MHz	636666	50 % mid	21.45 dBm
  · mid	3549.99 MHz	636666	100 %	21.46 dBm
  · high	3750 MHz	650000	1 low	21.64 dBm
  · high	3750 MHz	650000	1 low+1	21.42 dBm
  · high	3750 MHz	650000	1 high-1	21.46 dBm
  · high	3750 MHz	650000	1 high	21.21 dBm
  · high	3750 MHz	650000	50 % mid	21.35 dBm
  · high	3750 MHz	650000	100 %	21.34 dBm

NR, QPSK, 10 MHz

Max: **23.85 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3305.01 MHz	620334	1 low	21.62 dBm
 · low	3305.01 MHz	620334	1 low+1	23.70 dBm
 · low	3305.01 MHz	620334	1 high-1	23.85 dBm
 · low	3305.01 MHz	620334	1 high	21.73 dBm
 · low	3305.01 MHz	620334	50 % mid	23.66 dBm
 · low	3305.01 MHz	620334	100 %	22.28 dBm
 · mid	3549.99 MHz	636666	1 low	21.56 dBm
 · mid	3549.99 MHz	636666	1 low+1	23.67 dBm
 · mid	3549.99 MHz	636666	1 high-1	23.48 dBm
 · mid	3549.99 MHz	636666	1 high	21.51 dBm
 · mid	3549.99 MHz	636666	50 % mid	23.66 dBm
 · mid	3549.99 MHz	636666	100 %	22.21 dBm
 · high	3795 MHz	653000	1 low	21.52 dBm
 · high	3795 MHz	653000	1 low+1	23.56 dBm
 · high	3795 MHz	653000	1 high-1	23.67 dBm
 · high	3795 MHz	653000	1 high	21.79 dBm
 · high	3795 MHz	653000	50 % mid	23.68 dBm
 · high	3795 MHz	653000	100 %	22.22 dBm

NR, QPSK, 15 MHz

Max: **23.90 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3307.5 MHz	620500	1 low	21.74 dBm
  · low	3307.5 MHz	620500	1 low+1	23.76 dBm
  · low	3307.5 MHz	620500	1 high-1	23.84 dBm
  · low	3307.5 MHz	620500	1 high	21.83 dBm
  · low	3307.5 MHz	620500	50 % mid	23.90 dBm
  · low	3307.5 MHz	620500	100 %	22.40 dBm
  · mid	3549.99 MHz	636666	1 low	21.70 dBm
  · mid	3549.99 MHz	636666	1 low+1	23.77 dBm
  · mid	3549.99 MHz	636666	1 high-1	23.56 dBm
  · mid	3549.99 MHz	636666	1 high	21.53 dBm
  · mid	3549.99 MHz	636666	50 % mid	23.76 dBm
  · mid	3549.99 MHz	636666	100 %	22.21 dBm
  · high	3792.48 MHz	652832	1 low	21.67 dBm
  · high	3792.48 MHz	652832	1 low+1	23.57 dBm
  · high	3792.48 MHz	652832	1 high-1	23.83 dBm
  · high	3792.48 MHz	652832	1 high	21.97 dBm
  · high	3792.48 MHz	652832	50 % mid	23.79 dBm
  · high	3792.48 MHz	652832	100 %	22.33 dBm

NR, QPSK, 20 MHz

Max: **23.97 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3310.02 MHz	620668	1 low	21.80 dBm
 · low	3310.02 MHz	620668	1 low+1	23.85 dBm
 · low	3310.02 MHz	620668	1 high-1	23.84 dBm
 · low	3310.02 MHz	620668	1 high	23.83 dBm
 · low	3310.02 MHz	620668	50 % mid	23.97 dBm
 · low	3310.02 MHz	620668	100 %	22.41 dBm
 · mid	3549.99 MHz	636666	1 low	21.80 dBm
 · mid	3549.99 MHz	636666	1 low+1	23.70 dBm
 · mid	3549.99 MHz	636666	1 high-1	23.56 dBm
 · mid	3549.99 MHz	636666	1 high	23.61 dBm
 · mid	3549.99 MHz	636666	50 % mid	23.71 dBm
 · mid	3549.99 MHz	636666	100 %	22.33 dBm
 · high	3789.99 MHz	652666	1 low	21.54 dBm
 · high	3789.99 MHz	652666	1 low+1	23.54 dBm
 · high	3789.99 MHz	652666	1 high-1	23.94 dBm
 · high	3789.99 MHz	652666	1 high	23.90 dBm
 · high	3789.99 MHz	652666	50 % mid	23.79 dBm
 · high	3789.99 MHz	652666	100 %	22.17 dBm

NR, QPSK, 30 MHz

Max: **24.01 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3315 MHz	621000	1 low	21.98 dBm
 · low	3315 MHz	621000	1 low+1	23.97 dBm
 · low	3315 MHz	621000	1 high-1	24.01 dBm
 · low	3315 MHz	621000	1 high	23.93 dBm
 · low	3315 MHz	621000	50 % mid	23.84 dBm
 · low	3315 MHz	621000	100 %	22.48 dBm
 · mid	3549.99 MHz	636666	1 low	21.95 dBm
 · mid	3549.99 MHz	636666	1 low+1	23.87 dBm
 · mid	3549.99 MHz	636666	1 high-1	23.71 dBm
 · mid	3549.99 MHz	636666	1 high	23.66 dBm
 · mid	3549.99 MHz	636666	50 % mid	23.88 dBm
 · mid	3549.99 MHz	636666	100 %	22.34 dBm
 · high	3784.98 MHz	652332	1 low	21.97 dBm
 · high	3784.98 MHz	652332	1 low+1	23.91 dBm
 · high	3784.98 MHz	652332	1 high-1	23.95 dBm
 · high	3784.98 MHz	652332	1 high	23.96 dBm
 · high	3784.98 MHz	652332	50 % mid	23.69 dBm
 · high	3784.98 MHz	652332	100 %	22.25 dBm

NR, QPSK, 40 MHz

Max: **24.10 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3320.01 MHz	621334	1 low	21.92 dBm
 · low	3320.01 MHz	621334	1 low+1	24.02 dBm
 · low	3320.01 MHz	621334	1 high-1	23.99 dBm
 · low	3320.01 MHz	621334	1 high	24.04 dBm
 · low	3320.01 MHz	621334	50 % mid	23.90 dBm
 · low	3320.01 MHz	621334	100 %	22.40 dBm
 · mid	3549.99 MHz	636666	1 low	22.01 dBm
 · mid	3549.99 MHz	636666	1 low+1	24.03 dBm
 · mid	3549.99 MHz	636666	1 high-1	23.74 dBm
 · mid	3549.99 MHz	636666	1 high	23.75 dBm
 · mid	3549.99 MHz	636666	50 % mid	23.84 dBm
 · mid	3549.99 MHz	636666	100 %	22.35 dBm
 · high	3780 MHz	652000	1 low	22.10 dBm
 · high	3780 MHz	652000	1 low+1	24.10 dBm
 · high	3780 MHz	652000	1 high-1	23.91 dBm
 · high	3780 MHz	652000	1 high	23.94 dBm
 · high	3780 MHz	652000	50 % mid	23.76 dBm
 · high	3780 MHz	652000	100 %	22.28 dBm

NR, QPSK, 50 MHz

Max: **23.80 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3325.02 MHz	621668	1 low	21.57 dBm
 · low	3325.02 MHz	621668	1 low+1	23.48 dBm
 · low	3325.02 MHz	621668	1 high-1	23.80 dBm
 · low	3325.02 MHz	621668	1 high	23.78 dBm
 · low	3325.02 MHz	621668	50 % mid	23.64 dBm
 · low	3325.02 MHz	621668	100 %	22.18 dBm
 · mid	3549.99 MHz	636666	1 low	21.52 dBm
 · mid	3549.99 MHz	636666	1 low+1	23.50 dBm
 · mid	3549.99 MHz	636666	1 high-1	23.58 dBm
 · mid	3549.99 MHz	636666	1 high	23.74 dBm
 · mid	3549.99 MHz	636666	50 % mid	23.47 dBm
 · mid	3549.99 MHz	636666	100 %	22.02 dBm
 · high	3774.99 MHz	651666	1 low	21.73 dBm
 · high	3774.99 MHz	651666	1 low+1	23.41 dBm
 · high	3774.99 MHz	651666	1 high-1	23.35 dBm
 · high	3774.99 MHz	651666	1 high	23.55 dBm
 · high	3774.99 MHz	651666	50 % mid	23.54 dBm
 · high	3774.99 MHz	651666	100 %	21.99 dBm

NR, QPSK, 60 MHz

Max: **23.68 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3330 MHz	622000	1 low	21.60 dBm
 · low	3330 MHz	622000	1 low+1	23.62 dBm
 · low	3330 MHz	622000	1 high-1	23.65 dBm
 · low	3330 MHz	622000	1 high	21.50 dBm
 · low	3330 MHz	622000	50 % mid	23.68 dBm
 · low	3330 MHz	622000	100 %	22.22 dBm
 · mid	3549.99 MHz	636666	1 low	21.66 dBm
 · mid	3549.99 MHz	636666	1 low+1	23.44 dBm
 · mid	3549.99 MHz	636666	1 high-1	23.45 dBm
 · mid	3549.99 MHz	636666	1 high	21.39 dBm
 · mid	3549.99 MHz	636666	50 % mid	23.48 dBm
 · mid	3549.99 MHz	636666	100 %	22.04 dBm
 · high	3769.98 MHz	651332	1 low	21.31 dBm
 · high	3769.98 MHz	651332	1 low+1	23.30 dBm
 · high	3769.98 MHz	651332	1 high-1	23.67 dBm
 · high	3769.98 MHz	651332	1 high	21.58 dBm
 · high	3769.98 MHz	651332	50 % mid	23.51 dBm
 · high	3769.98 MHz	651332	100 %	22.03 dBm

NR, QPSK, 70 MHz

Max: **23.80 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3335.01 MHz	622334	1 low	21.68 dBm
 · low	3335.01 MHz	622334	1 low+1	23.36 dBm
 · low	3335.01 MHz	622334	1 high-1	23.54 dBm
 · low	3335.01 MHz	622334	1 high	23.80 dBm
 · low	3335.01 MHz	622334	50 % mid	23.63 dBm
 · low	3335.01 MHz	622334	100 %	22.11 dBm
 · mid	3549.99 MHz	636666	1 low	21.77 dBm
 · mid	3549.99 MHz	636666	1 low+1	23.70 dBm
 · mid	3549.99 MHz	636666	1 high-1	23.31 dBm
 · mid	3549.99 MHz	636666	1 high	23.36 dBm
 · mid	3549.99 MHz	636666	50 % mid	23.40 dBm
 · mid	3549.99 MHz	636666	100 %	21.98 dBm
 · high	3765 MHz	651000	1 low	21.26 dBm
 · high	3765 MHz	651000	1 low+1	23.20 dBm
 · high	3765 MHz	651000	1 high-1	23.33 dBm
 · high	3765 MHz	651000	1 high	23.39 dBm
 · high	3765 MHz	651000	50 % mid	23.46 dBm
 · high	3765 MHz	651000	100 %	21.83 dBm

NR, QPSK, 80 MHz

Max: **23.59 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3340.02 MHz	622668	1 low	21.56 dBm
 · low	3340.02 MHz	622668	1 low+1	23.38 dBm
 · low	3340.02 MHz	622668	1 high-1	23.53 dBm
 · low	3340.02 MHz	622668	1 high	23.54 dBm
 · low	3340.02 MHz	622668	50 % mid	23.59 dBm
 · low	3340.02 MHz	622668	100 %	22.15 dBm
 · mid	3549.99 MHz	636666	1 low	21.66 dBm
 · mid	3549.99 MHz	636666	1 low+1	23.56 dBm
 · mid	3549.99 MHz	636666	1 high-1	23.44 dBm
 · mid	3549.99 MHz	636666	1 high	23.33 dBm
 · mid	3549.99 MHz	636666	50 % mid	23.41 dBm
 · mid	3549.99 MHz	636666	100 %	22.01 dBm
 · high	3759.99 MHz	650666	1 low	21.36 dBm
 · high	3759.99 MHz	650666	1 low+1	23.44 dBm
 · high	3759.99 MHz	650666	1 high-1	23.39 dBm
 · high	3759.99 MHz	650666	1 high	23.38 dBm
 · high	3759.99 MHz	650666	50 % mid	23.43 dBm
 · high	3759.99 MHz	650666	100 %	21.80 dBm

NR, QPSK, 90 MHz

Max: **23.66 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3345 MHz	623000	1 low	21.34 dBm
 · low	3345 MHz	623000	1 low+1	23.49 dBm
 · low	3345 MHz	623000	1 high-1	23.66 dBm
 · low	3345 MHz	623000	1 high	23.66 dBm
 · low	3345 MHz	623000	50 % mid	23.58 dBm
 · low	3345 MHz	623000	100 %	22.10 dBm
 · mid	3549.99 MHz	636666	1 low	21.54 dBm
 · mid	3549.99 MHz	636666	1 low+1	23.37 dBm
 · mid	3549.99 MHz	636666	1 high-1	23.39 dBm
 · mid	3549.99 MHz	636666	1 high	23.41 dBm
 · mid	3549.99 MHz	636666	50 % mid	23.43 dBm
 · mid	3549.99 MHz	636666	100 %	21.95 dBm
 · high	3754.98 MHz	650332	1 low	21.27 dBm
 · high	3754.98 MHz	650332	1 low+1	23.12 dBm
 · high	3754.98 MHz	650332	1 high-1	23.42 dBm
 · high	3754.98 MHz	650332	1 high	23.36 dBm
 · high	3754.98 MHz	650332	50 % mid	23.37 dBm
 · high	3754.98 MHz	650332	100 %	21.80 dBm

NR, QPSK, 100 MHz

Max: **23.73 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3350.01 MHz	623334	1 low	21.44 dBm
 · low	3350.01 MHz	623334	1 low+1	23.34 dBm
 · low	3350.01 MHz	623334	1 high-1	23.73 dBm
 · low	3350.01 MHz	623334	1 high	23.60 dBm
 · low	3350.01 MHz	623334	50 % mid	23.59 dBm
 · low	3350.01 MHz	623334	100 %	22.11 dBm
 · mid	3549.99 MHz	636666	1 low	21.49 dBm
 · mid	3549.99 MHz	636666	1 low+1	23.28 dBm
 · mid	3549.99 MHz	636666	1 high-1	23.37 dBm
 · mid	3549.99 MHz	636666	1 high	23.43 dBm
 · mid	3549.99 MHz	636666	50 % mid	23.43 dBm
 · mid	3549.99 MHz	636666	100 %	21.99 dBm
 · high	3750 MHz	650000	1 low	21.43 dBm
 · high	3750 MHz	650000	1 low+1	23.24 dBm
 · high	3750 MHz	650000	1 high-1	23.43 dBm
 · high	3750 MHz	650000	1 high	23.50 dBm
 · high	3750 MHz	650000	50 % mid	23.40 dBm
 · high	3750 MHz	650000	100 %	21.84 dBm

NR, 16QAM, 10 MHz

Max: **23.28 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3305.01 MHz	620334	1 low	21.77 dBm
  · low	3305.01 MHz	620334	1 low+1	23.16 dBm
  · low	3305.01 MHz	620334	1 high-1	23.27 dBm
  · low	3305.01 MHz	620334	1 high	21.87 dBm
  · low	3305.01 MHz	620334	50 % mid	23.15 dBm
  · low	3305.01 MHz	620334	100 %	22.26 dBm
  · mid	3549.99 MHz	636666	1 low	21.64 dBm
  · mid	3549.99 MHz	636666	1 low+1	23.15 dBm
  · mid	3549.99 MHz	636666	1 high-1	23.02 dBm
  · mid	3549.99 MHz	636666	1 high	21.43 dBm
  · mid	3549.99 MHz	636666	50 % mid	23.17 dBm
  · mid	3549.99 MHz	636666	100 %	22.15 dBm
  · high	3795 MHz	653000	1 low	21.47 dBm
  · high	3795 MHz	653000	1 low+1	22.99 dBm
  · high	3795 MHz	653000	1 high-1	23.28 dBm
  · high	3795 MHz	653000	1 high	21.61 dBm
  · high	3795 MHz	653000	50 % mid	23.16 dBm
  · high	3795 MHz	653000	100 %	22.19 dBm

NR, 16QAM, 15 MHz

Max: **23.42 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3307.5 MHz	620500	1 low	21.77 dBm
 · low	3307.5 MHz	620500	1 low+1	23.34 dBm
 · low	3307.5 MHz	620500	1 high-1	23.42 dBm
 · low	3307.5 MHz	620500	1 high	21.88 dBm
 · low	3307.5 MHz	620500	50 % mid	23.42 dBm
 · low	3307.5 MHz	620500	100 %	22.51 dBm
 · mid	3549.99 MHz	636666	1 low	21.75 dBm
 · mid	3549.99 MHz	636666	1 low+1	23.38 dBm
 · mid	3549.99 MHz	636666	1 high-1	23.08 dBm
 · mid	3549.99 MHz	636666	1 high	21.58 dBm
 · mid	3549.99 MHz	636666	50 % mid	23.30 dBm
 · mid	3549.99 MHz	636666	100 %	22.25 dBm
 · high	3792.48 MHz	652832	1 low	21.65 dBm
 · high	3792.48 MHz	652832	1 low+1	23.13 dBm
 · high	3792.48 MHz	652832	1 high-1	23.39 dBm
 · high	3792.48 MHz	652832	1 high	21.79 dBm
 · high	3792.48 MHz	652832	50 % mid	23.25 dBm
 · high	3792.48 MHz	652832	100 %	22.28 dBm

NR, 16QAM, 20 MHz

Max: **23.51 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3310.02 MHz	620668	1 low	21.91 dBm
  · low	3310.02 MHz	620668	1 low+1	23.40 dBm
  · low	3310.02 MHz	620668	1 high-1	23.27 dBm
  · low	3310.02 MHz	620668	1 high	23.30 dBm
  · low	3310.02 MHz	620668	50 % mid	23.51 dBm
  · low	3310.02 MHz	620668	100 %	22.47 dBm
  · mid	3549.99 MHz	636666	1 low	21.85 dBm
  · mid	3549.99 MHz	636666	1 low+1	23.23 dBm
  · mid	3549.99 MHz	636666	1 high-1	23.07 dBm
  · mid	3549.99 MHz	636666	1 high	23.09 dBm
  · mid	3549.99 MHz	636666	50 % mid	23.38 dBm
  · mid	3549.99 MHz	636666	100 %	22.25 dBm
  · high	3789.99 MHz	652666	1 low	21.55 dBm
  · high	3789.99 MHz	652666	1 low+1	23.16 dBm
  · high	3789.99 MHz	652666	1 high-1	23.42 dBm
  · high	3789.99 MHz	652666	1 high	23.46 dBm
  · high	3789.99 MHz	652666	50 % mid	23.33 dBm
  · high	3789.99 MHz	652666	100 %	22.27 dBm

NR, 16QAM, 30 MHz

Max: **23.45 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3315 MHz	621000	1 low	21.92 dBm
 · low	3315 MHz	621000	1 low+1	23.45 dBm
 · low	3315 MHz	621000	1 high-1	23.43 dBm
 · low	3315 MHz	621000	1 high	23.44 dBm
 · low	3315 MHz	621000	50 % mid	23.42 dBm
 · low	3315 MHz	621000	100 %	22.49 dBm
 · mid	3549.99 MHz	636666	1 low	21.94 dBm
 · mid	3549.99 MHz	636666	1 low+1	23.40 dBm
 · mid	3549.99 MHz	636666	1 high-1	23.12 dBm
 · mid	3549.99 MHz	636666	1 high	23.13 dBm
 · mid	3549.99 MHz	636666	50 % mid	23.37 dBm
 · mid	3549.99 MHz	636666	100 %	22.32 dBm
 · high	3784.98 MHz	652332	1 low	21.82 dBm
 · high	3784.98 MHz	652332	1 low+1	23.44 dBm
 · high	3784.98 MHz	652332	1 high-1	23.42 dBm
 · high	3784.98 MHz	652332	1 high	23.44 dBm
 · high	3784.98 MHz	652332	50 % mid	23.17 dBm
 · high	3784.98 MHz	652332	100 %	22.28 dBm

NR, 16QAM, 40 MHz

Max: **23.57 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3320.01 MHz	621334	1 low	22.04 dBm
  · low	3320.01 MHz	621334	1 low+1	23.41 dBm
  · low	3320.01 MHz	621334	1 high-1	23.53 dBm
  · low	3320.01 MHz	621334	1 high	23.57 dBm
  · low	3320.01 MHz	621334	50 % mid	23.36 dBm
  · low	3320.01 MHz	621334	100 %	22.43 dBm
  · mid	3549.99 MHz	636666	1 low	22.03 dBm
  · mid	3549.99 MHz	636666	1 low+1	23.51 dBm
  · mid	3549.99 MHz	636666	1 high-1	23.22 dBm
  · mid	3549.99 MHz	636666	1 high	23.24 dBm
  · mid	3549.99 MHz	636666	50 % mid	23.36 dBm
  · mid	3549.99 MHz	636666	100 %	22.36 dBm
  · high	3780 MHz	652000	1 low	22.07 dBm
  · high	3780 MHz	652000	1 low+1	23.52 dBm
  · high	3780 MHz	652000	1 high-1	23.43 dBm
  · high	3780 MHz	652000	1 high	23.53 dBm
  · high	3780 MHz	652000	50 % mid	23.23 dBm
  · high	3780 MHz	652000	100 %	22.31 dBm

NR, 16QAM, 50 MHz

Max: **23.27 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3325.02 MHz	621668	1 low	21.65 dBm
  · low	3325.02 MHz	621668	1 low+1	23.11 dBm
  · low	3325.02 MHz	621668	1 high-1	23.27 dBm
  · low	3325.02 MHz	621668	1 high	23.24 dBm
  · low	3325.02 MHz	621668	50 % mid	23.23 dBm
  · low	3325.02 MHz	621668	100 %	22.23 dBm
  · mid	3549.99 MHz	636666	1 low	21.56 dBm
  · mid	3549.99 MHz	636666	1 low+1	23.12 dBm
  · mid	3549.99 MHz	636666	1 high-1	23.08 dBm
  · mid	3549.99 MHz	636666	1 high	23.07 dBm
  · mid	3549.99 MHz	636666	50 % mid	23.03 dBm
  · mid	3549.99 MHz	636666	100 %	22.03 dBm
  · high	3774.99 MHz	651666	1 low	21.73 dBm
  · high	3774.99 MHz	651666	1 low+1	23.11 dBm
  · high	3774.99 MHz	651666	1 high-1	22.99 dBm
  · high	3774.99 MHz	651666	1 high	23.01 dBm
  · high	3774.99 MHz	651666	50 % mid	23.03 dBm
  · high	3774.99 MHz	651666	100 %	22.04 dBm

NR, 16QAM, 60 MHz

Max: **23.18 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3330 MHz	622000	1 low	21.62 dBm
 · low	3330 MHz	622000	1 low+1	23.08 dBm
 · low	3330 MHz	622000	1 high-1	23.18 dBm
 · low	3330 MHz	622000	1 high	21.58 dBm
 · low	3330 MHz	622000	50 % mid	23.16 dBm
 · low	3330 MHz	622000	100 %	22.21 dBm
 · mid	3549.99 MHz	636666	1 low	21.55 dBm
 · mid	3549.99 MHz	636666	1 low+1	23.08 dBm
 · mid	3549.99 MHz	636666	1 high-1	23.01 dBm
 · mid	3549.99 MHz	636666	1 high	21.37 dBm
 · mid	3549.99 MHz	636666	50 % mid	22.96 dBm
 · mid	3549.99 MHz	636666	100 %	22.02 dBm
 · high	3769.98 MHz	651332	1 low	21.37 dBm
 · high	3769.98 MHz	651332	1 low+1	22.90 dBm
 · high	3769.98 MHz	651332	1 high-1	23.12 dBm
 · high	3769.98 MHz	651332	1 high	21.54 dBm
 · high	3769.98 MHz	651332	50 % mid	23.07 dBm
 · high	3769.98 MHz	651332	100 %	22.03 dBm

NR, 16QAM, 70 MHz

Max: **23.10 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3335.01 MHz	622334	1 low	21.44 dBm
  · low	3335.01 MHz	622334	1 low+1	22.99 dBm
  · low	3335.01 MHz	622334	1 high-1	23.10 dBm
  · low	3335.01 MHz	622334	1 high	23.04 dBm
  · low	3335.01 MHz	622334	50 % mid	23.09 dBm
  · low	3335.01 MHz	622334	100 %	22.09 dBm
  · mid	3549.99 MHz	636666	1 low	21.56 dBm
  · mid	3549.99 MHz	636666	1 low+1	23.03 dBm
  · mid	3549.99 MHz	636666	1 high-1	22.86 dBm
  · mid	3549.99 MHz	636666	1 high	22.97 dBm
  · mid	3549.99 MHz	636666	50 % mid	22.95 dBm
  · mid	3549.99 MHz	636666	100 %	21.95 dBm
  · high	3765 MHz	651000	1 low	21.06 dBm
  · high	3765 MHz	651000	1 low+1	22.75 dBm
  · high	3765 MHz	651000	1 high-1	22.78 dBm
  · high	3765 MHz	651000	1 high	22.85 dBm
  · high	3765 MHz	651000	50 % mid	22.94 dBm
  · high	3765 MHz	651000	100 %	21.84 dBm

NR, 16QAM, 80 MHz

Max: **23.29 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3340.02 MHz	622668	1 low	21.54 dBm
  · low	3340.02 MHz	622668	1 low+1	22.92 dBm
  · low	3340.02 MHz	622668	1 high-1	23.26 dBm
  · low	3340.02 MHz	622668	1 high	23.29 dBm
  · low	3340.02 MHz	622668	50 % mid	23.09 dBm
  · low	3340.02 MHz	622668	100 %	22.05 dBm
  · mid	3549.99 MHz	636666	1 low	21.50 dBm
  · mid	3549.99 MHz	636666	1 low+1	23.14 dBm
  · mid	3549.99 MHz	636666	1 high-1	22.78 dBm
  · mid	3549.99 MHz	636666	1 high	22.78 dBm
  · mid	3549.99 MHz	636666	50 % mid	22.90 dBm
  · mid	3549.99 MHz	636666	100 %	21.97 dBm
  · high	3759.99 MHz	650666	1 low	21.27 dBm
  · high	3759.99 MHz	650666	1 low+1	23.02 dBm
  · high	3759.99 MHz	650666	1 high-1	22.88 dBm
  · high	3759.99 MHz	650666	1 high	22.91 dBm
  · high	3759.99 MHz	650666	50 % mid	22.90 dBm
  · high	3759.99 MHz	650666	100 %	21.80 dBm

NR, 16QAM, 90 MHz

Max: **23.19 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3345 MHz	623000	1 low	21.30 dBm
 · low	3345 MHz	623000	1 low+1	22.85 dBm
 · low	3345 MHz	623000	1 high-1	23.19 dBm
 · low	3345 MHz	623000	1 high	23.19 dBm
 · low	3345 MHz	623000	50 % mid	23.09 dBm
 · low	3345 MHz	623000	100 %	22.10 dBm
 · mid	3549.99 MHz	636666	1 low	21.42 dBm
 · mid	3549.99 MHz	636666	1 low+1	22.94 dBm
 · mid	3549.99 MHz	636666	1 high-1	22.95 dBm
 · mid	3549.99 MHz	636666	1 high	22.92 dBm
 · mid	3549.99 MHz	636666	50 % mid	22.90 dBm
 · mid	3549.99 MHz	636666	100 %	21.96 dBm
 · high	3754.98 MHz	650332	1 low	21.08 dBm
 · high	3754.98 MHz	650332	1 low+1	22.66 dBm
 · high	3754.98 MHz	650332	1 high-1	22.89 dBm
 · high	3754.98 MHz	650332	1 high	22.91 dBm
 · high	3754.98 MHz	650332	50 % mid	22.88 dBm
 · high	3754.98 MHz	650332	100 %	21.85 dBm

NR, 16QAM, 100 MHz

Max: **23.09 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3350.01 MHz	623334	1 low	21.34 dBm
  · low	3350.01 MHz	623334	1 low+1	22.90 dBm
  · low	3350.01 MHz	623334	1 high-1	23.04 dBm
  · low	3350.01 MHz	623334	1 high	23.01 dBm
  · low	3350.01 MHz	623334	50 % mid	23.07 dBm
  · low	3350.01 MHz	623334	100 %	22.09 dBm
  · mid	3549.99 MHz	636666	1 low	21.31 dBm
  · mid	3549.99 MHz	636666	1 low+1	22.87 dBm
  · mid	3549.99 MHz	636666	1 high-1	22.97 dBm
  · mid	3549.99 MHz	636666	1 high	22.79 dBm
  · mid	3549.99 MHz	636666	50 % mid	22.96 dBm
  · mid	3549.99 MHz	636666	100 %	21.93 dBm
  · high	3750 MHz	650000	1 low	21.44 dBm
  · high	3750 MHz	650000	1 low+1	22.92 dBm
  · high	3750 MHz	650000	1 high-1	22.91 dBm
  · high	3750 MHz	650000	1 high	23.09 dBm
  · high	3750 MHz	650000	50 % mid	22.90 dBm
  · high	3750 MHz	650000	100 %	21.83 dBm

NR, 64QAM, 10 MHz

Max: **21.82 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3305.01 MHz	620334	1 low	21.66 dBm
  · low	3305.01 MHz	620334	1 low+1	21.52 dBm
  · low	3305.01 MHz	620334	1 high-1	21.69 dBm
  · low	3305.01 MHz	620334	1 high	21.44 dBm
  · low	3305.01 MHz	620334	50 % mid	21.76 dBm
  · low	3305.01 MHz	620334	100 %	21.82 dBm
  · mid	3549.99 MHz	636666	1 low	21.45 dBm
  · mid	3549.99 MHz	636666	1 low+1	21.55 dBm
  · mid	3549.99 MHz	636666	1 high-1	21.47 dBm
  · mid	3549.99 MHz	636666	1 high	21.50 dBm
  · mid	3549.99 MHz	636666	50 % mid	21.69 dBm
  · mid	3549.99 MHz	636666	100 %	21.65 dBm
  · high	3795 MHz	653000	1 low	21.35 dBm
  · high	3795 MHz	653000	1 low+1	21.34 dBm
  · high	3795 MHz	653000	1 high-1	21.63 dBm
  · high	3795 MHz	653000	1 high	21.66 dBm
  · high	3795 MHz	653000	50 % mid	21.73 dBm
  · high	3795 MHz	653000	100 %	21.70 dBm

NR, 64QAM, 15 MHz

Max: **21.98 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3307.5 MHz	620500	1 low	21.86 dBm
  · low	3307.5 MHz	620500	1 low+1	21.78 dBm
  · low	3307.5 MHz	620500	1 high-1	21.77 dBm
  · low	3307.5 MHz	620500	1 high	21.85 dBm
  · low	3307.5 MHz	620500	50 % mid	21.98 dBm
  · low	3307.5 MHz	620500	100 %	21.88 dBm
  · mid	3549.99 MHz	636666	1 low	21.58 dBm
  · mid	3549.99 MHz	636666	1 low+1	21.62 dBm
  · mid	3549.99 MHz	636666	1 high-1	21.52 dBm
  · mid	3549.99 MHz	636666	1 high	21.43 dBm
  · mid	3549.99 MHz	636666	50 % mid	21.85 dBm
  · mid	3549.99 MHz	636666	100 %	21.69 dBm
  · high	3792.48 MHz	652832	1 low	21.50 dBm
  · high	3792.48 MHz	652832	1 low+1	21.59 dBm
  · high	3792.48 MHz	652832	1 high-1	21.82 dBm
  · high	3792.48 MHz	652832	1 high	21.88 dBm
  · high	3792.48 MHz	652832	50 % mid	21.81 dBm
  · high	3792.48 MHz	652832	100 %	21.78 dBm

NR, 64QAM, 20 MHz

Max: **21.97 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3310.02 MHz	620668	1 low	21.72 dBm
  · low	3310.02 MHz	620668	1 low+1	21.81 dBm
  · low	3310.02 MHz	620668	1 high-1	21.69 dBm
  · low	3310.02 MHz	620668	1 high	21.72 dBm
  · low	3310.02 MHz	620668	50 % mid	21.97 dBm
  · low	3310.02 MHz	620668	100 %	21.91 dBm
  · mid	3549.99 MHz	636666	1 low	21.71 dBm
  · mid	3549.99 MHz	636666	1 low+1	21.65 dBm
  · mid	3549.99 MHz	636666	1 high-1	21.48 dBm
  · mid	3549.99 MHz	636666	1 high	21.49 dBm
  · mid	3549.99 MHz	636666	50 % mid	21.75 dBm
  · mid	3549.99 MHz	636666	100 %	21.78 dBm
  · high	3789.99 MHz	652666	1 low	21.51 dBm
  · high	3789.99 MHz	652666	1 low+1	21.60 dBm
  · high	3789.99 MHz	652666	1 high-1	21.89 dBm
  · high	3789.99 MHz	652666	1 high	21.76 dBm
  · high	3789.99 MHz	652666	50 % mid	21.69 dBm
  · high	3789.99 MHz	652666	100 %	21.76 dBm

NR, 64QAM, 30 MHz

Max: **21.93 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3315 MHz	621000	1 low	21.79 dBm
 · low	3315 MHz	621000	1 low+1	21.87 dBm
 · low	3315 MHz	621000	1 high-1	21.90 dBm
 · low	3315 MHz	621000	1 high	21.79 dBm
 · low	3315 MHz	621000	50 % mid	21.90 dBm
 · low	3315 MHz	621000	100 %	21.90 dBm
 · mid	3549.99 MHz	636666	1 low	21.77 dBm
 · mid	3549.99 MHz	636666	1 low+1	21.75 dBm
 · mid	3549.99 MHz	636666	1 high-1	21.56 dBm
 · mid	3549.99 MHz	636666	1 high	21.59 dBm
 · mid	3549.99 MHz	636666	50 % mid	21.90 dBm
 · mid	3549.99 MHz	636666	100 %	21.86 dBm
 · high	3784.98 MHz	652332	1 low	21.82 dBm
 · high	3784.98 MHz	652332	1 low+1	21.76 dBm
 · high	3784.98 MHz	652332	1 high-1	21.84 dBm
 · high	3784.98 MHz	652332	1 high	21.93 dBm
 · high	3784.98 MHz	652332	50 % mid	21.61 dBm
 · high	3784.98 MHz	652332	100 %	21.75 dBm

NR, 64QAM, 40 MHz

Max: **22.08 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3320.01 MHz	621334	1 low	21.88 dBm
 · low	3320.01 MHz	621334	1 low+1	21.94 dBm
 · low	3320.01 MHz	621334	1 high-1	21.99 dBm
 · low	3320.01 MHz	621334	1 high	21.92 dBm
 · low	3320.01 MHz	621334	50 % mid	21.85 dBm
 · low	3320.01 MHz	621334	100 %	21.90 dBm
 · mid	3549.99 MHz	636666	1 low	22.06 dBm
 · mid	3549.99 MHz	636666	1 low+1	21.84 dBm
 · mid	3549.99 MHz	636666	1 high-1	21.64 dBm
 · mid	3549.99 MHz	636666	1 high	21.61 dBm
 · mid	3549.99 MHz	636666	50 % mid	21.94 dBm
 · mid	3549.99 MHz	636666	100 %	21.86 dBm
 · high	3780 MHz	652000	1 low	22.08 dBm
 · high	3780 MHz	652000	1 low+1	21.99 dBm
 · high	3780 MHz	652000	1 high-1	21.86 dBm
 · high	3780 MHz	652000	1 high	21.75 dBm
 · high	3780 MHz	652000	50 % mid	21.71 dBm
 · high	3780 MHz	652000	100 %	21.86 dBm

NR, 64QAM, 50 MHz

Max: **21.75 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3325.02 MHz	621668	1 low	21.41 dBm
  · low	3325.02 MHz	621668	1 low+1	21.58 dBm
  · low	3325.02 MHz	621668	1 high-1	21.64 dBm
  · low	3325.02 MHz	621668	1 high	21.65 dBm
  · low	3325.02 MHz	621668	50 % mid	21.72 dBm
  · low	3325.02 MHz	621668	100 %	21.75 dBm
  · mid	3549.99 MHz	636666	1 low	21.35 dBm
  · mid	3549.99 MHz	636666	1 low+1	21.46 dBm
  · mid	3549.99 MHz	636666	1 high-1	21.48 dBm
  · mid	3549.99 MHz	636666	1 high	21.41 dBm
  · mid	3549.99 MHz	636666	50 % mid	21.53 dBm
  · mid	3549.99 MHz	636666	100 %	21.54 dBm
  · high	3774.99 MHz	651666	1 low	21.62 dBm
  · high	3774.99 MHz	651666	1 low+1	21.40 dBm
  · high	3774.99 MHz	651666	1 high-1	21.46 dBm
  · high	3774.99 MHz	651666	1 high	21.31 dBm
  · high	3774.99 MHz	651666	50 % mid	21.49 dBm
  · high	3774.99 MHz	651666	100 %	21.55 dBm

NR, 64QAM, 60 MHz

Max: **21.72 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3330 MHz	622000	1 low	21.59 dBm
  · low	3330 MHz	622000	1 low+1	21.53 dBm
  · low	3330 MHz	622000	1 high-1	21.49 dBm
  · low	3330 MHz	622000	1 high	21.47 dBm
  · low	3330 MHz	622000	50 % mid	21.63 dBm
  · low	3330 MHz	622000	100 %	21.72 dBm
  · mid	3549.99 MHz	636666	1 low	21.70 dBm
  · mid	3549.99 MHz	636666	1 low+1	21.46 dBm
  · mid	3549.99 MHz	636666	1 high-1	21.39 dBm
  · mid	3549.99 MHz	636666	1 high	21.33 dBm
  · mid	3549.99 MHz	636666	50 % mid	21.48 dBm
  · mid	3549.99 MHz	636666	100 %	21.52 dBm
  · high	3769.98 MHz	651332	1 low	21.29 dBm
  · high	3769.98 MHz	651332	1 low+1	21.26 dBm
  · high	3769.98 MHz	651332	1 high-1	21.44 dBm
  · high	3769.98 MHz	651332	1 high	21.53 dBm
  · high	3769.98 MHz	651332	50 % mid	21.60 dBm
  · high	3769.98 MHz	651332	100 %	21.57 dBm

NR, 64QAM, 70 MHz

Max: **21.62 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3335.01 MHz	622334	1 low	21.48 dBm
 · low	3335.01 MHz	622334	1 low+1	21.48 dBm
 · low	3335.01 MHz	622334	1 high-1	21.41 dBm
 · low	3335.01 MHz	622334	1 high	21.46 dBm
 · low	3335.01 MHz	622334	50 % mid	21.58 dBm
 · low	3335.01 MHz	622334	100 %	21.62 dBm
 · mid	3549.99 MHz	636666	1 low	21.53 dBm
 · mid	3549.99 MHz	636666	1 low+1	21.52 dBm
 · mid	3549.99 MHz	636666	1 high-1	21.44 dBm
 · mid	3549.99 MHz	636666	1 high	21.34 dBm
 · mid	3549.99 MHz	636666	50 % mid	21.40 dBm
 · mid	3549.99 MHz	636666	100 %	21.47 dBm
 · high	3765 MHz	651000	1 low	21.07 dBm
 · high	3765 MHz	651000	1 low+1	21.13 dBm
 · high	3765 MHz	651000	1 high-1	21.27 dBm
 · high	3765 MHz	651000	1 high	21.16 dBm
 · high	3765 MHz	651000	50 % mid	21.48 dBm
 · high	3765 MHz	651000	100 %	21.35 dBm

NR, 64QAM, 80 MHz

Max: **21.59 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3340.02 MHz	622668	1 low	21.24 dBm
  · low	3340.02 MHz	622668	1 low+1	21.35 dBm
  · low	3340.02 MHz	622668	1 high-1	21.50 dBm
  · low	3340.02 MHz	622668	1 high	21.34 dBm
  · low	3340.02 MHz	622668	50 % mid	21.56 dBm
  · low	3340.02 MHz	622668	100 %	21.59 dBm
  · mid	3549.99 MHz	636666	1 low	21.47 dBm
  · mid	3549.99 MHz	636666	1 low+1	21.31 dBm
  · mid	3549.99 MHz	636666	1 high-1	21.17 dBm
  · mid	3549.99 MHz	636666	1 high	21.30 dBm
  · mid	3549.99 MHz	636666	50 % mid	21.50 dBm
  · mid	3549.99 MHz	636666	100 %	21.47 dBm
  · high	3759.99 MHz	650666	1 low	21.37 dBm
  · high	3759.99 MHz	650666	1 low+1	21.30 dBm
  · high	3759.99 MHz	650666	1 high-1	21.27 dBm
  · high	3759.99 MHz	650666	1 high	21.30 dBm
  · high	3759.99 MHz	650666	50 % mid	21.44 dBm
  · high	3759.99 MHz	650666	100 %	21.32 dBm

NR, 64QAM, 90 MHz

Max: **21.59 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3345 MHz	623000	1 low	21.24 dBm
 · low	3345 MHz	623000	1 low+1	21.33 dBm
 · low	3345 MHz	623000	1 high-1	21.56 dBm
 · low	3345 MHz	623000	1 high	21.50 dBm
 · low	3345 MHz	623000	50 % mid	21.48 dBm
 · low	3345 MHz	623000	100 %	21.59 dBm
 · mid	3549.99 MHz	636666	1 low	21.36 dBm
 · mid	3549.99 MHz	636666	1 low+1	21.31 dBm
 · mid	3549.99 MHz	636666	1 high-1	21.24 dBm
 · mid	3549.99 MHz	636666	1 high	21.36 dBm
 · mid	3549.99 MHz	636666	50 % mid	21.43 dBm
 · mid	3549.99 MHz	636666	100 %	21.46 dBm
 · high	3754.98 MHz	650332	1 low	21.07 dBm
 · high	3754.98 MHz	650332	1 low+1	20.90 dBm
 · high	3754.98 MHz	650332	1 high-1	21.32 dBm
 · high	3754.98 MHz	650332	1 high	21.19 dBm
 · high	3754.98 MHz	650332	50 % mid	21.40 dBm
 · high	3754.98 MHz	650332	100 %	21.31 dBm

NR, 64QAM, 100 MHz

Max: **21.65 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3350.01 MHz	623334	1 low	21.30 dBm
  · low	3350.01 MHz	623334	1 low+1	21.26 dBm
  · low	3350.01 MHz	623334	1 high-1	21.42 dBm
  · low	3350.01 MHz	623334	1 high	21.36 dBm
  · low	3350.01 MHz	623334	50 % mid	21.65 dBm
  · low	3350.01 MHz	623334	100 %	21.63 dBm
  · mid	3549.99 MHz	636666	1 low	21.33 dBm
  · mid	3549.99 MHz	636666	1 low+1	21.02 dBm
  · mid	3549.99 MHz	636666	1 high-1	21.18 dBm
  · mid	3549.99 MHz	636666	1 high	21.18 dBm
  · mid	3549.99 MHz	636666	50 % mid	21.47 dBm
  · mid	3549.99 MHz	636666	100 %	21.53 dBm
  · high	3750 MHz	650000	1 low	21.30 dBm
  · high	3750 MHz	650000	1 low+1	21.24 dBm
  · high	3750 MHz	650000	1 high-1	21.24 dBm
  · high	3750 MHz	650000	1 high	21.33 dBm
  · high	3750 MHz	650000	50 % mid	21.44 dBm
  · high	3750 MHz	650000	100 %	21.37 dBm

NR, 256QAM, 10 MHz

Max: **18.87 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3305.01 MHz	620334	1 low	18.58 dBm
  · low	3305.01 MHz	620334	1 low+1	18.51 dBm
  · low	3305.01 MHz	620334	1 high-1	18.50 dBm
  · low	3305.01 MHz	620334	1 high	18.50 dBm
  · low	3305.01 MHz	620334	50 % mid	18.84 dBm
  · low	3305.01 MHz	620334	100 %	18.87 dBm
  · mid	3549.99 MHz	636666	1 low	18.25 dBm
  · mid	3549.99 MHz	636666	1 low+1	18.44 dBm
  · mid	3549.99 MHz	636666	1 high-1	18.34 dBm
  · mid	3549.99 MHz	636666	1 high	18.27 dBm
  · mid	3549.99 MHz	636666	50 % mid	18.77 dBm
  · mid	3549.99 MHz	636666	100 %	18.72 dBm
  · high	3795 MHz	653000	1 low	18.27 dBm
  · high	3795 MHz	653000	1 low+1	18.22 dBm
  · high	3795 MHz	653000	1 high-1	18.54 dBm
  · high	3795 MHz	653000	1 high	18.38 dBm
  · high	3795 MHz	653000	50 % mid	18.80 dBm
  · high	3795 MHz	653000	100 %	18.68 dBm

NR, 256QAM, 15 MHz

Max: **18.95 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3307.5 MHz	620500	1 low	18.64 dBm
 · low	3307.5 MHz	620500	1 low+1	18.61 dBm
 · low	3307.5 MHz	620500	1 high-1	18.72 dBm
 · low	3307.5 MHz	620500	1 high	18.58 dBm
 · low	3307.5 MHz	620500	50 % mid	18.91 dBm
 · low	3307.5 MHz	620500	100 %	18.95 dBm
 · mid	3549.99 MHz	636666	1 low	18.59 dBm
 · mid	3549.99 MHz	636666	1 low+1	18.46 dBm
 · mid	3549.99 MHz	636666	1 high-1	18.39 dBm
 · mid	3549.99 MHz	636666	1 high	18.31 dBm
 · mid	3549.99 MHz	636666	50 % mid	18.79 dBm
 · mid	3549.99 MHz	636666	100 %	18.78 dBm
 · high	3792.48 MHz	652832	1 low	18.40 dBm
 · high	3792.48 MHz	652832	1 low+1	18.33 dBm
 · high	3792.48 MHz	652832	1 high-1	18.68 dBm
 · high	3792.48 MHz	652832	1 high	18.62 dBm
 · high	3792.48 MHz	652832	50 % mid	18.79 dBm
 · high	3792.48 MHz	652832	100 %	18.81 dBm

NR, 256QAM, 20 MHz

Max: **19.04 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3310.02 MHz	620668	1 low	18.65 dBm
  · low	3310.02 MHz	620668	1 low+1	18.69 dBm
  · low	3310.02 MHz	620668	1 high-1	18.53 dBm
  · low	3310.02 MHz	620668	1 high	18.60 dBm
  · low	3310.02 MHz	620668	50 % mid	19.04 dBm
  · low	3310.02 MHz	620668	100 %	18.96 dBm
  · mid	3549.99 MHz	636666	1 low	18.66 dBm
  · mid	3549.99 MHz	636666	1 low+1	18.64 dBm
  · mid	3549.99 MHz	636666	1 high-1	18.36 dBm
  · mid	3549.99 MHz	636666	1 high	18.43 dBm
  · mid	3549.99 MHz	636666	50 % mid	18.80 dBm
  · mid	3549.99 MHz	636666	100 %	18.80 dBm
  · high	3789.99 MHz	652666	1 low	18.49 dBm
  · high	3789.99 MHz	652666	1 low+1	18.36 dBm
  · high	3789.99 MHz	652666	1 high-1	18.71 dBm
  · high	3789.99 MHz	652666	1 high	18.67 dBm
  · high	3789.99 MHz	652666	50 % mid	18.71 dBm
  · high	3789.99 MHz	652666	100 %	18.77 dBm

NR, 256QAM, 30 MHz

Max: **19.00 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3315 MHz	621000	1 low	18.76 dBm
  · low	3315 MHz	621000	1 low+1	18.78 dBm
  · low	3315 MHz	621000	1 high-1	18.73 dBm
  · low	3315 MHz	621000	1 high	18.84 dBm
  · low	3315 MHz	621000	50 % mid	18.96 dBm
  · low	3315 MHz	621000	100 %	19.00 dBm
  · mid	3549.99 MHz	636666	1 low	18.58 dBm
  · mid	3549.99 MHz	636666	1 low+1	18.67 dBm
  · mid	3549.99 MHz	636666	1 high-1	18.41 dBm
  · mid	3549.99 MHz	636666	1 high	18.42 dBm
  · mid	3549.99 MHz	636666	50 % mid	18.90 dBm
  · mid	3549.99 MHz	636666	100 %	18.87 dBm
  · high	3784.98 MHz	652332	1 low	18.58 dBm
  · high	3784.98 MHz	652332	1 low+1	18.78 dBm
  · high	3784.98 MHz	652332	1 high-1	18.64 dBm
  · high	3784.98 MHz	652332	1 high	18.63 dBm
  · high	3784.98 MHz	652332	50 % mid	18.67 dBm
  · high	3784.98 MHz	652332	100 %	18.79 dBm

NR, 256QAM, 40 MHz

Max: **19.05 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3320.01 MHz	621334	1 low	18.81 dBm
  · low	3320.01 MHz	621334	1 low+1	18.79 dBm
  · low	3320.01 MHz	621334	1 high-1	18.72 dBm
  · low	3320.01 MHz	621334	1 high	19.05 dBm
  · low	3320.01 MHz	621334	50 % mid	18.90 dBm
  · low	3320.01 MHz	621334	100 %	18.95 dBm
  · mid	3549.99 MHz	636666	1 low	18.78 dBm
  · mid	3549.99 MHz	636666	1 low+1	18.61 dBm
  · mid	3549.99 MHz	636666	1 high-1	18.53 dBm
  · mid	3549.99 MHz	636666	1 high	18.49 dBm
  · mid	3549.99 MHz	636666	50 % mid	18.89 dBm
  · mid	3549.99 MHz	636666	100 %	18.89 dBm
  · high	3780 MHz	652000	1 low	18.94 dBm
  · high	3780 MHz	652000	1 low+1	18.72 dBm
  · high	3780 MHz	652000	1 high-1	18.66 dBm
  · high	3780 MHz	652000	1 high	18.75 dBm
  · high	3780 MHz	652000	50 % mid	18.67 dBm
  · high	3780 MHz	652000	100 %	18.91 dBm

NR, 256QAM, 50 MHz

Max: **18.74 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3325.02 MHz	621668	1 low	18.45 dBm
 · low	3325.02 MHz	621668	1 low+1	18.37 dBm
 · low	3325.02 MHz	621668	1 high-1	18.58 dBm
 · low	3325.02 MHz	621668	1 high	18.60 dBm
 · low	3325.02 MHz	621668	50 % mid	18.72 dBm
 · low	3325.02 MHz	621668	100 %	18.74 dBm
 · mid	3549.99 MHz	636666	1 low	18.20 dBm
 · mid	3549.99 MHz	636666	1 low+1	18.27 dBm
 · mid	3549.99 MHz	636666	1 high-1	18.30 dBm
 · mid	3549.99 MHz	636666	1 high	18.39 dBm
 · mid	3549.99 MHz	636666	50 % mid	18.55 dBm
 · mid	3549.99 MHz	636666	100 %	18.46 dBm
 · high	3774.99 MHz	651666	1 low	18.52 dBm
 · high	3774.99 MHz	651666	1 low+1	18.39 dBm
 · high	3774.99 MHz	651666	1 high-1	18.32 dBm
 · high	3774.99 MHz	651666	1 high	18.31 dBm
 · high	3774.99 MHz	651666	50 % mid	18.54 dBm
 · high	3774.99 MHz	651666	100 %	18.52 dBm

NR, 256QAM, 60 MHz

Max: **18.76 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3330 MHz	622000	1 low	18.41 dBm
  · low	3330 MHz	622000	1 low+1	18.54 dBm
  · low	3330 MHz	622000	1 high-1	18.40 dBm
  · low	3330 MHz	622000	1 high	18.33 dBm
  · low	3330 MHz	622000	50 % mid	18.72 dBm
  · low	3330 MHz	622000	100 %	18.76 dBm
  · mid	3549.99 MHz	636666	1 low	18.40 dBm
  · mid	3549.99 MHz	636666	1 low+1	18.32 dBm
  · mid	3549.99 MHz	636666	1 high-1	18.37 dBm
  · mid	3549.99 MHz	636666	1 high	18.23 dBm
  · mid	3549.99 MHz	636666	50 % mid	18.47 dBm
  · mid	3549.99 MHz	636666	100 %	18.56 dBm
  · high	3769.98 MHz	651332	1 low	18.22 dBm
  · high	3769.98 MHz	651332	1 low+1	18.14 dBm
  · high	3769.98 MHz	651332	1 high-1	18.38 dBm
  · high	3769.98 MHz	651332	1 high	18.24 dBm
  · high	3769.98 MHz	651332	50 % mid	18.57 dBm
  · high	3769.98 MHz	651332	100 %	18.52 dBm

NR, 256QAM, 70 MHz

Max: **18.65 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3335.01 MHz	622334	1 low	18.19 dBm
  · low	3335.01 MHz	622334	1 low+1	18.20 dBm
  · low	3335.01 MHz	622334	1 high-1	18.43 dBm
  · low	3335.01 MHz	622334	1 high	18.26 dBm
  · low	3335.01 MHz	622334	50 % mid	18.65 dBm
  · low	3335.01 MHz	622334	100 %	18.60 dBm
  · mid	3549.99 MHz	636666	1 low	18.41 dBm
  · mid	3549.99 MHz	636666	1 low+1	18.29 dBm
  · mid	3549.99 MHz	636666	1 high-1	18.02 dBm
  · mid	3549.99 MHz	636666	1 high	18.00 dBm
  · mid	3549.99 MHz	636666	50 % mid	18.47 dBm
  · mid	3549.99 MHz	636666	100 %	18.51 dBm
  · high	3765 MHz	651000	1 low	17.87 dBm
  · high	3765 MHz	651000	1 low+1	18.04 dBm
  · high	3765 MHz	651000	1 high-1	18.11 dBm
  · high	3765 MHz	651000	1 high	18.07 dBm
  · high	3765 MHz	651000	50 % mid	18.46 dBm
  · high	3765 MHz	651000	100 %	18.36 dBm

NR, 256QAM, 80 MHz

Max: **18.63 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3340.02 MHz	622668	1 low	18.22 dBm
  · low	3340.02 MHz	622668	1 low+1	18.33 dBm
  · low	3340.02 MHz	622668	1 high-1	18.25 dBm
  · low	3340.02 MHz	622668	1 high	18.44 dBm
  · low	3340.02 MHz	622668	50 % mid	18.63 dBm
  · low	3340.02 MHz	622668	100 %	18.61 dBm
  · mid	3549.99 MHz	636666	1 low	18.22 dBm
  · mid	3549.99 MHz	636666	1 low+1	18.19 dBm
  · mid	3549.99 MHz	636666	1 high-1	17.95 dBm
  · mid	3549.99 MHz	636666	1 high	18.16 dBm
  · mid	3549.99 MHz	636666	50 % mid	18.46 dBm
  · mid	3549.99 MHz	636666	100 %	18.45 dBm
  · high	3759.99 MHz	650666	1 low	18.06 dBm
  · high	3759.99 MHz	650666	1 low+1	18.16 dBm
  · high	3759.99 MHz	650666	1 high-1	17.97 dBm
  · high	3759.99 MHz	650666	1 high	18.02 dBm
  · high	3759.99 MHz	650666	50 % mid	18.44 dBm
  · high	3759.99 MHz	650666	100 %	18.30 dBm

NR, 256QAM, 90 MHz

Max: **18.67 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
 · low	3345 MHz	623000	1 low	18.25 dBm
 · low	3345 MHz	623000	1 low+1	18.25 dBm
 · low	3345 MHz	623000	1 high-1	18.43 dBm
 · low	3345 MHz	623000	1 high	18.51 dBm
 · low	3345 MHz	623000	50 % mid	18.63 dBm
 · low	3345 MHz	623000	100 %	18.67 dBm
 · mid	3549.99 MHz	636666	1 low	18.25 dBm
 · mid	3549.99 MHz	636666	1 low+1	18.08 dBm
 · mid	3549.99 MHz	636666	1 high-1	18.09 dBm
 · mid	3549.99 MHz	636666	1 high	18.40 dBm
 · mid	3549.99 MHz	636666	50 % mid	18.44 dBm
 · mid	3549.99 MHz	636666	100 %	18.48 dBm
 · high	3754.98 MHz	650332	1 low	18.08 dBm
 · high	3754.98 MHz	650332	1 low+1	17.75 dBm
 · high	3754.98 MHz	650332	1 high-1	18.22 dBm
 · high	3754.98 MHz	650332	1 high	18.10 dBm
 · high	3754.98 MHz	650332	50 % mid	18.41 dBm
 · high	3754.98 MHz	650332	100 %	18.32 dBm

NR, 256QAM, 100 MHz

Max: **18.64 dBm**

channel position	Frequency	Channel	Resource block allocation	P _{avg}
  · low	3350.01 MHz	623334	1 low	18.18 dBm
  · low	3350.01 MHz	623334	1 low+1	18.06 dBm
  · low	3350.01 MHz	623334	1 high-1	18.38 dBm
  · low	3350.01 MHz	623334	1 high	18.30 dBm
  · low	3350.01 MHz	623334	50 % mid	18.64 dBm
  · low	3350.01 MHz	623334	100 %	18.63 dBm
  · mid	3549.99 MHz	636666	1 low	18.03 dBm
  · mid	3549.99 MHz	636666	1 low+1	18.17 dBm
  · mid	3549.99 MHz	636666	1 high-1	18.20 dBm
  · mid	3549.99 MHz	636666	1 high	18.06 dBm
  · mid	3549.99 MHz	636666	50 % mid	18.49 dBm
  · mid	3549.99 MHz	636666	100 %	18.55 dBm
  · high	3750 MHz	650000	1 low	18.37 dBm
  · high	3750 MHz	650000	1 low+1	18.16 dBm
  · high	3750 MHz	650000	1 high-1	18.18 dBm
  · high	3750 MHz	650000	1 high	18.04 dBm
  · high	3750 MHz	650000	50 % mid	18.38 dBm
  · high	3750 MHz	650000	100 %	18.42 dBm