





Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	36.90	40.36	3.46	74.00	33.64	150	50	PK	Vertical	PASS
2	2485.3500	38.42	41.94	3.52	74.00	32.06	150	93	PK	Vertical	PASS
3	2491.7000	39.11	42.67	3.56	74.00	31.33	150	62	PK	Vertical	PASS
4	2494.3500	38.57	42.15	3.58	74.00	31.85	150	310	PK	Vertical	PASS
5	2497.4500	38.16	41.74	3.58	74.00	32.26	150	169	PK	Vertical	PASS
6	2500.0000	37.66	41.16	3.50	74.00	32.84	150	93	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	41.59	45.05	3.46	74.00	28.95	150	89	PK	Horizontal	PASS
2	2485.8000	39.41	42.89	3.48	74.00	31.11	150	10	PK	Horizontal	PASS
3	2490.0000	38.89	42.46	3.57	74.00	31.54	150	167	PK	Horizontal	PASS
4	2492.7000	42.24	45.81	3.57	74.00	28.19	150	95	PK	Horizontal	PASS
5	2497.4000	39.28	42.86	3.58	74.00	31.14	150	104	PK	Horizontal	PASS
6	2500.0000	37.60	41.10	3.50	74.00	32.90	150	356	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Appendix I: Spurious emissions

Note:


The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (ANT2-1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.




Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	40.3062	-15.87	25.71	49.54	23.83	100	161	Vertical	PASS
2	178.5312	-17.47	24.38	53.98	29.60	100	309	Vertical	PASS
3	197.3250	-19.00	24.57	53.98	29.41	100	281	Vertical	PASS
4	264.0125	-17.15	21.92	56.90	34.98	100	236	Vertical	PASS
5	396.0538	-13.55	45.49	56.90	11.41	100	20	Vertical	PASS
6	528.0950	-10.75	40.14	56.90	16.76	100	89	Vertical	PASS




Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	176.2275	-17.16	21.63	53.98	32.35	200	243	Horizontal	PASS
2	264.0125	-17.15	23.71	56.90	33.19	100	306	Horizontal	PASS
3	329.9725	-15.10	21.80	56.90	35.10	100	297	Horizontal	PASS
4	396.0538	-13.55	45.33	56.90	11.57	100	128	Horizontal	PASS
5	528.0950	-10.75	33.12	56.90	23.78	200	279	Horizontal	PASS
6	660.0150	-8.18	25.55	56.90	31.35	100	149	Horizontal	PASS




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1304.8000	38.91	38.52	-0.39	74.00	35.48	150	347	PK	Vertical	PASS
2	1714.2000	39.69	40.37	0.68	74.00	33.63	150	71	PK	Vertical	PASS
3	4803.5000	61.33	46.77	-14.56	74.00	27.23	150	168	PK	Vertical	PASS
4	7206.5000	57.85	48.49	-9.36	74.00	25.51	150	105	PK	Vertical	PASS
5	10327.500	50.04	45.88	-4.16	74.00	28.12	150	277	PK	Vertical	PASS
6	12020.500	48.61	46.77	-1.84	74.00	27.23	150	285	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1456.8000	38.93	38.86	-0.07	74.00	35.14	150	293	PK	Horizontal	PASS
2	1743.8000	39.64	40.43	0.79	74.00	33.57	150	35	PK	Horizontal	PASS
3	4804.0000	63.13	48.60	-14.53	74.00	25.40	150	107	PK	Horizontal	PASS
4	7206.5000	59.56	50.20	-9.36	74.00	23.80	150	129	PK	Horizontal	PASS
5	9148.5000	51.55	45.59	-5.96	74.00	28.41	150	12	PK	Horizontal	PASS
6	11044.500	48.57	45.86	-2.71	74.00	28.14	150	28	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1485.0000	38.72	38.72	0.00	74.00	35.28	150	269	PK	Horizontal	PASS
2	1644.8000	39.57	39.93	0.36	74.00	34.07	150	211	PK	Horizontal	PASS
3	4879.0000	63.78	49.68	-14.10	74.00	24.32	150	106	PK	Horizontal	PASS
4	7319.0000	56.32	47.13	-9.19	74.00	26.87	150	129	PK	Horizontal	PASS
5	9360.5000	50.43	45.42	-5.01	74.00	28.58	150	227	PK	Horizontal	PASS
6	12147.000	48.26	46.96	-1.30	74.00	27.04	150	274	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1237.4000	38.79	38.34	-0.45	74.00	35.66	150	185	PK	Vertical	PASS
2	1768.0000	38.54	39.50	0.96	74.00	34.50	150	341	PK	Vertical	PASS
3	4880.5000	63.92	49.87	-14.05	74.00	24.13	150	161	PK	Vertical	PASS
4	7319.0000	57.60	48.41	-9.19	74.00	25.59	150	146	PK	Vertical	PASS
5	8245.0000	52.13	44.54	-7.59	74.00	29.46	150	223	PK	Vertical	PASS
6	11535.500	50.28	47.94	-2.34	74.00	26.06	150	300	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1316.2000	38.52	38.26	-0.26	74.00	35.74	150	42	PK	Horizontal	PASS
2	1770.4000	39.09	40.09	1.00	74.00	33.91	150	356	PK	Horizontal	PASS
3	4291.0000	53.91	37.84	-16.07	74.00	36.16	150	337	PK	Horizontal	PASS
4	4959.5000	62.93	48.14	-14.79	74.00	25.86	150	113	PK	Horizontal	PASS
5	7440.5000	55.56	46.66	-8.90	74.00	27.34	150	128	PK	Horizontal	PASS
6	10787.500	49.94	46.71	-3.23	74.00	27.29	150	51	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1450.8000	38.34	38.26	-0.08	74.00	35.74	150	42	PK	Vertical	PASS
2	1954.0000	39.33	40.93	1.60	74.00	33.07	150	106	PK	Vertical	PASS
3	4959.0000	63.27	48.53	-14.74	74.00	25.47	150	154	PK	Vertical	PASS
4	7440.5000	56.94	48.04	-8.90	74.00	25.96	150	106	PK	Vertical	PASS
5	9508.5000	50.35	45.58	-4.77	74.00	28.42	150	90	PK	Vertical	PASS
6	10794.500	49.67	46.37	-3.30	74.00	27.63	150	270	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1163.4000	39.54	39.29	-0.25	74.00	34.71	150	105	PK	Vertical	PASS
2	1761.2000	39.86	40.72	0.86	74.00	33.28	150	42	PK	Vertical	PASS
3	4804.0000	56.88	42.35	-14.53	74.00	31.65	150	34	PK	Vertical	PASS
4	7206.5000	57.71	48.35	-9.36	74.00	25.65	150	356	PK	Vertical	PASS
5	10149.500	50.70	46.48	-4.22	74.00	27.52	150	234	PK	Vertical	PASS
6	15317.000	48.49	51.10	2.61	74.00	22.90	150	333	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1288.0000	38.75	38.35	-0.40	74.00	35.65	150	247	PK	Horizontal	PASS
2	1878.4000	38.84	40.28	1.44	74.00	33.72	150	149	PK	Horizontal	PASS
3	4804.5000	59.12	44.61	-14.51	74.00	29.39	150	99	PK	Horizontal	PASS
4	7205.0000	58.00	48.52	-9.48	74.00	25.48	150	22	PK	Horizontal	PASS
5	9831.0000	50.81	46.54	-4.27	74.00	27.46	150	152	PK	Horizontal	PASS
6	14864.000	47.96	49.76	1.80	74.00	24.24	150	332	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1164.2000	41.61	41.38	-0.23	74.00	32.62	150	107	PK	Vertical	PASS
2	1682.6000	39.87	40.36	0.49	74.00	33.64	150	248	PK	Vertical	PASS
3	4880.0000	56.25	42.18	-14.07	74.00	31.82	150	42	PK	Vertical	PASS
4	7320.5000	56.70	47.55	-9.15	74.00	26.45	150	0	PK	Vertical	PASS
5	10101.500	51.01	46.40	-4.61	74.00	27.60	150	35	PK	Vertical	PASS
6	13731.000	48.68	48.95	0.27	74.00	25.05	150	117	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1131.0000	39.08	38.70	-0.38	74.00	35.30	150	328	PK	Horizontal	PASS
2	1695.0000	39.95	40.50	0.55	74.00	33.50	150	305	PK	Horizontal	PASS
3	4879.5000	62.89	48.80	-14.09	74.00	25.20	150	58	PK	Horizontal	PASS
4	7319.0000	60.44	51.25	-9.19	74.00	22.75	150	206	PK	Horizontal	PASS
5	9993.0000	50.79	46.32	-4.47	74.00	27.68	150	156	PK	Horizontal	PASS
6	14050.000	48.52	49.58	1.06	74.00	24.42	150	50	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1164.8000	40.72	40.50	-0.22	74.00	33.50	150	106	PK	Vertical	PASS
2	1977.6000	38.29	40.07	1.78	74.00	33.93	150	303	PK	Vertical	PASS
3	3755.0000	57.65	38.73	-18.92	74.00	35.27	150	277	PK	Vertical	PASS
4	4960.0000	56.53	41.69	-14.84	74.00	32.31	150	149	PK	Vertical	PASS
5	7982.5000	55.05	47.72	-7.33	74.00	26.28	150	126	PK	Vertical	PASS
6	11930.000	50.17	48.58	-1.59	74.00	25.42	150	262	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1245.2000	39.72	39.23	-0.49	74.00	34.77	150	215	PK	Horizontal	PASS
2	1971.2000	38.98	40.68	1.70	74.00	33.32	150	47	PK	Horizontal	PASS
3	4959.0000	57.72	42.98	-14.74	74.00	31.02	150	15	PK	Horizontal	PASS
4	7439.0000	58.56	49.62	-8.94	74.00	24.38	150	321	PK	Horizontal	PASS
5	11051.000	49.74	46.94	-2.80	74.00	27.06	150	329	PK	Horizontal	PASS
6	14120.000	48.55	49.78	1.23	74.00	24.22	150	137	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1166.0000	40.22	40.05	-0.17	74.00	33.95	150	73	PK	Vertical	PASS
2	1995.6000	39.75	41.46	1.71	74.00	32.54	150	28	PK	Vertical	PASS
3	4804.5000	57.64	43.13	-14.51	74.00	30.87	150	76	PK	Vertical	PASS
4	7205.0000	58.22	48.74	-9.48	74.00	25.26	150	6	PK	Vertical	PASS
5	10731.500	50.32	46.60	-3.72	74.00	27.40	150	185	PK	Vertical	PASS
6	15299.500	48.62	51.28	2.66	74.00	22.72	150	200	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1388.0000	39.23	38.81	-0.42	74.00	35.19	150	118	PK	Horizontal	PASS
2	1881.4000	38.57	40.01	1.44	74.00	33.99	150	132	PK	Horizontal	PASS
3	4804.0000	60.00	45.47	-14.53	74.00	28.53	150	58	PK	Horizontal	PASS
4	7205.0000	58.95	49.47	-9.48	74.00	24.53	150	142	PK	Horizontal	PASS
5	9989.0000	50.68	46.19	-4.49	74.00	27.81	150	272	PK	Horizontal	PASS
6	13777.000	48.61	49.51	0.90	74.00	24.49	150	65	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1165.6000	40.33	40.15	-0.18	74.00	33.85	150	88	PK	Vertical	PASS
2	1994.2000	41.14	42.88	1.74	74.00	31.12	150	39	PK	Vertical	PASS
3	3326.0000	60.20	39.77	-20.43	74.00	34.23	150	80	PK	Vertical	PASS
4	4880.0000	59.75	45.68	-14.07	74.00	28.32	150	143	PK	Vertical	PASS
5	7319.0000	57.16	47.97	-9.19	74.00	26.03	150	0	PK	Vertical	PASS
6	11577.500	49.51	47.41	-2.10	74.00	26.59	150	69	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1134.4000	39.24	38.85	-0.39	74.00	35.15	150	99	PK	Horizontal	PASS
2	1846.4000	38.55	39.86	1.31	74.00	34.14	150	5	PK	Horizontal	PASS
3	4879.5000	62.81	48.72	-14.09	74.00	25.28	150	53	PK	Horizontal	PASS
4	7319.0000	60.37	51.18	-9.19	74.00	22.82	150	198	PK	Horizontal	PASS
5	10004.500	51.08	46.64	-4.44	74.00	27.36	150	76	PK	Horizontal	PASS
6	14072.000	48.14	49.32	1.18	74.00	24.68	150	274	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1161.8000	42.07	41.78	-0.29	74.00	32.22	150	72	PK	Vertical	PASS
2	1978.0000	40.15	41.93	1.78	74.00	32.07	150	344	PK	Vertical	PASS
3	3320.0000	61.80	41.64	-20.16	74.00	32.36	150	97	PK	Vertical	PASS
4	4960.0000	56.76	41.92	-14.84	74.00	32.08	150	97	PK	Vertical	PASS
5	7440.5000	58.59	49.69	-8.90	74.00	24.31	150	21	PK	Vertical	PASS
6	11125.000	50.72	47.68	-3.04	74.00	26.32	150	133	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1223.0000	39.67	39.16	-0.51	74.00	34.84	150	233	PK	Horizontal	PASS
2	1734.2000	38.89	39.61	0.72	74.00	34.39	150	255	PK	Horizontal	PASS
3	3771.0000	56.41	37.58	-18.83	74.00	36.42	150	117	PK	Horizontal	PASS
4	4959.5000	58.60	43.81	-14.79	74.00	30.19	150	289	PK	Horizontal	PASS
5	7440.5000	57.03	48.13	-8.90	74.00	25.87	150	243	PK	Horizontal	PASS
6	10941.500	50.04	46.82	-3.22	74.00	27.18	150	312	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1163.4000	39.76	39.51	-0.25	74.00	34.49	150	259	PK	Vertical	PASS
2	1850.8000	38.94	40.22	1.28	74.00	33.78	150	82	PK	Vertical	PASS
3	4803.5000	56.64	42.08	-14.56	74.00	31.92	150	21	PK	Vertical	PASS
4	7205.0000	57.66	48.18	-9.48	74.00	25.82	150	6	PK	Vertical	PASS
5	10509.000	50.36	46.51	-3.85	74.00	27.49	150	270	PK	Vertical	PASS
6	14085.500	49.53	50.73	1.20	74.00	23.27	150	75	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1293.8000	39.68	39.25	-0.43	74.00	34.75	150	199	PK	Horizontal	PASS
2	1891.2000	39.09	40.51	1.42	74.00	33.49	150	225	PK	Horizontal	PASS
3	4803.5000	62.29	47.73	-14.56	74.00	26.27	150	53	PK	Horizontal	PASS
4	7206.5000	58.94	49.58	-9.36	74.00	24.42	150	68	PK	Horizontal	PASS
5	11058.000	50.58	47.68	-2.90	74.00	26.32	150	256	PK	Horizontal	PASS
6	16662.000	46.83	51.78	4.95	74.00	22.22	150	131	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1165.2000	42.11	41.92	-0.19	74.00	32.08	150	126	PK	Vertical	PASS
2	1661.6000	39.47	39.92	0.45	74.00	34.08	150	76	PK	Vertical	PASS
3	4879.5000	59.23	45.14	-14.09	74.00	28.86	150	139	PK	Vertical	PASS
4	7320.5000	57.75	48.60	-9.15	74.00	25.40	150	272	PK	Vertical	PASS
5	9908.5000	51.63	47.23	-4.40	74.00	26.77	150	77	PK	Vertical	PASS
6	14565.500	48.54	50.31	1.77	74.00	23.69	150	8	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1268.6000	39.05	38.59	-0.46	74.00	35.41	150	246	PK	Horizontal	PASS
2	1710.8000	42.45	43.16	0.71	74.00	30.84	150	105	PK	Horizontal	PASS
3	4880.5000	62.10	48.05	-14.05	74.00	25.95	150	43	PK	Horizontal	PASS
4	7319.0000	58.85	49.66	-9.19	74.00	24.34	150	8	PK	Horizontal	PASS
5	10416.500	50.93	46.97	-3.96	74.00	27.03	150	177	PK	Horizontal	PASS
6	14493.500	48.89	50.30	1.41	74.00	23.70	150	62	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1164.4000	40.69	40.46	-0.23	74.00	33.54	150	108	PK	Vertical	PASS
2	1840.4000	39.09	40.42	1.33	74.00	33.58	150	279	PK	Vertical	PASS
3	4959.5000	57.54	42.75	-14.79	74.00	31.25	150	159	PK	Vertical	PASS
4	7439.0000	59.95	51.01	-8.94	74.00	22.99	150	269	PK	Vertical	PASS
5	9938.5000	50.99	46.69	-4.30	74.00	27.31	150	12	PK	Vertical	PASS
6	13653.000	48.57	49.71	1.14	74.00	24.29	150	180	PK	Vertical	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1116.6000	39.18	38.72	-0.46	74.00	35.28	150	34	PK	Horizontal	PASS
2	2028.8000	39.19	40.96	1.77	74.00	33.04	150	136	PK	Horizontal	PASS
3	4959.5000	57.81	43.02	-14.79	74.00	30.98	150	356	PK	Horizontal	PASS
4	7440.0000	58.91	50.02	-8.89	74.00	23.98	150	276	PK	Horizontal	PASS
5	11242.000	49.98	47.00	-2.98	74.00	27.00	150	316	PK	Horizontal	PASS
6	15254.500	47.92	50.27	2.35	74.00	23.73	150	324	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Appendix I: Conducted emission AC power port



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.153	10.26	54.01	65.84	11.83	37.16	55.84	18.68	L1	PASS
2	0.261	10.33	43.80	61.40	17.60	29.67	51.40	21.73	L1	PASS
3	0.411	10.28	36.04	57.63	21.59	23.71	47.63	23.92	L1	PASS
4	1.221	10.34	35.95	56.00	20.05	24.63	46.00	21.37	L1	PASS
5	4.659	10.33	36.71	56.00	19.29	24.49	46.00	21.51	L1	PASS
6	10.111	10.44	36.43	60.00	23.57	24.59	50.00	25.41	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.153	10.35	50.91	65.84	14.93	32.33	55.84	23.51	N	PASS
2	0.273	10.33	42.84	61.03	18.19	27.66	51.03	23.37	N	PASS
3	0.681	10.26	35.41	56.00	20.59	24.65	46.00	21.35	N	PASS
4	1.284	10.29	36.40	56.00	19.60	22.53	46.00	23.47	N	PASS
5	4.167	10.40	35.63	56.00	20.37	24.89	46.00	21.11	N	PASS
6	8.451	10.43	38.29	60.00	21.71	23.94	50.00	26.06	N	PASS