


CQASZ20260701385E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	2402	0.66	2401.69	2402.35	0.5	PASS
	2440	0.67	2439.69	2440.36	0.5	PASS
	2480	0.67	2479.68	2480.36	0.5	PASS

Test Graphs






Date: 9 JUL 2026 12:55:39


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.075	2401.4845	2402.5594	---	---
		2440	1.063	2439.4885	2440.5514	---	---
		2480	1.055	2479.4925	2480.5475	---	---

Test Graphs






Date: 9 JUL 2026 12:55:45


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	EIRP[dBm]	EIRP Limit[dBm]	Verdict
BLE_1M	2402	-0.12	≤30	2.59	≤36	PASS
	2440	2.11	≤30	4.82	≤36	PASS
	2480	1.34	≤30	4.05	≤36	PASS

Test Graphs Peak






Date: 9 JUL 2026 12:55:49


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-16.79	≤8.00	PASS
	2440	-14.46	≤8.00	PASS
	2480	-15.23	≤8.00	PASS

Test Graphs






Date: 9 JUL 2026 12:55:55

Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	-0.70	-42.06	≤ -20.7	PASS
	High	2480	-0.01	-41.91	≤ -20.01	PASS

Test Graphs





Appendix G: Conducted Spurious Emission

Test Result

TestMode	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	2402	Reference	-0.66	-0.66	---	PASS
		30~1000	-0.66	-51.27	≤ -20.66	PASS
		1000~26500	-0.66	-46.68	≤ -20.66	PASS
	2440	Reference	1.35	1.35	---	PASS
		30~1000	1.35	-51.82	≤ -18.65	PASS
		1000~26500	1.35	-48.51	≤ -18.65	PASS
	2480	Reference	0.07	0.07	---	PASS
		30~1000	0.07	-52.33	≤ -19.93	PASS
		1000~26500	0.07	-46.69	≤ -19.93	PASS


Test Graphs






Date: 9 JUL 2026 12:37:03

BLE_1M_Ant1_2440_0~Reference




Date: 9 JUL 2026 12:43:40

BLE_1M_Ant1_2440_30~1000




Date: 9 JUL 2026 12:43:44

BLE_1M_Ant1_2440_1000~26500




Date: 9 JUL 2026 12:43:55

BLE_1M_Ant1_2480_0~Reference




Date: 9 JUL 2026 12:57:28

BLE_1M_Ant1_2480_30~1000



Date: 9 JUL 2026 12:57:33

BLE_1M_Ant1_2480_1000~26500




Date: 9 JUL 2026 12:57:43


Appendix H: Duty Cycle

Test Result

TestMode	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	2402	2.14	2.50	0.8560	85.60	0.68	---	---
	2440	2.14	2.50	0.8560	85.60	0.68	---	---
	2480	2.14	2.50	0.8560	85.60	0.68	---	---

Test Graphs





Date: 9 JUL 2026 14:42:24