

Annex A.5 Spurious Emission at Antenna Terminals

GPRS

1. GPRS_GSM850


1.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.31	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.87	-13	Pass	2986
30	500	0.1	Peak	437.6	-41.7	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.28	-13	N/A	5001
1000	10000	1	Peak	9285	-18.33	-13	Pass	9001




1.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.99	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.92	-13	Pass	2986
30	500	0.1	Peak	482.7	-41.72	-13	Pass	4701
500	1000	0.1	Peak	836.7	32.45	-13	N/A	5001
1000	10000	1	Peak	9283	-18.66	-13	Pass	9001



1.4. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-35.68	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.62	-13	Pass	2986
30	500	0.1	Peak	401	-41.61	-13	Pass	4701
500	1000	0.1	Peak	848.8	32	-13	N/A	5001
1000	10000	1	Peak	9941	-18.32	-13	Pass	9001



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.79	-13	Pass	401
0.15	30	0.01	Peak	0.16	-44.62	-13	Pass	2986
30	1000	0.1	Peak	893.5	-45.96	-13	Pass	9701
1000	3000	1	Peak	1850	28.68	-13	N/A	2001
3000	20000	1	Peak	19955	-38.8	-13	Pass	17001




2.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.6	-13	Pass	401
0.15	30	0.01	Peak	0.16	-43.59	-13	Pass	2986
30	1000	0.1	Peak	900.6	-45.88	-13	Pass	9701
1000	3000	1	Peak	1879	25.61	-13	N/A	2001
3000	20000	1	Peak	19969	-38.77	-13	Pass	17001



2.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.89	-13	Pass	401
0.15	30	0.01	Peak	0.16	-44.78	-13	Pass	2986
30	1000	0.1	Peak	778.5	-46.07	-13	Pass	9701
1000	3000	1	Peak	1910	24.67	-13	N/A	2001
3000	20000	1	Peak	19810	-39.05	-13	Pass	17001




EGPRS

1. EGPRS_GSM850


1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.46	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.18	-13	Pass	2986
30	500	0.1	Peak	488.2	-40.41	-13	Pass	4701
500	1000	0.1	Peak	824.3	24.69	-13	N/A	5001
1000	10000	1	Peak	9332	-37.54	-13	Pass	9001




1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.02	-13	Pass	401
0.15	30	0.01	Peak	0.16	-38.16	-13	Pass	2986
30	500	0.1	Peak	364.8	-41.8	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.29	-13	N/A	5001
1000	10000	1	Peak	9887	-38.2	-13	Pass	9001



1.4. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.41	-13	Pass	401
0.15	30	0.01	Peak	0.16	-38.76	-13	Pass	2986
30	500	0.1	Peak	462.4	-41.81	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.25	-13	N/A	5001
1000	10000	1	Peak	9910	-38.06	-13	Pass	9001



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.86	-13	Pass	401
0.15	30	0.01	Peak	0.16	-44.13	-13	Pass	2986
30	1000	0.1	Peak	962	-45.86	-13	Pass	9701
1000	3000	1	Peak	1850	28.96	-13	N/A	2001
3000	20000	1	Peak	19676	-39.07	-13	Pass	17001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.77	-13	Pass	401
0.15	30	0.01	Peak	0.16	-42.53	-13	Pass	2986
30	1000	0.1	Peak	828.4	-45.13	-13	Pass	9701
1000	3000	1	Peak	1881	22.03	-13	N/A	2001
3000	20000	1	Peak	19986	-38.13	-13	Pass	17001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.95	-13	Pass	2986
30	1000	0.1	Peak	748.3	-45.67	-13	Pass	9701
1000	3000	1	Peak	1911	23.09	-13	N/A	2001
3000	20000	1	Peak	18973	-39.53	-13	Pass	17001




WCDMA

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-47.2	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.88	-13	Pass	2986
30	1000	0.1	Peak	770.8	-49.52	-13	Pass	9701
1000	3000	1	Peak	1851	23.31	-13	N/A	2001
3000	20000	1	Peak	18914	-29.23	-13	Pass	17001




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.24	-13	Pass	401
0.15	30	0.01	Peak	0.16	-47.83	-13	Pass	2986
30	1000	0.1	Peak	848	-49.22	-13	Pass	9701
1000	3000	1	Peak	1879	25.06	-13	N/A	2001
3000	20000	1	Peak	19947	-28.41	-13	Pass	17001



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.47	-13	Pass	2986
30	1000	0.1	Peak	999.5	-49.24	-13	Pass	9701
1000	3000	1	Peak	1906	23.47	-13	N/A	2001
3000	20000	1	Peak	19969	-28.49	-13	Pass	17001



2. WCDMA_Band5


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.13	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.95	-13	Pass	2986
30	500	0.1	Peak	495.8	-51.76	-13	Pass	4701
500	1000	0.1	Peak	827.3	17.42	-13	N/A	5001
1000	10000	1	Peak	9296	-29.32	-13	Pass	9001




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.86	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.3	-13	Pass	2986
30	500	0.1	Peak	484.3	-51.18	-13	Pass	4701
500	1000	0.1	Peak	837.3	17.6	-13	N/A	5001
1000	10000	1	Peak	9944	-28.64	-13	Pass	9001



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.28	-13	Pass	2986
30	500	0.1	Peak	349.6	-51.83	-13	Pass	4701
500	1000	0.1	Peak	847.3	17.92	-13	N/A	5001
1000	10000	1	Peak	9287	-28.71	-13	Pass	9001




LTE

1. LTE_Band5


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2986
30	814	0.1	RMS	763.9	-61.48	-13	Pass	7841
814	860	0.1	RMS	824.3	19.85	60	Pass	461
860	1000	0.1	RMS	996.4	-62.17	-13	Pass	1401
1000	3000	1	RMS	1648	-45.65	-13	Pass	2001
3000	10000	1	RMS	9951	-40.32	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.01	-13	Pass	2986
30	814	0.1	RMS	813.2	-61.43	-13	Pass	7841
814	860	0.1	RMS	824.3	18.95	60	Pass	461
860	1000	0.1	RMS	997.3	-62.19	-13	Pass	1401
1000	3000	1	RMS	1648	-46.48	-13	Pass	2001
3000	10000	1	RMS	9986	-40.4	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	814	0.1	RMS	790.9	-61.35	-13	Pass	7841
814	860	0.1	RMS	836.1	19.61	60	Pass	461
860	1000	0.1	RMS	888.4	-62.21	-13	Pass	1401
1000	3000	1	RMS	2685	-46.72	-13	Pass	2001
3000	10000	1	RMS	9953	-40.36	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.79	-13	Pass	2986
30	814	0.1	RMS	808.2	-61.38	-13	Pass	7841
814	860	0.1	RMS	836.1	18.7	60	Pass	461
860	1000	0.1	RMS	998.4	-62.31	-13	Pass	1401
1000	3000	1	RMS	2678	-46.74	-13	Pass	2001
3000	10000	1	RMS	9959	-40.29	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2986
30	814	0.1	RMS	805.8	-61.5	-13	Pass	7841
814	860	0.1	RMS	847.8	19.36	60	Pass	461
860	1000	0.1	RMS	877.8	-62.28	-13	Pass	1401
1000	3000	1	RMS	1696	-46.46	-13	Pass	2001
3000	10000	1	RMS	9952	-40.34	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.51	-13	Pass	2986
30	814	0.1	RMS	773.8	-61.44	-13	Pass	7841
814	860	0.1	RMS	847.9	18.47	60	Pass	461
860	1000	0.1	RMS	889.5	-62.26	-13	Pass	1401
1000	3000	1	RMS	2684	-46.77	-13	Pass	2001
3000	10000	1	RMS	9963	-40.38	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.98	-13	Pass	2986
30	814	0.1	RMS	780.9	-61.47	-13	Pass	7841
814	860	0.1	RMS	824.2	19.67	60	Pass	461
860	1000	0.1	RMS	909.7	-62.29	-13	Pass	1401
1000	3000	1	RMS	1648	-46.1	-13	Pass	2001
3000	10000	1	RMS	9964	-40.37	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.01	-13	Pass	2986
30	814	0.1	RMS	765.3	-61.42	-13	Pass	7841
814	860	0.1	RMS	824.2	18.79	60	Pass	461
860	1000	0.1	RMS	998.7	-62.05	-13	Pass	1401
1000	3000	1	RMS	2691	-46.75	-13	Pass	2001
3000	10000	1	RMS	9951	-40.35	-13	Pass	7001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2986
30	814	0.1	RMS	767.1	-61.48	-13	Pass	7841
814	860	0.1	RMS	835.2	19.69	60	Pass	461
860	1000	0.1	RMS	998.8	-62.26	-13	Pass	1401
1000	3000	1	RMS	2684	-46.73	-13	Pass	2001
3000	10000	1	RMS	9984	-40.37	-13	Pass	7001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2986
30	814	0.1	RMS	755.6	-61.33	-13	Pass	7841
814	860	0.1	RMS	835.2	18.67	60	Pass	461
860	1000	0.1	RMS	889.6	-62.28	-13	Pass	1401
1000	3000	1	RMS	2686	-46.72	-13	Pass	2001
3000	10000	1	RMS	9954	-40.3	-13	Pass	7001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2986
30	814	0.1	RMS	791.6	-61.44	-13	Pass	7841
814	860	0.1	RMS	846.2	19.62	60	Pass	461
860	1000	0.1	RMS	983.6	-62.18	-13	Pass	1401
1000	3000	1	RMS	1692	-46.46	-13	Pass	2001
3000	10000	1	RMS	9986	-40.28	-13	Pass	7001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2986
30	814	0.1	RMS	760.3	-61.56	-13	Pass	7841
814	860	0.1	RMS	846.2	18.74	60	Pass	461
860	1000	0.1	RMS	991.7	-62.29	-13	Pass	1401
1000	3000	1	RMS	2684	-46.76	-13	Pass	2001
3000	10000	1	RMS	9968	-40.38	-13	Pass	7001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2986
30	814	0.1	RMS	810.5	-61.42	-13	Pass	7841
814	860	0.1	RMS	824.3	19.49	60	Pass	461
860	1000	0.1	RMS	997.6	-62.21	-13	Pass	1401
1000	3000	1	RMS	1649	-45.67	-13	Pass	2001
3000	10000	1	RMS	9945	-40.38	-13	Pass	7001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.81	-13	Pass	2986
30	814	0.1	RMS	807.8	-61.45	-13	Pass	7841
814	860	0.1	RMS	824.3	18.64	60	Pass	461
860	1000	0.1	RMS	864.9	-62.26	-13	Pass	1401
1000	3000	1	RMS	1649	-46.52	-13	Pass	2001
3000	10000	1	RMS	9954	-40.37	-13	Pass	7001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2986
30	814	0.1	RMS	811	-61.45	-13	Pass	7841
814	860	0.1	RMS	834.3	19.55	60	Pass	461
860	1000	0.1	RMS	997.5	-62.17	-13	Pass	1401
1000	3000	1	RMS	2681	-46.74	-13	Pass	2001
3000	10000	1	RMS	9977	-40.34	-13	Pass	7001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2986
30	814	0.1	RMS	810.3	-61.45	-13	Pass	7841
814	860	0.1	RMS	834.3	18.82	60	Pass	461
860	1000	0.1	RMS	880.5	-62.37	-13	Pass	1401
1000	3000	1	RMS	2688	-46.75	-13	Pass	2001
3000	10000	1	RMS	9999	-40.42	-13	Pass	7001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2986
30	814	0.1	RMS	807.9	-61.49	-13	Pass	7841
814	860	0.1	RMS	844.3	19.56	60	Pass	461
860	1000	0.1	RMS	868.6	-62.3	-13	Pass	1401
1000	3000	1	RMS	1689	-45.9	-13	Pass	2001
3000	10000	1	RMS	9984	-40.39	-13	Pass	7001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.04	-13	Pass	2986
30	814	0.1	RMS	809.3	-61.51	-13	Pass	7841
814	860	0.1	RMS	844.3	18.84	60	Pass	461
860	1000	0.1	RMS	894.6	-62.25	-13	Pass	1401
1000	3000	1	RMS	1689	-46.62	-13	Pass	2001
3000	10000	1	RMS	9990	-40.35	-13	Pass	7001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.58	-13	Pass	2986
30	814	0.1	RMS	813.2	-61.34	-13	Pass	7841
814	860	0.1	RMS	824.6	20.04	60	Pass	461
860	1000	0.1	RMS	975.7	-62.28	-13	Pass	1401
1000	3000	1	RMS	1649	-45.04	-13	Pass	2001
3000	10000	1	RMS	9989	-40.33	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2986
30	814	0.1	RMS	788.5	-61.51	-13	Pass	7841
814	860	0.1	RMS	824.6	19.19	60	Pass	461
860	1000	0.1	RMS	994.1	-62.28	-13	Pass	1401
1000	3000	1	RMS	1649	-45.79	-13	Pass	2001
3000	10000	1	RMS	9954	-40.3	-13	Pass	7001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.22	-13	Pass	2986
30	814	0.1	RMS	765.2	-61.54	-13	Pass	7841
814	860	0.1	RMS	832.1	20.08	60	Pass	461
860	1000	0.1	RMS	885.1	-62.34	-13	Pass	1401
1000	3000	1	RMS	1664	-46.22	-13	Pass	2001
3000	10000	1	RMS	9969	-40.33	-13	Pass	7001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2986
30	814	0.1	RMS	761.1	-61.4	-13	Pass	7841
814	860	0.1	RMS	832.1	19.11	60	Pass	461
860	1000	0.1	RMS	996.4	-62.14	-13	Pass	1401
1000	3000	1	RMS	2680	-46.77	-13	Pass	2001
3000	10000	1	RMS	9948	-40.35	-13	Pass	7001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.72	-13	Pass	2986
30	814	0.1	RMS	784.7	-61.47	-13	Pass	7841
814	860	0.1	RMS	839.6	20.06	60	Pass	461
860	1000	0.1	RMS	997.1	-62.13	-13	Pass	1401
1000	3000	1	RMS	2683	-46.74	-13	Pass	2001
3000	10000	1	RMS	9960	-40.36	-13	Pass	7001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2986
30	814	0.1	RMS	761.8	-61.3	-13	Pass	7841
814	860	0.1	RMS	839.6	19.2	60	Pass	461
860	1000	0.1	RMS	874	-62.32	-13	Pass	1401
1000	3000	1	RMS	2693	-46.74	-13	Pass	2001
3000	10000	1	RMS	9968	-40.4	-13	Pass	7001



2. LTE_Band7


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.12	-25	Pass	2986
30	1000	0.1	RMS	965	-60.94	-25	Pass	9701
1000	2490	1	RMS	2490	-47.79	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.13	60	Pass	401
2580	3000	1	RMS	2690	-47.54	-25	Pass	421
3000	12000	1	RMS	5001	-59.59	-25	Pass	9001
12000	26000	1	RMS	25595	-42.36	-25	Pass	14001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.95	-25	Pass	2986
30	1000	0.1	RMS	984.5	-61	-25	Pass	9701
1000	2490	1	RMS	2489	-47.78	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.25	60	Pass	401
2580	3000	1	RMS	2691	-47.57	-25	Pass	421
3000	12000	1	RMS	5001	-60.24	-25	Pass	9001
12000	26000	1	RMS	25593	-42.97	-25	Pass	14001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.89	-25	Pass	2986
30	1000	0.1	RMS	919.4	-61.09	-25	Pass	9701
1000	2490	1	RMS	2490	-48.08	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.95	60	Pass	401
2580	3000	1	RMS	2694	-47.57	-25	Pass	421
3000	12000	1	RMS	5066	-62.19	-25	Pass	9001
12000	26000	1	RMS	25571	-42.9	-25	Pass	14001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.85	-25	Pass	2986
30	1000	0.1	RMS	990.2	-60.91	-25	Pass	9701
1000	2490	1	RMS	2490	-47.99	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.16	60	Pass	401
2580	3000	1	RMS	2683	-47.58	-25	Pass	421
3000	12000	1	RMS	11845	-62.18	-25	Pass	9001
12000	26000	1	RMS	25590	-42.86	-25	Pass	14001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.01	-25	Pass	2986
30	1000	0.1	RMS	870	-61.05	-25	Pass	9701
1000	2490	1	RMS	2487	-48.09	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.04	60	Pass	401
2580	3000	1	RMS	2689	-47.54	-25	Pass	421
3000	12000	1	RMS	5131	-59.07	-25	Pass	9001
12000	26000	1	RMS	25596	-42.9	-25	Pass	14001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-25	Pass	2986
30	1000	0.1	RMS	983.1	-61.09	-25	Pass	9701
1000	2490	1	RMS	2490	-48.01	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.35	60	Pass	401
2580	3000	1	RMS	2689	-47.55	-25	Pass	421
3000	12000	1	RMS	5131	-59.55	-25	Pass	9001
12000	26000	1	RMS	25582	-42.88	-25	Pass	14001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.48	-25	Pass	2986
30	1000	0.1	RMS	897.9	-60.94	-25	Pass	9701
1000	2490	1	RMS	2483	-44.2	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.21	60	Pass	401
2580	3000	1	RMS	2692	-47.51	-25	Pass	421
3000	12000	1	RMS	5001	-59.05	-25	Pass	9001
12000	26000	1	RMS	25589	-42.9	-25	Pass	14001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-25	Pass	2986
30	1000	0.1	RMS	875.9	-61.04	-25	Pass	9701
1000	2490	1	RMS	2483	-45.07	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.46	60	Pass	401
2580	3000	1	RMS	2678	-47.57	-25	Pass	421
3000	12000	1	RMS	5001	-59.73	-25	Pass	9001
12000	26000	1	RMS	25624	-42.91	-25	Pass	14001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.82	-25	Pass	2986
30	1000	0.1	RMS	893.9	-60.95	-25	Pass	9701
1000	2490	1	RMS	2488	-48.03	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.07	60	Pass	401
2580	3000	1	RMS	2695	-47.53	-25	Pass	421
3000	12000	1	RMS	5061	-61.83	-25	Pass	9001
12000	26000	1	RMS	25597	-42.89	-25	Pass	14001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-25	Pass	2986
30	1000	0.1	RMS	906.7	-61.06	-25	Pass	9701
1000	2490	1	RMS	2488	-48.02	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.11	60	Pass	401
2580	3000	1	RMS	2690	-47.55	-25	Pass	421
3000	12000	1	RMS	11856	-62.24	-25	Pass	9001
12000	26000	1	RMS	25620	-42.9	-25	Pass	14001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.69	-25	Pass	2986
30	1000	0.1	RMS	887.7	-61.06	-25	Pass	9701
1000	2490	1	RMS	2490	-48.08	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.08	60	Pass	401
2580	3000	1	RMS	2580	-47.22	-25	Pass	421
3000	12000	1	RMS	5121	-58.82	-25	Pass	9001
12000	26000	1	RMS	25605	-42.89	-25	Pass	14001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.39	-25	Pass	2986
30	1000	0.1	RMS	902.3	-61	-25	Pass	9701
1000	2490	1	RMS	2490	-47.97	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.27	60	Pass	401
2580	3000	1	RMS	2580	-47.36	-25	Pass	421
3000	12000	1	RMS	5121	-59.54	-25	Pass	9001
12000	26000	1	RMS	25606	-42.83	-25	Pass	14001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-25	Pass	2986
30	1000	0.1	RMS	982.6	-61.04	-25	Pass	9701
1000	2490	1	RMS	2488	-42.55	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.17	60	Pass	401
2580	3000	1	RMS	2690	-47.56	-25	Pass	421
3000	12000	1	RMS	5002	-59.46	-25	Pass	9001
12000	26000	1	RMS	25582	-42.89	-25	Pass	14001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-57.19	-25	Pass	2986
30	1000	0.1	RMS	871.5	-60.97	-25	Pass	9701
1000	2490	1	RMS	2488	-43.13	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.39	60	Pass	401
2580	3000	1	RMS	2690	-47.53	-25	Pass	421
3000	12000	1	RMS	5002	-60.37	-25	Pass	9001
12000	26000	1	RMS	25588	-42.87	-25	Pass	14001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-25	Pass	2986
30	1000	0.1	RMS	974.5	-60.94	-25	Pass	9701
1000	2490	1	RMS	2490	-47.98	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.03	60	Pass	401
2580	3000	1	RMS	2693	-47.56	-25	Pass	421
3000	12000	1	RMS	5057	-62.02	-25	Pass	9001
12000	26000	1	RMS	25589	-42.86	-25	Pass	14001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-25	Pass	2986
30	1000	0.1	RMS	934.1	-61	-25	Pass	9701
1000	2490	1	RMS	2489	-48.07	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.09	60	Pass	401
2580	3000	1	RMS	2694	-47.51	-25	Pass	421
3000	12000	1	RMS	11862	-62.2	-25	Pass	9001
12000	26000	1	RMS	25600	-42.87	-25	Pass	14001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.43	-25	Pass	2986
30	1000	0.1	RMS	998.5	-60.92	-25	Pass	9701
1000	2490	1	RMS	2487	-48	-25	Pass	1491
2490	2595	1	RMS	2555.888	22.04	60	Pass	401
2595	3000	1	RMS	2681	-47.55	-25	Pass	406
3000	12000	1	RMS	5112	-59.24	-25	Pass	9001
12000	26000	1	RMS	25603	-42.77	-25	Pass	14001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2986
30	1000	0.1	RMS	982.8	-61.05	-25	Pass	9701
1000	2490	1	RMS	2490	-48.04	-25	Pass	1491
2490	2595	1	RMS	2555.888	21.26	60	Pass	401
2595	3000	1	RMS	2688	-47.53	-25	Pass	406
3000	12000	1	RMS	5112	-59.97	-25	Pass	9001
12000	26000	1	RMS	25599	-42.82	-25	Pass	14001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-25	Pass	2986
30	1000	0.1	RMS	889	-61.06	-25	Pass	9701
1000	2490	1	RMS	2483	-42.55	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.99	60	Pass	401
2580	3000	1	RMS	2690	-47.52	-25	Pass	421
3000	12000	1	RMS	5002	-59.21	-25	Pass	9001
12000	26000	1	RMS	25591	-42.83	-25	Pass	14001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-25	Pass	2986
30	1000	0.1	RMS	999.5	-60.99	-25	Pass	9701
1000	2490	1	RMS	2483	-43.05	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.16	60	Pass	401
2580	3000	1	RMS	2695	-47.54	-25	Pass	421
3000	12000	1	RMS	5002	-59.75	-25	Pass	9001
12000	26000	1	RMS	25601	-42.85	-25	Pass	14001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-25	Pass	2986
30	1000	0.1	RMS	893.2	-60.94	-25	Pass	9701
1000	2490	1	RMS	2490	-44.35	-25	Pass	1491
2490	2580	1	RMS	2526	21.9	60	Pass	401
2580	3000	1	RMS	2686	-47.54	-25	Pass	421
3000	12000	1	RMS	5052	-61.14	-25	Pass	9001
12000	26000	1	RMS	25606	-42.9	-25	Pass	14001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2986
30	1000	0.1	RMS	891.8	-61.02	-25	Pass	9701
1000	2490	1	RMS	2490	-45.46	-25	Pass	1491
2490	2580	1	RMS	2526	20.92	60	Pass	401
2580	3000	1	RMS	2693	-47.55	-25	Pass	421
3000	12000	1	RMS	5052	-61.74	-25	Pass	9001
12000	26000	1	RMS	25607	-42.93	-25	Pass	14001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.44	-25	Pass	2986
30	1000	0.1	RMS	999.7	-61.06	-25	Pass	9701
1000	2490	1	RMS	2490	-47.92	-25	Pass	1491
2490	2595	1	RMS	2551.163	21.84	60	Pass	401
2595	3000	1	RMS	2686	-47.56	-25	Pass	406
3000	12000	1	RMS	5102	-60.2	-25	Pass	9001
12000	26000	1	RMS	25603	-42.9	-25	Pass	14001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-25	Pass	2986
30	1000	0.1	RMS	960.8	-61.05	-25	Pass	9701
1000	2490	1	RMS	2489	-48.04	-25	Pass	1491
2490	2595	1	RMS	2551.163	20.97	60	Pass	401
2595	3000	1	RMS	2692	-47.56	-25	Pass	406
3000	12000	1	RMS	5102	-61.42	-25	Pass	9001
12000	26000	1	RMS	25593	-42.9	-25	Pass	14001



--BLANK BELOW--