



Above 1GHz (1GHz~18GHz)

Test mode: 11AC40MIMO


Test Channel:38

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	47.19	7.61	54.80	68.20	-13.40	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	37.63	4.90	42.53	68.20	-25.67	peak	
2	*	5150.000	43.17	6.54	49.71	68.20	-18.49	peak	

Above 1GHz (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:46

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11AC40MIMO


Test Channel:151

VERTICAL




HORIZONTAL

Radiated Emission



Radiated Emission




Above 1GHz (1GHz~18GHz)

Test mode: 11AC40MIMO


Test Channel:159

VERTICAL

Radiated Emission




Radiated Emission



HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11590.000	44.42	8.04	52.46	74.00	-21.54 peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	57.79	10.29	68.08	122.20	54.12 peak		
2		5855.000	54.81	10.22	65.03	110.80	-45.77 peak		
3		5875.000	47.54	9.96	57.50	105.20	-47.70 peak		
4	*	5925.000	47.82	9.96	57.78	68.20	-10.42 peak		


Above 1GHz (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:42


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10420.000	47.38	7.76	55.14	68.20	-13.06	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	39.43	4.90	44.33	68.20	-23.87	peak		
2	*	5150.000	42.08	6.54	48.62	68.20	-19.58	peak		

HORIZONTAL

Radiated Emission



Radiated Emission





Above 1GHz (1GHz~18GHz)

Test mode: 11AC80MIMO


Test Channel:155

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11550.000	43.88	8.15	52.03	74.00	-21.97	peak	

Radiated Emission



No.	Mk	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	48.13	9.22	57.35	68.20	-10.85	peak	
2		5700.000	57.08	9.50	66.58	105.20	-38.62	peak	
3		5720.000	63.45	9.32	72.77	110.80	-38.03	peak	
4		5725.000	64.04	9.28	73.32	122.20	-48.88	peak	
5		5850.000	57.39	10.29	67.68	122.20	-54.52	peak	
6		5855.000	56.68	10.22	66.90	110.80	-43.90	peak	
7		5875.000	51.46	9.96	61.42	105.20	-43.78	peak	
8		5925.000	44.18	9.96	54.14	68.20	-14.06	peak	


Above 1GHz (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:36


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10360.000	48.14	7.53	55.67	68.20	-12.53	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	39.40	4.90	44.30	68.20	-23.90	peak		
2	*	5150.000	44.52	6.54	51.06	68.20	-17.14	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	47.44	7.53	54.97	68.20	-13.23 peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	38.92	4.90	43.82	68.20	-24.38 peak		
2	*	5150.000	40.08	6.54	46.62	68.20	-21.58 peak		

Above 1GHz (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:48

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:149

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11490.000	1.75	50.92	52.67	74.00	-21.33	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	43.71	9.22	52.93	68.20	-15.27	peak	
2		5700.000	55.18	9.50	64.68	105.20	-40.22	peak	
3		5720.000	64.05	9.32	73.37	110.80	-37.43	peak	
4		5725.000	68.40	9.28	77.68	122.20	-44.52	peak	

Above 1GHz (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:157

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:165

VERTICAL



HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11650.000	43.86	7.92	51.78	74.00	-22.22	peak		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5850.000	59.66	10.29	69.95	122.20	-52.25	peak		
2		5855.000	54.19	10.22	64.41	110.80	-46.39	peak		
3		5875.000	47.44	9.96	57.40	105.20	-47.80	peak		
4	*	5925.000	45.64	9.96	55.60	68.20	-12.60	peak		

Above 1GHz (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:38

VERTICAL




HORIZONTAL

Radiated Emission



Radiated Emission




Above 1GHz (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:46

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:151

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		11510.000	43.08	8.26	51.34	74.00	-22.66	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	45.95	9.22	55.17	68.20	-13.03	peak	
2		5700.000	58.20	9.50	67.70	105.20	-37.50	peak	
3		5720.000	65.86	9.32	75.18	110.80	-35.62	peak	
4		5725.000	67.23	9.28	76.51	122.20	-45.69	peak	

Above 1GHz (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:159

VERTICAL



HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11590.000	43.85	8.04	51.89	74.00	-22.11	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	54.23	10.29	64.52	122.20	-57.68	peak	
2		5855.000	50.96	10.22	61.18	110.80	-49.62	peak	
3		5875.000	45.58	9.96	55.54	105.20	-49.66	peak	
4	*	5925.000	45.51	9.96	55.47	68.20	-12.73	peak	


Above 1GHz (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:42


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10420.000	46.40	7.76	54.16	68.20	-14.04	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	39.45	4.90	44.35	68.20	-23.85	peak		
2	*	5150.000	42.79	6.54	49.33	68.20	-18.87	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10420.000	44.34	7.76	52.10	68.20	-16.10	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	39.55	4.90	44.45	68.20	-23.75	peak	
2		5150.000	43.87	6.54	50.41	68.20	-17.79	peak	

Above 1GHz (1GHz~18GHz)

Test mode: 11AX80MIMO


Test Channel:155

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11550.000	43.52	8.15	51.67	74.00	-22.33	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	47.07	9.22	56.29	68.20	-11.91	peak	
2		5700.000	60.70	9.50	70.20	105.20	-35.00	peak	
3		5720.000	64.29	9.32	73.61	110.80	-37.19	peak	
4		5725.000	64.99	9.28	74.27	122.20	-47.93	peak	
5		5850.000	58.37	10.29	68.66	122.20	-53.54	peak	
6		5855.000	56.90	10.22	67.12	110.80	-43.68	peak	
7		5875.000	52.57	9.96	62.53	105.20	-42.67	peak	
8		5925.000	42.99	9.96	52.95	68.20	-15.25	peak	

Note: The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
15.407(e)	26 dB Bandwidth	-	5470-5725
	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Procedure

Test Method	
●Conducted Measurement	○Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	

a) The EUT was directly connected to the tonscond test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth


Centre Frequency	The centre frequency of the channel under test
RBW	1% to 5% of the emission bandwidth
VBW	> RBW
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

- c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.
- d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.
- e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.3 Test Setup



3.3.4 Test Result

26 dB Bandwidth

Test Mode	Antenna	Frequency[MHz]	26dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-CDD	Ant1	5180	23.760	5167.840	5191.600	---	---
11A-CDD	Ant2	5180	23.520	5168.040	5191.560	---	---
11A-CDD	Ant1	5200	23.280	5188.440	5211.720	---	---
11A-CDD	Ant2	5200	23.800	5188.160	5211.960	---	---
11A-CDD	Ant1	5240	23.400	5228.200	5251.600	---	---
11A-CDD	Ant2	5240	23.680	5228.400	5252.080	---	---
11A-CDD	Ant1	5745	22.640	5733.600	5756.240	---	---
11A-CDD	Ant2	5745	22.800	5733.800	5756.600	---	---
11A-CDD	Ant1	5785	23.400	5773.760	5797.160	---	---
11A-CDD	Ant2	5785	23.360	5772.920	5796.280	---	---
11A-CDD	Ant1	5825	22.840	5813.480	5836.320	---	---
11A-CDD	Ant2	5825	23.240	5813.360	5836.600	---	---
11N20MIMO	Ant1	5180	22.960	5168.680	5191.640	---	---
11N20MIMO	Ant2	5180	23.680	5167.680	5191.360	---	---
11N20MIMO	Ant1	5200	23.640	5188.040	5211.680	---	---
11N20MIMO	Ant2	5200	23.920	5188.120	5212.040	---	---
11N20MIMO	Ant1	5240	24.440	5227.400	5251.840	---	---
11N20MIMO	Ant2	5240	23.080	5228.360	5251.440	---	---
11N20MIMO	Ant1	5745	24.320	5732.760	5757.080	---	---
11N20MIMO	Ant2	5745	24.360	5732.880	5757.240	---	---
11N20MIMO	Ant1	5785	24.000	5773.000	5797.000	---	---
11N20MIMO	Ant2	5785	24.200	5773.280	5797.480	---	---
11N20MIMO	Ant1	5825	23.560	5813.120	5836.680	---	---
11N20MIMO	Ant2	5825	23.680	5813.040	5836.720	---	---
11N40MIMO	Ant1	5190	43.840	5167.840	5211.680	---	---
11N40MIMO	Ant2	5190	42.960	5168.800	5211.760	---	---
11N40MIMO	Ant1	5230	41.520	5209.280	5250.800	---	---
11N40MIMO	Ant2	5230	42.000	5208.800	5250.800	---	---
11N40MIMO	Ant1	5755	42.160	5733.880	5776.040	---	---
11N40MIMO	Ant2	5755	42.560	5733.720	5776.280	---	---
11N40MIMO	Ant1	5795	42.320	5773.560	5815.880	---	---
11N40MIMO	Ant2	5795	42.080	5774.040	5816.120	---	---
11AC20MIMO	Ant1	5180	23.360	5168.600	5191.960	---	---
11AC20MIMO	Ant2	5180	23.800	5167.920	5191.720	---	---
11AC20MIMO	Ant1	5200	23.800	5187.840	5211.640	---	---
11AC20MIMO	Ant2	5200	24.400	5188.040	5212.440	---	---
11AC20MIMO	Ant1	5240	23.720	5227.960	5251.680	---	---
11AC20MIMO	Ant2	5240	23.160	5228.400	5251.560	---	---
11AC20MIMO	Ant1	5745	23.680	5733.320	5757.000	---	---

11AC20MIMO	Ant2	5745	24.440	5733.080	5757.520	---	---
11AC20MIMO	Ant1	5785	23.680	5773.240	5796.920	---	---
11AC20MIMO	Ant2	5785	23.360	5773.240	5796.600	---	---
11AC20MIMO	Ant1	5825	22.920	5813.720	5836.640	---	---
11AC20MIMO	Ant2	5825	23.440	5813.360	5836.800	---	---
11AC40MIMO	Ant1	5190	42.960	5168.080	5211.040	---	---
11AC40MIMO	Ant2	5190	42.400	5168.640	5211.040	---	---
11AC40MIMO	Ant1	5230	42.160	5208.720	5250.880	---	---
11AC40MIMO	Ant2	5230	42.640	5208.160	5250.800	---	---
11AC40MIMO	Ant1	5755	44.080	5732.920	5777.000	---	---
11AC40MIMO	Ant2	5755	42.400	5733.720	5776.120	---	---
11AC40MIMO	Ant1	5795	42.800	5773.560	5816.360	---	---
11AC40MIMO	Ant2	5795	42.800	5774.120	5816.920	---	---
11AC80MIMO	Ant1	5210	85.600	5167.120	5252.720	---	---
11AC80MIMO	Ant2	5210	85.760	5166.480	5252.240	---	---
11AC80MIMO	Ant1	5775	83.520	5733.240	5816.760	---	---
11AC80MIMO	Ant2	5775	85.600	5732.920	5818.520	---	---
11AX20MIMO	Ant1	5180	24.200	5168.200	5192.400	---	---
11AX20MIMO	Ant2	5180	23.960	5168.360	5192.320	---	---
11AX20MIMO	Ant1	5200	22.920	5188.440	5211.360	---	---
11AX20MIMO	Ant2	5200	25.280	5188.200	5213.480	---	---
11AX20MIMO	Ant1	5240	24.520	5227.440	5251.960	---	---
11AX20MIMO	Ant2	5240	23.240	5228.400	5251.640	---	---
11AX20MIMO	Ant1	5745	24.120	5733.000	5757.120	---	---
11AX20MIMO	Ant2	5745	23.320	5733.400	5756.720	---	---
11AX20MIMO	Ant1	5785	24.600	5772.840	5797.440	---	---
11AX20MIMO	Ant2	5785	24.880	5772.480	5797.360	---	---
11AX20MIMO	Ant1	5825	24.320	5813.120	5837.440	---	---
11AX20MIMO	Ant2	5825	23.880	5813.080	5836.960	---	---
11AX40MIMO	Ant1	5190	43.280	5167.920	5211.200	---	---
11AX40MIMO	Ant2	5190	42.800	5168.160	5210.960	---	---
11AX40MIMO	Ant1	5230	45.440	5207.920	5253.360	---	---
11AX40MIMO	Ant2	5230	43.760	5207.680	5251.440	---	---
11AX40MIMO	Ant1	5755	42.800	5734.040	5776.840	---	---
11AX40MIMO	Ant2	5755	43.360	5733.880	5777.240	---	---
11AX40MIMO	Ant1	5795	43.920	5773.880	5817.800	---	---
11AX40MIMO	Ant2	5795	42.080	5773.880	5815.960	---	---
11AX80MIMO	Ant1	5210	82.400	5168.720	5251.120	---	---
11AX80MIMO	Ant2	5210	82.080	5168.720	5250.800	---	---
11AX80MIMO	Ant1	5775	83.040	5733.720	5816.760	---	---
11AX80MIMO	Ant2	5775	82.400	5733.400	5815.800	---	---



11A-CDD-Ant1-5180




11A-CDD-Ant2-5180



11A-CDD-Ant1-5200



11A-CDD-Ant2-5200



11A-CDD-Ant1-5240



11A-CDD-Ant2-5240



11A-CDD-Ant1-5745



11A-CDD-Ant2-5745



11A-CDD-Ant1-5785



11A-CDD-Ant2-5785



11A-CDD-Ant1-5825



11A-CDD-Ant2-5825



11N20MIMO-Ant1-5180



11N20MIMO-Ant2-5180



11N20MIMO-Ant1-5200



11N20MIMO-Ant2-5200



11N20MIMO-Ant1-5240



11N20MIMO-Ant2-5240



11N20MIMO-Ant1-5745



11N20MIMO-Ant2-5745





11N20MIMO-Ant1-5825



11N20MIMO-Ant2-5825





11N40MIMO-Ant1-5230



11N40MIMO-Ant2-5230



11N40MIMO-Ant1-5755



11N40MIMO-Ant2-5755