




Antenna Kitting Information


Component	Prod No. Description	Gain/Loss						Manufacturer
		LTE-A	LTE-V	800MHz	1900MHz	1700MHz	2100MH	
Outdoor Cable	RG-6 60Feet	3.5dB	3.5dB	3.6dB	5.7dB	5.6dB	6.1dB	Suirongcable
Outdoor Cable	RG-6 30Feet	1.8dB	1.9dB	2.0dB	3.0dB	2.9dB	3.1dB	Suirongcable
Indoor Cable	RG-6 30Feet	1.8dB	1.9dB	2.0dB	3.0dB	2.9dB	3.1dB	Suirongcable
All equivalent antennas and cables are suitable for use with the SunFord								

Antenna Model

A0801ZCY	A0103ZCY	A0104ZCY	A0501ZCY
			
0.9dbi@698-894MHz 1.9dbi@1710-2200MHz	6.1dbi@698-894MHz 7.5dbi@1710-2200MHz	6.2dbi@698-894MHz 6.8dbi@1710-2200MHz	5.2dbi@698-894MHz 7.6dbi@1710-2200MHz

Package configuration:


ZCY65A/ZCY65B+A0801ZCY+A0104ZCY+60 feet



ZCY65A/ZCY65B+A0801ZCY+A0103ZCY+60 feet



ZCY65A/ZCY65B+A0103ZCY+30 feet+A0501ZCY
+30feet



ZCY65A/ZCY65B+A0104ZCY+30 feet+A0501ZCY
+30feet

