

Appendix A for 5.2GWIFI Test Data

Product Name: BROJ NOTOUCH PLUS

Test Model: BROJ NOTOUCH PLUS

Environmental Conditions

Temperature:	25.7℃
Relative Humidity:	54.9%
ATM Pressure:	101.0 kPa
Test Engineer:	Leon Li
Supervised by:	Baret Wu

**ZHONGHAN****Duty Cycle**

Mode	Frequency (MHz)	Antenna	T _{on} ms	T _{total} ms	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
a	5180	Ant1	1.40	1.50	93.33	0.30	0.71
a	5200	Ant1	1.40	1.50	93.33	0.30	0.71
a	5240	Ant1	1.40	1.50	93.33	0.30	0.71
n20	5180	Ant1	2.76	2.76	98.46	0.07	0.52
n20	5200	Ant1	2.76	2.76	98.46	0.07	0.52
n20	5240	Ant1	1.92	1.94	98.97	0.05	0.52
n40	5190	Ant1	0.10	0.20	50.00	3.01	10.00
n40	5230	Ant1	0.10	0.20	50.00	3.01	10.00
ac20	5180	Ant1	0.20	0.22	90.91	0.41	5.00
ac20	5200	Ant1	0.20	0.22	90.91	0.41	5.00
ac20	5240	Ant1	0.20	0.22	90.91	0.41	5.00
ac40	5190	Ant1	0.15	0.17	88.24	0.54	6.67
ac40	5230	Ant1	0.15	0.17	88.24	0.54	6.67


Note:

1. Duty Cycle = T_{on} / T_{total} 2. Correction Factor = $10 \log (1 / \text{Duty Cycle})$.3. $1/T = 1/T_{on}$




Test Graphs

Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1





Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1





Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1






Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1






Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1






Duty Cycle NVNT ac20 5240MHz Ant1



Duty Cycle NVNT ac40 5190MHz Ant1




**ZHONGHAN****Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	7.15	0.3	7.45	24	Pass
NVNT	a	5200	Ant1	7.04	0.3	7.3	24	Pass
NVNT	a	5240	Ant1	7.1	0.3	7.4	24	Pass
NVNT	n20	5180	Ant1	7.29	0	7.29	24	Pass
NVNT	n20	5200	Ant1	7.16	0	7.16	24	Pass
NVNT	n20	5240	Ant1	7.28	0	7.28	24	Pass
NVNT	n40	5190	Ant1	6.39	3.01	9.4	24	Pass
NVNT	n40	5230	Ant1	6.51	3.01	9.52	24	Pass
NVNT	ac20	5180	Ant1	8.23	0.41	8.64	24	Pass
NVNT	ac20	5200	Ant1	7.33	0.41	7.74	24	Pass
NVNT	ac20	5240	Ant1	7.36	0.41	7.77	24	Pass
NVNT	ac40	5190	Ant1	4.58	0.54	5.12	24	Pass
NVNT	ac40	5230	Ant1	4.47	0.54	5.01	24	Pass




Test Graphs

Power NVNT a 5180MHz Ant1




Power NVNT a 5200MHz Ant1






Power NVNT a 5240MHz Ant1




Power NVNT n20 5180MHz Ant1






Power NVNT n20 5200MHz Ant1




Power NVNT n20 5240MHz Ant1






Power NVNT n40 5190MHz Ant1



Power NVNT n40 5230MHz Ant1






Power NVNT ac20 5180MHz Ant1




Power NVNT ac20 5200MHz Ant1







Power NVNT ac20 5240MHz Ant1



Power NVNT ac40 5190MHz Ant1






**ZHONGHAN****Occupied Channel Bandwidth**

Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	-26 dB Bandwidth (MHz)
a	5180	Ant1	16.535	20.7
a	5200	Ant1	16.608	21.07
a	5240	Ant1	16.581	20.98
n20	5180	Ant1	17.752	21.28
n20	5200	Ant1	17.777	21.35
n20	5240	Ant1	17.78	21.26
n40	5190	Ant1	36.346	42.52
n40	5230	Ant1	36.329	42.20
ac20	5180	Ant1	17.719	21.24
ac20	5200	Ant1	17.766	21.07
ac20	5240	Ant1	17.767	21.49
ac40	5190	Ant1	36.354	39.55
ac40	5230	Ant1	36.32	39.49




Test Graphs

OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1






OBW NVNT a 5240MHz Ant1




OBW NVNT n20 5180MHz Ant1






OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1






OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1






OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1






OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1





OBW NVNT ac40 5230MHz Ant1




**ZHONGHAN****Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	-6.99	0.3	-6.69	11	Pass
NVNT	a	5200	Ant1	-5.92	0.3	-5.62	11	Pass
NVNT	a	5240	Ant1	-6.89	0.3	-6.59	11	Pass
NVNT	n20	5180	Ant1	-4.87	0	-4.87	11	Pass
NVNT	n20	5200	Ant1	-5.17	0	-5.17	11	Pass
NVNT	n20	5240	Ant1	-4.34	0	-4.34	11	Pass
NVNT	n40	5190	Ant1	-10.79	3.01	-7.78	11	Pass
NVNT	n40	5230	Ant1	-8.32	3.01	-5.31	11	Pass
NVNT	ac20	5180	Ant1	-6.57	0.41	-6.16	11	Pass
NVNT	ac20	5200	Ant1	-6.93	0.41	-6.52	11	Pass
NVNT	ac20	5240	Ant1	-7.18	0.41	-6.77	11	Pass
NVNT	ac40	5190	Ant1	-13.79	0.54	-13.25	11	Pass
NVNT	ac40	5230	Ant1	-13.41	0.54	-12.87	11	Pass




Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1






PSD NVNT a 5240MHz Ant1




PSD NVNT n20 5180MHz Ant1






PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1






PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1






PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1







PSD NVNT ac20 5240MHz Ant1



PSD NVNT ac40 5190MHz Ant1






**ZHONGHAN****Band Edge**

Mode	Frequency (MHz)	Antenna	Max Value (dBm/MHz)	Antenna gain (dBi)	EIRP (dBm/MHz)	Limit (dBm/MHz)	Verdict
a	5180	Ant1	-45.45	2.28	-43.17	-27	Pass
a	5240	Ant1	-47.36	2.28	-45.08	-27	Pass
n20	5180	Ant1	-42.73	2.28	-40.45	-27	Pass
n20	5240	Ant1	-46.58	2.28	-44.3	-27	Pass
n40	5190	Ant1	-29.06	2.28	-26.78	-27	Pass
n40	5230	Ant1	-46.67	2.28	-44.39	-27	Pass
ac20	5180	Ant1	-37.6	2.28	-35.32	-27	Pass
ac20	5240	Ant1	-47.05	2.28	-44.77	-27	Pass
ac40	5190	Ant1	-40.15	2.28	-37.87	-27	Pass
ac40	5230	Ant1	-47.43	2.28	-45.15	-27	Pass



Test Graphs

Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1





Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1





Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1






Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1






Band Edge NVNT ac40 5190MHz Low Ant1



Band Edge NVNT ac40 5230MHz High Ant1



**ZHONGHAN****Frequency Stability****Voltage**

Test Mode	Channel	Voltage [Vdc]	Temperature (°C)	Measured Frequency (MHz)	Limit (MHz)	Verdict
a	5180	NV	NT	5180.08	Within 5150-5250MHz	Pass
		LV	NT	5180.06		
		HV	NT	5180.07		

Temperature

Test Mode	Channel	Voltage [Vdc]	Temperature (°C)	Measured Frequency (MHz)	Limit (MHz)	Verdict
a	5180	NV	-30	5180.02	Within 5150-5250MHz	Pass
		NV	-20	5180.04		
		NV	-10	5180.06		
		NV	0	5180.02		
		NV	10	5180.09		
		NV	20	5180.00		
		NV	30	5180.04		
		NV	40	5180.01		
		NV	50	5180.00		

Note: Only show the worst case 802.11 a Mode 5180MHz.


**ZHONGHAN****Conducted RF Spurious Emission**

Mode	Frequency (MHz)	Antenna	Max Value (dBm/MHz)	Antenna gain (dBi)	EIRP (dBm/MHz)	Limit (dBm/MHz)	Verdict
a	5180	Ant1	-37.18	2.28	-34.9	-27	Pass
a	5200	Ant1	-37.46	2.28	-35.18	-27	Pass
a	5240	Ant1	-37.01	2.28	-34.73	-27	Pass
n20	5180	Ant1	-37.3	2.28	-35.02	-27	Pass
n20	5200	Ant1	-37.52	2.28	-35.24	-27	Pass
n20	5240	Ant1	-37.9	2.28	-35.62	-27	Pass
n40	5190	Ant1	-37.42	2.28	-35.14	-27	Pass
n40	5230	Ant1	-38.1	2.28	-35.82	-27	Pass
ac20	5180	Ant1	-37.24	2.28	-34.96	-27	Pass
ac20	5200	Ant1	-36.96	2.28	-34.68	-27	Pass
ac20	5240	Ant1	-36.68	2.28	-34.4	-27	Pass
ac40	5190	Ant1	-36.81	2.28	-34.53	-27	Pass
ac40	5230	Ant1	-35.87	2.28	-33.59	-27	Pass




Test Graphs

Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission






Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission






Tx. Spurious NVNT n20 5200MHz Ant1 Emission



Tx. Spurious NVNT n20 5240MHz Ant1 Emission






Tx. Spurious NVNT n40 5190MHz Ant1 Emission




Tx. Spurious NVNT n40 5230MHz Ant1 Emission






Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission





Tx. Spurious NVNT ac20 5240MHz Ant1 Emission



Tx. Spurious NVNT ac40 5190MHz Ant1 Emission

