

FCC Appendix RF Test Data for BLE

FCC ID : 2BTRK-HPC011

Company : Huahe Pet Intelligence (Shenzhen) Co., Ltd

EUT : Pet Smart Health Monitor

Model Number : HPC011

Report No. : CTA25121101901

Reviewed By : Eric Wang

Appendix A: DTS Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.648	2401.688	2402.336	0.5	PASS
		2440	0.648	2439.688	2440.336	0.5	PASS
		2480	0.644	2479.692	2480.336	0.5	PASS

Agilent Spectrum Analyzer - Swept SA

Center Freq 2.402000000 GHz

Ref Offset 0.3 dB
Ref 20.00 dBm

Trig: Free Run
#Atten: 30 dB

#Avg Type: RMS
Avg/Hold: 100/100

Span 4.000 MHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep (#Swp) 1.000 ms (1001 pts)

ΔMkr3 648 kHz
-0.141 dB

10 dB/div
Log

1 2 3Δ1

Center 2.402000 GHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep (#Swp) 1.000 ms (1001 pts)

MNR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.401 688 GHz	-9.712 dBm			
2	N	1	f	2.402 002 GHz	-3.931 dBm			
3	Δ	1	f (Δ)	648 kHz (Δ)	-0.141 dB			

Frequency

Auto Tune

Center Freq
2.402000000 GHz

Start Freq
2.400000000 GHz

Stop Freq
2.404000000 GHz

CF Step
400.000 kHz
Man

Freq Offset
0 Hz

BLE_1M_Ant1_2402

Agilent Spectrum Analyzer - Swept SA

Center Freq 2.440000000 GHz

Ref Offset 0.3 dB
Ref 20.00 dBm

Trig: Free Run
#Atten: 30 dB

#Avg Type: RMS
Avg/Hold: 100/100

Span 4.000 MHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep (#Swp) 1.000 ms (1001 pts)

ΔMkr3 648 kHz
0.058 dB

10 dB/div
Log

1 2 3Δ1

Center 2.440000 GHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep (#Swp) 1.000 ms (1001 pts)

MNR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.439 688 GHz	-10.284 dBm			
2	N	1	f	2.439 788 GHz	-4.411 dBm			
3	Δ	1	f (Δ)	648 kHz (Δ)	0.058 dB			

Frequency

Auto Tune

Center Freq
2.440000000 GHz


Start Freq
2.438000000 GHz

Stop Freq
2.442000000 GHz

CF Step
400.000 kHz
Man

Freq Offset
0 Hz

BLE_1M_Ant1_2440





Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.0031	2401.5184	2402.5215	---	---
		2440	1.0052	2439.5177	2440.5229	---	---
		2480	1.0092	2479.5157	2480.5249	---	---

Test Graphs





Appendix C: Maximum conducted output power

Test Result Peak


TestMode	Antenna	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	Ant1	2402	-3.47	≤30	PASS
		2440	-3.81	≤30	PASS
		2480	-3.85	≤30	PASS


Appendix D: Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-19.30	≤8.00	PASS
		2440	-19.58	≤8.00	PASS
		2480	-19.64	≤8.00	PASS

Test Graphs






Appendix E: Band edge measurements

Test Result

TestMod e	Antenn a	ChNam e	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdic t
BLE_1M	Ant1	Low	2402	-3.52	-53.86	≤-23.52	PASS
		High	2480	-3.82	-52.99	≤-23.82	PASS

Test Graphs





Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	-4.28	-4.28	---	PASS
			30~1000	-4.28	-68.1	≤-24.28	PASS
			1000~26500	-4.28	-48.65	≤-24.28	PASS
		2440	Reference	-4.06	-4.06	---	PASS
			30~1000	-4.06	-64.9	≤-24.06	PASS
			1000~26500	-4.06	-47.38	≤-24.06	PASS
		2480	Reference	-5.40	-5.40	---	PASS
			30~1000	-5.40	-68.05	≤-25.4	PASS
			1000~26500	-5.40	-47.16	≤-25.4	PASS

Test Graphs







BLE_1M_Ant1_2440_0~Reference



BLE_1M_Ant1_2440_30~1000




BLE_1M_Ant1_2440_1000~26500




BLE_1M_Ant1_2480_0~Reference



BLE_1M_Ant1_2480_30~1000



BLE_1M_Ant1_2480_1000~26500




Appendix G: Duty Cycle

Test Result

TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	Ant1	2402	0.41	0.63	0.6508	65.08	1.87	---	---
		2440	0.41	0.63	0.6508	65.08	1.87	---	---
		2480	0.41	0.63	0.6508	65.08	1.87	---	---

Test Graphs



BLE_1M_Ant1_2480

