






2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference




3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500





Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.91	3.75	77.60	1.10	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
2DH5	Ant1	2402	2.92	3.74	78.07	1.08	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.92	3.76	77.66	1.10	---	---
3DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.92	3.75	77.87	1.09	---	---

Test Graphs







2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480




Appendix J: Emissions in Restricted Bands


Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.15	2.00	1.10	38.15	≤54	PASS
				AV	2379.695	-58.28	2.00	1.10	40.02	≤54	PASS
				AV	2390.000	-59.32	2.00	1.10	38.98	≤54	PASS
				Peak	2310.000	-52.21	2.00	0.00	44.99	≤74	PASS
				Peak	2368.670	-48.34	2.00	0.00	48.86	≤74	PASS
				Peak	2390.000	-49.97	2.00	0.00	47.23	≤74	PASS
		High	2480	AV	2483.500	-59	2.00	1.10	39.30	≤54	PASS
				AV	2484.240	-57.96	2.00	1.10	40.34	≤54	PASS
				AV	2500.000	-59.69	2.00	1.10	38.61	≤54	PASS
				Peak	2483.500	-49.63	2.00	0.00	47.57	≤74	PASS
				Peak	2489.040	-48.53	2.00	0.00	48.67	≤74	PASS
				Peak	2500.000	-50.21	2.00	0.00	46.99	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-60.19	2.00	1.08	38.09	≤54	PASS
				AV	2387.360	-58.76	2.00	1.08	39.52	≤54	PASS
				AV	2390.000	-59.51	2.00	1.08	38.77	≤54	PASS
				Peak	2310.000	-51.49	2.00	0.00	45.71	≤74	PASS
				Peak	2372.870	-48.99	2.00	0.00	48.21	≤74	PASS
				Peak	2390.000	-51.53	2.00	0.00	45.67	≤74	PASS
		High	2480	AV	2483.500	-58.63	2.00	1.10	39.67	≤54	PASS
				AV	2485.920	-58.45	2.00	1.10	39.85	≤54	PASS
				AV	2500.000	-58.9	2.00	1.10	39.40	≤54	PASS
				Peak	2483.500	-50.58	2.00	0.00	46.62	≤74	PASS
				Peak	2496.640	-48.84	2.00	0.00	48.36	≤74	PASS
				Peak	2500.000	-50.66	2.00	0.00	46.54	≤74	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-59.7	2.00	1.09	38.59	≤54	PASS
				AV	2372.555	-58.85	2.00	1.09	39.44	≤54	PASS
				AV	2390.000	-59.59	2.00	1.09	38.70	≤54	PASS
				Peak	2310.000	-51.82	2.00	0.00	45.38	≤74	PASS
				Peak	2377.595	-48.39	2.00	0.00	48.81	≤74	PASS
				Peak	2390.000	-51.07	2.00	0.00	46.13	≤74	PASS
		High	2480	AV	2483.500	-59.34	2.00	1.09	38.95	≤54	PASS
				AV	2487.280	-58.54	2.00	1.09	39.75	≤54	PASS
				AV	2500.000	-59.06	2.00	1.09	39.23	≤54	PASS
				Peak	2483.500	-51.08	2.00	0.00	46.12	≤74	PASS
				Peak	2492.160	-48.63	2.00	0.00	48.57	≤74	PASS
				Peak	2500.000	-51.43	2.00	0.00	45.77	≤74	PASS


Note: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

