



Shenzhen BANTEK Testing Co., Ltd.

Report No.: BTEK260408002A01E0201

RF Test Report

For BTEK260408002A01E02

Project No.:	BTEK260408002A01E0201
Product Description:	TERO Vision Module
Test Conditions	21.8°C, 63%, 101.4kPa
Test Engineer:	Zora
Test Date:	2026-06-03
RF specifications:	2.4G WIFI



Shenzhen BANTEK Testing Co., Ltd.

Report No.: BTEK260408002A01E0201

Test Summary

Item	Result
Duty Cycle	Pass
Bandwidth	Pass
Maximum Conducted Output Power	Pass
Maximum Power Spectral Density	Pass
Unwanted Emissions In Non-restricted Frequency Bands	Pass
Unwanted Emissions In Restricted Frequency Bands	Pass



1. Duty Cycle

1.1 Test Result


1.1.1 Ant1


Ant1							
Mode	Tx Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	8.223	8.397	97.93	0.09	0.55
		2437	8.223	8.613	95.47	0.20	3.01
		2462	8.227	8.397	97.98	0.09	0.51
802.11g	SISO	2412	1.365	1.532	89.10	0.50	1.63
		2437	1.364	1.523	89.56	0.48	1.63
		2462	1.365	1.541	88.58	0.53	2.70
802.11n (HT20)	SISO	2412	1.277	1.453	87.89	0.56	2.83
		2437	1.276	1.443	88.43	0.53	2.29
		2462	1.276	1.435	88.92	0.51	1.71
802.11n (HT40)	SISO	2422	0.636	0.768	82.81	0.82	0.06
		2437	0.636	0.785	81.02	0.91	1.95
		2452	0.636	0.803	79.20	1.01	3.72



1.2 Test Graph


1.2.1 Ant1








802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV






802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV







802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV






802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV





2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	14.227	/	Pass
		2437	1	14.187	/	Pass
		2462	1	14.198	/	Pass
802.11g	SISO	2412	1	16.632	/	Pass
		2437	1	16.632	/	Pass
		2462	1	16.666	/	Pass
802.11n (HT20)	SISO	2412	1	17.794	/	Pass
		2437	1	17.014	/	Pass
		2462	1	17.001	/	Pass
802.11n (HT40)	SISO	2422	1	35.290	/	Pass
		2437	1	35.232	/	Pass
		2452	1	35.210	/	Pass


2.1.2 6dB BW


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	10.129	≥ 0.5	Pass
		2437	1	10.137	≥ 0.5	Pass
		2462	1	10.140	≥ 0.5	Pass
802.11g	SISO	2412	1	16.218	≥ 0.5	Pass
		2437	1	16.138	≥ 0.5	Pass
		2462	1	16.178	≥ 0.5	Pass
802.11n (HT20)	SISO	2412	1	17.084	≥ 0.5	Pass
		2437	1	14.092	≥ 0.5	Pass
		2462	1	14.319	≥ 0.5	Pass
802.11n (HT40)	SISO	2422	1	32.707	≥ 0.5	Pass
		2437	1	32.332	≥ 0.5	Pass
		2452	1	31.538	≥ 0.5	Pass




2.2 Test Graph

2.2.1 OBW







802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1(SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1(SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV





802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV






2.2.2 6dB BW







802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV





3. Maximum Conducted Output Power

3.1 Test Result


3.1.1 Power


Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	10.10	<=30	Pass
		2437	11.08	<=30	Pass
		2462	10.81	<=30	Pass
802.11g	SISO	2412	8.09	<=30	Pass
		2437	9.27	<=30	Pass
		2462	8.89	<=30	Pass
802.11n (HT20)	SISO	2412	6.13	<=30	Pass
		2437	6.67	<=30	Pass
		2462	6.04	<=30	Pass
802.11n (HT40)	SISO	2422	6.55	<=30	Pass
		2437	6.40	<=30	Pass
		2452	6.10	<=30	Pass

Note1: Antenna Gain: Ant1: 3.48dBi;


3.2 Test Graph

3.2.1 Power







802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV





4. Maximum Power Spectral Density

4.1 Test Result


4.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm)		Verdict
			ANT1	Limit(dBm/3kHz)	
802.11b	SISO	2412	-4.64dBm/100kHz	<=8	Pass
		2437	-3.03dBm/100kHz	<=8	Pass
		2462	-3.26dBm/100kHz	<=8	Pass
802.11g	SISO	2412	-8.88dBm/100kHz	<=8	Pass
		2437	-7.24dBm/100kHz	<=8	Pass
		2462	-8.25dBm/100kHz	<=8	Pass
802.11n (HT20)	SISO	2412	-10.61dBm/100kHz	<=8	Pass
		2437	-9.38dBm/100kHz	<=8	Pass
		2462	-11.02dBm/100kHz	<=8	Pass
802.11n (HT40)	SISO	2422	-12.48dBm/100kHz	<=8	Pass
		2437	-12.55dBm/100kHz	<=8	Pass
		2452	-14.35dBm/100kHz	<=8	Pass

Note1: Antenna Gain: Ant1: 3.48dBi;


4.2 Test Graph

4.2.1 PSD







802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV







802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV





5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
802.11b	SISO	2412	1	2.14
		2437	1	2.54
		2462	1	2.59
802.11g	SISO	2412	1	-1.99
		2437	1	-1.00
		2462	1	-1.79
802.11n (HT20)	SISO	2412	1	-4.25
		2437	1	-2.49
		2462	1	-3.52
802.11n (HT40)	SISO	2422	1	-5.93
		2437	1	-6.51
		2452	1	-6.46


5.1.2 CSE

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	2.59	-27.41	Pass
		2437	1	2.59	-27.41	Pass
		2462	1	2.59	-27.41	Pass
802.11g	SISO	2412	1	-1.00	-31.00	Pass
		2437	1	-1.00	-31.00	Pass
		2462	1	-1.00	-31.00	Pass
802.11n (HT20)	SISO	2412	1	-2.49	-32.49	Pass
		2437	1	-2.49	-32.49	Pass
		2462	1	-2.49	-32.49	Pass
802.11n (HT40)	SISO	2422	1	-5.93	-35.93	Pass
		2437	1	-5.93	-35.93	Pass
		2452	1	-5.93	-35.93	Pass


5.2 Test Graph

5.2.1 Ref







802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV







802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV




5.2.2 CSE







802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV





6. Unwanted Emissions In Restricted Frequency Bands


6.1 Test Result


6.1.1 RSE

Mode	TX Type	Frequency (MHz)	ANT	Level of Unwanted Emissions (dBm)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	Refer To Test Graph		Pass
		2437	1	Refer To Test Graph		Pass
		2462	1	Refer To Test Graph		Pass
802.11g	SISO	2412	1	Refer To Test Graph		Pass
		2437	1	Refer To Test Graph		Pass
		2462	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	2412	1	Refer To Test Graph		Pass
		2437	1	Refer To Test Graph		Pass
		2462	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	2422	1	Refer To Test Graph		Pass
		2437	1	Refer To Test Graph		Pass
		2452	1	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 RSE






No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2356.726	-49.17	-21.20	27.97	Pass	Peak	7	2356.726	-57.69	-41.20	16.49	Pass	AVG
2	2363.558	-48.83	-21.20	27.63	Pass	Peak	8	2363.558	-57.37	-41.20	16.17	Pass	AVG
3	2368.682	-49.04	-21.20	27.84	Pass	Peak	9	2368.682	-57.55	-41.20	16.35	Pass	AVG
4	2374.782	-48.39	-21.20	27.19	Pass	Peak	10	2374.782	-56.90	-41.20	15.70	Pass	AVG
5	2382.834	-47.36	-21.20	26.16	Pass	Peak	11	2382.834	-54.42	-41.20	13.22	Pass	AVG
6	2387.226	-47.07	-21.20	25.87	Pass	Peak	12	2387.226	-55.69	-41.20	14.49	Pass	AVG


802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1(SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1(SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1(SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2484.862	-49.14	-21.20	27.94	Pass	Peak	7	2484.862	-57.03	-41.20	15.83	Pass	AVG
2	2487.530	-49.41	-21.20	28.21	Pass	Peak	8	2487.530	-57.23	-41.20	16.03	Pass	AVG
3	2490.372	-49.44	-21.20	28.24	Pass	Peak	9	2490.372	-57.07	-41.20	15.87	Pass	AVG
4	2492.692	-48.77	-21.20	27.57	Pass	Peak	10	2492.692	-57.35	-41.20	16.15	Pass	AVG
5	2495.824	-50.00	-21.20	28.80	Pass	Peak	11	2495.824	-57.25	-41.20	16.05	Pass	AVG
6	2499.246	-47.41	-21.20	26.21	Pass	Peak	12	2499.246	-57.21	-41.20	16.01	Pass	AVG

802.11n(HT40)_LCH_2422MHz_Ant1(SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19024	-40.59	-21.20	19.39	Pass	Peak	7	19024	-49.76	-41.20	8.56	Pass	AVG
2	20503.2	-41.27	-21.20	20.07	Pass	Peak	8	20503.2	-50.80	-41.20	9.60	Pass	AVG
3	21396.8	-39.33	-21.20	18.13	Pass	Peak	9	21396.8	-47.78	-41.20	6.58	Pass	AVG
4	22227.2	-41.34	-21.20	20.14	Pass	Peak	10	22227.2	-49.78	-41.20	8.58	Pass	AVG
5	23067.2	-41.79	-21.20	20.59	Pass	Peak	11	23067.2	-50.11	-41.20	8.91	Pass	AVG
6	23969.6	-39.08	-21.20	17.88	Pass	Peak	12	23969.6	-47.50	-41.20	6.30	Pass	AVG

802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2361.832	-49.38	-21.20	28.18	Pass	Peak	7	2361.832	-57.49	-41.20	16.29	Pass	AVG
2	2368.672	-49.02	-21.20	27.82	Pass	Peak	8	2368.672	-57.38	-41.20	16.18	Pass	AVG
3	2374.144	-49.09	-21.20	27.89	Pass	Peak	9	2374.144	-56.85	-41.20	15.65	Pass	AVG
4	2379.768	-48.18	-21.20	26.98	Pass	Peak	10	2379.768	-56.32	-41.20	15.12	Pass	AVG
5	2384.480	-46.58	-21.20	25.38	Pass	Peak	11	2384.480	-54.94	-41.20	13.74	Pass	AVG
6	2389.344	-39.59	-21.20	18.39	Pass	Peak	12	2389.344	-52.11	-41.20	10.91	Pass	AVG

802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16172	-41.32	-21.20	20.12	Pass	Peak	7	16172	-51.32	-41.20	10.12	Pass	AVG
2	19061.6	-41.15	-21.20	19.95	Pass	Peak	8	19061.6	-49.74	-41.20	8.54	Pass	AVG
3	20345.6	-41.54	-21.20	20.34	Pass	Peak	9	20345.6	-51.10	-41.20	9.90	Pass	AVG
4	21348.8	-39.20	-21.20	18.00	Pass	Peak	10	21348.8	-48.30	-41.20	7.10	Pass	AVG
5	22719.2	-40.06	-21.20	18.86	Pass	Peak	11	22719.2	-50.42	-41.20	9.22	Pass	AVG
6	23904	-38.97	-21.20	17.77	Pass	Peak	12	23904	-47.68	-41.20	6.48	Pass	AVG

802.11n(HT40)_HCH_2452MHz_Ant1(SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1(SISO)_NTNV

