

SPECIFICATION FOR APPROVAL

CUSTOMER: Shenzhen Xintide Technology

CUSTOMER P/N: XTD-2440

DESCRIPTION/SPEC: A11 TX Coil

PART NUMBER: 11L100112

SAMPLE DATE: 2024.09.12

APPROVAL SIGNATURE

Mark	Inspection	Check
<i>Kevin</i>	<i>Anan</i>	<i>Teles</i>

APPROVAL SIGNATURE

	Date
	2024. 09. 12

Xingning Mu Jian Wang Electronic Technology Co., Ltd

Address: 52, Zhanqian Road, Luofu Town, Xingning City, Guangdong Province

Mobile: 135 2870 3607


E-mail: 773085417@qq.com

Xingning Mu Jian Wang Electronic Technology Co., Ltd

Change record

[illegible]

1. DIMENSIONS & MARKING(UNIT:mm):



Item	A	B	C	D	E
Spec	43.5±1.0	39±1.0	14±0.5	5.3±0.5	60±1.5
Size	F	G Teflon Tube	H Product thickness		
Spec	3±1.5	56±1.5	2.4±0.15		

Explain:

- 1.1. Coil crossover output, Apply a 5mm-wide heat-resistant adhesive tape in 1-2 layers
- 1.2. magnetic sheet,Size: 43.5*5.3*0.8mm, Stick ordinary double-sidedadhesive on the back of the magnetic disk

2.WINDING INSTRUCTION & DESCTIPTION:

No.	S	F	TURNS	WIRE	HIGH TEMPERATURE TAPE
L	S	F	12Ts 1L	0.08*105P	5mm TYP

3. ELECTRICAL SPECIFICATIONS @25℃

Xingning Mu Jian Wang Electronic Technology Co., Ltd

- 3. 1. OCL: $S-F=6.8\mu H \pm 10\%$ @100KHz/1V;
- 3. 2. RDC: $S-F=60m\ \Omega$ MAX。