



















Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-61.02	-20	Pass
NVNT	1-DH5	2480	No-Hopping	-59.78	-20	Pass
NVNT	2-DH5	2402	No-Hopping	-59.41	-20	Pass
NVNT	2-DH5	2480	No-Hopping	-57.46	-20	Pass
NVNT	3-DH5	2402	No-Hopping	-57.64	-20	Pass
NVNT	3-DH5	2480	No-Hopping	-57.46	-20	Pass


















Band Edge(Hopping)

Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-59.89	-20	Pass
NVNT	1-DH5	2480	Hopping	-59.52	-20	Pass
NVNT	2-DH5	2402	Hopping	-58.75	-20	Pass
NVNT	2-DH5	2480	Hopping	-57.99	-20	Pass
NVNT	3-DH5	2402	Hopping	-56.92	-20	Pass
NVNT	3-DH5	2480	Hopping	-58.63	-20	Pass



















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-44.76	-20	Pass
NVNT	1-DH5	2441	-44.54	-20	Pass
NVNT	1-DH5	2480	-44.26	-20	Pass
NVNT	2-DH5	2402	-44.98	-20	Pass
NVNT	2-DH5	2441	-43.16	-20	Pass
NVNT	2-DH5	2480	-44.36	-20	Pass
NVNT	3-DH5	2402	-44.69	-20	Pass
NVNT	3-DH5	2441	-43.84	-20	Pass
NVNT	3-DH5	2480	-43.97	-20	Pass



























Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	15	Pass
NVNT	2-DH5	79	15	Pass
NVNT	3-DH5	79	15	Pass







APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****