




























Report No.:SHATBL2601007W07



H6.Frequency Stability-TN/VN

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26797	824.7	QPSK	6@0	-17.27	-0.02094	±2.5	PASS	TN/VN
26	1.4	26797	824.7	16QAM	6@0	-23.06	-0.02796	±2.5	PASS	TN/VN
26	1.4	26915	836.5	QPSK	6@0	-6.09	-0.00729	±2.5	PASS	TN/VN
26	1.4	26915	836.5	16QAM	6@0	-12.92	-0.01544	±2.5	PASS	TN/VN
26	1.4	27033	848.3	QPSK	6@0	-5.68	-0.00669	±2.5	PASS	TN/VN
26	1.4	27033	848.3	16QAM	6@0	-16.39	-0.01933	±2.5	PASS	TN/VN
26	3.0	26805	825.5	QPSK	15@0	-18.63	-0.02256	±2.5	PASS	TN/VN
26	3.0	26805	825.5	16QAM	15@0	-24.22	-0.02934	±2.5	PASS	TN/VN
26	3.0	26915	836.5	QPSK	15@0	-6.07	-0.00725	±2.5	PASS	TN/VN
26	3.0	26915	836.5	16QAM	15@0	-13.28	-0.01587	±2.5	PASS	TN/VN
26	3.0	27025	847.5	QPSK	15@0	-10.2	-0.01203	±2.5	PASS	TN/VN
26	3.0	27025	847.5	16QAM	15@0	-25.26	-0.02981	±2.5	PASS	TN/VN
26	5.0	26815	826.5	QPSK	25@0	-13.29	-0.01608	±2.5	PASS	TN/VN
26	5.0	26815	826.5	16QAM	25@0	-26.68	-0.03228	±2.5	PASS	TN/VN
26	5.0	26915	836.5	QPSK	25@0	3.33	0.00398	±2.5	PASS	TN/VN
26	5.0	26915	836.5	16QAM	25@0	-5.49	-0.00657	±2.5	PASS	TN/VN
26	5.0	27015	846.5	QPSK	25@0	-12.39	-0.01463	±2.5	PASS	TN/VN
26	5.0	27015	846.5	16QAM	25@0	-17.8	-0.02102	±2.5	PASS	TN/VN
26	10.0	26840	829.0	QPSK	50@0	-13.19	-0.01591	±2.5	PASS	TN/VN
26	10.0	26840	829.0	16QAM	50@0	-22.92	-0.02764	±2.5	PASS	TN/VN
26	10.0	26915	836.5	QPSK	50@0	4.71	0.00563	±2.5	PASS	TN/VN
26	10.0	26915	836.5	16QAM	50@0	-7.55	-0.00903	±2.5	PASS	TN/VN
26	10.0	26990	844.0	QPSK	50@0	-2.45	-0.0029	±2.5	PASS	TN/VN
26	10.0	26990	844.0	16QAM	50@0	-20.86	-0.02471	±2.5	PASS	TN/VN
26	15.0	26865	831.5	QPSK	75@0	-9.87	-0.01187	±2.5	PASS	TN/VN
26	15.0	26865	831.5	16QAM	75@0	-19.28	-0.02319	±2.5	PASS	TN/VN

Frequency Stability-TH/VH

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26797	824.7	QPSK	6@0	-39.2	-0.04753	±2.5	PASS	TH/VH
26	1.4	26797	824.7	16QAM	6@0	-19.73	-0.02392	±2.5	PASS	TH/VH
26	1.4	26915	836.5	QPSK	6@0	-9.58	-0.01146	±2.5	PASS	TH/VH
26	1.4	26915	836.5	16QAM	6@0	-7.11	-0.0085	±2.5	PASS	TH/VH
26	1.4	27033	848.3	QPSK	6@0	-3.69	-0.00435	±2.5	PASS	TH/VH
26	1.4	27033	848.3	16QAM	6@0	-4.16	-0.00491	±2.5	PASS	TH/VH
26	3.0	26805	825.5	QPSK	15@0	-29.13	-0.03528	±2.5	PASS	TH/VH
26	3.0	26805	825.5	16QAM	15@0	-36.08	-0.0437	±2.5	PASS	TH/VH
26	3.0	26915	836.5	QPSK	15@0	-22.62	-0.02704	±2.5	PASS	TH/VH
26	3.0	26915	836.5	16QAM	15@0	-5.35	-0.0064	±2.5	PASS	TH/VH
26	3.0	27025	847.5	QPSK	15@0	-23.56	-0.0278	±2.5	PASS	TH/VH
26	3.0	27025	847.5	16QAM	15@0	1.73	0.00204	±2.5	PASS	TH/VH
26	5.0	26815	826.5	QPSK	25@0	-16.91	-0.02046	±2.5	PASS	TH/VH
26	5.0	26815	826.5	16QAM	25@0	-15.61	-0.01888	±2.5	PASS	TH/VH
26	5.0	26915	836.5	QPSK	25@0	-8.97	-0.01072	±2.5	PASS	TH/VH
26	5.0	26915	836.5	16QAM	25@0	1.83	0.00219	±2.5	PASS	TH/VH
26	5.0	27015	846.5	QPSK	25@0	-6.45	-0.00762	±2.5	PASS	TH/VH
26	5.0	27015	846.5	16QAM	25@0	-8.2	-0.00968	±2.5	PASS	TH/VH
26	10.0	26840	829.0	QPSK	50@0	-13.38	-0.01613	±2.5	PASS	TH/VH
26	10.0	26840	829.0	16QAM	50@0	-39.07	-0.04713	±2.5	PASS	TH/VH
26	10.0	26915	836.5	QPSK	50@0	-0.84	-0.00101	±2.5	PASS	TH/VH
26	10.0	26915	836.5	16QAM	50@0	-20.34	-0.02432	±2.5	PASS	TH/VH
26	10.0	26990	844.0	QPSK	50@0	-5.34	-0.00632	±2.5	PASS	TH/VH
26	10.0	26990	844.0	16QAM	50@0	-36.64	-0.04341	±2.5	PASS	TH/VH
26	15.0	26865	831.5	QPSK	75@0	-19.25	-0.02316	±2.5	PASS	TH/VH
26	15.0	26865	831.5	16QAM	75@0	-37.22	-0.04476	±2.5	PASS	TH/VH

Frequency Stability-TH/VL

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26797	824.7	QPSK	6@0	-14.13	-0.01714	±2.5	PASS	TH/VL
26	1.4	26797	824.7	16QAM	6@0	-25.53	-0.03096	±2.5	PASS	TH/VL
26	1.4	26915	836.5	QPSK	6@0	4.56	0.00546	±2.5	PASS	TH/VL
26	1.4	26915	836.5	16QAM	6@0	-4.52	-0.0054	±2.5	PASS	TH/VL
26	1.4	27033	848.3	QPSK	6@0	-9.71	-0.01145	±2.5	PASS	TH/VL
26	1.4	27033	848.3	16QAM	6@0	-32.39	-0.03818	±2.5	PASS	TH/VL
26	3.0	26805	825.5	QPSK	15@0	-7.82	-0.00948	±2.5	PASS	TH/VL
26	3.0	26805	825.5	16QAM	15@0	-19.21	-0.02327	±2.5	PASS	TH/VL
26	3.0	26915	836.5	QPSK	15@0	-4.08	-0.00487	±2.5	PASS	TH/VL
26	3.0	26915	836.5	16QAM	15@0	-13.45	-0.01608	±2.5	PASS	TH/VL
26	3.0	27025	847.5	QPSK	15@0	-6.75	-0.00797	±2.5	PASS	TH/VL
26	3.0	27025	847.5	16QAM	15@0	-28.48	-0.03361	±2.5	PASS	TH/VL
26	5.0	26815	826.5	QPSK	25@0	-13.8	-0.0167	±2.5	PASS	TH/VL
26	5.0	26815	826.5	16QAM	25@0	-23.66	-0.02863	±2.5	PASS	TH/VL
26	5.0	26915	836.5	QPSK	25@0	-2.6	-0.00311	±2.5	PASS	TH/VL
26	5.0	26915	836.5	16QAM	25@0	-15.81	-0.0189	±2.5	PASS	TH/VL
26	5.0	27015	846.5	QPSK	25@0	-7.34	-0.00867	±2.5	PASS	TH/VL
26	5.0	27015	846.5	16QAM	25@0	-23.1	-0.02729	±2.5	PASS	TH/VL
26	10.0	26840	829.0	QPSK	50@0	-9.53	-0.01149	±2.5	PASS	TH/VL
26	10.0	26840	829.0	16QAM	50@0	-18.53	-0.02235	±2.5	PASS	TH/VL
26	10.0	26915	836.5	QPSK	50@0	0.51	0.00062	±2.5	PASS	TH/VL
26	10.0	26915	836.5	16QAM	50@0	-9.2	-0.011	±2.5	PASS	TH/VL
26	10.0	26990	844.0	QPSK	50@0	-7.87	-0.00932	±2.5	PASS	TH/VL
26	10.0	26990	844.0	16QAM	50@0	-15.76	-0.01868	±2.5	PASS	TH/VL
26	15.0	26865	831.5	QPSK	75@0	-17.6	-0.02116	±2.5	PASS	TH/VL
26	15.0	26865	831.5	16QAM	75@0	-26.68	-0.03209	±2.5	PASS	TH/VL

Frequency Stability-TH/VN

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26797	824.7	QPSK	6@0	-14.22	-0.01724	±2.5	PASS	TH/VN
26	1.4	26797	824.7	16QAM	6@0	-22.2	-0.02692	±2.5	PASS	TH/VN
26	1.4	26915	836.5	QPSK	6@0	-5.74	-0.00686	±2.5	PASS	TH/VN
26	1.4	26915	836.5	16QAM	6@0	-17.9	-0.02139	±2.5	PASS	TH/VN
26	1.4	27033	848.3	QPSK	6@0	-4.58	-0.0054	±2.5	PASS	TH/VN
26	1.4	27033	848.3	16QAM	6@0	-24.72	-0.02914	±2.5	PASS	TH/VN
26	3.0	26805	825.5	QPSK	15@0	-5.52	-0.00669	±2.5	PASS	TH/VN
26	3.0	26805	825.5	16QAM	15@0	-15.06	-0.01825	±2.5	PASS	TH/VN
26	3.0	26915	836.5	QPSK	15@0	-7.51	-0.00898	±2.5	PASS	TH/VN
26	3.0	26915	836.5	16QAM	15@0	-14.86	-0.01777	±2.5	PASS	TH/VN
26	3.0	27025	847.5	QPSK	15@0	-10.57	-0.01247	±2.5	PASS	TH/VN
26	3.0	27025	847.5	16QAM	15@0	-21.0	-0.02478	±2.5	PASS	TH/VN
26	5.0	26815	826.5	QPSK	25@0	-12.97	-0.0157	±2.5	PASS	TH/VN
26	5.0	26815	826.5	16QAM	25@0	-21.16	-0.0256	±2.5	PASS	TH/VN
26	5.0	26915	836.5	QPSK	25@0	1.69	0.00202	±2.5	PASS	TH/VN
26	5.0	26915	836.5	16QAM	25@0	-4.91	-0.00587	±2.5	PASS	TH/VN
26	5.0	27015	846.5	QPSK	25@0	-3.33	-0.00394	±2.5	PASS	TH/VN
26	5.0	27015	846.5	16QAM	25@0	-14.59	-0.01724	±2.5	PASS	TH/VN
26	10.0	26840	829.0	QPSK	50@0	-16.05	-0.01936	±2.5	PASS	TH/VN
26	10.0	26840	829.0	16QAM	50@0	-28.51	-0.03439	±2.5	PASS	TH/VN
26	10.0	26915	836.5	QPSK	50@0	-9.37	-0.0112	±2.5	PASS	TH/VN
26	10.0	26915	836.5	16QAM	50@0	-8.55	-0.01023	±2.5	PASS	TH/VN
26	10.0	26990	844.0	QPSK	50@0	-4.15	-0.00492	±2.5	PASS	TH/VN
26	10.0	26990	844.0	16QAM	50@0	-18.0	-0.02132	±2.5	PASS	TH/VN
26	15.0	26865	831.5	QPSK	75@0	-13.78	-0.01657	±2.5	PASS	TH/VN
26	15.0	26865	831.5	16QAM	75@0	-25.13	-0.03023	±2.5	PASS	TH/VN

Frequency Stability-TL/VH

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26797	824.7	QPSK	6@0	-13.88	-0.01683	±2.5	PASS	TL/VH
26	1.4	26797	824.7	16QAM	6@0	-15.52	-0.01882	±2.5	PASS	TL/VH
26	1.4	26915	836.5	QPSK	6@0	1.59	0.0019	±2.5	PASS	TL/VH
26	1.4	26915	836.5	16QAM	6@0	-7.77	-0.00929	±2.5	PASS	TL/VH
26	1.4	27033	848.3	QPSK	6@0	-4.22	-0.00497	±2.5	PASS	TL/VH
26	1.4	27033	848.3	16QAM	6@0	-17.15	-0.02022	±2.5	PASS	TL/VH
26	3.0	26805	825.5	QPSK	15@0	-11.47	-0.0139	±2.5	PASS	TL/VH
26	3.0	26805	825.5	16QAM	15@0	-21.94	-0.02658	±2.5	PASS	TL/VH
26	3.0	26915	836.5	QPSK	15@0	-6.42	-0.00768	±2.5	PASS	TL/VH
26	3.0	26915	836.5	16QAM	15@0	-13.19	-0.01577	±2.5	PASS	TL/VH
26	3.0	27025	847.5	QPSK	15@0	-3.39	-0.004	±2.5	PASS	TL/VH
26	3.0	27025	847.5	16QAM	15@0	-17.88	-0.0211	±2.5	PASS	TL/VH
26	5.0	26815	826.5	QPSK	25@0	-14.29	-0.01729	±2.5	PASS	TL/VH
26	5.0	26815	826.5	16QAM	25@0	-22.13	-0.02678	±2.5	PASS	TL/VH
26	5.0	26915	836.5	QPSK	25@0	-6.42	-0.00768	±2.5	PASS	TL/VH
26	5.0	26915	836.5	16QAM	25@0	-8.41	-0.01006	±2.5	PASS	TL/VH
26	5.0	27015	846.5	QPSK	25@0	-1.24	-0.00147	±2.5	PASS	TL/VH
26	5.0	27015	846.5	16QAM	25@0	-9.76	-0.01153	±2.5	PASS	TL/VH
26	10.0	26840	829.0	QPSK	50@0	-15.82	-0.01908	±2.5	PASS	TL/VH
26	10.0	26840	829.0	16QAM	50@0	-25.68	-0.03097	±2.5	PASS	TL/VH
26	10.0	26915	836.5	QPSK	50@0	-4.13	-0.00494	±2.5	PASS	TL/VH
26	10.0	26915	836.5	16QAM	50@0	-9.98	-0.01194	±2.5	PASS	TL/VH
26	10.0	26990	844.0	QPSK	50@0	-1.7	-0.00202	±2.5	PASS	TL/VH
26	10.0	26990	844.0	16QAM	50@0	-11.12	-0.01317	±2.5	PASS	TL/VH
26	15.0	26865	831.5	QPSK	75@0	-12.7	-0.01528	±2.5	PASS	TL/VH
26	15.0	26865	831.5	16QAM	75@0	-21.73	-0.02613	±2.5	PASS	TL/VH

Frequency Stability-TL/VL

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26797	824.7	QPSK	6@0	-14.19	-0.01721	±2.5	PASS	TL/VL
26	1.4	26797	824.7	16QAM	6@0	-22.43	-0.0272	±2.5	PASS	TL/VL
26	1.4	26915	836.5	QPSK	6@0	-6.12	-0.00732	±2.5	PASS	TL/VL
26	1.4	26915	836.5	16QAM	6@0	-13.16	-0.01573	±2.5	PASS	TL/VL
26	1.4	27033	848.3	QPSK	6@0	-7.24	-0.00853	±2.5	PASS	TL/VL
26	1.4	27033	848.3	16QAM	6@0	-24.55	-0.02894	±2.5	PASS	TL/VL
26	3.0	26805	825.5	QPSK	15@0	-15.75	-0.01908	±2.5	PASS	TL/VL
26	3.0	26805	825.5	16QAM	15@0	-25.78	-0.03123	±2.5	PASS	TL/VL
26	3.0	26915	836.5	QPSK	15@0	-0.7	-0.00084	±2.5	PASS	TL/VL
26	3.0	26915	836.5	16QAM	15@0	-13.03	-0.01558	±2.5	PASS	TL/VL
26	3.0	27025	847.5	QPSK	15@0	-4.79	-0.00565	±2.5	PASS	TL/VL
26	3.0	27025	847.5	16QAM	15@0	-11.86	-0.01399	±2.5	PASS	TL/VL
26	5.0	26815	826.5	QPSK	25@0	-13.43	-0.01625	±2.5	PASS	TL/VL
26	5.0	26815	826.5	16QAM	25@0	-19.88	-0.02406	±2.5	PASS	TL/VL
26	5.0	26915	836.5	QPSK	25@0	-0.94	-0.00113	±2.5	PASS	TL/VL
26	5.0	26915	836.5	16QAM	25@0	-7.58	-0.00906	±2.5	PASS	TL/VL
26	5.0	27015	846.5	QPSK	25@0	-3.2	-0.00379	±2.5	PASS	TL/VL
26	5.0	27015	846.5	16QAM	25@0	-11.7	-0.01382	±2.5	PASS	TL/VL
26	10.0	26840	829.0	QPSK	50@0	-9.23	-0.01113	±2.5	PASS	TL/VL
26	10.0	26840	829.0	16QAM	50@0	-20.96	-0.02528	±2.5	PASS	TL/VL
26	10.0	26915	836.5	QPSK	50@0	-1.83	-0.00219	±2.5	PASS	TL/VL
26	10.0	26915	836.5	16QAM	50@0	-4.52	-0.0054	±2.5	PASS	TL/VL
26	10.0	26990	844.0	QPSK	50@0	-7.91	-0.00937	±2.5	PASS	TL/VL
26	10.0	26990	844.0	16QAM	50@0	-20.81	-0.02466	±2.5	PASS	TL/VL
26	15.0	26865	831.5	QPSK	75@0	-16.09	-0.01935	±2.5	PASS	TL/VL
26	15.0	26865	831.5	16QAM	75@0	-26.06	-0.03135	±2.5	PASS	TL/VL

Frequency Stability-TL/VN

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26797	824.7	QPSK	6@0	-20.5	-0.02486	±2.5	PASS	TL/VN
26	1.4	26797	824.7	16QAM	6@0	-27.77	-0.03367	±2.5	PASS	TL/VN
26	1.4	26915	836.5	QPSK	6@0	-1.46	-0.00174	±2.5	PASS	TL/VN
26	1.4	26915	836.5	16QAM	6@0	-11.74	-0.01404	±2.5	PASS	TL/VN
26	1.4	27033	848.3	QPSK	6@0	-6.08	-0.00717	±2.5	PASS	TL/VN
26	1.4	27033	848.3	16QAM	6@0	-22.32	-0.02631	±2.5	PASS	TL/VN
26	3.0	26805	825.5	QPSK	15@0	-7.97	-0.00965	±2.5	PASS	TL/VN
26	3.0	26805	825.5	16QAM	15@0	-17.37	-0.02104	±2.5	PASS	TL/VN
26	3.0	26915	836.5	QPSK	15@0	-2.22	-0.00265	±2.5	PASS	TL/VN
26	3.0	26915	836.5	16QAM	15@0	-5.74	-0.00686	±2.5	PASS	TL/VN
26	3.0	27025	847.5	QPSK	15@0	-6.17	-0.00727	±2.5	PASS	TL/VN
26	3.0	27025	847.5	16QAM	15@0	-15.32	-0.01808	±2.5	PASS	TL/VN
26	5.0	26815	826.5	QPSK	25@0	-8.44	-0.01021	±2.5	PASS	TL/VN
26	5.0	26815	826.5	16QAM	25@0	-17.55	-0.02124	±2.5	PASS	TL/VN
26	5.0	26915	836.5	QPSK	25@0	-3.18	-0.0038	±2.5	PASS	TL/VN
26	5.0	26915	836.5	16QAM	25@0	-8.75	-0.01047	±2.5	PASS	TL/VN
26	5.0	27015	846.5	QPSK	25@0	-3.56	-0.00421	±2.5	PASS	TL/VN
26	5.0	27015	846.5	16QAM	25@0	-13.19	-0.01558	±2.5	PASS	TL/VN
26	10.0	26840	829.0	QPSK	50@0	-20.94	-0.02526	±2.5	PASS	TL/VN
26	10.0	26840	829.0	16QAM	50@0	-31.7	-0.03824	±2.5	PASS	TL/VN
26	10.0	26915	836.5	QPSK	50@0	-6.47	-0.00773	±2.5	PASS	TL/VN
26	10.0	26915	836.5	16QAM	50@0	-16.05	-0.01919	±2.5	PASS	TL/VN
26	10.0	26990	844.0	QPSK	50@0	-5.44	-0.00644	±2.5	PASS	TL/VN
26	10.0	26990	844.0	16QAM	50@0	-18.87	-0.02236	±2.5	PASS	TL/VN
26	15.0	26865	831.5	QPSK	75@0	-16.62	-0.01999	±2.5	PASS	TL/VN
26	15.0	26865	831.5	16QAM	75@0	-27.34	-0.03288	±2.5	PASS	TL/VN

Frequency Stability-TN/VH







Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26797	824.7	QPSK	6@0	-11.56	-0.01402	±2.5	PASS	TN/VH
26	1.4	26797	824.7	16QAM	6@0	-22.07	-0.02676	±2.5	PASS	TN/VH
26	1.4	26915	836.5	QPSK	6@0	-9.61	-0.01149	±2.5	PASS	TN/VH
26	1.4	26915	836.5	16QAM	6@0	-18.08	-0.02162	±2.5	PASS	TN/VH
26	1.4	27033	848.3	QPSK	6@0	-0.33	-0.00039	±2.5	PASS	TN/VH
26	1.4	27033	848.3	16QAM	6@0	-18.0	-0.02121	±2.5	PASS	TN/VH
26	3.0	26805	825.5	QPSK	15@0	-8.15	-0.00988	±2.5	PASS	TN/VH
26	3.0	26805	825.5	16QAM	15@0	-21.59	-0.02615	±2.5	PASS	TN/VH
26	3.0	26915	836.5	QPSK	15@0	-7.34	-0.00877	±2.5	PASS	TN/VH
26	3.0	26915	836.5	16QAM	15@0	-13.73	-0.01642	±2.5	PASS	TN/VH
26	3.0	27025	847.5	QPSK	15@0	-10.36	-0.01222	±2.5	PASS	TN/VH
26	3.0	27025	847.5	16QAM	15@0	-20.0	-0.0236	±2.5	PASS	TN/VH
26	5.0	26815	826.5	QPSK	25@0	-10.64	-0.01288	±2.5	PASS	TN/VH
26	5.0	26815	826.5	16QAM	25@0	-18.67	-0.02259	±2.5	PASS	TN/VH
26	5.0	26915	836.5	QPSK	25@0	-0.79	-0.00094	±2.5	PASS	TN/VH
26	5.0	26915	836.5	16QAM	25@0	-8.68	-0.01038	±2.5	PASS	TN/VH
26	5.0	27015	846.5	QPSK	25@0	-6.61	-0.00781	±2.5	PASS	TN/VH
26	5.0	27015	846.5	16QAM	25@0	-23.2	-0.02741	±2.5	PASS	TN/VH
26	10.0	26840	829.0	QPSK	50@0	-5.78	-0.00697	±2.5	PASS	TN/VH
26	10.0	26840	829.0	16QAM	50@0	-16.14	-0.01946	±2.5	PASS	TN/VH
26	10.0	26915	836.5	QPSK	50@0	-4.13	-0.00494	±2.5	PASS	TN/VH
26	10.0	26915	836.5	16QAM	50@0	-3.92	-0.00469	±2.5	PASS	TN/VH
26	10.0	26990	844.0	QPSK	50@0	-4.53	-0.00537	±2.5	PASS	TN/VH
26	10.0	26990	844.0	16QAM	50@0	-19.34	-0.02292	±2.5	PASS	TN/VH
26	15.0	26865	831.5	QPSK	75@0	-12.69	-0.01526	±2.5	PASS	TN/VH
26	15.0	26865	831.5	16QAM	75@0	-21.94	-0.02639	±2.5	PASS	TN/VH







Frequency Stability-TN/VL







Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26797	824.7	QPSK	6@0	-14.98	-0.01816	±2.5	PASS	TN/VL
26	1.4	26797	824.7	16QAM	6@0	-24.42	-0.02961	±2.5	PASS	TN/VL
26	1.4	26915	836.5	QPSK	6@0	-4.36	-0.00522	±2.5	PASS	TN/VL
26	1.4	26915	836.5	16QAM	6@0	-14.51	-0.01734	±2.5	PASS	TN/VL
26	1.4	27033	848.3	QPSK	6@0	-3.48	-0.0041	±2.5	PASS	TN/VL
26	1.4	27033	848.3	16QAM	6@0	-16.05	-0.01892	±2.5	PASS	TN/VL
26	3.0	26805	825.5	QPSK	15@0	-8.91	-0.0108	±2.5	PASS	TN/VL
26	3.0	26805	825.5	16QAM	15@0	-22.43	-0.02717	±2.5	PASS	TN/VL
26	3.0	26915	836.5	QPSK	15@0	-3.5	-0.00419	±2.5	PASS	TN/VL
26	3.0	26915	836.5	16QAM	15@0	-7.44	-0.00889	±2.5	PASS	TN/VL
26	3.0	27025	847.5	QPSK	15@0	-9.03	-0.01065	±2.5	PASS	TN/VL
26	3.0	27025	847.5	16QAM	15@0	-20.93	-0.02469	±2.5	PASS	TN/VL
26	5.0	26815	826.5	QPSK	25@0	-11.16	-0.0135	±2.5	PASS	TN/VL
26	5.0	26815	826.5	16QAM	25@0	-15.96	-0.01932	±2.5	PASS	TN/VL
26	5.0	26915	836.5	QPSK	25@0	0.32	0.00038	±2.5	PASS	TN/VL
26	5.0	26915	836.5	16QAM	25@0	-3.12	-0.00373	±2.5	PASS	TN/VL
26	5.0	27015	846.5	QPSK	25@0	-1.8	-0.00213	±2.5	PASS	TN/VL
26	5.0	27015	846.5	16QAM	25@0	-15.26	-0.01803	±2.5	PASS	TN/VL
26	10.0	26840	829.0	QPSK	50@0	-19.01	-0.02293	±2.5	PASS	TN/VL
26	10.0	26840	829.0	16QAM	50@0	-24.09	-0.02906	±2.5	PASS	TN/VL
26	10.0	26915	836.5	QPSK	50@0	-3.86	-0.00462	±2.5	PASS	TN/VL
26	10.0	26915	836.5	16QAM	50@0	-11.37	-0.0136	±2.5	PASS	TN/VL
26	10.0	26990	844.0	QPSK	50@0	-3.63	-0.00431	±2.5	PASS	TN/VL
26	10.0	26990	844.0	16QAM	50@0	-15.09	-0.01788	±2.5	PASS	TN/VL
26	15.0	26865	831.5	QPSK	75@0	-11.16	-0.01342	±2.5	PASS	TN/VL
26	15.0	26865	831.5	16QAM	75@0	-19.03	-0.02288	±2.5	PASS	TN/VL

H7.Modulation Characteristics

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Verdict
26	1.4	26797	824.7	QPSK	6@0	PASS
26	1.4	26797	824.7	16QAM	6@0	PASS
26	1.4	26915	836.5	QPSK	6@0	PASS
26	1.4	26915	836.5	16QAM	6@0	PASS
26	1.4	27033	848.3	QPSK	6@0	PASS
26	1.4	27033	848.3	16QAM	6@0	PASS
26	3.0	26805	825.5	QPSK	15@0	PASS
26	3.0	26805	825.5	16QAM	15@0	PASS
26	3.0	26915	836.5	QPSK	15@0	PASS
26	3.0	26915	836.5	16QAM	15@0	PASS
26	3.0	27025	847.5	QPSK	15@0	PASS
26	3.0	27025	847.5	16QAM	15@0	PASS
26	5.0	26815	826.5	QPSK	25@0	PASS
26	5.0	26815	826.5	16QAM	25@0	PASS
26	5.0	26915	836.5	QPSK	25@0	PASS
26	5.0	26915	836.5	16QAM	25@0	PASS
26	5.0	27015	846.5	QPSK	25@0	PASS
26	5.0	27015	846.5	16QAM	25@0	PASS
26	10.0	26840	829.0	QPSK	50@0	PASS
26	10.0	26840	829.0	16QAM	50@0	PASS
26	10.0	26915	836.5	QPSK	50@0	PASS
26	10.0	26915	836.5	16QAM	50@0	PASS
26	10.0	26990	844.0	QPSK	50@0	PASS
26	10.0	26990	844.0	16QAM	50@0	PASS
26	15.0	26865	831.5	QPSK	75@0	PASS
26	15.0	26865	831.5	16QAM	75@0	PASS

	
Band 26 1.4MHz/824.7/Low QPSK 6@0	Band 26 1.4MHz/824.7/Low 16QAM 6@0
	
Band 26 1.4MHz/836.5/Mid QPSK 6@0	Band 26 1.4MHz/836.5/Mid 16QAM 6@0
	
Band 26 1.4MHz/848.3/High QPSK 6@0	Band 26 1.4MHz/848.3/High 16QAM 6@0

	
Band 26 3MHz/825.5/Low QPSK 15@0	Band 26 3MHz/825.5/Low 16QAM 15@0
	
Band 26 3MHz/836.5/Mid QPSK 15@0	Band 26 3MHz/836.5/Mid 16QAM 15@0
	
Band 26 3MHz/847.5/High QPSK 15@0	Band 26 3MHz/847.5/High 16QAM 15@0

	
Band 26 5MHz/826.5/Low QPSK 25@0	Band 26 5MHz/826.5/Low 16QAM 25@0
	
Band 26 5MHz/836.5/Mid QPSK 25@0	Band 26 5MHz/836.5/Mid 16QAM 25@0
	
Band 26 5MHz/846.5/High QPSK 25@0	Band 26 5MHz/846.5/High 16QAM 25@0



