



F4-2.Conducted Band Edge EGPRS


Band	Channel	Freq (MHz)	Slots	Result	Verdict
GSM 850	128	824.2	1 Tx	see graph	PASS
GSM 850	251	848.8	1 Tx	see graph	PASS
PCS 1900	512	1850.2	1 Tx	see graph	PASS
PCS 1900	810	1909.8	1 Tx	see graph	PASS




GSM 850 0.2MHz/824.2/Low



GSM 850 0.2MHz/848.8/High



PCS 1900 0.2MHz/1850.2/Low



PCS 1900 0.2MHz/1909.8/High


F5.Conducted Spurious Emissions


Band	Channel	Freq (MHz)	StartFreq (MHz)	StopFreq (MHz)	Result (dBm)	Limit (dBm)	Verdict
GSM 850	128	824.2	0.15	30.0	-42.93	-13	PASS
GSM 850	128	824.2	30.0	1000.0	-39.09	-13	PASS
GSM 850	128	824.2	1000.0	4000.0	-16.89	-13	PASS
GSM 850	128	824.2	4000.0	7000.0	-37.18	-13	PASS
GSM 850	128	824.2	7000.0	10000.0	-43.05	-13	PASS
GSM 850	190	836.6	0.15	30.0	-36.01	-13	PASS
GSM 850	190	836.6	30.0	1000.0	-39.38	-13	PASS
GSM 850	190	836.6	1000.0	4000.0	-15.35	-13	PASS
GSM 850	190	836.6	4000.0	7000.0	-36.75	-13	PASS
GSM 850	190	836.6	7000.0	10000.0	-43.26	-13	PASS
GSM 850	251	848.8	0.15	30.0	-36.0	-13	PASS
GSM 850	251	848.8	30.0	1000.0	-38.78	-13	PASS
GSM 850	251	848.8	1000.0	4000.0	-15.25	-13	PASS
GSM 850	251	848.8	4000.0	7000.0	-38.28	-13	PASS
GSM 850	251	848.8	7000.0	10000.0	-43.48	-13	PASS
PCS 1900	512	1850.2	0.15	30.0	-53.78	-23	PASS
PCS 1900	512	1850.2	30.0	1000.0	-44.83	-13	PASS
PCS 1900	512	1850.2	1000.0	4000.0	-26.05	-13	PASS
PCS 1900	512	1850.2	4000.0	7000.0	-38.8	-13	PASS
PCS 1900	512	1850.2	7000.0	10000.0	-43.49	-13	PASS
PCS 1900	512	1850.2	10000.0	13000.0	-40.94	-13	PASS
PCS 1900	512	1850.2	13000.0	16000.0	-37.17	-13	PASS
PCS 1900	512	1850.2	16000.0	19000.0	-35.49	-13	PASS
PCS 1900	512	1850.2	19000.0	20000.0	-34.79	-13	PASS
PCS 1900	661	1880.0	0.15	30.0	-53.26	-23	PASS
PCS 1900	661	1880.0	30.0	1000.0	-45.16	-13	PASS
PCS 1900	661	1880.0	1000.0	4000.0	-26.03	-13	PASS
PCS 1900	661	1880.0	4000.0	7000.0	-38.9	-13	PASS
PCS 1900	661	1880.0	7000.0	10000.0	-41.98	-13	PASS
PCS 1900	661	1880.0	10000.0	13000.0	-40.46	-13	PASS
PCS 1900	661	1880.0	13000.0	16000.0	-37.51	-13	PASS
PCS 1900	661	1880.0	16000.0	19000.0	-34.19	-13	PASS
PCS 1900	661	1880.0	19000.0	20000.0	-34.93	-13	PASS
PCS 1900	810	1909.8	0.15	30.0	-52.89	-23	PASS
PCS 1900	810	1909.8	30.0	1000.0	-45.7	-13	PASS
PCS 1900	810	1909.8	1000.0	4000.0	-25.89	-13	PASS
PCS 1900	810	1909.8	4000.0	7000.0	-38.17	-13	PASS
PCS 1900	810	1909.8	7000.0	10000.0	-41.96	-13	PASS
PCS 1900	810	1909.8	10000.0	13000.0	-41.39	-13	PASS





Report No.:SHATBL2601007W05


PCS 1900	810	1909.8	13000.0	16000.0	-36.9	-13	PASS
PCS 1900	810	1909.8	16000.0	19000.0	-34.14	-13	PASS
PCS 1900	810	1909.8	19000.0	20000.0	-34.99	-13	PASS

















F5-1.Conducted Spurious Emissions GPRS

Band	Channel	Freq (MHz)	StartFreq (MHz)	StopFreq (MHz)	Slots	Result (dBm)	Limit (dBm)	Verdict
GSM 850	128	824.2	0.15	30.0	1 Tx	-46.89	-13	PASS
GSM 850	128	824.2	30.0	1000.0	1 Tx	-38.49	-13	PASS
GSM 850	128	824.2	1000.0	4000.0	1 Tx	-16.93	-13	PASS
GSM 850	128	824.2	4000.0	7000.0	1 Tx	-37.62	-13	PASS
GSM 850	128	824.2	7000.0	10000.0	1 Tx	-42.94	-13	PASS
GSM 850	190	836.6	0.15	30.0	1 Tx	-35.59	-13	PASS
GSM 850	190	836.6	30.0	1000.0	1 Tx	-39.39	-13	PASS
GSM 850	190	836.6	1000.0	4000.0	1 Tx	-15.21	-13	PASS
GSM 850	190	836.6	4000.0	7000.0	1 Tx	-36.71	-13	PASS
GSM 850	190	836.6	7000.0	10000.0	1 Tx	-43.29	-13	PASS
GSM 850	251	848.8	0.15	30.0	1 Tx	-36.7	-13	PASS
GSM 850	251	848.8	30.0	1000.0	1 Tx	-38.08	-13	PASS
GSM 850	251	848.8	1000.0	4000.0	1 Tx	-15.2	-13	PASS
GSM 850	251	848.8	4000.0	7000.0	1 Tx	-38.22	-13	PASS
GSM 850	251	848.8	7000.0	10000.0	1 Tx	-42.96	-13	PASS
PCS 1900	512	1850.2	0.15	30.0	1 Tx	-52.84	-23	PASS
PCS 1900	512	1850.2	30.0	1000.0	1 Tx	-41.07	-13	PASS
PCS 1900	512	1850.2	1000.0	4000.0	1 Tx	-25.85	-13	PASS
PCS 1900	512	1850.2	4000.0	7000.0	1 Tx	-38.47	-13	PASS
PCS 1900	512	1850.2	7000.0	10000.0	1 Tx	-43.06	-13	PASS
PCS 1900	512	1850.2	10000.0	13000.0	1 Tx	-41.11	-13	PASS
PCS 1900	512	1850.2	13000.0	16000.0	1 Tx	-37.7	-13	PASS
PCS 1900	512	1850.2	16000.0	19000.0	1 Tx	-35.25	-13	PASS
PCS 1900	512	1850.2	19000.0	20000.0	1 Tx	-35.32	-13	PASS
PCS 1900	661	1880.0	0.15	30.0	1 Tx	-57.53	-23	PASS
PCS 1900	661	1880.0	30.0	1000.0	1 Tx	-40.84	-13	PASS
PCS 1900	661	1880.0	1000.0	4000.0	1 Tx	-25.68	-13	PASS
PCS 1900	661	1880.0	4000.0	7000.0	1 Tx	-37.68	-13	PASS
PCS 1900	661	1880.0	7000.0	10000.0	1 Tx	-42.69	-13	PASS
PCS 1900	661	1880.0	10000.0	13000.0	1 Tx	-41.09	-13	PASS
PCS 1900	661	1880.0	13000.0	16000.0	1 Tx	-37.07	-13	PASS
PCS 1900	661	1880.0	16000.0	19000.0	1 Tx	-34.43	-13	PASS
PCS 1900	661	1880.0	19000.0	20000.0	1 Tx	-35.04	-13	PASS
PCS 1900	810	1909.8	0.15	30.0	1 Tx	-57.63	-23	PASS
PCS 1900	810	1909.8	30.0	1000.0	1 Tx	-38.31	-13	PASS
PCS 1900	810	1909.8	1000.0	4000.0	1 Tx	-25.89	-13	PASS
PCS 1900	810	1909.8	4000.0	7000.0	1 Tx	-37.77	-13	PASS
PCS 1900	810	1909.8	7000.0	10000.0	1 Tx	-41.94	-13	PASS
PCS 1900	810	1909.8	10000.0	13000.0	1 Tx	-40.82	-13	PASS



Report No.:SHATBL2601007W05

PCS 1900	810	1909.8	13000.0	16000.0	1 Tx	-37.43	-13	PASS
PCS 1900	810	1909.8	16000.0	19000.0	1 Tx	-35.14	-13	PASS
PCS 1900	810	1909.8	19000.0	20000.0	1 Tx	-34.87	-13	PASS

