





F5-2.Conducted Spurious Emissions EGPRS


Band	Channel	Freq (MHz)	StartFreq (MHz)	StopFreq (MHz)	Slots	Result (dBm)	Limit (dBm)	Verdict
GSM 850	128	824.2	0.15	30.0	1 Tx	-41.05	-13	PASS
GSM 850	128	824.2	30.0	1000.0	1 Tx	-38.39	-13	PASS
GSM 850	128	824.2	1000.0	4000.0	1 Tx	-16.51	-13	PASS
GSM 850	128	824.2	4000.0	7000.0	1 Tx	-37.2	-13	PASS
GSM 850	128	824.2	7000.0	10000.0	1 Tx	-42.9	-13	PASS
GSM 850	190	836.6	0.15	30.0	1 Tx	-38.54	-13	PASS
GSM 850	190	836.6	30.0	1000.0	1 Tx	-38.02	-13	PASS
GSM 850	190	836.6	1000.0	4000.0	1 Tx	-14.74	-13	PASS
GSM 850	190	836.6	4000.0	7000.0	1 Tx	-37.0	-13	PASS
GSM 850	190	836.6	7000.0	10000.0	1 Tx	-43.41	-13	PASS
GSM 850	251	848.8	0.15	30.0	1 Tx	-34.21	-13	PASS
GSM 850	251	848.8	30.0	1000.0	1 Tx	-38.71	-13	PASS
GSM 850	251	848.8	1000.0	4000.0	1 Tx	-14.9	-13	PASS
GSM 850	251	848.8	4000.0	7000.0	1 Tx	-38.36	-13	PASS
GSM 850	251	848.8	7000.0	10000.0	1 Tx	-42.66	-13	PASS
PCS 1900	512	1850.2	0.15	30.0	1 Tx	-57.25	-23	PASS
PCS 1900	512	1850.2	30.0	1000.0	1 Tx	-40.97	-13	PASS
PCS 1900	512	1850.2	1000.0	4000.0	1 Tx	-25.8	-13	PASS
PCS 1900	512	1850.2	4000.0	7000.0	1 Tx	-38.38	-13	PASS
PCS 1900	512	1850.2	7000.0	10000.0	1 Tx	-42.95	-13	PASS
PCS 1900	512	1850.2	10000.0	13000.0	1 Tx	-40.64	-13	PASS
PCS 1900	512	1850.2	13000.0	16000.0	1 Tx	-36.68	-13	PASS
PCS 1900	512	1850.2	16000.0	19000.0	1 Tx	-35.44	-13	PASS
PCS 1900	512	1850.2	19000.0	20000.0	1 Tx	-34.83	-13	PASS
PCS 1900	661	1880.0	0.15	30.0	1 Tx	-55.64	-23	PASS
PCS 1900	661	1880.0	30.0	1000.0	1 Tx	-37.9	-13	PASS
PCS 1900	661	1880.0	1000.0	4000.0	1 Tx	-25.96	-13	PASS
PCS 1900	661	1880.0	4000.0	7000.0	1 Tx	-37.06	-13	PASS
PCS 1900	661	1880.0	7000.0	10000.0	1 Tx	-42.4	-13	PASS
PCS 1900	661	1880.0	10000.0	13000.0	1 Tx	-40.75	-13	PASS
PCS 1900	661	1880.0	13000.0	16000.0	1 Tx	-37.38	-13	PASS
PCS 1900	661	1880.0	16000.0	19000.0	1 Tx	-35.08	-13	PASS
PCS 1900	661	1880.0	19000.0	20000.0	1 Tx	-35.21	-13	PASS
PCS 1900	810	1909.8	0.15	30.0	1 Tx	-54.81	-23	PASS
PCS 1900	810	1909.8	30.0	1000.0	1 Tx	-38.66	-13	PASS
PCS 1900	810	1909.8	1000.0	4000.0	1 Tx	-25.81	-13	PASS
PCS 1900	810	1909.8	4000.0	7000.0	1 Tx	-37.63	-13	PASS
PCS 1900	810	1909.8	7000.0	10000.0	1 Tx	-41.35	-13	PASS
PCS 1900	810	1909.8	10000.0	13000.0	1 Tx	-41.35	-13	PASS





Report No.:SHATBL2601007W05


PCS 1900	810	1909.8	13000.0	16000.0	1 Tx	-37.33	-13	PASS
PCS 1900	810	1909.8	16000.0	19000.0	1 Tx	-34.7	-13	PASS
PCS 1900	810	1909.8	19000.0	20000.0	1 Tx	-35.44	-13	PASS

















F6.Frequency Stability-TN/VN

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	11.95	0.01449	±2.5	PASS	TN/VN
GSM 850	190	836.6	-4.81	-0.00575	±2.5	PASS	TN/VN
GSM 850	251	848.8	6.65	0.00784	±2.5	PASS	TN/VN
PCS 1900	512	1850.2	13.95	0.00754	±2.5	PASS	TN/VN
PCS 1900	661	1880.0	-17.53	-0.00933	±2.5	PASS	TN/VN
PCS 1900	810	1909.8	-1.36	-0.00071	±2.5	PASS	TN/VN

Frequency Stability-TH/VH

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	-0.58	-0.00071	±2.5	PASS	TH/VH
GSM 850	190	836.6	0.32	0.00038	±2.5	PASS	TH/VH
GSM 850	251	848.8	6.97	0.00822	±2.5	PASS	TH/VH
PCS 1900	512	1850.2	3.55	0.00192	±2.5	PASS	TH/VH
PCS 1900	661	1880.0	-1.97	-0.00105	±2.5	PASS	TH/VH
PCS 1900	810	1909.8	2.49	0.0013	±2.5	PASS	TH/VH

Frequency Stability-TH/VL

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	-2.78	-0.00337	±2.5	PASS	TH/VL
GSM 850	190	836.6	3.49	0.00417	±2.5	PASS	TH/VL
GSM 850	251	848.8	1.9	0.00224	±2.5	PASS	TH/VL
PCS 1900	512	1850.2	0.26	0.00014	±2.5	PASS	TH/VL
PCS 1900	661	1880.0	7.52	0.004	±2.5	PASS	TH/VL
PCS 1900	810	1909.8	1.23	0.00064	±2.5	PASS	TH/VL

Frequency Stability-TH/VN

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	-9.69	-0.01175	±2.5	PASS	TH/VN
GSM 850	190	836.6	-10.85	-0.01297	±2.5	PASS	TH/VN
GSM 850	251	848.8	-4.75	-0.00559	±2.5	PASS	TH/VN
PCS 1900	512	1850.2	3.81	0.00206	±2.5	PASS	TH/VN
PCS 1900	661	1880.0	5.42	0.00289	±2.5	PASS	TH/VN
PCS 1900	810	1909.8	-8.94	-0.00468	±2.5	PASS	TH/VN

Frequency Stability-TL/VH

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	3.29	0.004	±2.5	PASS	TL/VH
GSM 850	190	836.6	0.23	0.00027	±2.5	PASS	TL/VH
GSM 850	251	848.8	1.87	0.00221	±2.5	PASS	TL/VH
PCS 1900	512	1850.2	16.66	0.009	±2.5	PASS	TL/VH
PCS 1900	661	1880.0	3.52	0.00187	±2.5	PASS	TL/VH
PCS 1900	810	1909.8	15.24	0.00798	±2.5	PASS	TL/VH

Frequency Stability-TL/VL

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	3.42	0.00415	±2.5	PASS	TL/VL
GSM 850	190	836.6	-9.27	-0.01108	±2.5	PASS	TL/VL
GSM 850	251	848.8	3.78	0.00445	±2.5	PASS	TL/VL
PCS 1900	512	1850.2	6.81	0.00368	±2.5	PASS	TL/VL
PCS 1900	661	1880.0	4.91	0.00261	±2.5	PASS	TL/VL
PCS 1900	810	1909.8	2.94	0.00154	±2.5	PASS	TL/VL

Frequency Stability-TL/VN

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	-0.39	-0.00047	±2.5	PASS	TL/VN
GSM 850	190	836.6	-7.85	-0.00938	±2.5	PASS	TL/VN
GSM 850	251	848.8	1.0	0.00118	±2.5	PASS	TL/VN
PCS 1900	512	1850.2	11.69	0.00632	±2.5	PASS	TL/VN
PCS 1900	661	1880.0	1.68	0.00089	±2.5	PASS	TL/VN
PCS 1900	810	1909.8	2.68	0.0014	±2.5	PASS	TL/VN

Frequency Stability-TN/VH

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	10.53	0.01277	±2.5	PASS	TN/VH
GSM 850	190	836.6	7.43	0.00888	±2.5	PASS	TN/VH
GSM 850	251	848.8	5.59	0.00658	±2.5	PASS	TN/VH
PCS 1900	512	1850.2	17.89	0.00967	±2.5	PASS	TN/VH
PCS 1900	661	1880.0	-2.84	-0.00151	±2.5	PASS	TN/VH
PCS 1900	810	1909.8	-10.78	-0.00565	±2.5	PASS	TN/VH

Frequency Stability-TN/VL

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	3.0	0.00364	±2.5	PASS	TN/VL
GSM 850	190	836.6	16.95	0.02026	±2.5	PASS	TN/VL
GSM 850	251	848.8	-11.43	-0.01347	±2.5	PASS	TN/VL
PCS 1900	512	1850.2	25.47	0.01377	±2.5	PASS	TN/VL
PCS 1900	661	1880.0	-9.85	-0.00524	±2.5	PASS	TN/VL
PCS 1900	810	1909.8	8.98	0.0047	±2.5	PASS	TN/VL

F6-1.Frequency Stability GPRS-TN/VN

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	9.98	0.0121	±2.5	PASS	TN/VN
GSM 850	190	836.6	1 Tx	8.2	0.0098	±2.5	PASS	TN/VN
GSM 850	251	848.8	1 Tx	7.91	0.00932	±2.5	PASS	TN/VN
PCS 1900	512	1850.2	1 Tx	9.91	0.00536	±2.5	PASS	TN/VN
PCS 1900	661	1880.0	1 Tx	11.3	0.00601	±2.5	PASS	TN/VN
PCS 1900	810	1909.8	1 Tx	23.18	0.01214	±2.5	PASS	TN/VN

Frequency Stability- GPRS-TH/VH

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	2.74	0.00333	±2.5	PASS	TH/VH
GSM 850	190	836.6	1 Tx	3.49	0.00417	±2.5	PASS	TH/VH
GSM 850	251	848.8	1 Tx	9.65	0.01137	±2.5	PASS	TH/VH
PCS 1900	512	1850.2	1 Tx	18.82	0.01017	±2.5	PASS	TH/VH
PCS 1900	661	1880.0	1 Tx	2.07	0.0011	±2.5	PASS	TH/VH
PCS 1900	810	1909.8	1 Tx	4.23	0.00221	±2.5	PASS	TH/VH

Frequency Stability- GPRS-TH/VL

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	3.58	0.00435	±2.5	PASS	TH/VL
GSM 850	190	836.6	1 Tx	6.07	0.00726	±2.5	PASS	TH/VL
GSM 850	251	848.8	1 Tx	2.87	0.00339	±2.5	PASS	TH/VL
PCS 1900	512	1850.2	1 Tx	0.48	0.00026	±2.5	PASS	TH/VL
PCS 1900	661	1880.0	1 Tx	8.3	0.00441	±2.5	PASS	TH/VL
PCS 1900	810	1909.8	1 Tx	11.75	0.00615	±2.5	PASS	TH/VL

Frequency Stability- GPRS-TH/VN

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	1.68	0.00204	±2.5	PASS	TH/VN
GSM 850	190	836.6	1 Tx	5.49	0.00656	±2.5	PASS	TH/VN
GSM 850	251	848.8	1 Tx	6.36	0.00749	±2.5	PASS	TH/VN
PCS 1900	512	1850.2	1 Tx	17.72	0.00958	±2.5	PASS	TH/VN
PCS 1900	661	1880.0	1 Tx	11.07	0.00589	±2.5	PASS	TH/VN
PCS 1900	810	1909.8	1 Tx	3.52	0.00184	±2.5	PASS	TH/VN

Frequency Stability- GPRS-TL/VH

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	-6.65	-0.00807	±2.5	PASS	TL/VH
GSM 850	190	836.6	1 Tx	2.71	0.00324	±2.5	PASS	TL/VH
GSM 850	251	848.8	1 Tx	10.75	0.01267	±2.5	PASS	TL/VH
PCS 1900	512	1850.2	1 Tx	23.99	0.01297	±2.5	PASS	TL/VH
PCS 1900	661	1880.0	1 Tx	21.02	0.01118	±2.5	PASS	TL/VH
PCS 1900	810	1909.8	1 Tx	30.83	0.01614	±2.5	PASS	TL/VH

Frequency Stability- GPRS-TL/VN

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	7.91	0.0096	±2.5	PASS	TL/VN
GSM 850	190	836.6	1 Tx	3.81	0.00455	±2.5	PASS	TL/VN
GSM 850	251	848.8	1 Tx	11.78	0.01388	±2.5	PASS	TL/VN
PCS 1900	512	1850.2	1 Tx	4.65	0.00251	±2.5	PASS	TL/VN
PCS 1900	661	1880.0	1 Tx	-2.74	-0.00146	±2.5	PASS	TL/VN
PCS 1900	810	1909.8	1 Tx	10.04	0.00526	±2.5	PASS	TL/VN

Frequency Stability- GPRS-TL/VL

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	-8.56	-0.01038	±2.5	PASS	TL/VL
GSM 850	190	836.6	1 Tx	-6.91	-0.00826	±2.5	PASS	TL/VL
GSM 850	251	848.8	1 Tx	-8.39	-0.00989	±2.5	PASS	TL/VL
PCS 1900	512	1850.2	1 Tx	19.05	0.0103	±2.5	PASS	TL/VL
PCS 1900	661	1880.0	1 Tx	11.27	0.00599	±2.5	PASS	TL/VL
PCS 1900	810	1909.8	1 Tx	14.17	0.00742	±2.5	PASS	TL/VL

Frequency Stability- GPRS-TN/VL

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	1.07	0.00129	±2.5	PASS	TN/VL
GSM 850	190	836.6	1 Tx	2.07	0.00247	±2.5	PASS	TN/VL
GSM 850	251	848.8	1 Tx	3.16	0.00373	±2.5	PASS	TN/VL
PCS 1900	512	1850.2	1 Tx	-4.75	-0.00257	±2.5	PASS	TN/VL
PCS 1900	661	1880.0	1 Tx	11.69	0.00622	±2.5	PASS	TN/VL
PCS 1900	810	1909.8	1 Tx	7.36	0.00385	±2.5	PASS	TN/VL

Frequency Stability- GPRS-TN/VH

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	5.26	0.00639	±2.5	PASS	TN/VH
GSM 850	190	836.6	1 Tx	2.71	0.00324	±2.5	PASS	TN/VH
GSM 850	251	848.8	1 Tx	1.68	0.00198	±2.5	PASS	TN/VH
PCS 1900	512	1850.2	1 Tx	5.39	0.00291	±2.5	PASS	TN/VH
PCS 1900	661	1880.0	1 Tx	3.45	0.00184	±2.5	PASS	TN/VH
PCS 1900	810	1909.8	1 Tx	2.65	0.00139	±2.5	PASS	TN/VH

F6-2.Frequency Stability EGPRS-TN/VN

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	9.01	0.01093	±2.5	PASS	TN/VN
GSM 850	190	836.6	1 Tx	8.59	0.01027	±2.5	PASS	TN/VN
GSM 850	251	848.8	1 Tx	2.84	0.00335	±2.5	PASS	TN/VN
PCS 1900	512	1850.2	1 Tx	19.73	0.01066	±2.5	PASS	TN/VN
PCS 1900	661	1880.0	1 Tx	3.2	0.0017	±2.5	PASS	TN/VN
PCS 1900	810	1909.8	1 Tx	9.01	0.00472	±2.5	PASS	TN/VN

Frequency Stability- EGPRS-TL/VN

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	11.27	0.01367	±2.5	PASS	TL/VN
GSM 850	190	836.6	1 Tx	9.62	0.0115	±2.5	PASS	TL/VN
GSM 850	251	848.8	1 Tx	1.13	0.00133	±2.5	PASS	TL/VN
PCS 1900	512	1850.2	1 Tx	6.39	0.00346	±2.5	PASS	TL/VN
PCS 1900	661	1880.0	1 Tx	-0.77	-0.00041	±2.5	PASS	TL/VN
PCS 1900	810	1909.8	1 Tx	0.77	0.00041	±2.5	PASS	TL/VN

Frequency Stability- EGPRS-TL/VH

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	10.3	0.0125	±2.5	PASS	TL/VH
GSM 850	190	836.6	1 Tx	8.78	0.0105	±2.5	PASS	TL/VH
GSM 850	251	848.8	1 Tx	13.08	0.01541	±2.5	PASS	TL/VH
PCS 1900	512	1850.2	1 Tx	-0.52	-0.00028	±2.5	PASS	TL/VH
PCS 1900	661	1880.0	1 Tx	8.2	0.00436	±2.5	PASS	TL/VH
PCS 1900	810	1909.8	1 Tx	1.74	0.00091	±2.5	PASS	TL/VH

Frequency Stability- EGPRS-TH/VL

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	21.31	0.02585	±2.5	PASS	TH/VL
GSM 850	190	836.6	1 Tx	4.75	0.00567	±2.5	PASS	TH/VL
GSM 850	251	848.8	1 Tx	-7.68	-0.00905	±2.5	PASS	TH/VL
PCS 1900	512	1850.2	1 Tx	25.76	0.01393	±2.5	PASS	TH/VL
PCS 1900	661	1880.0	1 Tx	12.04	0.00641	±2.5	PASS	TH/VL
PCS 1900	810	1909.8	1 Tx	8.65	0.00453	±2.5	PASS	TH/VL

Frequency Stability- EGPRS-TL/VL

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	15.4	0.01869	±2.5	PASS	TL/VL
GSM 850	190	836.6	1 Tx	3.07	0.00367	±2.5	PASS	TL/VL
GSM 850	251	848.8	1 Tx	5.78	0.00681	±2.5	PASS	TL/VL
PCS 1900	512	1850.2	1 Tx	14.3	0.00773	±2.5	PASS	TL/VL
PCS 1900	661	1880.0	1 Tx	15.59	0.00829	±2.5	PASS	TL/VL
PCS 1900	810	1909.8	1 Tx	-8.39	-0.0044	±2.5	PASS	TL/VL

Frequency Stability- EGPRS-TH/VN

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	-4.75	-0.00576	±2.5	PASS	TH/VN
GSM 850	190	836.6	1 Tx	6.33	0.00756	±2.5	PASS	TH/VN
GSM 850	251	848.8	1 Tx	8.14	0.00959	±2.5	PASS	TH/VN
PCS 1900	512	1850.2	1 Tx	11.24	0.00607	±2.5	PASS	TH/VN
PCS 1900	661	1880.0	1 Tx	-0.58	-0.00031	±2.5	PASS	TH/VN
PCS 1900	810	1909.8	1 Tx	-2.26	-0.00118	±2.5	PASS	TH/VN

Frequency Stability- EGPRS-TN/VH

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	13.56	0.01645	±2.5	PASS	TN/VH
GSM 850	190	836.6	1 Tx	11.3	0.01351	±2.5	PASS	TN/VH
GSM 850	251	848.8	1 Tx	17.76	0.02092	±2.5	PASS	TN/VH
PCS 1900	512	1850.2	1 Tx	20.4	0.01103	±2.5	PASS	TN/VH
PCS 1900	661	1880.0	1 Tx	1.65	0.00088	±2.5	PASS	TN/VH
PCS 1900	810	1909.8	1 Tx	1.26	0.00066	±2.5	PASS	TN/VH

Frequency Stability- EGPRS-TN/VL

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	22.96	0.02785	±2.5	PASS	TN/VL
GSM 850	190	836.6	1 Tx	4.91	0.00587	±2.5	PASS	TN/VL
GSM 850	251	848.8	1 Tx	1.58	0.00186	±2.5	PASS	TN/VL
PCS 1900	512	1850.2	1 Tx	12.79	0.00691	±2.5	PASS	TN/VL
PCS 1900	661	1880.0	1 Tx	8.36	0.00445	±2.5	PASS	TN/VL
PCS 1900	810	1909.8	1 Tx	4.78	0.0025	±2.5	PASS	TN/VL

Frequency Stability- EGPRS-TH/VH

Band	Channel	Freq (MHz)	Slots	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
GSM 850	128	824.2	1 Tx	10.01	0.01214	±2.5	PASS	TH/VH
GSM 850	190	836.6	1 Tx	4.33	0.00517	±2.5	PASS	TH/VH
GSM 850	251	848.8	1 Tx	-2.23	-0.00262	±2.5	PASS	TH/VH
PCS 1900	512	1850.2	1 Tx	32.16	0.01738	±2.5	PASS	TH/VH
PCS 1900	661	1880.0	1 Tx	9.27	0.00493	±2.5	PASS	TH/VH
PCS 1900	810	1909.8	1 Tx	8.04	0.00421	±2.5	PASS	TH/VH