



















I6.Frequency Stability-TN/VN

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26697	814.7	QPSK	6@0	-11.49	-0.0141	±2.5	PASS	TN/VN
26	1.4	26697	814.7	16QAM	6@0	-28.21	-0.03463	±2.5	PASS	TN/VN
26	1.4	26740	819.0	QPSK	6@0	-1.2	-0.00147	±2.5	PASS	TN/VN
26	1.4	26740	819.0	16QAM	6@0	-7.0	-0.00854	±2.5	PASS	TN/VN
26	1.4	26783	823.3	QPSK	6@0	-0.76	-0.00092	±2.5	PASS	TN/VN
26	1.4	26783	823.3	16QAM	6@0	-17.52	-0.02128	±2.5	PASS	TN/VN
26	3.0	26705	815.5	QPSK	15@0	-16.57	-0.02031	±2.5	PASS	TN/VN
26	3.0	26705	815.5	16QAM	15@0	-22.39	-0.02745	±2.5	PASS	TN/VN
26	3.0	26740	819.0	QPSK	15@0	-3.43	-0.00419	±2.5	PASS	TN/VN
26	3.0	26740	819.0	16QAM	15@0	-10.03	-0.01224	±2.5	PASS	TN/VN
26	3.0	26775	822.5	QPSK	15@0	-7.82	-0.00951	±2.5	PASS	TN/VN
26	3.0	26775	822.5	16QAM	15@0	-13.86	-0.01685	±2.5	PASS	TN/VN
26	5.0	26715	816.5	QPSK	25@0	-13.66	-0.01673	±2.5	PASS	TN/VN
26	5.0	26715	816.5	16QAM	25@0	-22.43	-0.02747	±2.5	PASS	TN/VN
26	5.0	26740	819.0	QPSK	25@0	-6.82	-0.00833	±2.5	PASS	TN/VN
26	5.0	26740	819.0	16QAM	25@0	-15.59	-0.01904	±2.5	PASS	TN/VN
26	5.0	26765	821.5	QPSK	25@0	0.79	0.00096	±2.5	PASS	TN/VN
26	5.0	26765	821.5	16QAM	25@0	-14.19	-0.01727	±2.5	PASS	TN/VN
26	10.0	26740	819.0	QPSK	50@0	-2.9	-0.00355	±2.5	PASS	TN/VN
26	10.0	26740	819.0	16QAM	50@0	-16.15	-0.01972	±2.5	PASS	TN/VN
26	10.0	26740	819.0	QPSK	50@0	-27.59	-0.03369	±2.5	PASS	TN/VN
26	10.0	26740	819.0	16QAM	50@0	-37.87	-0.04623	±2.5	PASS	TN/VN

Frequency Stability-TH/VH

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26697	814.7	QPSK	6@0	-14.98	-0.01838	±2.5	PASS	TH/VH
26	1.4	26697	814.7	16QAM	6@0	-17.91	-0.02198	±2.5	PASS	TH/VH
26	1.4	26740	819.0	QPSK	6@0	-5.74	-0.007	±2.5	PASS	TH/VH
26	1.4	26740	819.0	16QAM	6@0	-18.8	-0.02295	±2.5	PASS	TH/VH
26	1.4	26783	823.3	QPSK	6@0	-6.37	-0.00773	±2.5	PASS	TH/VH
26	1.4	26783	823.3	16QAM	6@0	-28.91	-0.03512	±2.5	PASS	TH/VH
26	3.0	26705	815.5	QPSK	15@0	-7.84	-0.00961	±2.5	PASS	TH/VH
26	3.0	26705	815.5	16QAM	15@0	-8.33	-0.01021	±2.5	PASS	TH/VH
26	3.0	26740	819.0	QPSK	15@0	-7.64	-0.00933	±2.5	PASS	TH/VH
26	3.0	26740	819.0	16QAM	15@0	-20.33	-0.02482	±2.5	PASS	TH/VH
26	3.0	26775	822.5	QPSK	15@0	-5.64	-0.00685	±2.5	PASS	TH/VH
26	3.0	26775	822.5	16QAM	15@0	-24.36	-0.02962	±2.5	PASS	TH/VH
26	5.0	26715	816.5	QPSK	25@0	-5.54	-0.00678	±2.5	PASS	TH/VH
26	5.0	26715	816.5	16QAM	25@0	-2.47	-0.00303	±2.5	PASS	TH/VH
26	5.0	26740	819.0	QPSK	25@0	-3.82	-0.00466	±2.5	PASS	TH/VH
26	5.0	26740	819.0	16QAM	25@0	-15.09	-0.01843	±2.5	PASS	TH/VH
26	5.0	26765	821.5	QPSK	25@0	-6.01	-0.00731	±2.5	PASS	TH/VH
26	5.0	26765	821.5	16QAM	25@0	-20.73	-0.02523	±2.5	PASS	TH/VH
26	10.0	26740	819.0	QPSK	50@0	-7.62	-0.00931	±2.5	PASS	TH/VH
26	10.0	26740	819.0	16QAM	50@0	-11.94	-0.01458	±2.5	PASS	TH/VH
26	10.0	26740	819.0	QPSK	50@0	-19.83	-0.02421	±2.5	PASS	TH/VH
26	10.0	26740	819.0	16QAM	50@0	-39.15	-0.04781	±2.5	PASS	TH/VH

Frequency Stability-TH/VL

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26697	814.7	QPSK	6@0	-6.97	-0.00855	±2.5	PASS	TH/VL
26	1.4	26697	814.7	16QAM	6@0	-14.65	-0.01798	±2.5	PASS	TH/VL
26	1.4	26740	819.0	QPSK	6@0	-1.37	-0.00168	±2.5	PASS	TH/VL
26	1.4	26740	819.0	16QAM	6@0	-10.29	-0.01256	±2.5	PASS	TH/VL
26	1.4	26783	823.3	QPSK	6@0	-14.51	-0.01762	±2.5	PASS	TH/VL
26	1.4	26783	823.3	16QAM	6@0	-25.09	-0.03048	±2.5	PASS	TH/VL
26	3.0	26705	815.5	QPSK	15@0	-10.84	-0.0133	±2.5	PASS	TH/VL
26	3.0	26705	815.5	16QAM	15@0	-15.29	-0.01875	±2.5	PASS	TH/VL
26	3.0	26740	819.0	QPSK	15@0	-5.08	-0.0062	±2.5	PASS	TH/VL
26	3.0	26740	819.0	16QAM	15@0	-11.63	-0.0142	±2.5	PASS	TH/VL
26	3.0	26775	822.5	QPSK	15@0	-5.24	-0.00637	±2.5	PASS	TH/VL
26	3.0	26775	822.5	16QAM	15@0	-14.63	-0.01779	±2.5	PASS	TH/VL
26	5.0	26715	816.5	QPSK	25@0	-8.28	-0.01014	±2.5	PASS	TH/VL
26	5.0	26715	816.5	16QAM	25@0	-13.68	-0.01675	±2.5	PASS	TH/VL
26	5.0	26740	819.0	QPSK	25@0	2.23	0.00272	±2.5	PASS	TH/VL
26	5.0	26740	819.0	16QAM	25@0	-12.1	-0.01478	±2.5	PASS	TH/VL
26	5.0	26765	821.5	QPSK	25@0	1.63	0.00199	±2.5	PASS	TH/VL
26	5.0	26765	821.5	16QAM	25@0	-10.54	-0.01283	±2.5	PASS	TH/VL
26	10.0	26740	819.0	QPSK	50@0	-10.26	-0.01252	±2.5	PASS	TH/VL
26	10.0	26740	819.0	16QAM	50@0	-17.52	-0.0214	±2.5	PASS	TH/VL
26	10.0	26740	819.0	QPSK	50@0	-26.14	-0.03191	±2.5	PASS	TH/VL
26	10.0	26740	819.0	16QAM	50@0	-37.68	-0.04601	±2.5	PASS	TH/VL

Frequency Stability-TH/VN

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26697	814.7	QPSK	6@0	-11.63	-0.01428	±2.5	PASS	TH/VN
26	1.4	26697	814.7	16QAM	6@0	-15.45	-0.01896	±2.5	PASS	TH/VN
26	1.4	26740	819.0	QPSK	6@0	-1.97	-0.00241	±2.5	PASS	TH/VN
26	1.4	26740	819.0	16QAM	6@0	-15.61	-0.01906	±2.5	PASS	TH/VN
26	1.4	26783	823.3	QPSK	6@0	-3.95	-0.0048	±2.5	PASS	TH/VN
26	1.4	26783	823.3	16QAM	6@0	-22.16	-0.02691	±2.5	PASS	TH/VN
26	3.0	26705	815.5	QPSK	15@0	-11.87	-0.01456	±2.5	PASS	TH/VN
26	3.0	26705	815.5	16QAM	15@0	-22.0	-0.02698	±2.5	PASS	TH/VN
26	3.0	26740	819.0	QPSK	15@0	-8.07	-0.00985	±2.5	PASS	TH/VN
26	3.0	26740	819.0	16QAM	15@0	-24.85	-0.03034	±2.5	PASS	TH/VN
26	3.0	26775	822.5	QPSK	15@0	-8.57	-0.01042	±2.5	PASS	TH/VN
26	3.0	26775	822.5	16QAM	15@0	-21.92	-0.02664	±2.5	PASS	TH/VN
26	5.0	26715	816.5	QPSK	25@0	-13.55	-0.01659	±2.5	PASS	TH/VN
26	5.0	26715	816.5	16QAM	25@0	-23.8	-0.02915	±2.5	PASS	TH/VN
26	5.0	26740	819.0	QPSK	25@0	-1.09	-0.00133	±2.5	PASS	TH/VN
26	5.0	26740	819.0	16QAM	25@0	-7.37	-0.009	±2.5	PASS	TH/VN
26	5.0	26765	821.5	QPSK	25@0	-5.58	-0.00679	±2.5	PASS	TH/VN
26	5.0	26765	821.5	16QAM	25@0	-21.59	-0.02628	±2.5	PASS	TH/VN
26	10.0	26740	819.0	QPSK	50@0	-5.54	-0.00676	±2.5	PASS	TH/VN
26	10.0	26740	819.0	16QAM	50@0	-15.76	-0.01925	±2.5	PASS	TH/VN
26	10.0	26740	819.0	QPSK	50@0	-26.52	-0.03238	±2.5	PASS	TH/VN
26	10.0	26740	819.0	16QAM	50@0	-43.16	-0.0527	±2.5	PASS	TH/VN

Frequency Stability-TL/VN

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26697	814.7	QPSK	6@0	-17.91	-0.02198	±2.5	PASS	TL/VN
26	1.4	26697	814.7	16QAM	6@0	-31.6	-0.03879	±2.5	PASS	TL/VN
26	1.4	26740	819.0	QPSK	6@0	-3.02	-0.00369	±2.5	PASS	TL/VN
26	1.4	26740	819.0	16QAM	6@0	-9.06	-0.01106	±2.5	PASS	TL/VN
26	1.4	26783	823.3	QPSK	6@0	-4.21	-0.00511	±2.5	PASS	TL/VN
26	1.4	26783	823.3	16QAM	6@0	-16.67	-0.02024	±2.5	PASS	TL/VN
26	3.0	26705	815.5	QPSK	15@0	-12.59	-0.01544	±2.5	PASS	TL/VN
26	3.0	26705	815.5	16QAM	15@0	-32.86	-0.04029	±2.5	PASS	TL/VN
26	3.0	26740	819.0	QPSK	15@0	1.54	0.00189	±2.5	PASS	TL/VN
26	3.0	26740	819.0	16QAM	15@0	14.76	0.01803	±2.5	PASS	TL/VN
26	3.0	26775	822.5	QPSK	15@0	-8.33	-0.01012	±2.5	PASS	TL/VN
26	3.0	26775	822.5	16QAM	15@0	-16.87	-0.02051	±2.5	PASS	TL/VN
26	5.0	26715	816.5	QPSK	25@0	-7.7	-0.00943	±2.5	PASS	TL/VN
26	5.0	26715	816.5	16QAM	25@0	-19.2	-0.02351	±2.5	PASS	TL/VN
26	5.0	26740	819.0	QPSK	25@0	-1.23	-0.0015	±2.5	PASS	TL/VN
26	5.0	26740	819.0	16QAM	25@0	-10.79	-0.01317	±2.5	PASS	TL/VN
26	5.0	26765	821.5	QPSK	25@0	-7.44	-0.00905	±2.5	PASS	TL/VN
26	5.0	26765	821.5	16QAM	25@0	-20.18	-0.02457	±2.5	PASS	TL/VN
26	10.0	26740	819.0	QPSK	50@0	-7.02	-0.00858	±2.5	PASS	TL/VN
26	10.0	26740	819.0	16QAM	50@0	-22.62	-0.02761	±2.5	PASS	TL/VN
26	10.0	26740	819.0	QPSK	50@0	-31.57	-0.03855	±2.5	PASS	TL/VN
26	10.0	26740	819.0	16QAM	50@0	-5.97	-0.00728	±2.5	PASS	TL/VN

Frequency Stability-TN/VH

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26697	814.7	QPSK	6@0	-7.88	-0.00967	±2.5	PASS	TN/VH
26	1.4	26697	814.7	16QAM	6@0	-15.96	-0.0196	±2.5	PASS	TN/VH
26	1.4	26740	819.0	QPSK	6@0	-1.97	-0.00241	±2.5	PASS	TN/VH
26	1.4	26740	819.0	16QAM	6@0	-7.0	-0.00854	±2.5	PASS	TN/VH
26	1.4	26783	823.3	QPSK	6@0	-2.29	-0.00278	±2.5	PASS	TN/VH
26	1.4	26783	823.3	16QAM	6@0	-16.69	-0.02028	±2.5	PASS	TN/VH
26	3.0	26705	815.5	QPSK	15@0	-10.59	-0.01298	±2.5	PASS	TN/VH
26	3.0	26705	815.5	16QAM	15@0	-25.48	-0.03124	±2.5	PASS	TN/VH
26	3.0	26740	819.0	QPSK	15@0	-9.14	-0.01116	±2.5	PASS	TN/VH
26	3.0	26740	819.0	16QAM	15@0	-31.33	-0.03825	±2.5	PASS	TN/VH
26	3.0	26775	822.5	QPSK	15@0	-12.1	-0.01471	±2.5	PASS	TN/VH
26	3.0	26775	822.5	16QAM	15@0	-36.44	-0.0443	±2.5	PASS	TN/VH
26	5.0	26715	816.5	QPSK	25@0	-7.94	-0.00972	±2.5	PASS	TN/VH
26	5.0	26715	816.5	16QAM	25@0	-26.58	-0.03255	±2.5	PASS	TN/VH
26	5.0	26740	819.0	QPSK	25@0	-8.67	-0.01058	±2.5	PASS	TN/VH
26	5.0	26740	819.0	16QAM	25@0	-24.98	-0.0305	±2.5	PASS	TN/VH
26	5.0	26765	821.5	QPSK	25@0	-6.11	-0.00744	±2.5	PASS	TN/VH
26	5.0	26765	821.5	16QAM	25@0	-31.21	-0.038	±2.5	PASS	TN/VH
26	10.0	26740	819.0	QPSK	50@0	-4.98	-0.00608	±2.5	PASS	TN/VH
26	10.0	26740	819.0	16QAM	50@0	-22.62	-0.02761	±2.5	PASS	TN/VH
26	10.0	26740	819.0	QPSK	50@0	-40.18	-0.04906	±2.5	PASS	TN/VH
26	10.0	26740	819.0	16QAM	50@0	-8.87	-0.01083	±2.5	PASS	TN/VH

Frequency Stability-TN/VL

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26697	814.7	QPSK	6@0	-16.44	-0.02018	±2.5	PASS	TN/VL
26	1.4	26697	814.7	16QAM	6@0	-32.17	-0.03949	±2.5	PASS	TN/VL
26	1.4	26740	819.0	QPSK	6@0	-5.38	-0.00657	±2.5	PASS	TN/VL
26	1.4	26740	819.0	16QAM	6@0	-23.72	-0.02896	±2.5	PASS	TN/VL
26	1.4	26783	823.3	QPSK	6@0	-10.54	-0.01281	±2.5	PASS	TN/VL
26	1.4	26783	823.3	16QAM	6@0	-36.48	-0.04431	±2.5	PASS	TN/VL
26	3.0	26705	815.5	QPSK	15@0	-12.4	-0.01521	±2.5	PASS	TN/VL
26	3.0	26705	815.5	16QAM	15@0	-22.57	-0.02768	±2.5	PASS	TN/VL
26	3.0	26740	819.0	QPSK	15@0	-5.74	-0.007	±2.5	PASS	TN/VL
26	3.0	26740	819.0	16QAM	15@0	-21.93	-0.02678	±2.5	PASS	TN/VL
26	3.0	26775	822.5	QPSK	15@0	-12.02	-0.01461	±2.5	PASS	TN/VL
26	3.0	26775	822.5	16QAM	15@0	-38.78	-0.04715	±2.5	PASS	TN/VL
26	5.0	26715	816.5	QPSK	25@0	-15.58	-0.01908	±2.5	PASS	TN/VL
26	5.0	26715	816.5	16QAM	25@0	-27.92	-0.0342	±2.5	PASS	TN/VL
26	5.0	26740	819.0	QPSK	25@0	-10.44	-0.01275	±2.5	PASS	TN/VL
26	5.0	26740	819.0	16QAM	25@0	-27.32	-0.03336	±2.5	PASS	TN/VL
26	5.0	26765	821.5	QPSK	25@0	-8.11	-0.00987	±2.5	PASS	TN/VL
26	5.0	26765	821.5	16QAM	25@0	-29.94	-0.03645	±2.5	PASS	TN/VL
26	10.0	26740	819.0	QPSK	50@0	-12.16	-0.01485	±2.5	PASS	TN/VL
26	10.0	26740	819.0	16QAM	50@0	-26.45	-0.0323	±2.5	PASS	TN/VL
26	10.0	26740	819.0	QPSK	50@0	-40.1	-0.04896	±2.5	PASS	TN/VL
26	10.0	26740	819.0	16QAM	50@0	-11.53	-0.01408	±2.5	PASS	TN/VL

Frequency Stability-TL/VH







Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26697	814.7	QPSK	6@0	-5.02	-0.00616	±2.5	PASS	TL/VH
26	1.4	26697	814.7	16QAM	6@0	-13.12	-0.0161	±2.5	PASS	TL/VH
26	1.4	26740	819.0	QPSK	6@0	-4.48	-0.00547	±2.5	PASS	TL/VH
26	1.4	26740	819.0	16QAM	6@0	-16.52	-0.02017	±2.5	PASS	TL/VH
26	1.4	26783	823.3	QPSK	6@0	-7.31	-0.00888	±2.5	PASS	TL/VH
26	1.4	26783	823.3	16QAM	6@0	-29.57	-0.03591	±2.5	PASS	TL/VH
26	3.0	26705	815.5	QPSK	15@0	-6.78	-0.00831	±2.5	PASS	TL/VH
26	3.0	26705	815.5	16QAM	15@0	-13.39	-0.01642	±2.5	PASS	TL/VH
26	3.0	26740	819.0	QPSK	15@0	-5.24	-0.00639	±2.5	PASS	TL/VH
26	3.0	26740	819.0	16QAM	15@0	-18.48	-0.02257	±2.5	PASS	TL/VH
26	3.0	26775	822.5	QPSK	15@0	-3.08	-0.00374	±2.5	PASS	TL/VH
26	3.0	26775	822.5	16QAM	15@0	-21.0	-0.02553	±2.5	PASS	TL/VH
26	5.0	26715	816.5	QPSK	25@0	-7.17	-0.00878	±2.5	PASS	TL/VH
26	5.0	26715	816.5	16QAM	25@0	-10.76	-0.01318	±2.5	PASS	TL/VH
26	5.0	26740	819.0	QPSK	25@0	-6.71	-0.00819	±2.5	PASS	TL/VH
26	5.0	26740	819.0	16QAM	25@0	-21.97	-0.02683	±2.5	PASS	TL/VH
26	5.0	26765	821.5	QPSK	25@0	-3.16	-0.00385	±2.5	PASS	TL/VH
26	5.0	26765	821.5	16QAM	25@0	-18.38	-0.02238	±2.5	PASS	TL/VH
26	10.0	26740	819.0	QPSK	50@0	-6.97	-0.00851	±2.5	PASS	TL/VH
26	10.0	26740	819.0	16QAM	50@0	-20.37	-0.02487	±2.5	PASS	TL/VH
26	10.0	26740	819.0	QPSK	50@0	-31.14	-0.03802	±2.5	PASS	TL/VH
26	10.0	26740	819.0	16QAM	50@0	-47.82	-0.05839	±2.5	PASS	TL/VH


Frequency Stability-TL/VL

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
26	1.4	26697	814.7	QPSK	6@0	-6.78	-0.00832	±2.5	PASS	TL/VL
26	1.4	26697	814.7	16QAM	6@0	-14.99	-0.0184	±2.5	PASS	TL/VL
26	1.4	26740	819.0	QPSK	6@0	-2.98	-0.00363	±2.5	PASS	TL/VL
26	1.4	26740	819.0	16QAM	6@0	-14.79	-0.01806	±2.5	PASS	TL/VL
26	1.4	26783	823.3	QPSK	6@0	-6.08	-0.00738	±2.5	PASS	TL/VL
26	1.4	26783	823.3	16QAM	6@0	-21.51	-0.02613	±2.5	PASS	TL/VL
26	3.0	26705	815.5	QPSK	15@0	-10.56	-0.01295	±2.5	PASS	TL/VL
26	3.0	26705	815.5	16QAM	15@0	-18.75	-0.023	±2.5	PASS	TL/VL
26	3.0	26740	819.0	QPSK	15@0	4.36	0.00533	±2.5	PASS	TL/VL
26	3.0	26740	819.0	16QAM	15@0	-8.96	-0.01093	±2.5	PASS	TL/VL
26	3.0	26775	822.5	QPSK	15@0	0.32	0.00039	±2.5	PASS	TL/VL
26	3.0	26775	822.5	16QAM	15@0	-14.63	-0.01779	±2.5	PASS	TL/VL
26	5.0	26715	816.5	QPSK	25@0	-4.08	-0.00499	±2.5	PASS	TL/VL
26	5.0	26715	816.5	16QAM	25@0	-13.26	-0.01624	±2.5	PASS	TL/VL
26	5.0	26740	819.0	QPSK	25@0	1.33	0.00162	±2.5	PASS	TL/VL
26	5.0	26740	819.0	16QAM	25@0	-11.4	-0.01392	±2.5	PASS	TL/VL
26	5.0	26765	821.5	QPSK	25@0	4.16	0.00507	±2.5	PASS	TL/VL
26	5.0	26765	821.5	16QAM	25@0	-10.11	-0.01231	±2.5	PASS	TL/VL
26	10.0	26740	819.0	QPSK	50@0	-15.01	-0.01832	±2.5	PASS	TL/VL
26	10.0	26740	819.0	16QAM	50@0	-22.99	-0.02807	±2.5	PASS	TL/VL
26	10.0	26740	819.0	QPSK	50@0	-34.63	-0.04229	±2.5	PASS	TL/VL
26	10.0	26740	819.0	16QAM	50@0	-3.71	-0.00452	±2.5	PASS	TL/VL

17.Modulation Characteristics


Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Verdict
26	1.4	26740	819.0	QPSK	6@0	PASS
26	1.4	26740	819.0	16QAM	6@0	PASS
26	3.0	26740	819.0	QPSK	15@0	PASS
26	3.0	26740	819.0	16QAM	15@0	PASS
26	5.0	26740	819.0	QPSK	25@0	PASS
26	5.0	26740	819.0	16QAM	25@0	PASS
26	10.0	26740	819.0	QPSK	50@0	PASS
26	10.0	26740	819.0	16QAM	50@0	PASS
26	10.0	26740	819.0	64QAM	50@0	PASS

	
Band 26 1.4MHz/819.0/Mid QPSK 6@0	Band 26 1.4MHz/819.0/Mid 16QAM 6@0
	
Band 26 3MHz/819.0/Mid QPSK 15@0	Band 26 3MHz/819.0/Mid 16QAM 15@0
	
Band 26 5MHz/819.0/Mid QPSK 25@0	Band 26 5MHz/819.0/Mid 16QAM 25@0



Band 26 10MHz/819.0/Mid QPSK 50@0

Band 26 10MHz/819.0/Mid 16QAM 50@0



Band 26 10MHz/819.0/Mid 64QAM 50@0